jnose/src/main/java/br/ufba/jnose/WicketApplication.java:54: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:57: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:62: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:63: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:64: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:65: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:66: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:67: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:68: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:69: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:70: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/WicketApplication.java:74: SystemPrintln: Usage of System.out/err inose/src/main/java/br/ufba/jnose/base/CSVCore.java:64: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/CSVCore.java:91: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/CoverageCore.java: 17: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.jnose/src/main/java/br/ufba/jnose/base/GitCore.java:48: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:55: UnusedAssignment: The initializer for variable 'owner_' is never used (overwritten on line 64) jnose/src/main/java/br/ufba/jnose/base/GitCore.java:57: AvoidReassigningParameters: Avoid reassigning parameters such as 'path_' jnose/src/main/java/br/ufba/jnose/base/GitCore.java:71: UnusedAssignment: The initializer for variable 'repoName' is never used (overwritten on lines 73, 79 and 81) jnose/src/main/java/br/ufba/jnose/base/GitCore.java:78: AvoidReassigningParameters: Avoid reassigning parameters such as 'repoURL'

jnose/src/main/java/br/ufba/jnose/base/GitCore.java:91: UnusedLocalVariable: Avoid unused local variables such as 'git'.

jnose/src/main/java/br/ufba/jnose/base/GitCore.java:107: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface instead jnose/src/main/java/br/ufba/jnose/base/GitCore.java:109: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface instead jnose/src/main/java/br/ufba/jnose/base/GitCore.java:115: UnusedLocalVariable: Avoid unused local variables such as 'authorTimeZone'. inose/src/main/java/br/ufba/jnose/base/GitCore.java:125: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/GitCore.java:131: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface instead jnose/src/main/java/br/ufba/jnose/base/GitCore.java:133: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface instead jnose/src/main/java/br/ufba/jnose/base/GitCore.java:140: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/base/GitCore.java:155: UnusedLocalVariable: Avoid unused local variables such as 'authorTimeZone'. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:156: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/base/GitCore.java:169: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:180: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:190: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:201: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:211: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:221: UnusedAssignment: The initializer for variable 'git' is never used (overwritten on line 226) jnose/src/main/java/br/ufba/jnose/base/GitCore.java:240: SystemPrintln: Usage of System.out/err inose/src/main/java/br/ufba/inose/base/GitCore.java:249: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:257: UnusedAssignment: The initializer for variable 'git' is never used (overwritten on line 259) jnose/src/main/java/br/ufba/jnose/base/GitCore.java:260: UnusedLocalVariable: Avoid unused local variables such as 'lista'. jnose/src/main/java/br/ufba/jnose/base/GitCore.java:265: AvoidReassigningParameters: Avoid reassigning parameters such as 'filePath' jnose/src/main/java/br/ufba/jnose/base/GitCore.java:269: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/JNose.java:111: UnusedAssignment: The initializer for variable 'columnValues' is never used (overwritten on line 112) jnose/src/main/java/br/ufba/jnose/base/JNose.java:165: SystemPrintln: Usage of System.out/err jnose/src/main/java/br/ufba/jnose/base/JNose.java:178: UnusedAssignment: The initializer for variable 'hash' is never used (overwritten on line 182) jnose/src/main/java/br/ufba/jnose/base/JNose.java:186: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/JNose.java:196: AvoidReassigningParameters: Avoid reassigning parameters such as 'start' jnose/src/main/java/br/ufba/jnose/base/JNose.java:197: AvoidReassigningParameters: Avoid reassigning parameters such as 'end'

jnose/src/main/java/br/ufba/jnose/base/JNose.java:206: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.
jnose/src/main/java/br/ufba/jnose/base/JNose.java:211: UseVarargs: Consider using varargs for methods or constructors which take an array the last

parameter.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:223: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:262: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:312: SystemPrintln: Usage of System.out/err

jnose/src/main/java/br/ufba/jnose/base/JNose.java:335: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:349: SystemPrintln: Usage of System.out/err

jnose/src/main/java/br/ufba/jnose/base/JNose.java:354: UnusedLocalVariable: Avoid unused local variables such as 'valorSoma'.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:356: UnusedAssignment: The value assigned to variable 'valorSoma' is never used

jnose/src/main/java/br/ufba/jnose/base/JNose.java:358: UnusedAssignment: The value assigned to variable 'valorSoma' is never used

jnose/src/main/java/br/ufba/jnose/base/JNose.java:370: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:389: MissingOverride: The method 'compare(Commit, Commit)' is missing an @Override

annotation.

inose/src/main/java/br/ufba/jnose/base/JNose.java:417: UnusedLocalVariable: Avoid unused local variables such as 'total'.

jnose/src/main/java/br/ufba/jnose/base/JNose.java:419: UnusedAssignment: The initializer for variable 'listTestClass' is never used (overwritten on line

425)

 $jnose/src/main/java/br/ufba/jnose/base/JNose.java: 427: UseCollectionIsEmpty: Substitute \ calls \ to \ size() == 0 \ (or \ size() == 0, \ size() > 0, \ size() < 1) \ with \ (in the context of the co$

calls to isEmpty()

jnose/src/main/java/br/ufba/jnose/base/JNose.java:494: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/Util.java:20: UnusedLocalVariable: Avoid unused local variables such as 'i'.

jnose/src/main/java/br/ufba/jnose/base/Util.java:38: UnusedLocalVariable: Avoid unused local variables such as 'r'.

jnose/src/main/java/br/ufba/jnose/base/Util.java:38: UnusedAssignment: The initializer for variable 'r' is never used (overwritten on line 47)

jnose/src/main/java/br/ufba/jnose/base/Util.java:44: SystemPrintln: Usage of System.out/err

 $jnose/src/main/java/br/ufba/jnose/base/Util.java: 47:\ Unused Assignment:\ The\ value\ assigned\ to\ variable\ 'r'\ is\ never\ used$

jnose/src/main/java/br/ufba/jnose/base/Util.java:49: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/Util.java:92: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/base/Util.java:102: UnusedAssignment: The initializer for variable 'digest' is never used (overwritten on line 104)

jnose/src/main/java/br/ufba/jnose/base/Util.java:107: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/base/Util.java:115: ForLoopCanBeForeach: This for loop can be replaced by a foreach loop jnose/src/main/java/br/ufba/jnose/base/cobertura/ReportGenerator.java:73: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/business/ProjetoBusiness.java:15: LiteralsFirstInComparisons: Position literals first in String comparisons jnose/src/main/java/br/ufba/jnose/pages/AnalyzePage.java:59: UnusedLocalVariable: Avoid unused local variables such as 'clientAddress'. jnose/src/main/java/br/ufba/jnose/pages/AnalyzePage.java:99: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/pages/AnalyzePage.java:106: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/pages/AnalyzePage.java:114: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/pages/AnalyzePage.java:142: GuardLogStatement: Logger calls should be surrounded by log level guards. jnose/src/main/java/br/ufba/jnose/pages/AnalyzePage.java:145: GuardLogStatement: Logger calls should be surrounded by log level guards. jnose/src/main/java/br/ufba/jnose/pages/ByClassTestPage.java:39: UnusedPrivateField: Avoid unused private fields such as 'pastaPath'. jnose/src/main/java/br/ufba/jnose/pages/ByClassTestPage.java:48: AvoidStringBufferField: StringBuffers can grow quite a lot, and so may become a source of memory leak (if the owning class has a long life time). jnose/src/main/java/br/ufba/jnose/pages/ByClassTestPage.java:198: UseCollectionIsEmpty: Substitute calls to size() == 0 (or size() != 0, size() > 0, size() < 1) with calls to isEmpty() jnose/src/main/java/br/ufba/jnose/pages/ByTestSmellsPage.java:44: UnusedPrivateField: Avoid unused private fields such as 'indicator'. jnose/src/main/java/br/ufba/jnose/pages/ByTestSmellsPage.java:47: UnusedPrivateField: Avoid unused private fields such as 'totalProgressBar'. jnose/src/main/java/br/ufba/jnose/pages/ByTestSmellsPage.java:52: AvoidStringBufferField: StringBuffers can grow quite a lot, and so may become a source of memory leak (if the owning class has a long life time). jnose/src/main/java/br/ufba/jnose/pages/ByTestSmellsPage.java:52: UnusedPrivateField: Avoid unused private fields such as 'logRetorno'. inose/src/main/java/br/ufba/jnose/pages/ByTestSmellsPage.java:157: UseCollectionIsEmpty: Substitute calls to size() == 0 (or size() != 0, size() > 0, size() < 1) with calls to isEmpty() jnose/src/main/java/br/ufba/jnose/pages/CodePage.java:44: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead. jnose/src/main/java/br/ufba/jnose/pages/EvolutionPage.java:35: AvoidStringBufferField: StringBuffers can grow quite a lot, and so may become a

jnose/src/main/java/br/ufba/jnose/pages/EvolutionPage.java:220: UnusedLocalVariable: Avoid unused local variables such as 'todasLinhas2'.

source of memory leak (if the owning class has a long life time).

jnose/src/main/java/br/ufba/jnose/pages/EvolutionPage.java:234: UnusedLocalVariable: Avoid unused local variables such as 'todasLinhas5'.

jnose/src/main/java/br/ufba/jnose/pages/EvolutionPage.java:248: SystemPrintln: Usage of System.out/err

jnose/src/main/java/br/ufba/jnose/pages/ProjetosPage.java:72: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface

instead

jnose/src/main/java/br/ufba/jnose/pages/ProjetosPage.java:103: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface

instead

jnose/src/main/java/br/ufba/jnose/pages/ProjetosPage.java:111: LooseCoupling: Avoid using implementation types like 'ArrayList'; use the interface

instead

jnose/src/main/java/br/ufba/jnose/pages/ProjetosPage.java:127: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/pages/ResultPage.java:26: AvoidReassigningParameters: Avoid reassigning parameters such as 'todasLinhas'

jnose/src/main/java/br/ufba/jnose/pages/SourcePage.java:26: UnusedLocalVariable: Avoid unused local variables such as 'fileSource'.

jnose/src/main/java/br/ufba/jnose/pages/SourcePage.java:39: AvoidPrintStackTrace: Avoid printStackTrace(); use a logger call instead.

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:35: LiteralsFirstInComparisons: Position literals first in String comparisons

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:45: LiteralsFirstInComparisons: Position literals first in String comparisons

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:55: LiteralsFirstInComparisons: Position literals first in String comparisons

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:65: LiteralsFirstInComparisons: Position literals first in String comparisons

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:75: LiteralsFirstInComparisons: Position literals first in String comparisons

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:85: LiteralsFirstInComparisons: Position literals first in String comparisons

jnose/src/main/java/br/ufba/jnose/pages/base/BasePage.java:95: LiteralsFirstInComparisons: Position literals first in String comparisons