

INSARAG

International Search and Rescue Advisory Group

ICMS 3.0

INSARAG Coordination & Management System

TEAM GUIDE



Introduction & Team Module

Manual for USAR Team Leaders, Command Point Staff and Field Staff

IMWG-MANUAL-2026-01A · Draft v0.4

Prepared by the INSARAG Information Management Working Group (IMWG)

DOCUMENT CONTROL

Title	ICMS 3.0 – Team Guide
Subtitle	Introduction and Team Module
Document reference	IMWG-MANUAL-2026-01A (Draft v0.4)
Owner	INSARAG Information Management Working Group (IMWG)
Series	This guide covers ICMS 3.0 Introduction and the Team Module only. UCC Module content is issued as a separate guide.
Audience	USAR Team Leaders, USAR Command Point Staff, USAR Field Staff
Environment	Prepared against the ICMS 3.0 Training Environment (see Section 7)
Last reviewed	September 2026
Enquiries	insarag.imwg@gmail.com

Record of amendments

Date	Version	Description
01/2020	v0.1	Initial issue
09/2026	v0.2	Reformatted to IMWG manual standard; corrected errors and updated references
09/2026	v0.3	Rebuilt against the ICMS 3.0 Step-Over training deck: Introduction and Team Module content expanded with full procedural detail, screenshots and annotations from the current Quick Capture / Field Maps / Team Module training environment. Superseded Survey123 / ArcGIS Explorer content removed. UCC Module split out to a separate guide.

STATUS

This is a working draft (v0.3) prepared for IMWG review ahead of formal release into the training environment. It reflects the ICMS 3.0 Team and Introduction content current as at the Step-Over training deck used to build it; final release copy should be checked against the production HUB before wider distribution.

CONTENTS

1. Introduction	4
1.1 About This Guide	4
1.2 Session Overview	4
1.3 Advisory — ICMS 3.0 Global Release	4
1.4 The ICMS 3.0 Field-to-Command Workflow	4
1.5 Access to ICMS Functions	6
2. ICMS 3.0 Applications	7
2.1 The Three Applications	7
2.2 Field Collection Access	7
2.3 Accessing Apps by QR Code	8
2.4 The Tactical Shift: Quick Capture vs Field Maps	9
3. Worksite Triage — Concepts	11
3.1 Rapid Triage Capture	11
3.2 Worksite Triage Typology	11
4. The Quick Capture Field User Interface	13
4.1 Menu Structure	13
4.2 Primary and Secondary Data Entry	13
5. Worksite Triage — Procedures	15
5.1 Primary Data Entry (QC UI)	15
5.2 Worksite ID Numbering	15
5.3 Secondary Data Entry — Triage or Report (Field Maps)	15
6. Victim Extrication — Procedures	18
6.1 QC UI Data Entry	18
6.2 Field Maps Data Entry	19
7. The INSARAG HUB	20
7.1 HUB Layout	20
7.2 Accessing Apps from the HUB	21
8. The Team Module	23
8.1 OVERVIEW Tab	23
8.2 OVERVIEW Map — 3D Building Feature	24
8.3 MAP Tab	25
8.4 DATA Tab	26
8.5 TRIAGE Tab	26
8.6 WORKSITES Tab	27
8.7 VICTIMS Tab	28
9. References	29
10. IMWG Contact Details	29

1. INTRODUCTION

When to use	Use this guide to manage and perform USAR Team-based functions during USAR operations using ICMS 3.0.
Role	USAR Team Leader / USAR Command Point Staff / USAR Field Staff
Covers	ICMS 3.0 introduction and applications; field data collection via Quick Capture and Field Maps; the INSARAG HUB; and the Team Module (six-tab dashboard).
Does not cover	UCC / Coordination Centre functions, RDC functions, or Sector Coordination — these are addressed in the separate UCC Module guide.

1.1 About This Guide

ICMS is a multi-tiered system in which different groups and functions work together across the system to produce an information management capability that enhances situational awareness and, as a result, improves coordination and outcomes for affected communities.

The team functions covered in this guide are primarily focused on preparing team-based systems for deployment, accessing ICMS 3.0, using the INSARAG HUB, in-field data collection, and Command Point (CP) monitoring. Sector Coordination and UCC-level functions are covered in the companion UCC Module guide.

ICMS has two separate login systems. It is important that the **“Team” logins** are used for all team-based activities described in this guide — use your existing ICMS login and password for the Applications, Team and UCC areas of the system.

1.2 Session Overview

This guide walks through ICMS 3.0 in the same sequence used for team training:

- Field and Command accessibility
- The three ICMS 3.0 applications and the new-look HUB
- The Quick Capture user interface
- Field Maps
- The HUB
- The Team Module

(The UCC Module is addressed separately — see the companion guide.)

1.3 Advisory — ICMS 3.0 Global Release

The following advisory applied at the time this training material was produced and is reproduced here for context:

Advisory – global release of ICMS 3.0:

- *The global release will be timed for after the INSARAG Global Meeting in Brazil on 10 July 2026.*
- *It will include INSARAG 2026 Guideline amendments; as such, the 12-month transition period may be adjusted for ICMS 3.0 use.*
- *Some adjustments are still expected in ICMS 3.0 as production is finalised — always confirm current behaviour against the live Training Environment (Section 7) before relying on a specific screen or step.*

1.4 The ICMS 3.0 Field-to-Command Workflow

ICMS 3.0 is built around a single operating cycle that links field capture directly to coordination and tasking. The cycle is summarised as:

Capture once. Share quickly. Prioritise effectively. Task with confidence.




Figure 1.1. Session overview and the four-phase capture-to-tasking cycle (Gateway → Details → Brain → Muscle), as presented in the ICMS 3.0 training deck.

The four phases of that cycle are described below and illustrated in Figure 1.2:

Phase 1 – The Operational Gateway

A team member scans a QR code (issued from the VOSOCC / UCC section), logs in with their team credentials, and updates the project when prompted. Quick Capture is the entry point: it ensures consistent information capture across teams and rapidly links operators to the supporting field apps.

CRITICAL ALERT

For devices used for Team Fact Sheet submissions, all three apps — Survey123, Field Maps and Quick Capture — must be logged in to keep forms and map updates in sync.

Phase 2 – Maturing the Data

On arrival at an assigned worksite, the team clicks the worksite and presses Edit, then upgrades the form from 'Triage' to 'Report', and changes the worksite status to 'Active' and submits. As more information becomes available — hazards, access, structure type — the team updates the existing worksite record, so the Command Point always has accurate, up-to-the-minute data to plan the rescue.

Phase 3 – The Brain (UCC Visibility)

Field data instantly aggregates at the UCC, giving what the training material calls a 'God's Eye' view: comprehensive situational awareness across all operational sectors (visibility), evaluation of competing worksites using triage data (comparison), and macro-scale understanding of rescue opportunities to prevent resource bottlenecks (coordination).

Phase 4 – The Muscle (Tasking the Command Point)

Tasking flows back out through a hub-and-spoke structure: UCC → Team Command Point (CP) → Squads (e.g. Squad Alpha, Squad Bravo, Specialist Unit). When the CP receives a task it now has a complete picture — which worksite is assigned, why it was prioritised, what hazards and victims are known, and which specific squad or capability must be deployed. The loop is closed: field data has directly driven tactical deployment.




Figure 1.2. The four-phase ICMS 3.0 workflow: Operational Gateway, Maturing the Data, The Brain (UCC Visibility) and The Muscle (Tasking the Command Point).

1.5 Access to ICMS Functions

Access to ICMS functions is through the INSARAG HUB: icms-insarag.hub.arcgis.com.

All functions described in this guide are available from the HUB with a valid login and password. The HUB is a common landing page with a hard-wired link from the Virtual OSOCC (VO): this link sits in the ICMS sub-section of the UCC section on the VO and may be emailed to responding teams along with logins and passwords.

Each event has its own login, password, forms and dashboards, and you will only be able to access events and applications you have been authorised for. The HUB is managed by IMWG, who create the event and its associated ICMS functions and dashboards whenever a USAR response is taking place or is very likely to occur.

PREPARATION FOR DEPLOYMENT

ICMS creates a completely new set of dashboards and forms for every event. Before deployment, clear out all forms and maps from the field applications on team devices, so staff are not working from a previous event's data. Section 7 (The INSARAG HUB) shows how to (re)access the current event's apps, including by QR code.

Any questions or queries can be sent to IMWG at insarag.imwg@gmail.com.

2. ICMS 3.0 APPLICATIONS

2.1 The Three Applications

ICMS 3.0 uses three ArcGIS applications (apps) for field data collection: Survey123 (S123), Quick Capture (QC) and Field Maps (FM). Quick Capture is the new ICMS 3.0 user interface (UI) that brings all three apps together with user accessibility in one place.




Figure 2.1. The three ArcGIS applications used by ICMS 3.0: Survey123 (S123), Quick Capture (QC) and Field Maps (FM).

Application	Role
Survey123 (S123)	Data sharing through web maps, apps and dashboards to inform decision-making and improve business processes. S123 is the underlying app for all INSARAG Forms.
Quick Capture (QC)	Ultra-fast field capture for point observations, status updates and photos with minimal typing. QC is the ICMS 3.0 field user interface — the entry point for teams.
Field Maps (FM)	A richer map view that lets teams see the operating area, known worksites and linked field information, for more detailed, sustained data entry.

2.2 Field Collection Access

QC is the new ICMS 3.0 UI that combines the three apps with user accessibility in the one location. S123 remains the underlying app for INSARAG Forms and, inside the QC UI:

- an S123 'button' is used for Team Fact Sheet submission, and
- an FM 'button' is used to access the map layer, including all other field data collection functions.

Apps must be maintained on devices through regular updates, and Team accounts must log in and check for updated surveys and maps before each deployment.

ICMS 3.0



ICMS 3.0 Field Collection Access:

- ICMS 3.0 uses 3 x ArcGIS Applications (apps) for various functions – Survey123 (S123), Field Maps (FM) and QuickCapture (QC).
- QC is the new ICMS 3.0 User Interface (UI) that combines the 3 apps with user accessibility in the one location.
- S123 is the underlying app for INSARAG Forms, and in the QC UI:
 - A S123 'button' is used for the Team Fact Sheet submission, and
 - A FM 'button' is used to access the map layer including all other field data collection functions.
- Apps must be maintained on devices through updates and regular Team account logging in and checking for




Figure 2.2. Field collection access: the Survey123 forms list (with the Zone Assignment survey highlighted), and the QC UI workspace showing the project-update prompt that appears when a newer ICMS 3.0 project version is available (both circled in red on the original training slide).

KEEPING DEVICES CURRENT

The red-circled prompts in Figure 2.2 show the two places teams most often miss an update: a new or changed survey in the Survey123 downloads list, and the 'Update project?' dialog in the QC workspace picker. Both should be actioned before a device is issued to the field.

2.3 Accessing Apps by QR Code

ICMS 3.0 also enables QR codes so a user can access the QC UI and the deployed Field Maps version, and reach Survey123 for the Team Fact Sheet. For this to work, S123, QC and FM must already be installed on the device, or available for the user to add.




Figure 2.3. QR code access panel, and the three on-device states a scan can produce.

Scanning a QR code produces one of three outcomes, shown numbered 1–3 on the phone camera screenshots in Figure 2.3:

- Requested app is not installed on the device (the camera shows 'No usable data found').
- The app is available via a link (the camera recognises an "arcgis.app" link).
- The app is installed on the device and will open, with user login (the camera offers to "Open 'arcgis-quickcaptu...']").

2.4 The Tactical Shift: Quick Capture vs Field Maps

Quick Capture and Field Maps serve deliberately different purposes in the field workflow. Quick Capture favours maximum speed for the initial worksite assessment; Field Maps favours maximum depth once a worksite is active.

	Quick Capture	Field Maps
Primary objective	Maximum speed (rapid synthesis)	Maximum depth (detailed intelligence)
Worksite phase	Initial assessment (first look)	Active worksite (sustained operation)
Key inputs	Triage buttons & one overview photo	Detailed reports, extrication methods, additional media

Rule of thumb: use Quick Capture to put the worksite on the map, then use Field Maps to mature the intelligence.

The Tactical Shift: Speed vs. Depth

	QuickCapture	Field Maps
Primary Objective	Maximum Speed (Rapid synthesis)	Maximum Depth (Detailed intelligence)
Worksite Phase	Initial Assessment (First look)	Active Worksite (Sustained operation)
Key Inputs	Triage buttons & 1 overview photo	Detailed reports, Extrication methods, additional media
Use QuickCapture to put the worksite on the map. Use Field Maps to mature the intelligence.		

NotebookLM

Figure 2.4. The tactical shift from Quick Capture (speed) to Field Maps (depth) as a worksite matures.

3. WORKSITE TRIAGE — CONCEPTS

3.1 Rapid Triage Capture

The first field action at any new worksite is a rapid, minimum-field triage capture. Four categories are used, each requiring an overview photograph:

Category	Definition
A	Confirmed live (less than 12h)
B	Confirmed live (more than 12h)
C	Possible live
D	Only deceased

The capture sequence is:

1. Press the designated Triage button.
2. Enter the worksite ID (in the example used in training, worksite 927).
3. Capture ONE good overview photo of the worksite.
4. Answer all basic questions.
5. Submit the record.

RULE OF THUMB

These are the minimum fields required for assignment. Additional questions and media are handled later via Field Maps (see Section 6).




Figure 3.1. Rapid triage capture: the four triage categories and the five-step capture sequence.

3.2 Worksite Triage Typology

The same four categories carry a consistent colour code, time-sensitivity and operational status across every ICMS 3.0 screen — in Quick Capture, Field Maps and the Team Module dashboard alike:

Cat.	Colour code	Time sensitivity	Operational status
A	Go Green	Confirmed live (less than 12h)	Immediate extrication priority
B	Safety Orange	Confirmed live (more than 12h)	Sustained rescue operation
C	High-Vis Yellow	Possible live	Assessment / search required
D	Emergency Red	Only deceased	Recovery mode

This initial triage dictates the worksite's entry velocity into the UCC prioritisation funnel, and is the same A–D categorisation used throughout the Team Module (Section 8).

Worksite Triage Typology

Category	Color Code	Time Sensitivity	Operational Status
A	Go Green	Confirmed live (Less than 12h)	Immediate Extrication Priority
B	Safety Orange	Confirmed live (More than 12h)	Sustained Rescue Operation
C	High-Vis Yellow	Possible live	Assessment / Search Required
D	Emergency Red	Only deceased	Recovery Mode

i This initial triage dictates the worksite's entry velocity into the UCC Prioritization funnel.

NotebookLM

Figure 3.2. Worksite triage typology: category, colour code, time sensitivity and operational status.

4. THE QUICK CAPTURE FIELD USER INTERFACE

4.1 Menu Structure

The QC UI is built as a single collapsible menu for the logged-in team. Each section expands independently, and the app footer always shows the current GPS accuracy so the user can judge whether a fix is good enough to submit against. The sections, in order, are:

- **Quick Guides** — short reference guides, including Field Collection and Worksite Triage.
- **App Links** — direct links to the Team Fact Sheet (Survey123) and Field Maps.
- **Tracklog** — the device's recorded track.
- **Triage** — the four triage categories (A–D) described in Section 3.
- **Victim Extrication – Injuries to victim** — five injury categories: None, Minor, Serious, Critical, Deceased.




Figure 4.1. The QC UI menu, shown progressively expanded through its five sections: Quick Guides, App Links, Tracklog, Triage, and Victim Extrication (each highlighted with a red accordion border as it opens).

4.2 Primary and Secondary Data Entry

The QC UI is designed to be very simple and to shorten data entry time considerably. Data collection falls into two categories:

Category	Where	Purpose
Primary data entry	Quick Capture (QC UI)	Fast, minimum-field capture in the field — triage buttons and worksite creation.
Secondary / additional data entry	Field Maps (FM), reached via the FM icon in App Links	Fuller detail once a worksite exists — updates, reports and additional media.


All forms are based in Survey123 and are linked across all ICMS 3.0 apps and dashboards. QC UI data entry is primarily for field collection, with one exception: the Team Fact Sheet, which can be entered on any device — provided that device is logged into all three apps. Field Maps data can be entered by Field staff, the Command Point (CP) and coordination staff. All information and forms are accessed via the QC UI and Field Maps for the worksites or tasks assigned to the team.

ICMS 3.0



ICMS 3.0 Field Collection:

- The new ICMS 3.0 QC UI is designed to be very simple and shortens the data entry time considerably.
- App links in the QC UI include Survey123 (S123) and Field Maps (FM).
- Data collection is available in two (2) Categories; primary and secondary data entry.
- All forms are based in S123 and are linked in ICMS 3.0 across all apps and dashboards.
- QC UI data is primarily for field collection with one exception; the Team Fact Sheet, which can be entered on any 'device' which must be logged into all three (3) apps.
- FM data can be entered by Field + Command Point (CP) and coordination staff.
- All information and forms are accessed via the QC UI and the FM for assigned Worksites or



- Accessing secondary or additional data is through FM
- Click on the icon



Figure 4.2. Accessing secondary data through Field Maps: the QC UI's App Links section (with an arrow pointing from the expanded panel to the Team Fact Sheet / Field Maps icons), and the Field Maps icon a user taps to enter secondary data.

5. WORKSITE TRIAGE — PROCEDURES

5.1 Primary Data Entry (QC UI)

Use this procedure to create a new worksite triage record directly in Quick Capture. In the training slide this sequence is shown as a cascade of ten device screenshots, each numbered to match the step below; the first screenshot also shows the selected triage category (A) circled in red, with a blue arrow leading into the worksite-number entry screen that follows.

1. In the QC UI, select the triage category — category A in this example.
2. Add a photo.
3. Add the worksite number (enter the number without leading zeroes).
4. Enter the number confirmed alive / missing / deceased.
5. Enter the building use.
6. Enter the construction type.
7. Enter the primary collapse type.
8. Enter the number of floors.
9. Enter other information (free text).
10. Press Done and Submit.




Figure 5.1. Worksite triage — primary data entry in the QC UI. Steps 1–9 are numbered directly on the cascading screenshots; step 10 (Done and Submit) completes the sequence.

NOTES

Photos are required to provide the UCC with context.
 Additional photos and video should also be recorded to the device at this stage of the triage.
They can only be added using Field Maps after the worksite has been created.

5.2 Worksite ID Numbering

Worksite numbers now use the reporting team's ID as a prefix, followed by a sequential number — groups of which can be allocated to a team's individual squads — to form a unique worksite ID. This numbering is applied from the triage/recon phase described in Section 5.1 onward, and the same ID is then carried through Field Maps, the UCC and the Team Module.

For example, a worksite triaged by the New Zealand team and given the number 57 is recorded as **NZL01-0057**.

WHY THIS CHANGED

The previous numbering system limited how many worksites could be in play at once and tied worksite numbers directly to a sector. If sectors changed during an operation: as occurred in Türkiye, sector IDs fell out of sync with the system. The new methodology separates the worksite number from the sector, while still providing a UCC reference that records which sector and/or zone the worksite sits in, giving the flexibility to adapt as the tactical environment changes.

5.3 Secondary Data Entry — Triage or Report (Field Maps)


Use this procedure once a worksite already exists, to add further detail or to change its status. In the training slide, step 1 (pressing the Field Maps icon) is circled in red with a blue arrow leading into the Field Maps screens; a further red circle on the map highlights the selected worksite pin.

1. In the QC UI, press FM.
2. Field Maps opens the operational area.
3. Select the worksite on the map.
4. Select the worksite name from the list.
5. Press Edit.
6. Update the record as required.
7. Select the report type: Triage (if updating with extra data) or Report (if starting a worksite).
8. Fill in the form.
9. Press Submit.

ICMS 3.0


ICMS 3.0 Worksite Triage or Report (secondary data entry):

1. In QC UI, press FM
2. FM opens the operational area
3. Select Worksite on map
4. Select Worksite name from list
5. Press edit
6. Update as required
7. Select report type; Triage if updating with extra data, or Report if starting a Worksite)
8. Fill in form
9. Press Submit



Note:

- Additional photos and a video can be added from the device to the Worksite via FM at this stage.

Figure 5.2. Worksite triage or report — secondary data entry via Field Maps, with the Field Maps icon and the selected worksite pin circled in red.

NOTE

Additional photos and a video can be added from the device to the worksite via Field Maps at this stage.

6. VICTIM EXTRICATION — PROCEDURES

Victim extrication uses five injury categories, colour-coded consistently across Quick Capture, Field Maps and the Team Module:

Category	Meaning
None	No injuries
Minor	Minor injuries
Serious	Serious injuries
Critical	Critical injuries
Deceased	Victim recovered deceased

6.1 QC UI Data Entry

Use this procedure to log a victim extrication directly in Quick Capture. In the training slide, the entire Victim Extrication category panel is circled in red, and the eleven-step sequence is numbered across a cascade of device screens ending in a map screen where the victim's location pin is placed.

1. In the QC UI, select the Victim Injury category.
2. QC opens the Victim Extrication form — enter the victim number.
3. Enter the floor number.
4. Enter the position in the structure.
5. Enter the level of work needed.
6. Enter the extrication time.
7. Enter the victim's approximate age.
8. Enter gender.
9. Enter who the victim was handed to.
10. Enter contact details.
11. Move the pin to the victim's location and press Done.




Figure 6.1. Victim extrication — QC UI data entry, from category selection (circled in red) through to placing the victim's location pin.

6.2 Field Maps Data Entry

Use this procedure to log a victim extrication (or add detail to one) from Field Maps. In the training slide, the blue '+' button used to start a new feature is circled in red and numbered as step 1.

1. In Field Maps, press '+'.
2. Field Maps opens all layer options — select the Victim Injury category.
3. Add photo(s), video or an audio file from the device.
4. Select a link to the nearest worksite, or enter one manually.
5. Enter victim information.
6. Enter extrication information.
7. Enter victim handover and 'completed by' information.
8. Press Submit.

ICMS 3.0


INSARAG
 Preparedness Response

ICMS 3.0 Victim Extrication (FM Data Entry):

1. In FM, press +
2. FM opens all layer options, select Victim Injury category
3. Add photo/s, video or audio file (from device)
4. Select link to nearest Worksite OR enter manually
5. Enter Victim information
6. Enter Extrication Information
7. Enter Victim Handover and Completed By information
8. Press Submit

Note:

- Additional photos and a video can be added from the device to the Victim Extrication via FM at this stage.




Figure 6.2. Victim extrication — Field Maps data entry, starting from the '+' button (circled in red) on the operational map.

NOTE

For both procedures, additional photos and a video can be added from the device to the victim extrication record at this stage.

7. THE INSARAG HUB

The HUB is built from the ArcGIS HUB, Dashboards, Experience Builder and Survey123 products combined into a single landing page for an event.

7.1 HUB Layout

The HUB landing page is organised into clearly banded sections:

- **Team Fact Sheet Access** — a direct link/button and a QR code to open the Team Fact Sheet.
- **ICMS Mobile Access** — separate QR codes for the Quick Capture app and the Field Maps app.
- **ICMS Web/Tablet Access** — buttons for the UCC Module and the Team Module.
- **About ICMS** — a footer strip confirming the system is developed by IMWG as part of INSARAG.




Figure 7.1. The HUB landing page layout.

The HUB




Figure 7.2. The HUB landing page as seen in-browser, logged in, and labelled 'VERSION 3.0 TRAINING ENVIRONMENT'.

TRAINING ENVIRONMENT — NOT OPERATIONS

The HUB pages in this guide are captured from the ICMS 3.0 Training Environment, used for step-over training. They are functionally identical to the operational HUB but are clearly labelled so they are never mistaken for a live event.

7.2 Accessing Apps from the HUB

From the HUB's ICMS Mobile Access section, two QR codes give direct app access:

- **Quick Capture QR code** (left) — 'app' access to Quick Capture.
- **Field Maps QR code** (right) — 'app' access to Field Maps.

The HUB

---Training Environment – not Operations---

Quick Capture
'app' access

Field Maps
'app' access




Figure 7.3. Accessing Quick Capture and Field Maps from the HUB — the Quick Capture QR code (left) and Field Maps QR code (right), each highlighted with a red circle and arrow on the training slide.

See Section 2.3 for what each possible QR-scan result means (app not installed, app available via link, or app installed and ready to open).

8. THE TEAM MODULE

The Team Module is built from the HUB, Dashboards, Experience Builder and Survey123. It is a six-tab dashboard — Overview, Map, Data, Triage, Worksites and Victims — and every tab filters for the logged-in team only, with view and edit access.



Figure 8.1. The Team Module entry point on the HUB (circled in red), and the module overview.

8.1 OVERVIEW Tab

The OVERVIEW tab is a general overview of the Area of Operations (AO) for the Command Point:

- Static page — no editing.
- Team data only.
- Provides a view of worksites, squad assignments and coordination layers.
- Provides simple details around key metrics (rescued alive, dead, etc.).

Is a general overview of the Area of Operations (AO) for the Command Point (CP)

1. Static page – no editing
2. **Team data only**
3. Provide view of worksites, squad assignments and coordination layers




Figure 8.2. The OVERVIEW tab, showing the Victims, Triage, Squads Assignment and Worksites summary panels. The Team ID filter (top right) and the map-mode thumbnail (bottom left) are circled in red.

8.2 OVERVIEW Map — 3D Building Feature

The map in the OVERVIEW tab (and the equivalent UCC OVERVIEW map) includes a feature that presents any layer where building data has been updated as 3-dimensional images. This can be useful in countries where building data is regularly updated, giving an indication of potential building heights ahead of a sudden-onset disaster.

1. Click the map-mode thumbnail in the bottom-left corner to change to 3D view.
2. Anywhere on the screen, right-click and hold, then move the mouse toward the top of the screen; this tilts the image until flat, or stop at the desired viewing angle.
3. Return to the traditional overhead view by clicking back on the world-map thumbnail in the bottom-left corner.

ICMS Team and UCC Module - OVERVIEW map 3D feature

ICMS Team Module - OVERVIEW map

This map in the OVERVIEW tab includes a feature that presents any layers where building data is updated as 3-dimensional images.

This may be useful in countries where building data is regularly updated within layer updates and can give an indication of potential building heights prior to a sudden on-set disaster.

- To change to this view, click the map image in the bottom left corner
- Then anywhere on the screen, right click and hold down, then move mouse the mouse towards the top of the screen, this tilts the image until flat, or stop at the desired viewing angle.

- Return the screen to traditional overhead view by clicking back on




Figure 8.3. The OVERVIEW map 3D feature. A red arrow links the bottom-left thumbnail to the toggle action; the mouse icon graphic on the right illustrates right-click-and-hold to tilt the view up to ground level or down to overhead.

Reference web scene: insarag.maps.arcgis.com/home/webscene/viewer.html?webscene=4f15b70578784bdf8d0826f77230734c

8.3 MAP Tab

The MAP tab is a situational awareness tool for the Command Point:

- All coordination layers (sectors, etc.), Points of Interest, team locations and worksites are displayed.
- Comes with simple measuring tools.
- Ability to change base maps and layers.

ICMS Team Module - MAP

Is a situational awareness tool for the Command Point:

- All coordination layers (sector etc), Points of Interest, team locations, and even worksites will be displayed
- Comes with simple measuring tools
- Ability to change base maps and layers




Figure 8.4. The MAP tab, with the Editor panel open showing worksite categories A–D and available tracks.


8.4 DATA Tab

The DATA tab is the complete data set of Team data for the Command Point:

- Edit feature for Team Fact Sheet data.
- Select the relevant sub-tab, from Sectors through to Team Demob.
- All coordination layers listed in the top row are filterable and can be exported.

ICMS Team Module - DATA

- Is the complete Data set of Team data for the Command Point
- Edit feature for Team Fact Sheet data
- Select the relevant sub-tab from 'Sectors through to Team Demob'
- All coordination layers listed in top row are filterable, and can be exported



Worksite ID	Team Id (Report)	Address	Report Number	Assigned Team	Teams at Worksite	ASR Level being c...	Total victims rescued
AUS01-0002	AUS01		1			ASR 3 (Primary Search & R...	2
ALG01-0001	GER01		1		GER01	ASR 3 (Primary Search & R...	0
AUS01-0010	AUS01	Avenida Paraná, Itaipu A, F...	3	AUS01	AUS01	ASR 3 (Primary Search & R...	1
AUS01-0011		Udc, Avenida Paraná 5661...		AUS01			
AUS01-0012	AUS01		3		AUS01	ASR 3 (Primary Search & R...	1

Figure 8.5. The DATA tab, showing the Worksites sub-tab with exportable, filterable columns.

8.5 TRIAGE Tab

The TRIAGE tab is a situational awareness tool of triaged worksites for the Command Point:

- Selecting a triaged worksite in the left column snaps the map to, and highlights, its location in the centre of the map view.
- Filtering options are available.
- Meta-rich data fields for each worksite are combined with a category label and a traffic-light status system.

Terms and visuals for worksite status

Status	Meaning
Unassigned	Waiting to be assigned
Assigned	Assigned but work not started
Active	Team in attendance and working
Closed	All work ceased and no team(s) assigned

ICMS Team Module - TRIAGE

Is a situational awareness tool of 'Triaged Worksites' for the Command Point:

- Select 'Triaged Worksite' in the left column will snap the map to, highlight the location in the centre of the map view
- Filtering options
- Meta-rich data fields in each Worksite combined with a 'Category' label and traffic light system

Terms and visuals for 'Triage status':

- **Unassigned** – waiting to be assigned
- **Assigned** – assigned but work not started
- **Active** – Team in attendance and working
- **Closed** – all work ceased and no Team/s assigned




Figure 8.6. The TRIAGE tab, listing worksites by category and status, with the worksite status legend.

8.6 WORKSITES Tab

The WORKSITES tab is a situational awareness tool of assigned worksites for the Command Point:

- Worksite filtering options are available.
- Clicking a worksite in the left column or lower section snaps the map to, and highlights, its location.
- Meta-rich data fields for each worksite are combined with a category label and the same traffic-light status system described in Section 8.5.

ICMS Team Module - WORKSITES

- Is a situational awareness tool of 'Assigned Worksites' for the Command Point
- Worksite filtering options
- Clicking on a 'Worksite' in the left column or lower section will snap the map to, and highlight the location
- Meta-rich data fields in each Worksite combined with a 'Category' label and traffic light

Terms and visuals for 'Worksite status':

- **Unassigned** – waiting to be assigned
- **Assigned** – assigned but work not started
- **Active** – Team in attendance and working
- **Closed** – all work ceased and no Team/s assigned




Figure 8.7. The WORKSITES tab, with the Total / Assigned / Active / Closed summary counts and the worksite status legend repeated for reference. Two red circles on the data table flag blank Assigned Team / Address fields as a data-quality example.


8.7 VICTIMS Tab

The VICTIMS tab tracks extricated victims for the team:

- Victims filtering options are available.
- Victim location symbology is shown at the selected location, or attached to the closest worksite.
- Victim status (left column): **green** — victim recovered alive; **no colour** — victim recovered deceased.

ICMS Team Module - VICTIMS:

- Victims filtering options
- Victim location symbology, at selected location or attached to closest Worksite
- Victim status (left column); **Green** - Victim recovered alive, **No colour** - Victim recovered deceased



The screenshot displays the ICMS TRAINING TEAM MODULE interface, specifically the VICTIMS tab. The top navigation bar includes tabs for OVERVIEW, MAP, DATA, TRIAGE, WORKSITES, and VICTIMS. The VICTIMS tab is active, showing a list of victim records on the left and a map in the center. The map displays various locations with victim symbols. Below the map is a table titled 'Victim Extrication' with columns for Victim Reference, Worksite ID, Victim Number, Address, Team Id, and Date. A red circle highlights a blank 'Team Id' field in the table, indicating a data-quality issue.

Victim Reference	Worksite ID	Victim Number	Address	Team Id	Date
AUS01-0011#1	AUS01-0011	1		AUS01	4/7
AUS01-0012#3	AUS01-0012	3		AUS01	4/7
AUS01-0012#2	AUS01-0012	2		AUS01	4/7
AUS01-0012#1	AUS01-0012	1		AUS01	4/7

Figure 8.8. The VICTIMS tab, showing victim records, map symbology and the Victim Extrication data table (a red circle flags a blank Team Id field as a data-quality example).

9. REFERENCES

This guide covers ICMS 3.0 Introduction and Team Module content only. The equivalent UCC Module functions are documented separately:

Title	Description
ICMS 3.0 – Team Guide	Introduction and Team Module functions for USAR teams (this guide)
ICMS 3.0 – UCC Module Guide	UCC / Coordination Centre Functions (separate document)

INSARAG HUB: icms-insarag.hub.arcgis.com

3D web scene reference: insarag.maps.arcgis.com

10. IMWG CONTACT DETAILS

For questions, feedback, or support relating to this guide or to ICMS 3.0, please contact:

Issuing body	INSARAG Information Management Working Group (IMWG)
General enquiries	insarag.imwg@gmail.com
Parent network	International Search and Rescue Advisory Group (INSARAG) / UN OCHA