

NOVA - Network Opportunity & Volume Analyzer BRD

Document Structure

- **Section 1** — User Stories & Customer Journeys
- **Section 2** — Product Requirements
- **Section 3** — Product Designs
- **Section 4** — Product Wins
- **Section 5** — Appendices

Revision History

Author	Date	Reviewers	Notes
Naviene Raveendran	3/4/2026	Hub Delivery/Hub Tech	

Stakeholders

Team	Alias	Notes
Hub Delivery Acquisition	Jake Iwen Andrew Toomer	
Hub Delivery AM	Amir Yostos	
Hub Delivery Volume Planning	Esha Bedi	
Hub Delivery Tech/BI	Pavitra Agarwal Hong Yin Shatakshi Shukla	

1 - User Personas & Customer Journeys

Acquisition Operations Team Member Customer Journey

The Acquisition Team Member is responsible for recruiting new Hub delivery partners to build capacity in line with Hub expansion plans. Their objective is to prioritize leads for recruitment in target geographies and focus outreach efforts where new partners will deliver the greatest operational impact. To do this effectively, they require a consolidated view of demand signals, existing partner coverage, and projected volume opportunities. The recruitment tool would provide this visibility, enabling the Acquisition team to identify recruitment hot spots, allocate resources efficiently, and prioritize lead outreach in areas with the highest capacity gaps to target.

Central Operations Team Member Customer Journey

Central Ops Team Members are responsible for network-level planning and ensuring that partner capacity aligns with forecasted demand across the delivery network. Their focus is on maintaining operational stability by proactively identifying capacity gaps, monitoring attainment trends, and coordinating recruitment or operational adjustments when supply falls short of demand. The recruitment tool would provide visibility into low-ADV partners and emerging coverage gaps, enabling Central Ops to identify capacity risks early and trigger targeted work streams to improve capacity coverage and increase attainment.

Account Management Team Member Customer Journey

Account Managers oversee active delivery partners and are responsible for maintaining partner health, operational performance, and sustainable volume allocation. Their role includes managing partner capacity, ensuring service quality, and identifying opportunities for partners to scale responsibly as demand evolves. The recruitment tool would provide AMs with visibility into local demand conditions, partner coverage, and nearby volume opportunities. These insights enable AMs to identify when partners can absorb additional volume, expand coverage into adjacent areas with unmet demand, and

coordinate with Acquisition and Central Ops when capacity gaps pose operational risks.

2 - Product Requirements

PRIORITY CLASSIFICATION

P#	In-Short	Definition
P0	Must have in Minimum Viable Product (MVP)	Essential functionality that is non-negotiable
P1	Should have in MVP	Functionality needed to scale solution, but isn't essential to launch
P2	Nice to have in MVP	Enhancements that would add some value
P3	Won't have in MVP	Enhancements that are not a priority right now, but they will be in the future

EPICS SUMMARY

P#	Epics	Description	Status
P0	E1 - Hub Jurisdictions - Zip coverage	Defines the jurisdiction layer by mapping zip codes that are in scope for Hub long range expansion plans to stations and classifying zip level planning risks. Governs where recruitment and placements are allowed.	Complete
P0	E2 - Capacity Aware Zone Selection	Selects recruitment zones per station using demand grids, existing partner coverage, and station parameters so zones represent opportunity to lift Hub capacity.	Complete
P0	E3 - Acquisition Market Risk	Enriches zones with nearby unique, non-chain businesses to quantify market supply and recruitment viability.	Complete
P0	E4 - Interactive Planning UI	Unified planning experience that visualizes jurisdiction risk, demand, recruitment zones, leads, partners, and pipeline. Supports demand led lead assessments, scenario planning and optimizing partner level attainment.	Complete
P2	E5 - Automated daily refreshes	Automated pipelines for upstream and downstream databases	Not started

EPIC 1: HUB JURISDICTIONS ZIP COVERAGE

Defines the jurisdiction planning layer by mapping ZIP codes within the scope of Hub long-range expansion plans to their corresponding stations and classifying ZIP-level planning risks. This layer establishes the foundational planning boundary for NOVA and governs where recruitment, partner placement, and capacity expansion are permitted.

#	User Story	Functional Requirement	Acceptance Criteria	Priority
1	As a planner, I want to view all ZIP codes mapped to their respective Hub stations so that I understand which areas fall under each station's jurisdiction.	The system must maintain a ZIP-to-station mapping dataset that defines the jurisdiction coverage for each Hub station.	All ZIP codes in scope are mapped to a single Hub station and displayed within the planning interface.	P0
2	As a planner, I want ZIP codes to be classified by planning risk so that recruitment and placement decisions follow jurisdiction constraints.	The system must classify each ZIP into predefined risk categories (e.g., Core, Safe, Unsafe, Unsafe at Move) based on jurisdiction planning inputs.	Each ZIP is tagged with a planning risk classification that is visible in the UI and accessible in downstream planning outputs.	P0
3	As an Acquisition team member, I want to clearly see which ZIP codes are eligible for recruitment so that outreach efforts align with Hub expansion plans.	The system must enforce jurisdiction rules that determine where recruitment signals and zones can be generated.	Recruitment zones are only generated for ZIPs that are within approved Hub jurisdictions and meet planning risk criteria.	P0
4	As an acquisition team member, I want visibility into jurisdiction conflicts or overlaps so that planning risks can be identified and resolved early.	The system must flag ZIP codes where jurisdiction conflicts exist.	RGU boundaries are visible for boundary zip codes that share more than one core jurisdiction.	P0
5	As a planner, I want jurisdiction data to serve as the foundational layer for recruitment zone generation so that downstream planning outputs align with long-range network plans.	The jurisdiction layer must act as a gating input for recruitment zone selection and partner placement logic.	Downstream features such as recruitment zones and capacity planning only use ZIPs that pass jurisdiction eligibility checks.	P0

EPIC 2: CAPACITY AWARE ZONE SELECTION

Generates recruitment zones for each station by combining demand grids, existing partner coverage, and station-level operational parameters. The goal is to identify zones where additional partners would most effectively increase Hub capacity and improve attainment.

#	User Story	Functional Requirement	Acceptance Criteria	Priority
1	As a planner, I want recruitment zones generated only within approved Hub jurisdictions so that zones align with LRP expansion scope.	The system must generate recruitment zones only within ZIPs mapped to Hub jurisdictions.	All recruitment zones belong to ZIP codes mapped to an approved Hub station.	P0
2	As a planner, I want unsafe geographies excluded so recruitment is not directed into high risk areas.	The system must exclude ZIPs with unsafe planning risks from recruitment zone generation.	No recruitment zones are created in ZIPs marked as unsafe or unsafe at move per planning inputs.	P0
3	As an acquisition user, I want zones selected based on incremental capacity opportunity rather than raw demand so leads reflect true capacity gaps.	The system must evaluate recruitment opportunities based on incremental demand opportunity after considering existing partner coverage and capacity configurations.	Recruitment zones reflect remaining demand opportunity after accounting for current partner coverage.	P0
4	As a planner, I want debiting to reflect local saturation behavior so nearby demand is consumed first.	The system must account for existing partner coverage and demand closest to the partner when estimating remaining demand within a zone (similar to GAE operational behavior).	Demand calculations reflect existing partner coverage within the zone catchment.	P0
5	As a planner, I want zone opportunity measured within an operationally standard radius so zones reflect partner coverage.	The system must calculate zone opportunity using a station level radius configuration around the recruitment zone center.	Each recruitment zone includes calculated demand within the configured station radius.	P0
6	As a planner, I want stations to use the correct MGRS resolution (100m vs 500m) so smaller radius settings are captured accurately.	The system must support multiple spatial resolutions for demand grids depending on station configuration.	Stations configured for smaller delivery radius like Manhattan use the 100m grid while all others use the 500m grid.	P0
7	As a planner, I want minimum ADV thresholds so we don't recommend zones that can't support BAU operations.	The system must only recommend zones that meet minimum BAU demand thresholds.	All recommended recruitment zones meet or exceed the minimum BAU demand requirement.	P0
8	As a planner, I want selection filtered to recruitment zones where partners can meet flex-up targets during peak.	The system must ensure recruitment zones meet minimum peak demand thresholds.	All recommended recruitment zones meet peak demand requirements needed for partner flex capacity.	P0
9	As a planner, I want zones to avoid redundant overlap so we don't recommend multiple zones covering the same demand cells.	The system must prevent recruitment zones from duplicating the same demand opportunity.	Each recommended zone contributes incremental demand opportunity.	P0
10	As a planner, I want ZIP-level guardrails to prevent over-recruiting in a single ZIP.	The system must enforce ZIP-level recruitment limits based on aligned guardrails.	Recruitment zones do not exceed configured zip level share limits (Example - 25% share limit for Urban zips per LRP)	P0
11	As a planner, I want to understand DSP time and cube efficiency within the recruitment zone.	The system must estimate route efficiency metrics for each recruitment zone based on historical DSP Spozh.	Each recruitment zone includes DSP time and cube utilization estimates.	P0
12	As a planner, I want zones tagged with DSP efficiency signals to support downstream placement strategy.	The system must categorize zones using efficiency signals based on route performance indicators.	If a recruitment zone has high cube util, DSP is efficient - marginal benefits with Hub launch. If high time and medium cub util, DSP is inefficient - benefits from Hub launch. If high time and low cub util, DSP is highly inefficient - benefits from Hub HCP launch.	P0
13	As an acquisition user, I want recruitment zones categorized by station so they do not leak across stations.	The system must assign each recruitment zone to a single station jurisdiction.	Every recruitment zone is associated with exactly one station.	P0
14	As an acquisition user, I want to understand how many partners can be recruited within the recruitment zone to avoid oversaturation.	The system must estimate partner recruitment capacity for each recruitment zone based on avail BAU volume.	Recruitment zones include an estimated partner capacity signal.	P0
15	As an acquisition user, I want to understand the latitude and longitude center of the recruitment zone and the ZIP code it resides in for tracking and signalling resources.	The system must provide geographic metadata for each recruitment zone.	Each recruitment zone includes latitude, longitude, and ZIP code for the zone center.	P0

EPIC 3: ACQUISITION MARKET RISK

Enriches recruitment zones with local market intelligence by identifying nearby unique, non-chain businesses as a proxy for delivery demand and partner recruitment viability. This allows teams to assess whether a zone has sufficient market supply to support sustainable acquisition and partner operations.

#	User Story	Functional Requirement	Acceptance Criteria	Priority
1	As an acquisition user, I want each recruitment zone tagged with a market supply signal so I can assess recruitment viability.	The system must calculate and attach a market supply signal for every recruitment zone based on nearby businesses and ongoing market conversion rates.	High market risk recruitment zone if capacity target > market conversion rate for a particular geo. Example - If capacity target for a zone is 10 partners but there are only 60 business within the zone and sales conversion is 3% - high risk zone.	P0 
2	As an acquisition user, I want the market signal to focus on unique, non-chain businesses so the signal reflects true local density.	The system must filter out chain businesses when calculating the market supply signal.	Chain businesses are not Hub partner leads.	P0 
5	As an acquisition user, I want to see which specific businesses contribute to the market signal so I can generate a list of leads.	The system must provide visibility into the individual businesses included in the market supply signal for each recruitment zone.	Users can access a list of unique, non-chain businesses associated with each recruitment zone.	P0 

EPIC 4: INTERACTIVE PLANNING UI

Provides a unified planning interface that visualizes jurisdiction risk, demand signals, recruitment zones, leads, active partners, and pipeline status. The interface enables demand-led lead assessments, scenario exploration, and planning workflows aimed at optimizing partner-level capacity and attainment.

#	User Story	Functional Requirement	Acceptance Criteria	Priority
1	As a user, I want a single unified map experience so I can view jurisdictions, zones, partners, leads, and pipeline together.	The system must provide a unified interactive map displaying all operational layers.	Users can view jurisdictions, recruitment zones, partners, leads, and pipeline together in a single map interface.	P0 
2	As a user, I want to switch between stations so I can plan locally with station-specific scope and parameters.	The system must allow users to select stations and dynamically load station-specific data and parameters.	Changing the station refreshes map layers, metrics, and parameters for the selected station.	P0 
3	As a planner, I want to visualize zip-level jurisdiction risk so I understand where recruitment is allowed and constrained.	The system must display ZIP boundaries with jurisdiction risk classifications.	ZIP polygons appear on the map and are visually differentiated by risk category.	P0 
4	As a planner, I want to quickly find and highlight a ZIP so I can validate boundaries and risk classification.	The system must support ZIP search and highlighting functionality.	Entering a ZIP code highlights the ZIP polygon and zooms the map to the location.	P0 
5	As a user, I want to visually identify RGU boundaries so I can understand station operating boundaries.	The system must provide an RGU boundary overlay on the map.	Users can toggle the RGU boundary layer for the selected station.	P0 
6	As an acquisition user, I want recruitment zones visualized alongside partners and demand so I can make placement decisions.	The system must render recruitment zones, partner locations, and demand signals together on the map.	Recruitment zones, partners, and demand layers can be viewed simultaneously.	P0 
7	As a user, I want recruitment zones categorized visually so I can quickly interpret DSP efficiency signals.	The system must visually differentiate recruitment zones based on efficiency classification.	Recruitment zones appear with distinct visual indicators corresponding to efficiency categories.	P0 
8	As a user, I want to click map objects and see their details so I can validate and act on the right locations.	The system must display object data when a map object is selected.	Clicking a lead, partner, or recruitment zone displays its details in the interface - volume, DSP efficiency, metrics, partner count target, lat/long, zipcode and station. Lead information would include business type, phone number, etc.	P0 
9	As a user, I want to select multiple points and evaluate overlap so I can avoid double-counting volume opportunity.	The system must support selecting multiple points (leads, pipeline, etc.) and adjusting opportunity calculations based on overlap and configurations.	When multiple points are selected, displayed opportunity metrics reflect overlapping demand allocation.	P0 
10	As an acquisition user, I want to search Leads, Pipeline, Partners, and Recruitment Zones so I can find targets fast.	The system must provide search functionality across major map objects.	Searching highlights and zooms the map to the selected Lead, Pipeline, Partner, or Recruitment Zone.	P0 
11	As a user, I want to add a custom point using lat/long to test lead opportunity so I can evaluate "what-if" placements.	The system must allow users to create a custom map point using coordinates.	Entering coordinates generates a map point and displays opportunity metrics.	P0 
12	As a user, I want to drop and drag points directly on the map so I can test areas with potential leads quickly without coordinates.	The system must allow interactive creation of points directly on the map.	Clicking the map creates a point that can be dragged to different locations while showing volume opportunity and lat/long dynamically.	P0 
13	As a user, I want to remove an individual dropped point without clearing everything so I can iterate faster.	The system must allow individual removal of dropped points.	Users can delete a single dropped point without resetting the entire scenario.	P0 
14	As a planner, I want to see partner/lead coverage so I can understand existing saturation before recruiting.	The system must visualize coverage areas around active partners, leads, dropped points, etc.	Coverage radii are displayed around partner/lead locations.	P0 
15	As a planner, I want a partner move what-if to test incremental ADV opportunity for low ADV partners.	The system must support simulation of partner location adjustments.	Users can move a partner location and see recalculated opportunity metrics including new lat/long and distance from original location.	P0 
16	As a planner, I want move guardrails enforced so what-if moves remain guardrailed to partner SPOZH.	The system must enforce movement constraints based on operational guardrails.	Partner moves cannot exceed the configured guardrail limits that are defined by spozh Offer analysis.	P0 
17	As a user, I want station health context like number of active partners, remaining/captured BAU volume, and partners or pipeline leads in unsafe areas.	The system must display station-level operational health metrics.	The UI shows summary metrics including active partners, remaining volume, and risk indicators.	P0 
18	As a user, I want to review available volume per partner so I can identify where capacity gaps exist.	The system must provide partner-level volume availability insights.	Users can view available BAU and peak volume metrics per partner to determine intra-week max flex up opportunity or identify partners at risk of low ADV.	P0 
19	As a user, I want an export of my selected items including customer points so I can share findings and action plans.	The system must allow exporting selected map objects, custom points and associated metrics.	Users can export selected items and custom points into a downloadable file for scenario save.	P0 
20	As a user, I want a one-click reset so I can quickly restart scenario exploration.	The system must provide a reset function to clear selections and scenarios.	Clicking reset clears all selections and restores the default map state.	P0 
21	As a user, I want location awareness so I can orient myself relative to the station geography.	The system must support geolocation functionality within the map.	Users can center the map on their current location when enabled. Example - field users will have visibility if there are in the appropriate recruitment zone.	P0 

22	As a planner, I want station-specific parameters applied consistently so outputs match station operating assumptions.	The system must apply station-specific configuration parameters to calculations and visualizations.	Changing stations updates calculations and outputs according to that station's parameters.	P0	▼
23	As a planner, when I select multiple leads or pipeline locations, I want to see ADV impact per partner so I can avoid over-recruitment.	The system must estimate ADV impact per partner when multiple potential placements are selected.	Selecting multiple leads or pipeline points displays estimated ADV impact per partner which usually drops with increased selection of leads in an area.	P0	▼
24	As a user, I want to toggle layers between Active Partners, Recruitment Zones, Leads, and Pipeline so I can focus on specific datasets.	The system must allow independent toggling of key map layers.	Users can enable or disable Active Partners, Recruitment Zones, Leads, and Pipeline layers.	P0	▼
25	As a planner, I want the tool to automatically determine location adjustments for partners with capacity gaps so I can improve ADV without manual trial and error.	The system must analyze nearby demand and suggest adjusted partner locations that improve demand coverage for bottom ADV performing partners.	Bottom performing ADV partners should see an increased ADV performance with new lat/long recommendations to close capacity gaps.	P0	▼
26	As a planner, I want points to show zero volume or ignore demand cells when they fall in unsafe areas or outside the station boundary so I avoid planning in invalid locations.	The system must enforce jurisdiction and station boundary constraints when calculating demand opportunity.	Points placed in unsafe ZIPs or outside station boundaries return zero demand opportunity.	P0	▼
27	As a planner, I want to be able to access the tool while on the field.	UI should be compatible to smart phones and tablets.	All functionality present when accessed via phones and tablets.	P0	▼

EPIC 5: AUTOMATED DAILY REFRESHES


Automated pipelines that refresh upstream inputs and downstream datasets on a daily cadence, improving data reliability, reducing manual processes, and enabling more timely planning decisions.

The data dependency table below maps all the inputs to that of the current sources. Note that many of the current data sources are housed in sharepoint files and require data clean up before ingestion which are refreshed on a weekly basis. By the end of Q2, all data sources will be housed in standardized data tables/dashboards as part of Project Meridian for seamless automation.


#	Inputs	Description	Current Source (Step 3)	Standard Source	Source Owner
1	Expansion Plans	OP2/QxG expansion plans to determine stations and zips in scope for recruitment.	https://amazon.sharepoint.com/x:/r/sites/WWHubDelivery/_layouts/15/Doc.aspx?sourcedoc=%7B6FAACCFB-F053-458C-BFB2-143DC3B53B27%7D&file=NA%202026%20Expansion%20Plans.xlsx&wd.LOR=c903B1C05-1191-384B-AD6C-71274843C5EC&fromShare=true&action=default&mobileredirect=true	BI Dashboard (ECD end of Q2)	Hub LRP
2	Station Zip Mapping	Current Zip to Station mapping per SnOP jurisdiction planner	https://na.prod.jurisdiction-planner.last-mile.amazon.dev/plan/core/imp/RSR/US/week-by-week	https://na.prod.jurisdiction-planner.last-mile.amazon.dev/plan/core/imp/RSR/US/week-by-week	ZL/RSR Jurisdiction Planner
3	Zip Recruitment Risk	Zip recruitment risk per SnOP jurisdiction planner and LRP. Hub jurisdiction planner performs risk assessment and assigns risk.	https://amazon.sharepoint.com/x:/r/sites/WWHubDelivery/_layouts/15/Doc.aspx?sourcedoc=%7B306DF3CF-633B-4B03-A1F9-0C96461225DE%7D&file=Wk10%20%20Consolidated_ADE_Sheet.xlsx&action=default&mobileredirect=true	BI Dashboard (ECD end of Q2)	Hub Jurisdiction Planner
4	Zip Level Forecast Data	This input is required to generate Peak demand grid via CTO	andes.amzl_analytics.lrp_tva_forecast_ziplevel	andes.amzl_analytics.lrp_tva_forecast_ziplevel	AMZL LRP
5	Peak Demand Grid	MGRS demand grid representing peak demand based on volume density during previous season/HVE.	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	CTO Data science team
6	BAU Demand Grid	MGRS demand grid representing BAU demand based on rolling four week historical average not inclusive of previous HVEs.	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	CTO Data science team
7	High Resolution Demand Grid	100m MGRS demand grids used for selected stations	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	CTO Data science team
8	Historical DSP SPOZH Grid	MGRS SPOZH grid based on historical. If no historicals are present for a grid, station level data is used.	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	https://us-east-1.quickstart.aws.amazon.com/sn/account/amzlb/quickstart/dashboards/22010347-51c9-4779-9369-44039248cefd/sheets/22010347-51c9-4779-9369-44039248cefd_d6d4dc1-c008-4a2e-b1fb-42272ceb82d5	CTO Data science team
9	Existing Partners	Current Hub delivery partners with delivery coverage locations.	Sourced from Admiral since the lat/longs are representative of delivery coverage locations and not store locations. However data is cleaned up using salesforce for accuracy of active vs non active partners.	BI Dashboard (ECD end of Q2)	Hub Acquisition Team
10	Pipeline	Leads currently progressing through acquisition pipeline with current status	Admiral	Admiral	Hub Acquisition Team
11	BDM Station Parameters	Station parameters including coverage radius, partner capacity BAU and Peak targets, Move clamp quadrail and ZIP caps	https://amazon.sharepoint.com/x:/r/sites/WWHubDelivery/_layouts/15/Doc.aspx?sourcedoc=%7B34B28075-E178-4EDE-9B8D-0F8AE8B40B9A%7D&file=BDM.xlsx&action=default&mobileredirect=true	Should remain configurable by jurisdiction planner in the backend	Hub Jurisdiction Planner
12	Routing Parameters	Station routing inputs used for efficiency estimation based on SPOZH (route capacity, route hours, stem speed, etc.)	https://amazon.sharepoint.com/sites/WWHubDelivery/Shared%20Documents/Forms/AllItems.aspx?id=%2Fsites%2FWWHubDelivery%2FShared%20Documents%2FWW%20Volume%20Planning%2FNOVA%20Scripts&viewid=d8c3b1a0%2020663%2041d9%209c09%201407f1f3e12	Should remain configurable by route planner in the backend	Hub Route planning team
13	All Business Locations	All business locations which are then filtered per recruitment zones and used for market supply signals	https://ad.merlon.amazon.dev/account/aws/815137355635/sdo?attributes	Salesforce report might be the primary source in the near future as vendor switches from foursquare. TBD.	Hub Acquisition Team
14	RGU Boundaries	Station operating boundaries used for jurisdiction visualization	jas.attainment_jurisdictions_polygons	jas.attainment_jurisdictions_polygons	Jurisdiction Authority Service
15	ZIP Boundaries	ZIP polygon boundaries used for map visualization	ZCTA520 shape file	ZCTA520 shape file	NOVA owner

3 — Product Designs


NOVA Landing Map




Station Selector




Jurisdiction Risk View (Core - Blue, Unsafe - Red, Safe - Green)



Zip search



RGU core Boundary (Example - WMS1 (both exclusive and shared Hub station))



Recruitment Zone Visualization (Grey to Red to Blue - DSP high to least efficient)



AutoSave NOVA_Export_WMS1

Home Insert Draw Page Layout Formulas Data Review View Automate

Paste Aptos Narrow (Bod... 12 Insert Format


Possible Data Loss Some features might be lost if you save this workbook in the comma-delimited (.csv) format. To preserve these features, save it in an Excel file format.

C24

	A	B	C	D	E	F	G
1	Name	ZIP	Lat	Lng	BAU Residual	Peak Residual	MapsURL
2	Big Sarg Transportation LLC	US39208	32.288432	-90.10164	845.4	1617.7	http://googleusercontent.com/maps.google.com/maps?q=32.288432,-90.10164
3	De'Boria Lowery LLC	US39212	32.2546516	-90.2526816	576.4	943.5	http://googleusercontent.com/maps.google.com/maps?q=32.2546516,-90.2526816
4	De'Posh Chateau LLC	US39194	32.854953	-90.404949	84	163.2	http://googleusercontent.com/maps.google.com/maps?q=32.854953,-90.404949
5	Divinity ltc	US39046	32.6696912	-90.0643823	29.9	52.4	http://googleusercontent.com/maps.google.com/maps?q=32.6696912,-90.0643823
6	HLC Trucking LLC	US39194	32.866384	-90.400006	81.7	158.7	http://googleusercontent.com/maps.google.com/maps?q=32.866384,-90.400006
7	HNK TREE TECH, LLC	US39154	32.262375	-90.428826	103.8	220.5	http://googleusercontent.com/maps.google.com/maps?q=32.262375,-90.428826
8	Hutchins Nutrition LLC DBA MAX MUSCLE BRANDON	US39042	32.282793	-90.02609	1182	2347.8	http://googleusercontent.com/maps.google.com/maps?q=32.282793,-90.02609
9	J & J Associates Inc	US39216	32.3272095	-90.178232	1361.9	2335.4	http://googleusercontent.com/maps.google.com/maps?q=32.3272095,-90.178232
10	khicbeauty bar & boutique LLC	US39117	32.344209	-89.64563575	80	207.6	http://googleusercontent.com/maps.google.com/maps?q=32.344209,-89.64563575
11	Lah Via New Beginning ltc DBA Snobiz Old Canton	US39211	32.386505	-90.114006	1281.1	2258.1	http://googleusercontent.com/maps.google.com/maps?q=32.386505,-90.114006
12	Mj3 Logistics LLC	US39209	32.330477	-90.249604	424.1	757.5	http://googleusercontent.com/maps.google.com/maps?q=32.330477,-90.249604
13	S and K Hauling LLC	US39046	32.604502	-90.022941	234.9	411.9	http://googleusercontent.com/maps.google.com/maps?q=32.604502,-90.022941
14	Soft Water Soap Co DBA The Happy Medium	US39194	32.847274	-90.414619	83.9	163.2	http://googleusercontent.com/maps.google.com/maps?q=32.847274,-90.414619
15	The Food Truck by KD LLC	US39170	32.1297765	-90.2889607	191.5	369.7	http://googleusercontent.com/maps.google.com/maps?q=32.1297765,-90.2889607
16	Toot, Teach & Roll, LLC	US39157	32.4180813	-90.1354897	1447.1	2664.3	http://googleusercontent.com/maps.google.com/maps?q=32.4180813,-90.1354897
17							
18							

Partner Move What if with panel details


(Green circle - og coverage, blue circle - new coverage, black circle - move guardrail)




Partner Automated ADV adjustments example output

Account Name	Station	old_lat	old_long	new_lat	new_long	move_miles	old_adv_capped	new_adv_capped_at_accept	uplift
Strategic Investment LLC	WMS2	30.8974229	-89.1763876	30.89855	-89.17767	0.109	11.2	70	58.8
Kanton Services LLC	WMS2	31.69939126	-88.7785253	31.6813	-88.77322	1.288	0	38	38
Randall Blake Florist And Gifts	WMS2	31.68064583	-88.66162013	31.67816	-88.65988	0.2	51.9	70	18.1
Second Debut	WMS2	31.680663	-88.6461642	31.68057	-88.64703	0.051	55.1	70	14.9


Lead and Pipeline layer (Blue - leads, orange - pipeline)




Leads filtered to recruitment zones




Custom point testing (lat/long)



Custom point testing (drop and drag)



Station health Panel



Export Example (Active partner, dropped points, pipeline, recruitment zone, lead, moved partner, etc.)

AutoSave NOVA_Export_WMS1 (1)

Home Insert Draw Page Layout Formulas Data Review View Automate

Paste Aptos Narrow (Bod... 12 A^ A^ B I U \$ % , 0.00 0.00

✖ Possible Data Loss Some features might be lost if you save this workbook in the comma-delimited (.csv) format. To preserve:

B26

	A	B	C	D	E	F	G
1	Layer	Name	ZIP	Lat	Lng	BAU Residual	Peak Residual
2	Lead/DroppedPoint	Dropped Point #3		32.24056966	-89.98488987	545.9	1100.9 h
3	Lead/DroppedPoint	Brandon Junction Express	39042	32.245043	-89.958291	415.9	839.2 h
4	Pipeline	Medical Coding Service of MS LLC		32.238554	-90.014144	873.1	1742.3 h
5	RecruitmentZone	RZ5281	39042	32.27305	-90.0323	5.5	10.8 h
6	MovedPartnerTest	Hutchins Nutrition LLC DBA MAX MUSCLE BRANDON		32.28614263	-90.00718968	1281.6	2567.1 h
7	PartnerAvailableRef	Big Sarg Transportation LLC	US39208	32.288432	-90.10164	845.4	1617.7 h
8	PartnerAvailableRef	DeBoria Lowery LLC	US39212	32.2546516	-90.2526816	576.4	943.5 h
9	PartnerAvailableRef	DePosh Chateau LLC	US39194	32.854953	-90.404949	84	163.2 h
10	PartnerAvailableRef	Divinity llc	US39046	32.6696912	-90.0643823	29.9	52.4 h
11	PartnerAvailableRef	HLC Trucking LLC	US39194	32.866384	-90.400006	81.7	158.7 h
12	PartnerAvailableRef	HNK TREE TECH, LLC	US39154	32.262375	-90.428826	103.8	220.5 h
13	PartnerAvailableRef	Hutchins Nutrition LLC DBA MAX MUSCLE BRANDON	US39042	32.282793	-90.02609	1182	2347.8 h
14	PartnerAvailableRef	J & J Associates Inc	US39216	32.3272095	-90.178232	1361.9	2335.4 h
15	PartnerAvailableRef	khicbeauty bar & boutique LLC	US39117	32.34420896	-89.64563575	80	207.6 h
16	PartnerAvailableRef	Lah Via New Beginning llc DBA Snobiz Old Canton	US39211	32.386505	-90.114006	1281.1	2258.1 h
17	PartnerAvailableRef	Mj3 Logistics LLC	US39209	32.330477	-90.249604	424.1	757.5 h
18	PartnerAvailableRef	S and K Hauling LLC	US39046	32.604502	-90.022941	234.9	411.9 h
19	PartnerAvailableRef	Soft Water Soap Co DBA The Happy Medium	US39194	32.847274	-90.414619	83.9	163.2 h
20	PartnerAvailableRef	The Food Truck by KD LLC	US39170	32.12977652	-90.2889607	191.5	369.7 h
21	PartnerAvailableRef	Toot, Teach & Roll, LLC	US39157	32.4180813	-90.1354897	1447.1	2664.3 h
22							
23							

4— Product Wins

NOVA DAX7 Pilot 2025 Results (June 18th to July 30th)

- Business Development Managers save 6-7 hours weekly using NOVA to identify volume hotspots within their station jurisdiction increasing launch rate to 7 launches per week (+6 vs Q3G)
- Identified opportunity to un-bench 5 partners to build capacity.
- Partner ADV of NOVA launched partners is on average 36 daily packages/partner (+6 vs DAX7 Baseline).
- Partner Cap Util. of NOVA launched partners is on average 88% (+754bps vs DAX7 Baseline)

NOVA Peak 2025 wins

- Quickly identified 75 active partners across the rural shared network that can flex up beyond 2x as part of capacity lift lever to meet project Everest goal.
- Built 2000+ ADV capacity amongst 15 shared stations by automated adjustment of lat/long of active partners.

NOVA Rural shared launches 2025

- Automated recruitment planning through NOVA, supporting 341 partner launches across 13 rural shared stations while enabling the “100 launches per week” acquisition initiative (exclusive and shared) within a period of 3 months since launch.

NOVA scaling Jan 2026

- NOVA successfully scaled to 70+ stations in both Urban and Rural regions per OP2 expansion plans supporting 238 launches per week run rate growing user adoption to 150+ customers.

NOVA refresh planner productivity (Jan 2026)

- Successfully reduced planner productivity from 3 days to 6 hours per NOVA refresh (bottlenecked by CTO processing) thereby supporting NOVA weekly refreshes for customers.

5 — Appendices

APPENDIX 1: NOVA RECRUITMENT STRATEGY

https://share.amazon.com/sites/hubdeliverypartnerprogram/_layouts/15/WopiFrame.aspx?sourcedoc={D75317F8-5675-4632-9652-B58555DD2A3B}&file=Hub%20Recruitment%20Planning%20Mechanism%20v2.docx&action=default

APPENDIX 2: PARTNER ADV

Hub attainment analysis for core volume in Shared Jurisdictions

APPENDIX 3: RURAL SHARED PEAK 2025 ADV ANALYSIS

Rural Shared Peak 2025 ADV analysis

APPENDIX 4: NOVA PILOT

NOVA Pilot Discussion

APPENDIX 5: HUGO/NOVA INTEGRATION

HUGO/NOVA Integration