SUITSUPPLY BARCODE LABELS
PROJECT SCOPE

Date: Nov 18th, 2019

Table of Contents

Project Overview 3
Product Specifications 3
Program Details 9
Packing Instructions 9
Variable Field Mapping 10
JSON Data files 11
Workflow 12
API for JSON 12
3 Distinct Data Files 13
Purchase order file 13
Product file 13
Transfer file 16
Current XML file for RFID labels vs new JSON format 17
Business Rules 17
Price 19
Fit 22
Size 24
Pre-packed boxes 26
Reports 27
RFID and non-RFID labels 27
Non-RFID labels 28
Nexgen E-commerce Deployment Outline 31

Non-RFID labels 31
RFID labels 32
Nexgen RFID Encoding Schema 32

Project Overview

Nexgen Packaging will provide pressure sensitive RFID labels and non-RFID barcode labels from Service Bureau out of the UK, China (Shenzhen) and Hong Kong production sites.

- Summary of the Project
  - Existing customer that is changing their current XML data feed to a JSON Data feed
    - Will require HK IT support to ingest new JSON format directly through Boomi into the existing Suitsupply Custom DB Structures (ie. Not edi-automation)
  - Currently Suitsupply only has RFID items, but will now be adding new NON-RFID items
- Summary of the Data files
  - Suitsupply is moving away from their current XML data files. Instead, they are combining both RFID and NON-RFID Purchases orders into a JSON format (not edi automation format)
  - There will be 3 distinct files: Products, Purchase Orders, Transfers
    - "Products" file: will be Product Master data that will need to be stored separately
    - "Purchase Orders" file: will be PO data that will need to be joined with the Products data downstream
    - "Transfers" file: will be similar/identical to Purchase Orders file
- UAT Test Scripts
  - SuitSupply UAT Test Scripts gsheet.

Product Specifications

NON-RFID BARCODE LABELS

1. There are three different types of barcode labels that Nexgen will be supplying to Suitsupply vendors: small and large stickers, and prepacked boxes labels.
   a. Small label
      i. PDM item ID: SUI-BARC-38X21MM

   b. Large label
      i. PDM item ID: SUI-BARC-50X30MM

c. Box label
   ii. PDM item ID: SUI-BARC-BOX

2. Nexgen will produce one or two non-RFID labels, large or small, depending on the product department (Department ID). There are also some exceptions for some at Category level (Category ID) see lookup table link below:

   Lookup Table: 20191017_BusinessRulesPerProductGroup

Division	Department	DepartmentId	Category Exceptions	CategoryId	#Labels (non-RFID)	Type of non-RFID labels
Default					1	Small Label
Women Division	Suit Jackets	63			2	Large Label
Women Division	Suit Trousers	64			2	Large Label
Women Division	Jackets	36			2	Large Label
Women Division	Trousers	42			2	Large Label
Women Division	Coats	34			2	Large Label
Women Division	Skirts	39			2	Large Label
Women Division	Dresses	35			2	Large Label
Women Division	Shirts	57			1	Large Label

Women Division	Knitwear	43			1	Large Label
Women Division	Tops	41			1	Large Label
Women Division	Jumpsuits	37			1	Large Label
Women Division	Accessories	58			1	Small Label
Men Division	Suits	20			2	Large Label
Men Division	Vests	29			2	Large Label
Men Division	Coats	21			2	Large Label
Men Division	Jackets	28			2	Large Label
Men Division	Trousers	22			2	Large Label
Men Division	Shoes	33			2	1 Large Label & 1 Small label
Men Division	Shirts	23			2	Large Label
Men Division	Ties	24			0	
Men Division	Knitwear	62			1	Small Label
Men Division	MTM Shirts	16			0	
Men Division	MTM Suits	17			0	
Men Division	Accessories		Bags	169	1	Large Label
Men Division	Accessories		Belts Basic	63	0	
Men Division	Accessories		Socks Basic	64	0	
Men Division	Accessories		Belts Fashion	2188	0	
Men Division	Accessories		Socks Fashion	2189	0	
Men Division	Accessories		Belts NOOS	2321	0	
Men Division	Accessories		Socks NOOS	2322	0	
Men Division	Accessories		Cufflinks	68	0	
Men Division	Accessories		Suspenders	21	0	

Men Division	Accessories		Pocket Squares Basic	170	0	
Men Division	Accessories		Pocket Squares Fashion	2187	0	
Men Division	Accessories		Pocket Squares NOOS	2248	0	
Men Division	Accessories		Gloves	172	1	Small Label
Men Division	Accessories		Scarfs	65	0	

Notes

- If there is no Department ID or Category ID, <u>one small non-RFID labels</u> and <u>one RFID Web M6 label</u> will be populated by default
    - If there is no Department ID but the Category ID is included in this lookup table with #labels=0 then none non-RFID label will be populated.
    - If there is new Department ID out of this list, we should populate the default one small label and the Web M6 label.
- The field 'Division' will not be considered for the item population, only Department ID and Category.
    - Bags (categoryID=169) has no Department ID but will require 1 large label as required by its category.
- In those cases where #Labels is 0 we should not populate non-RFID items but check the column 'Has RFID label' to know if RFID label is required.
- Use the "Relevant Sizes and Sequence" column in the lookup table to determine which sizes should be printed and use the "Fit Property" column to determine if the Fit value should be printed on the labelled sequence.

RFID LABELS

1. There are two different types of RFID barcode labels that Nexgen will be supplying to Suitsupply vendors: the WEB and the SDP.
    a. The two inlays of choice being sourced from Smarttrac are the Web MR6-P 3006411 and Short Dipole MR6-P N3006981 to be used (removed exclusively) on the approved items for Suitsupply.
    b. 'Dummy' labels with EPC and 2D code printed only are also provided to Suitsupply. This is detailed in a separate section in this document.
2. Web
    a. PDM item ID: SUI-WEB

3. Short dipole
    a. PDM item ID: SUI-SDP



4. Inlay wind direction



3. Nexgen will produce the Web M6 or the SDP RFID labels, depending on the product department (Department ID). There are also some exceptions for some at Category level (Category ID) see lookup table link below:

    Lookup Table: 20191017_BusinessRulesPerProductGroup

Division	Department	DepartmentId	Category Exceptions	CategoryId	Type of RFID label	Has RFID Label
Default					Web M6	Yes
Women Division	Suit Jackets	63			Web M6	Yes
Women Division	Suit Trousers	64			Web M6	Yes
Women Division	Jackets	36			Web M6	Yes

Women Division	Trousers	42			Web M6	Yes
Women Division	Coats	34			Web M6	Yes
Women Division	Skirts	39			Web M6	Yes
Women Division	Dresses	35			Web M6	Yes
Women Division	Shirts	57			Web M6	Yes
Women Division	Knitwear	43			Web M6	Yes
Women Division	Tops	41			Web M6	Yes
Women Division	Jumpsuits	37			Web M6	Yes
Women Division	Accessories	58			Web M6	Yes
Men Division	Suits	20			Web M6	Yes
Men Division	Vests	29			Web M6	Yes
Men Division	Coats	21			Web M6	Yes
Men Division	Jackets	28			Web M6	Yes
Men Division	Trousers	22			Web M6	Yes
Men Division	Shoes	33			SDP	Yes
Men Division	Shirts	23			Web M6	Yes
Men Division	Ties	24			Web M6	Yes
Men Division	Knitwear	62			Web M6	Yes
Men Division	MTM Shirts	16			Web M6	Yes
Men Division	MTM Suits	17			Web M6	Yes
Men Division	Accessories		Bags	169	Web M6	Yes
Men Division	Accessories		Belts Basic	63	SDP	Yes
Men Division	Accessories		Socks Basic	64	Web M6	Yes
Men Division	Accessories		Belts Fashion	2188	SDP	Yes
Men Division	Accessories		Socks Fashion	2189	Web M6	Yes
Men Division	Accessories		Belts NOOS	2321	SDP	Yes
Men Division	Accessories		Socks NOOS	2322	Web M6	Yes

Men Division	Accessories		Cufflinks	68	Web M6	Yes
Men Division	Accessories		Suspenders	21	Web M6	Yes
Men Division	Accessories		Pocket Squares Basic	170	Web M6	Yes
Men Division	Accessories		Pocket Squares Fashion	2187	Web M6	Yes
Men Division	Accessories		Pocket Squares NOOS	2248	Web M6	Yes
Men Division	Accessories		Gloves	172	Web M6	Yes
Men Division	Accessories		Scarfs	65	Web M6	Yes

Program Details

1. Nexgen to start production in the UK and Hong Kong simultaneously.
2. TID and EPC to be captured, stored in the cloud, and published back to Suitsupply in a weekly print report with additional data elements captured and encoded at print stage.
3. Suitsupply and vendors to use Nexgen Ecom system to call out orders via the standard Purchase Order call out process whereby Suitsupply will provide electronic JSON data files via web service in batch daily and Nexgen will publish to the vendor/factory users to execute in which all variable data will be provided direct from Suitsupply IT.

Packing Instructions

1. Labels must be packed in their own poly bag – separated out by PO. A dot will indicate the start of a new PO:

2. Packing lists should be included in each package as per normal.
3. Larger order quantities of 250 labels+ should be wound onto rolls.
4. Smaller quantities can simply be folded and packed neatly into a poly bag
5. All Separate packages from the same order should then be combined and packed together with paper or bubble wrap to protect the labels from damage during transit when shipping.
6. Multiple orders should be shipped together.

Variable Field Mapping

1. SUI-WEB



2. SUI-SDP

3. Large label

4. Small label
   This is similar to the Large label but without the Fit printed on it.

5. Box label

JSON Data files

1) Suitsupply to provide revised JSON data mapping and sample data file to Nexgen.
   a. Sample files to include multiple product lines (Shirts, Suits, Ties, etc.) for variable layout e-proof
2) In the event that a duplicate PO is received, the latest data will overwrite the old PO record in Ecom.
3) If Nexgen receive a PO file and not the correspondent Product data file, Nexgen will reject the PO.
4) Nexgen to establish a web service call with Suitsupply to exchange the JSON data.
   a. Test and production environment to exchange data.

   b. See API Section Below
5) Nexgen will receive three different JSON files with data:
   a. Purchase order
   b. Product
   ~~c.~~ Transfer (second stage)

Workflow

- Suitsupply will send the 'Product' data files
  - Nexgen will store the product data to be joined with the 'Purchase Order' data later
  - In case Suitsupply sends updated 'Product' details for an existing 'SkuCode', Nexgen will update the 'Product' database overwriting the old data.
- Suitsupply will send 'Purchase order' data file
  - Nexgen will go find the data associated with each 'SkuCode' in the 'Product' database and retrieve the data to print the labels
    - 'Quantity' field in the PO data file indicates the amount of that SKU ordered.
    - Nexgen will check the type of labels and how many of them are required according to the product category. See point 2 of the 'Product Specifications' section of this document.
      - Example: if 'Quantity' is 2 for a suit which requires 2 labels, Nexgen will print 4 large labels.
- Suitsupply will send a 'Transfer' data file
  - Nexgen will go find the data associated with each 'SkuCode' in the 'Product' database and retrieve the data to print the labels
    - 'Quantity' will be filed in the ODP interface.
    - Nexgen will check the type of labels according to the product category. See point 2 of the 'Product Specifications' section of this document.

  - More details about the Transfer files in page 13 of this document

API for JSON

Suit Supply currently utilizes an API webservice to pass an XML payload which is stored as an XML file in their Nexgen FTP Folder. Pulse is designing a new API that can accept a json payload, which will then be stored as a JSON file in the same Nexgen FTP Folder.

3 Distinct Data Files

Purchase order file


```
{
        "PurchaseOrder":{
        "PurchaseOrderId": "12345",
        "SupplierId": "277",
        "FactoryId": "2",
        "ExWarehouseDate": "2019-06-25T00:00:00",
        "RegionId": "8",
        "PurchaseOrderItems": {
                "SkuCode": "P252501",
                "Quantity": "2"
                },
        "Boxes": {
                "BoxCode": "12345"
                }
        }
}
```


Name	Description	Maximum number of characters
PurchaseOrderId	PO Number	N/A
SupplierId	Supplier ID	N/A
FactoryId	Factory ID	N/A
ExWarehouseDate	Ex warehouse date	N/A
RegionId	Region ID	N/A
SkuCode	SKU (reference for 'Product' data file)	N/A
Quantity	Quantity	N/A
BoxCode	Box code	N/A

Note: this should not happen, but if quantity is 0 Nexgen will process the order and put 0 in the EDI quantity field. Suitsupply does not want any alert on this.

Product file

(example)


```
"Product": {
   "StyleCode": "FW1834",
   "ShortDescription": "Suede-Lace-Brown",
   "Division": {
     "Id": "5",
     "Name": "Men division"
   },
   "Department": {
```

```
      "Id": "33",
      "Name": "Shoes"
    },
    "Category": {
      "Id": "33",
      "Name": "Seasonal"
    },
    "Fit": "Regular Fit",
    "Prices": [
      {
        "RegionId": "14",
        "RegionName": "Belarus",
        "Current": "199",
        "Future": "199"
      },
      {
        "RegionId": "26",
        "RegionName": "Australia",
        "Current": "399",
        "Future": "399"
      },
      {
        "RegionId": "2",
        "RegionName": "Belgium",
        "Current": "229",
        "Future": "229"
      }
],
    "Variants": [
      {
        "SkuCode": "FW183405",
        "EanCode": "8719919306289",
        "LongDescription": "Suede-Lace-Brown 6 / 40 / 7",
        "Sizes": [
          {
            "Type": "EU",
            "Value": "6"
          }
        ]
      },
      {
        "SkuCode": "FW183407",
        "EanCode": "8719919306296",
        "LongDescription": "Suede-Lace-Brown 7 / 41 / 8",
        "Sizes": [
          {
            "Type": "EU",
            "Value": "7"
          }
        ]
      },
      {
```

```
      "SkuCode": "FW183409",
      "EanCode": "8719919306302",
      "LongDescription": "Suede-Lace-Brown 8 / 42 / 9",
      "Sizes": [
        {
          "Type": "EU",
          "Value": "8"
        }
      ]
    }
]
    }
  ]
 }
}
```


Name	Description	Maximum number of characters
StyleCode	Style code	N/A
ShortDescription	Short description	29
Id (Division section)	Division ID	N/A
Name (Division section)	Division name	N/A
Id (Department section)	Department ID	N/A
Name (Department section)	Department name	N/A
Id (Category section)	Category ID	N/A
Name (Category section)	Category name	N/A
Fit	Fit description	29
RegionId (Price section)	Region ID	N/A
RegionName (Price section)	Region name	N/A
Current (Price section)	Price for future ODP dev.	N/A
Future (Price section)	Price to be printed	N/A
SkuCode	SKU	N/A
EanCode	EAN Code	13
LongDescription	Long description	55
Type (Size section)	Type of size (DE, IT, US, UK)	2
Value (Size section)	Size description	7 Combination of all the size types and values in one label: Small labels: it should be 32 characters in maximum (2 size type + : + 7 size value) X 3

		sizes + 2 spacing = 32 characters Large labels: 35 characters in maximum

NOTE: Currently, for RFID labels, the item Description and Size are both contained in the description field in the XML file. These two data points will need to be separated to support printing of each on separate lines as indicated in the mapping. This will not be the case when using the new JSON files.

Transfer file


```
{
    "Transfer":{
        "TransferId": "12345",
        "RegionId": "8",
        "TransferItems": {
            "SkuCode": "P252501",
            "Quantity": "2"
        }
    },
    "Boxes": {
        "BoxCode": "12345"
     }
}
```


Name	Description	Maximum number of characters
TransferId	Transfer ID	N/A
RegionId	Region ID	N/A
SkuCode	SKU	N/A
Quantity	Quantity	N/A
BoxCode	Box code	N/A

1) The 'Transfer' data file will be necessary only for ODP.
2) Suitsupply will not be sending transfer files from the beginning. Initial date TBA
3) Nexgen will receive this Transfer data to be able to look up the data from the Product database based on the SKU and Region in the ODP interface.
4) Purchase orders require source printing and Transfers will only be used for distributed printing
5) For the ODP solution, Suitsupply will be able to retrieve the data from PO number or Transfer number, selecting the option in a dropdown menu.

6) Nexgen will treat Transfers as Purchase Orders and use the Transfer ID as if were a Purchase Order ID, and Transfers and Purchase orders can possibly have the same ID, we'll need to add a prefix or suffix of, PO- and TRN-, to the IDs to ensure they're unique.
    a. The alternative to a prefix/suffix on the ID would likely mean adding custom logic, which would require development, which we'd like to avoid.
        i. Example1: PurchaseOrderID:12345 would become PurchaseOrderID:PO-12345 or 12345-PO
        ii. Example2: TransferID:12345 would become TransferID:TRN-12345 or 12345-TRN.

Current XML file for RFID labels vs new JSON format



Business Rules

1) PO's assigned by Supplier (Vendor) and Factory ID. Company profiles to include ID security for PO visibility.
2) Suitsupply to define PO availability date from 'ExWarehouseDate' object in the 'Purchase order' data file.

3) The amount and type of RFID and non-RFID labels required depend on Department and Category. This is defined in the 'Barcode label info' Excel file and in section 'Product specifications' point 2 of this document and detailed in the lookup table: 20191017_BusinessRulesPerProductGroup
4) Contained within the Product data files are several fields which are required for an order to be made available for call out in Ecom. If there is a scenario in which a PO contains a null value for any of these data points, it should be held from call out. Those required fields are:
    a. For non-RFID labels
        i. EAN Code
        ii. 'Future' Price
    b. For RFID labels
        i. EAN Code
        ii. Description
        iii. Price*

    *see exceptions for regions Russia, Belarus, Colombia, South Korea and Outside EU
    This rule is based on RegionID.
    For on hold orders we should keep the on-hold PO be searchable on MC PO list but cannot be searched on Ecom V2.

5) In case the data in the Product data file exceed the maximum characters limit defined in section 'JSON data files' of this document, the complete PO will be put on hold. An exception report will be sent to the corresponding recipient according to the Department ID. This report is defined in section 'Reports' of this document.
    a. Size limits: we will set shrink-to-fit up to a limit, an exception report will be sent in case the data exceed these limits:
        i. non-RFID Small labels: it should be 32 characters in maximum (2 size type + : + 7 size value) X 3 sizes + 2 spacing = 32 characters
        ii. non-RFID Large labels and RFID labels: 35 characters in maximum



        iii. The size types to be checked are those listed in the lookup table: Lookup Table: 20191017_BusinessRulesPerProductGroup
            1. Other size types found in the Product files like 'Euro' or 'CN' will be ignored, no need to verify the length of their values.
6) The 2D barcode that is printed on the RFID items will be encoded with the Hexadecimal EPC value that is contained within the RFID string. Therefore, we will need to convert the Hexadecimal EPC value and store in our DB to generate the 2D barcode.

7) There will be no overage applied to the JSON data. Nexgen to provide a text box in the size breakdown template for the vendor/factory to provide a quantity if not matching the data provided. Vendor can place up to 50% of original PO quantity
8) PO data can be called out multiple times by Suitsupply vendors. Once a PO has been called out once, we should set the status to Ordered in the PO view but if the vendor searches for this specific PO again, they can submit to production without issues.
9) Any PO lines in the JSON data file marked with a quantity of 0 in the Quantity field can be omitted from the Ecom record

Price

10) Suitsupply will provide merchandise to multiple regions globally and the currencies on the printed stickers should be specific to the region (indicated in the Region section in the 'Purchase order' data file) of sale. Below are the countries and corresponding currencies and symbols.

Region/ID	Currency	Layout
Australia/26	AUD	AUD 119.00
Belarus/14	EUR	NULL
Belgium/2	EUR	59.00
Canada/19	CAD	$ 79.00
China/12	CNY	¥ 580
China Converted/29	CNX	OMIT
Colombia/47		NULL
Denmark/25	DKK	DKK 2999
Estonia/36	EUR	59.99
Germany/13	EUR	59.00
Helsinki/289	EUR	59.00
Hong Kong/35	HKD	HK$ 599
Italy/9	EUR	59.00
Japan/17	JPY	10900.00
Latvija/11	EUR	59.00
Lithuania/10	EUR	59.00
Luxembourg/28	EUR	59.00
Mexico/15	MXN	1839.00
Mexico Franchise/18	MXN	OMIT
Netherlands/1	EUR	59.00
Norway/27	EUR	59.00
Outside EU/6	USD	NULL
Panama/33	USD	$ 79.00
Poland/31	EUR	59.00
Production/5	EUR	59.00
Russia/16	RUB	NULL
Singapore/20	SGD	129.00
South Africa/21	ZAR	1079.00
South Korea/24	KRW	₩ 99000
Spain/32	EUR	59.00
Sweden/23	EUR	59.00
Switzerland/22	CHF	CHF 199.00
Transport/4	EUR	OMIT
Turkey/30	TRY	OMIT

United Arab Emirates/34	AED	AED 299
United Kingdom/3	GBP	59.00
USA/8	USD	$ 79.00

11) Those Region/ID combinations marked with OMIT in the layout column are to be ignored in Ecom and immediately cancelled upon receipt.
12) Blue highlighted Region allow call out the PO but no need show currency into layout. If Price is "0" or "BLANK" we still allow call out the PO.
13) Price will appear in the 'Product' data file: 'Value' in 'Price' section:
    a. Current price: this value will be used in the future ODP interface.
    b. Future price: the price to print on the labels.
14) Region will be in the 'Purchase order' data file: 'RegionID' and 'RegionName'.
    a. Nexgen will use the Region ID to look up the currencies, but Region Name will also be included in the data file to make possible analysis easier.
15) If region is 'USA' (regionID=8 in the PO data file) or 'Canada' (regionID=19 in the PO data file) Nexgen will print both prices on the label only in case Division=Men:
    a. In both RFID and non-RFID labels Nexgen will print both US and CAD prices together with some space in between always printing currency symbols in this case.



    b. Both USA and Canada prices will appear in the 'Product' data file in the 'Price' section in two different blocks.
16) If region is 'Hong Kong' (regionID=35 in the PO data file) or 'China' (regionID=12 in the PO data file) Nexgen will print both prices on the label only in case Division=Men:
    a. In both RFID and non-RFID labels Nexgen will print both HK and CN prices together with some space in between always printing currency symbols in this case. Following the example above (US/CAD rule)
    b. Both HK and CN prices will appear in the 'Product' data file in the 'Price' section in two different blocks.
       Note: The reason why Suitsupply don't need the double prices for CA and HK for Suistudio, is that they don't have stores there.
17) Decimals '.00' will not be printed for prices with currency symbol.
    a. Decimals '.00' will be printed if the currency symbol is missing.
18) Price will always be printed in non-RFID barcode labels by default.
    a. But there are some exceptions depending on the region ID. See the next business rule.
19) Price will be printed or omitted on RFID labels depending on the Department ID and Category ID as indicated in the lookup table:
    20191017_BusinessRulesPerProductGroup

    There are some exceptions depending on the region ID:

Region	Pricing on RFID	Pricing on barcode sticker
Russia/16	No	No
Singapore/20	No	Yes
Panama/33	No	Yes
Colombia/47	No	No
Outside EU/6	**No**	**No**
South Korea/24	No	No
Belarus/14	**No**	**No**

20) The Region rules will overwrite the DepartmentID/CategoryID price printing rules.
21) No need to hold the PO if price is "0" or "BLANK" for regions Russia, Colombia, Outside EU, South Korea & Belarus.

Fit

22) Fit will be printed or omitted depending on the Department ID and Category ID as indicated in the lookup table:
[20191017_BusinessRulesPerProductGroup]

Division	Department	DepartmentId	Category Exceptions	CategoryId	Fit property
Default					No
Women Division	Suit Jackets	63			Yes

Women Division	Suit Trousers	64			Yes
Women Division	Jackets	36			Yes
Women Division	Trousers	42			Yes
Women Division	Coats	34			Yes
Women Division	Skirts	39			Yes
Women Division	Dresses	35			Yes
Women Division	Shirts	57			Yes
Women Division	Knitwear	43			Yes
Women Division	Tops	41			Yes
Women Division	Jumpsuits	37			Yes
Women Division	Accessories	58			No
Men Division	Suits	20			Yes
Men Division	Vests	29			Yes
Men Division	Coats	21			Yes
Men Division	Jackets	28			Yes
Men Division	Trousers	22			Yes
Men Division	Shoes	33			No
Men Division	Shirts	23			Yes
Men Division	Ties	24			No
Men Division	Knitwear	62			No
Men Division	MTM Shirts	16			No
Men Division	MTM Suits	17			No
Men Division	Accessories		Bags	169	No
Men Division	Accessories		Belts Basic	63	No
Men Division	Accessories		Socks Basic	64	No
Men Division	Accessories		Belts Fashion	2188	No
Men Division	Accessories		Socks Fashion	2189	No

Men Division	Accessories		Belts NOOS	2321	No
Men Division	Accessories		Socks NOOS	2322	No
Men Division	Accessories		Cufflinks	68	Yes
Men Division	Accessories		Suspenders	21	Yes
Men Division	Accessories		Pocket Squares Basic	170	Yes
Men Division	Accessories		Pocket Squares Fashion	2187	Yes
Men Division	Accessories		Pocket Squares NOOS	2248	Yes
Men Division	Accessories		Gloves	172	No
Men Division	Accessories		Scarfs	65	No

Size

a. There is no need to have a conversion table or a region association since all the details will appear in the 'Product' data file, section 'Variants'.
b. Sizes will be printed using a space between them as a separator: ''DE:36R IT:40R US:6R UK:4R' for both large and small non-RFID labels.

23) Nexgen will print the relevant sizes and follow the sequence depending on the Department ID and Category ID as described in the lookup table [20191017_BusinessRulesPerProductGroup]

Division	Department	DepartmentId	Category Exceptions	CategoryId	Relevant sizes and sequence
Default					EU/UK/US
Women Division	Suit Jackets	63			DE/IT/US/UK
Women Division	Suit Trousers	64			DE/IT/US/UK
Women Division	Jackets	36			DE/IT/US/UK

Women Division	Trousers	42			DE/IT/US/UK
Women Division	Coats	34			DE/IT/US/UK
Women Division	Skirts	39			DE/IT/US/UK
Women Division	Dresses	35			DE/IT/US/UK
Women Division	Shirts	57			DE/IT/US/UK
Women Division	Knitwear	43			DE/IT/US/UK
Women Division	Tops	41			DE/IT/US/UK
Women Division	Jumpsuits	37			DE/IT/US/UK
Women Division	Accessories	58			EU
Men Division	Suits	20			EU/UK/US
Men Division	Vests	29			EU/UK/US
Men Division	Coats	21			EU/UK/US
Men Division	Jackets	28			EU/UK/US
Men Division	Trousers	22			EU/UK/US
Men Division	Shoes	33			EU/UK/US
Men Division	Shirts	23			EU/UK/US
Men Division	Ties	24			None
Men Division	Knitwear	62			EU
Men Division	MTM Shirts	16			None
Men Division	MTM Suits	17			None
Men Division	Accessories		Bags	169	None
Men Division	Accessories		Belts Basic	63	EU/UK/US
Men Division	Accessories		Socks Basic	64	EU/UK/US
Men Division	Accessories		Belts Fashion	2188	EU/UK/US
Men Division	Accessories		Socks Fashion	2189	EU/UK/US
Men Division	Accessories		Belts NOOS	2321	EU/UK/US
Men Division	Accessories		Socks NOOS	2322	EU/UK/US

Men Division	Accessories		Cufflinks	68	EU/UK/US
Men Division	Accessories		Suspenders	21	EU/UK/US
Men Division	Accessories		Pocket Squares Basic	170	EU/UK/US
Men Division	Accessories		Pocket Squares Fashion	2187	EU/UK/US
Men Division	Accessories		Pocket Squares NOOS	2248	EU/UK/US
Men Division	Accessories		Gloves	172	EU
Men Division	Accessories		Scarfs	65	EU

24) If there are any other size values in the Product database, they should not be printed.
25) If the size is missing, then print the 'LongDescription' as it comes in the 'Variants' section of the 'Product' data file instead of the short description right below the SKU and remove the Size row.
    a. If the long description is too long to fit in one row, we can split the long description in two different rows. One extra row is available since we will not be printing the size.
26) Size values format could be: YY (numeric) YYL (alphanumeric) and XL (text) up to four characters (XXXL))
    a. Larger values have been found in the 'SizeOptions' file that Suitsupply shared with Nexgen, but those will not appear in the barcode labels.
27) If there is only one single size value (repeated or not) or if all values are the same across the different types, print the size only one time without the 'country' (type of size) in the size line.



Pre-packed boxes

1) Sometimes the products will be pre-packed into boxes and another label is also necessary.
2) If the 'Purchase order' data file includes 'boxes' section, then Nexgen will print the barcode and the 'boxcode' in a small label
    a. The box label will be populated along with the RFID and non-RFID labels required

b. The box label is unique. Each boxcode is expected printed once. If a purchase order contains 15 boxes, then we should print 1 label for each box, 15 in total.

Reports

RFID and non-RFID labels

Nexgen will auto generate and emails to the below email addresses:
RFIDresults@suitsupply.com
LMaat@suitsupply.com
SJahangir@suitsupply.com
MBrowning@suitsupply.com

A summary of the different reports, their frequency and their purpose follow below:

Report name	Frequency	Description
Suitsupply RFID compulsory field missing	Daily	Highlights orders which Nexgen has received the previous day but have been excluded from Ecom call out availability due to missing fields - UPC, price or description. Contains maximum proceeding two months worth of POs received into Nexgen. Only for RFID items
Suitsupply POs Called Out	Daily	All those POs received and called out by your supply base, including both RFID and non-RFID items.
Suitsupply - not called out 14 days before ex factory date	Daily	Includes POs received by Nexgen not called by vendor base, 14 days before garment ship date, , including both RFID and non-RFID items.
		All orders with a date of -21 or greater v the garment ex factory date will drop off the report

		Automated alert also to be sent to the email addresses associated with the supplier IDs included in this report to remind vendors to place orders urgently, quoting the PO numbers
Nexgen: Suitsupply Serial and PO	Weekly Fridays	Shows the EPC values range for all POs shipped by Nexgen, including both RFID and non-RFID items.
		Also shows extra quantity placed for compared to the original PO quantity, highlighting those over 20% in red

Non-RFID labels

Suitsupply barcode compulsory field missing

If there is a scenario in which a PO contains a null value for any of these data points, they will appear in the report. Those required fields are:

a. EAN Code
b. 'Future' Price
c. Short description

There are some exceptions depending on the region ID:

Region	Pricing on RFID	Pricing on barcode sticker
Russia/16	No	No
Singapore/20	No	Yes
Panama/33	No	Yes
Colombia/47	No	No
Outside EU/6	**No**	**No**
South Korea/24	No	No
Belarus/14	**No**	**No**

If the price is missing but the Region is listed in the table above, then it should not appear in this report.

Different recipients will be receiving the report depending on the product department:

- Refer to the "E-mail Address" Column in the following document:
    - Lookup Table: 20191017_BusinessRulesPerProductGroup

This report is similar to the 'Suitsupply RFID compulsory field missing' report.

Suitsupply barcode data exceeds max character limit (buying)

If data exceeds the maximum characters limit, the whole PO will be on hold and an exception report will be sent.
Different recipients will be receiving the report depending on the product department:

- Refer to the "E-mail Address" Column in the following document:
    - Lookup Table: 20191017_BusinessRulesPerProductGroup

Fields on exception report:

PurchaseOrderId

SupplierId

ShortDescription

Fit

LongDescription

Size_Type1

Size_Value1

Size_Type2

Size_Value2

Size_Type3

Size_Value3

Size_Type4

Size_Value4

Size_Type5

Size_Value5

Size_Type6

Size_Value6

Size_Type7

Size_Value7

Size_Type8

Size_Value8

Size_Type9

Size_Value9

Size_Type10

Size_Value10

Print_size

ticket_code

status

create_date

filename

ExWarehouseDate

ItemCode

Division

Department

DepartmentId

Category

CategoryId

Fields that need to check the character limit.
If Column Z is populated, there is an issue and needs to be tackled.

A summary of the different reports, their frequency and their purpose follow below:

Report name	Frequency	Description
Suitsupply RFID compulsory field missing	Daily	Highlights orders which Nexgen has received the previous day but have been excluded from Ecom call out availability due to missing fields. Contains maximum proceeding two months worth of POs received into Nexgen
Suitsupply barcode data exceeds max character limit (buying)	Occasional	All those POs received with a value exceeding the maximum character limit.

Nexgen E-commerce Deployment Outline

1. The new DB Structure(PO + Product Separate) will make the callout process slightly different and we need to confirm this with the customer. If we receive a PO.123 and a Product.345.v1 file on Day 1, and an update to the Product.345.v2 file on Day 2; when the PO is called out on Day 3, it will be with the product data in 345.v2
2. We will allow 5 days lead time for both RFID and non-RFID labels, as we are currently doing for RFID.
3. If Quantity is 0 in the PO data file, Nexgen will process the order and put 0 in the EDI quantity field. Suitsupply does not want any alert on this.

Non-RFID labels

1) Vendor/factory PO call out at order header
2) Order data will populate in item details by Department ID and Category ID. There will be no Nexgen item call out in the PO file.
3) Nexgen will let the quantities be editable so supplier can order more than the original quantity.
    a. Order quantities will be limited to 50% overage of the original PO quantity.

4) There is no limit to the latest date a PO can be called out.

RFID labels

1) PO call out at order header.
2) Order data will populate in item details by item ID as defined by region and stylecode identifier. There will be no Nexgen item call out in the PO file.
3) Items to be enabled in Ecom for Hong Kong (China) service bureau production, China and United Kingdom
4) Nexgen will print and encode the variable stickers on the CL4NX thermal transfer printer in each approved service bureau location.
5) Order quantities will be limited to 50% overage of the original PO quantity.
    a. Any orders that are greater than 20% of the original PO quantity will be highlighted in the weekly order detail report.
6) Nexgen will provide a once weekly order detail report that includes the serial number range that was applied to the printed orders.

Nexgen RFID Encoding Schema

1) To Nexgen, the serial number range with code **02** has been assigned, which will be located on position 16 and 17 of the hexadecimal SGTIN. Consequently, for every distinct GTIN (EAN), Nexgen can use a serial number between 536,870,912 and 805,306,367.

For example, for EAN 8719119000765 Nexgen can use:

	From	To
Serial number range	536870912	805306367
Hexadecimal example	3036142C3C00130**02**0000000	3036142C3C0013**02**FFFFFFF
EPC Tag URI example	urn:epc:tag:sgtin-96:1.8719119.000076.536870912	urn:epc:tag:sgtin-96:1.8719119.000076.805306367
EPC Pure Identity URI example	urn:epc:id:sgtin:8719119.000076.536870912	urn:epc:id:sgtin:8719119.000076.805306367

GS1 Key or other identifier (GTIN + serial, AI 01 to AI 21) example	(01)08719119000765(21)536870912	(01)08719119000765(21)805306367

2) Suitsupply currently has three company prefixes identified in their UPC/EAN data string which Nexgen will use to create the SGTIN EPC value. (8719119, 8719137, 8719475)