DRPD-ROF2017-XXXXXXXXX

Wireless Sensor System for Beehive Health Monitoring

 \bullet Co-PIs:

Joaquin Casanova Electrical Computer Engineering, jcasa@ufl.edu, 352-294-2024 Jamie Ellis Entomology and Nematology, jdellis@ufl.edu, 352-273-3924

• Start Date: May 1, 2017

• Budget request: \$92000

Abstract

Pollinators, such as honeybees, bumblebees, hummingbirds, wasps, and butterflies, serve an important ecological function. They provide pollination services to many plants, thus facilitating plant reproduction. Honey bees (*Apis mellifera*) in particular pollinate many of thefood crops used by humans and are responsible for billions of dollars of added crop value. The population of managed honey bees has been under constant threat the last decade, with many parts of the world experiencing colony loss rates exceeding 30% yearly. The stressors impacting managed colonies result in physically detectable changes to the bees appearance, foraging behavior, colony strength parameters, etc. The causes of and solutions for this phenomenon are still active areas of research. Elevated colony losses are a multifactorial problem, with several potential causes working in concert, including diseases (viruses, bacteria and fungi), pests (the most notable of which is *Varroa destructor*, a parasitic mite), pesticides, poor nutrition, and loss of habitat.

To address this concern, the US government established a set of research goals and recovery actions in the Pollinator Research Action Plan. Research goals included establishing pollinator health baselines, assessing environmental stressors, restoring habitat, supporting land managers and beekeepers (including the development of best management practices), and pollinator monitoring and study. Part of our overall goal is to establish a baseline for the existing state of honey bee health. Currently, there exists no good system for monitoring the health of managed colonies in the US. Our projects aim is to design, build, and test a noninvasive, wireless, multimodal beehive monitor that could be used to monitor colony health nationally. Such a system, if widely adopted, would allow stakeholders to monitor their own hives, and allow researchers to collect data easily and remotely. Combined with additional geographical, and land management data (ie, pesticide use, proximity to crops, etc.), this data network would aid in highlighting causes of, and developing BMPs to mitigate the elevated colony losses.

An inexpensive, wirelessly connected beehive monitor could achieve widespread acceptance in the beekeeping industry. Several easily measured variables include: bee traffic at the hive entrance and the general shape of their bodies (a proxy for their health - measured through a camera mounted at the hive entrance; presence of a queen in the hive, general hive activity (measured as audio frequencies produced by the hive); and honey content (measured through the electromagnetic characteristics of the hive body). These metrics provide data on bee diseases (worker bee shape changes under certain disease stresses), colony propensity to swarm, and availability of food in- and outside the nest. Such sensors may be devised by repurposing existing, off-the-shelf sensors, and integrated them into a single system that transmits its data to a server wirelessly. This research aims to develop and test such a system, with hope of commercialization and widespread acceptance.

Project Description

1 Specific Aims/Objectives

The short term goal of this project is to collect baseline data on the current state of honey bee heath using monitoring technologies, with a long term goal of reducing the loss rate of managed colonies. Specifically, we hope to develop a system that can be used to alert beekeepers to health problems with their hives using visual, audio, and electromagnetic sensors, and to network the sensors to permit aggregation of data on hive health for future analysis. We have developed three objectives to address these goals.

- 1. We will develop and test a multimodal, noninvasive, networked beehive health monitor, that would be distributed among apiculturists to aggregate data on beehive health in real-time.
- 2. We will perform controlled experiments, with a set of sensor-equipped beehives, to evaluate the effectiveness of the system in determining hive stressors.
- 3. We will publish our results and use them to pursue further funding from government agencies. With more widespread usage and increased funding, we can conduct studies collecting data state- and nationwide.

These objectives meet the USDAs priority of elucidation of individual or interacting factors that affect pollinator populations that will lead to the development of novel tools and technologies to mitigate their losses. The proposal largely depends on established techniques, but this seed grant will allow us to establish a program focused around beehive sensor research. Potential future outcomes include novel sensing modalities, such as electromagnetic honey content and pesticide concentration monitoring.

2 Background and Significance

Pollinators perform an important ecological service in the reproduction of 70% of plant species. Of pollinators, honeybees (Apis mellifera) are unique in that they must gather large amounts of pollen for food. While doing that, they transfer pollen between flowers, resulting in the pollination of those flowers and many of the fruits, nuts, berries, and vegetables humans consume. The population of managed honey bees has been under constant threat the last decade, with many parts of the world experiencing colony loss rates exceeding 30% yearly [23]. Elevated colony losses are a multifactorial problem, with several potential causes working in concert, including diseases (viruses, bacteria and fungi), pests (the most notable of which is Varroa destructor, a parasitic mite), pesticides, poor nutrition, and the loss of habitat. Elevated colony losses is of particular concern as agricultural production of pollinator dependent crops is increasing to meet the food needs of a growing human population. The USDAs Report on the National Stakeholders Conference on Honey Bee Health provides a basis for understanding the root causes of these population declines [6]. Several causes have worked in concert to weaken or kill colonies. Invasive Varroa destructor mites are the primary concern. It is detrimental on its own and is known to transmit deadly bee viruses, including Deformed Wing Virus (DWV). Furthermore, the lack of forage for bees leads to decreased food stores, and suppression of bee gut microbiota. Bees also are impacted by chronic exposure to sublethal doses of pesticides. The stressors impacting managed colonies result in physically detectable changes to the bees appearance, foraging behavior, colony strength parameters, etc.

According to the Pollinator Research Action Plan goals [11], the aim of US government-sponsored research is to reduce honeybee overwintering losses to no more than 15%. Part of this overall goal is to establish a baseline for the current state of honeybee health. While there are honeybee censuses [26], there exists no monitoring system for the health status of managed hives in the US. Such a network of standardized beehive monitors would enable researchers to mine data associated with crop and apiary management practices with measures of colony fitness. Here lies what we plan to accomplish.

We aim to design, build, and test a noninvasive, wireless, multimodal beehive monitor that can be used in apiaries (places where managed hives are kept) nationwide. In particular, our system would implement visual, audio, and weight sensors to monitor bee health and behavior, as well as hive food content, without having to disturb the hive. As such, apiculturists could install the station easily. With 3G connection, these stations could upload data to a centralized database, enabling real-time monitoring of trends in hive health. This could form the basis for a network similar to the weather station network of Weather Underground. In this way, researchers could understand variation in colony loss rates over space, time, weather, and management practices. Sensors have been used to monitor hives in previous work. In a similar vein, researchers in Ireland have combined visual, infrared, load cells, particulate monitors, and gas analyzers in the b+WSN and 3b projects [16,17]. Beelab is an open source Canadian project, providing apiculturists with a highly simplified kit for hive data collection [19]. Thus far, there is no US-based project with these goals. Furthermore, previous work centers on using technologies that are invasive to hives. We aim to avoid this problem using non-invasive technologies.

It's clear that several sensing modalities can be useful for monitoring hive health, and be non invasive. Researchers have implemented video and computer vision systems to monitor bees outside of the hive with success [1,24]. Such technologies might be able to detect pesticide impacts as pesticides are known to lead to abnormal adult bee morphologies [22]. We also believe they can be used to detect bee infection with DWV given that the virus produces symptoms in bees that can be detected visually [8]. Sound is an indicator of hive status as well. The queen emits a particular sound prior to a swarm (piping), and this has been detected in previous works using microphones [9, 10]. Hive weight can indicate activity and food stores, and monitoring efforts have been made in the past [15], requiring load cells. Such a measurement system would allow noninvasive monitoring of the colony's food. However, load cells are cumbersome to install, so an alternative will be devloped, expecting a technique known as time-domain reflectometry, in which a pair of electrodes on the surface of the hive propagate a pulse, whose travel time serves as an indication of the hive's dielectric constant [7]. The higher the dielectric constant, the longer the travel time. The dielectric constant of honey is significantly different than that of air or wood [12], so hive honey content can be monitored in this way.

By combining computer vision, audio monitoring, and weight/honey measurement, a hive's health status can be well described. Further, with access to wireless networks and solar power, and meta-data regarding management practices, this information can be monitored remotely and aggregated for analysis and prediction. Keeping the system simple, inexpensive, and noninvasive will increase acceptance among stakeholders.

3 Innovation/Potential Impact of Research

The goal of this project is to develop and test a multimodal, noninvasive, networked beehive health monitor, that would be distributed among apiculturists to aggregate data on beehive health in real-time. The novel CV algorithms and and audio spectral analysis methods offer room for innovation, as these techniques have not been applied very thoroughly to studying bees in the past. Further, there have been no studies looking at electromagnetic sensors for honey content monitoring.

Potential impacts are significant. Colony collapse disorder is a real and pressing issue, affecting the human food supply significantly. The success of this project would enable reasearchers to study the disorder with greater scrutiny and develop best management practices to stop it. On a small scale, individual farmers could better care for their own hives.

4 Approach/Research Design

The planned research is comprised of five main tasks: computer vision algorithm development, audio sensor design, electromagnetic sensor design, sensor integration and programming, and field implementation.

4.1 Computer Vision Algorithm Development

In order to provide targeted data, images of the hive entrance need to meet certain requirements. Images must only be acquired when workers are present, and workers' features need to be extracted. Thus, a program will be developed that takes a video stream and captures images when bees are present, as in [4]. The first part of the computer vision (CV) algorithm must simply detect the presence of bees at the hive entrance, through simple thresholding (dark bees are easily distinguished against the white paint of the hive entrance) or more advanced techniques such as Support Vector Machines trained on bee features [1]. Then the individual bees will be tracked frame-to-frame using a method such as optical flow [13] or nodal analysis as in [4]. Finally, the individual bees shapes must be determined and reduced to a set of shape parameters, as with Hough circle fitting [28], for exampl. Additional machine learning algorithms will be implemented and trained using human experts to distinguish healthy from diseased bees. The computer vision algorithm will be developed using test images and existing video on a desktop computer.

4.2 Audio Processor Design

A microphone on the side of the hive will pick up audio and amplify sounds produced by the bees, after which it will be digitized and processed. The microphone/amplifier/digitization circuit will be designed and constructed. Audio frequencies below 1 kHz are sufficient for detection of swarms. A software algorithm that analyzes the spectral content will be developed that pinpoints swarming events following the techniques described in [10]. Evidence also suggests that queens can be detected; even though their sound is siilar to workers, they generate a stronger tone between 400 and 550 Hz [9]. Potentially, there is a link between hive sounds and exposure to airborne toxins [3]

4.3 Honey Content Sensor Design

Monitoring the honey content will be done in two ways: first, through measurement of the hive weight [15], a standard technique, and second, through time domain reflectometry, a novel technique in this application. TDR has been applied extensively in measurement of soil water content, such as with the commercially available soil probes from Acclima [2,20], due to the high dielectric of water relative to dry soil. Such a commercial sensor could be easily repurposed and attached to the exterior of the hive for purpose of hive monitoring, and calibrated against the weight of the hive. A hive weight monitor will be designed to support the high weights (¿200lb) of a full hive, and measure small changes with time. This can be done using off-the-shelf load cells and amplifiers. The signal will be digitized and logged and used as a reference against the electromagnetic sensor.

4.4 Sensor Integration

The three sensing systems will be integrated into one datalogging system using a low-power embedded computer, such as the Raspberry Pi [25], which would also implement the CV algorithm. This computer would perform the image processing and log all data. In addition, it would serve the data to a web interface and central database that will be designed and programmed for this task.

4.5 Field Implementation and Controlled Expermients

Finally, the sensors and embedded computer will be installed on a test hive. A weatherproof housing will be designed and fabricated. The system will be powered by solar cells. A 3G connection will allow wireless data upload. The system will be monitored and debugged during the following 3 months. At least 10 hives will be divided into different treatment groups. Several relevant treatment variables could be controlled artificially to evaluate the systems efficacy, including presence of a queen, and Varroa and small hive beetle infestations, etc. Sensor measurements (honey content, bee morphological measurements, audio spectra) can be tested statistically for significance with regard to these explanatory variables indicative of hive health.

5 Timeline

The project will be completed over 18 months. Tasks 1-4 will be performed during May 2017 through August 2017. Task 4 will be completed in the 3 months following 1-3. Task 5, field implementation and testing, will follow, for a duration of 3 months. Finally, the system should be ready for a field experiment in Spring of 2018, for nine months, after which data will be analyzed and papers written for 3 months.

6 Pitfalls

There are several potential difficulties with this project. First, computer vision algorithm development is challenging, and depends largely on the quality of the test dataset. Gathering enough extant test video of beehive entrances, and formulating an effective feature extraction and analysis algorithm, may prove more time-consuming than anticipated. Second, the required sensitivity of

the microphone and load cells are as yet unknown, and method of dynamically adjusting both for environmental factors (ie, loud noises and hive shifts due to maintenance) will need to be developed. Third, the field implementation will need to be kept highly power efficient to support such processor-intensive activities, such as computer vision, as well as wireless networking. At worst it may require supplemental power, perhaps instead relying on power-over-ethernet. Finally, the system cost should be kept low enough that it would be readily accepted by apiculturists, so that data could be aggregated.

7 Preliminary Data

Not applicable

References Cited

- [1] Willy Azarcoya-Cabiedes, Pablo Vera-Alfaro, Alfonso Torres-Ruiz, and Joaquín Salas-Rodríguez. Automatic detection of bumblebees using video analysis. *Dyna*, 81(187):81–84, 2014.
- [2] JM Blonquist Jr, Scott B Jones, and DA Robinson. A time domain transmission sensor with tdr performance characteristics. *Journal of hydrology*, 314(1):235–245, 2005.
- [3] Jerry J Bromenshenk, Colin B Henderson, Robert A Seccomb, Steven D Rice, and Robert T Etter. Honey bee acoustic recording and analysis system for monitoring hive health, 2009. US Patent 7,549,907.
- [4] Jason Campbell, Lily Mummert, and Rahul Sukthankar. Video monitoring of honey bee colonies at the hive entrance. Visual observation & analysis of animal & insect behavior, ICPR, 8:1–4, 2008.
- [5] Erik S Carlsten, Geoffrey R Wicks, Kevin S Repasky, John L Carlsten, Jerry J Bromenshenk, and Colin B Henderson. Field demonstration of a scanning lidar and detection algorithm for spatially mapping honeybees for biological detection of land mines. *Applied optics*, 50(14):2112–2123, 2011.
- [6] National Honey Bee Health Stakeholder Conference Steering Committee et al. Report on the national stakeholders conference on honey bee health, 2012.
- [7] FN Dalton, WN Herkelrath, DS Rawlins, and JD Rhoades. Time-domain reflectometry: Simultaneous measurement of soil water content and electrical conductivity with a single probe. Science, 224(4652):989–990, 1984.
- [8] Joachim R De Miranda and Elke Genersch. Deformed wing virus. *Journal of Invertebrate Pathology*, 103:S48–S61, 2010.
- [9] Halit Eren, Lynne Whiffler, and Robert Manning. Electronic sensing and identification of queen bees in honeybee colonies. In *Instrumentation and Measurement Technology Conference*, 1997. IMTC/97. Proceedings. Sensing, Processing, Networking., IEEE, volume 2, pages 1052–1055. IEEE, 1997.
- [10] Sara Ferrari, Mitchell Silva, Marcella Guarino, and Daniel Berckmans. Monitoring of swarming sounds in bee hives for early detection of the swarming period. *Computers and electronics in agriculture*, 64(1):72–77, 2008.
- [11] Pollinator Health Task Force. Pollinator research action plan, 2015.
- [12] Wenchuan Guo, Xinhua Zhu, Yi Liu, and Hong Zhuang. Sugar and water contents of honey with dielectric property sensing. *Journal of Food Engineering*, 97(2):275–281, 2010.
- [13] Berthold KP Horn and Brian G Schunck. Determining optical flow. *Artificial intelligence*, 17(1-3):185–203, 1981.

- [14] C Kremen, KS Ullman, and RW Thorp. Evaluating the quality of citizen-scientist data on pollinator communities. *Conservation Biology*, 25(3):607–617, 2011.
- [15] William G Meikle, Brian G Rector, Guy Mercadier, and Niels Holst. Within-day variation in continuous hive weight data as a measure of honey bee colony activity. *Apidologie*, 39(6):694–707, 2008.
- [16] Fiona Edwards Murphy, Michele Magno, Liam O'Leary, Killian Troy, Pádraig Whelan, and Emanuel M Popovici. Big brother for bees (3b)energy neutral platform for remote monitoring of beehive imagery and sound. In *Advances in Sensors and Interfaces (IWASI)*, 2015 6th IEEE International Workshop on, pages 106–111. IEEE, 2015.
- [17] Fiona Edwards Murphy, Michele Magno, Pádraig Whelan, and Emanuel Popo Vici. b+wsn: Smart beehive for agriculture, environmental, and honey bee health monitoring preliminary results and analysis. In Sensors Applications Symposium (SAS), 2015 IEEE, pages 1–6. IEEE, 2015.
- [18] USDA NASS. Census of agriculture. US Department of Agriculture, National Agricultural Statistics Service, Washington, DC, 2012.
- [19] Robert Daniel Phillips, Jesse Michael Blum, Michael A Brown, and Sharon L Baurley. Testing a grassroots citizen science venture using open design, the bee lab project. In *Proceedings of the extended abstracts of the 32nd annual ACM conference on Human factors in computing systems*, pages 1951–1956. ACM, 2014.
- [20] Robert C Schwartz, Steven R Evett, Scott K Anderson, and David J Anderson. Evaluation of a direct-coupled time-domain reflectometry for determination of soil water content and bulk electrical conductivity. *Vadose Zone Journal*, 15(1), 2016.
- [21] Joseph A Shaw, Paul W Nugent, Jennifer Johnson, Jerry J Bromenshenk, Colin B Henderson, and Scott Debnam. Long-wave infrared imaging for non-invasive beehive population assessment. *Optics express*, 19(1):399–408, 2011.
- [22] Niko Speybroeck, Jay D Evans, Bach Kim Nguyen, Chris Mullin, Maryann Frazier, Jim Frazier, Diana Cox-Foster, Yanping Chen, David R Tarpy, Eric Haubruge, et al. Weighing risk factors associated with bee colony collapse disorder by classification and regression tree analysis. Journal of Economic Entomology, 103(5):1517–1523, 2010.
- [23] Marla Spivak, Eric Mader, Mace Vaughan, and Ned H Euliss Jr. The plight of the bees. Environmental science & technology, 45(1):34–38, 2010.
- [24] Ronny Steen, ALTO Aase, and A Thorsdatter. Portable digital video surveillance system for monitoring flower-visiting bumblebees. *Journal of Pollination Ecology*, 5(13):90–94, 2011.
- [25] Eben Upton and Gareth Halfacree. Raspberry Pi user quide. John Wiley & Sons, 2014.
- [26] Dennis Vanengelsdorp, Jerry Hayes Jr, Robyn M Underwood, Dewey Caron, and Jeffery Pettis. A survey of managed honey bee colony losses in the usa, fall 2009 to winter 2010. *Journal of Apicultural Research*, 50(1):1–10, 2011.

- [27] Weather Underground. Personal weather station network, 2016.
- [28] HK Yuen, John Princen, John Illingworth, and Josef Kittler. Comparative study of hough transform methods for circle finding. *Image and vision computing*, 8(1):71–77, 1990.

Key personnel and roles

• Joaquin J. Casanova

Expertise: Agricultural sensors, computer vision, machine learning

Role: lead for system design and development

• James D. Ellis

Expertise: honey bee pathology, ecology, toxicology and behavior

Role: lead for beehive controlled experiments

Budget

Total:

1. Salaries

Dr. Casanova salary and fringe at 5% (excluded from budget) – \$7643

Dr. Ellis salary and fringe at 5% (excluded from budget) – \$11333

Graduate student, salary 12 months – \$25000

Graduate student, fringe 12 months – \$5100

Graduate student, tuition 12 months – \$11873

OPS Hive Manager, salary 18 months - \$12000

OPS Hive Manager, fringe 18 months – \$300

2. Materials

Sensors – \$500 per hive for at least 30 hives, and backup systems – \$22500

Test equipment – \$5000

Apicultural supplies – \$5000

Hives – 20 hives at \$300/hive – \$6000

3. Additional costs

Publication and travel - \$4000

4. Total: \$91773

Continued Support and Commercial Potential

This project may be viewed as a preliminary study - significant advancements could be made as we increase the scale and advance then sensors. Once apiculturists are widely using such a sensor platform, this bacomes a very useful tool. Aggregating hive data, along with weather condition, location, and nearb pesticide and herbicide usage, can elucidate unknown correlations that will highlight causes of CCD. Additionally, further advances in sensors may be developed and implemented, such as bee tracking in the field with lasers [5] or infra-red monitoring of bee population [21]. Potential future sources of funding include:

- USDA NIFA AFRI Food Security Challenge Area
- Fresh From Florida Specialty Crop Grant
- DOI Competitive State Wildlife Grant Program

These types of sensor systems would become inexpensive on a large scale so it is a good candidate for commercialization, and there is certainly a market for it among apiculturists and apicultural researchers. According to the 2012 agricultural census [18], in Florida alone there were over 200,000 hives, with a total honey value over \$18 million. Popularizing the wireless hive monitors could start at the level of IFAS extension offices setting them up for free; when enough are in place, stakeholders may be more apt to purchase them. Eventually, the data network could function like Weather Underground [27], where users purchase weather stations and contribute data in a citizenscience program [14]. Future funds from NIFA or other grants, along with commercial proceeds, could fund refinement and advancements in the technology.

Biographical Sketch: Joaquin Casanova

(a) Professional Preparation

- Phd, Electrical Engineering University of Florida, Gainesville, FL, May 2010
- ME, Agricultural and Biological Engineering University of Florida, Gainesville, FL, December 2007
- **BS, Agricultural and Biological Engineering** University of Florida, Gainesville, FL, December 2006

(b) Appointments

Research Assistant Professor, University of Florida, August 2016

Senior Engineer, University of Florida, November 2013

Research Engineer, USDA, May 2010

(c) Products

- 30 technical publications in peer-reviewed journals and conference proceedings. 2 patents awarded. Most closely related to the proposed project:
 - 1. Schwartz, R. C., Casanova, J. J., Bell, J. M., & Evett, S. R. (2014). A reevaluation of time domain reflectometry propagation time determination in soils. Vadose Zone Journal, 13(1).
 - 2. Casanova, J. J., Schwartz, R. C., & Evett, S. R. (2014). Design and field tests of a directly coupled waveguide-on-access-tube soil water sensor. Applied Engineering in Agriculture, 30(1), 105-112.
 - 3. Casanova, J. J., O'Shaughnessy, S. A., Evett, S. R., & Rush, C. M. (2014). Development of a wireless computer vision instrument to detect biotic stress in wheat. Sensors, 14(9), 17753-17769.
 - 4. Casanova, J. J., OShaughnessy, S., & Evett, S. (2013, November). Wireless computer vision system for crop stress detection. In ASA-CSSA-SSSA Annual Meeting Abstracts (p. 123). ASA-CSSA-SSSA Annual Meeting Abstracts. Session 196-7.
 - 5. Casanova, J. J., Evett, S. R., & Schwartz, R. C. (2012). Design and field tests of an access-tube soil water sensor. Applied Engineering in Agriculture, 28(4), 603-610.
 - 6. Casanova, J. J., Evett, S. R., & Schwartz, R. C. (2012). Design of access-tube TDR sensor for soil water content: Testing. Sensors Journal, IEEE, 12(6), 2064-2070.
 - 7. Casanova, J. J., Evett, S. R., & Schwartz, R. C. (2012). Design of access-tube TDR sensor for soil water content: Theory. Sensors Journal, IEEE, 12(6), 1979-1986.

- 8. Garnica, J., Casanova, J. J., & Lin, J. (2011, May). High efficiency midrange wireless power transfer system. In Microwave Workshop Series on Innovative Wireless Power Transmission: Technologies, Systems, and Applications (IMWS), 2011 IEEE MTT-S International (pp. 73-76). IEEE.
- 9. Casanova, J. J., Taylor, J. A., & Lin, J. (2010). Design of a 3-D fractal heatsink antenna. Antennas and Wireless Propagation Letters, IEEE, 9, 1061-1064.
- Low, Z. N., Casanova, J. J., Maier, P. H., Taylor, J. A., Chinga, R. A., & Lin, J. (2010).
 Method of load/fault detection for loosely coupled planar wireless power transfer system with power delivery tracking. Industrial Electronics, IEEE Transactions on, 57(4), 1478-1486.
- 11. Casanova, J. J., Low, Z. N., & Lin, J. (2009). Design and optimization of a class-E amplifier for a loosely coupled planar wireless power system. Circuits and Systems II: Express Briefs, IEEE Transactions on, 56(11), 830-834.
- 12. Casanova, J. J., Low, Z. N., & Lin, J. (2009). A loosely coupled planar wireless power system for multiple receivers. Industrial Electronics, IEEE Transactions on, 56(8), 3060-3068.
- 13. Casanova, J. J., Judge, J., & Jang, M. (2007). Modeling transmission of microwaves through dynamic vegetation. Geoscience and Remote Sensing, IEEE Transactions on, 45(10), 3145-3149.

(d) Synergistic Activities

1. Main Activities Dr. Casanova is a research assistant professor in the Department of Electrical and Computer Engineering at the University of Florida. His main research activities are electromagnetic sensors, instrumentation design, and machine intelligence applications. Previously he did research with the USDA in these areas and developed chemistry instrumentation for UFs Chemistry Department.

2. Professional Membership

- 2004-present Member American Society of Agricultural and Biological Engineers (ASABE)
- 2006-present Member Institute of Electrical and Electronics Engineers (IEEE)

Biographical Sketch: Jamie Ellis

(a) Professional Preparation

Postdoc, Entomology University of Georgia, Athens, GA 2006

PhD, Entomology Rhodes University, Grahamstown, South Africa, 2004

BS, Biology University of Georgia, Athens, GA 2000

(b) Appointments

Gahan Endowed Associate Professor of Entomology, University of Florida, October 2013

Associate Professor of Entomology, University of Florida, July 2012

Assistant Professor of Entomology, University of Florida, August 2006

(c) Products

Most closely related to the proposed project:

- Seitz, N., Traynor, K.S., Steinhauer, N., Rennich, K., Wilson, M.E., Ellis, J.D., Rose, R., Tarpy, D.R., Sagili, R.R., Caron, D.M., Delaplane, K.S., Rangel, J., Lee, K., Baylis, K., Wilkes, J.T., Skinner, J.A., Pettis, J.S., vanEngelsdorp, D. 2015. A national survey of managed honey bee 2014 2015 annual losses in the USA. Journal of Apicultural Research 54(4): 292-304. http://dx.doi.org/10.1080/00218839.2016.1153294.
- 2. Schmehl, D.R., Tom, H.V.V., Mortensen, A.N., Martins, G.F., Ellis, J.D. 2016. Improved protocol for the in vitro rearing of Apis mellifera workers. Journal of Apicultural Research, 55(2): 113-129. http://dx.doi.org/10.1080/00218839.2016.1203530.
- 3. Gregorc, A., Evans, J.D., Scharf, M., Ellis, J.D. 2012. Gene expression in honey bee (Apis mellifera) larvae exposed to pesticides and Varroa mites (Varroa destructor). Journal of Insect Physiology, 58: 1042-1049. http://dx.doi.org/10.1016/j.jinsphys.2012.03.015.
- 4. Gregorc, A., Ellis, J.D. 2011. Cell death localization in situ in laboratory reared honey bee (Apis mellifera L.) larvae treated with pesticides. Pesticide Biochemistry and Physiology, 99: 200-207. doi:10.1016/j.pestbp.2010.12.005.
- 5. Ellis, J.D., Evans, J.D., Pettis, J. 2010. Colony losses, managed colony population decline, and Colony Collapse Disorder in the United States. Journal of Apicultural Research 49(1): 134-136. doi: 10.3896/IBRA.1.49.1.30.

Other significant products:

 V. Dietemann; J.D. Ellis, P. Neumann (Eds). 2013. The COLOSS BEEBOOK, Volume I: standard methods for Apis mellifera research. International Bee Research Association, Cardiff, Wales, UK, 640 pp.

- 2. V. Dietemann; **J.D. Ellis**, P. Neumann (Eds). 2013. The COLOSS BEEBOOK, Volume II: standard methods for Apis mellifera pest and pathogen research. International Bee Research Association, Cardiff, Wales, UK, 352 pp.
- 3. Graham, J.R., Tan, Q., Jones, L.C., Ellis, J.D. 2014. Native Buzz: citizen scientists creating nesting habitat for solitary bees and wasps. Florida Scientist, 77(4): 204-218.
- 4. Ellis, J.D., Hepburn, H.R. 2006. An ecological digest of the small hive beetle (Aethina tumida), a symbiont in honey bee colonies (Apis mellifera). Insectes Sociaux 53: 8-19. doi: 10.1007/s00040-005-0851-8.
- 5. Ellis, J.D., Munn, P.A. 2005. The worldwide health status of honey bees. Bee World 86(4): 88-101.

(d) Synergistic Activities

- 1. 2015: Hosted an international workshop for government and research agencies to learn techniques for in vitro rearing worker honey bee larvae.
- 2. 2006 Present: Created over 250 extension publications, including chapters in extension books, curriculum guides and handbooks, instructional multimedia presentations, peer-reviewed extension publications, websites, fact sheets, newsletters, etc.
- 3. 2006 Present: Supervised or served on the committee of 25+ graduate students and supervised over 15 undergraduate students conducting independent research projects.
- 4. 1996 Present: Delivered over 550 extension presentations on bee related topics in over 30 countries on six continents.
- 5. 2011 Present: Teach a distance education, 3-credit course on Apiculture. The entire course is distance based, using innovative technologies to teach students about beekeeping.