

Google Ads API — Design Document

adoOps · Dashboard360 · Basic Access application · August 2026

Company	adoOps (adoOps SpA), Santiago, Chile
Website	https://www.adoops.digital
Tool name	Dashboard360
Manager account (MCC)	826-978-3458
Google Cloud project number	623436741294
API contact	nelson@adoops.digital
Business type	Agency / SEM
Requested permissible use	Reporting only

1. Summary

adoOps is a Chilean consultancy. Dashboard360 is our own marketing performance dashboard: it consolidates advertising, email and social data into a single view and produces a written performance report for management. **Our use of the Google Ads API is read-only reporting.** We retrieve daily campaign performance metrics from Google Ads accounts we have been granted read-only access to, store them, and display them alongside data from other marketing channels.

The integration never writes to Google Ads. It does not create, modify, pause or remove campaigns, ad groups, ads, keywords, budgets, bids, audiences or conversion actions. It issues read queries only.

2. Why the tool exists

The problem our clients describe is not a lack of dashboards. It is that advertising, email and organic social each live in a separate tool, and no one can answer a simple question at board level: is the quarter going well, why, and what should change. Producing that answer today is manual work in a spreadsheet and a slide deck, once a month.

Dashboard360 consolidates the sources and generates the written reading of the period from the stored data. Google Ads is one of the sources it consolidates.

3. Architecture and data flow



A scheduled job runs once per day per connected account. It authenticates with OAuth 2.0 using a refresh token held in encrypted environment variables, issues a single GAQL query per account, and writes the returned rows into a PostgreSQL table. The web application reads only from that table; it never calls the Google Ads API in response to a page view. No end user of Dashboard360 can trigger an API call.

4. API usage in detail

API version	v22
Service	GoogleAdsService.SearchStream
Resource queried	campaign
Fields	segments.date, campaign.id, campaign.name, metrics.impressions, metrics.clicks, metrics.cost_micros, metrics.conversions
Date range	LAST_30_DAYS on each run (idempotent upsert, corrects restatements)
Frequency	One scheduled run per account per day
Expected volume	Fewer than 20 API operations per account per day
Mutate operations	None

The complete query issued by the integration:

```
SELECT segments.date, campaign.id, campaign.name,
       metrics.impressions, metrics.clicks,
       metrics.cost_micros, metrics.conversions
FROM campaign
WHERE segments.date DURING LAST_30_DAYS
```

5. Who accesses the tool

Both internal and external users. Internally, the adoOps team uses Dashboard360 to prepare and review client performance. Externally, a client is given a named login to see the reporting for their own advertising accounts.

- Access is per account. A client login can only see data belonging to the accounts that client has authorised. Clients cannot see other clients' data.
- Authentication uses individual named accounts with server-side signed session cookies. There are no shared logins.
- Roles are limited to viewing reports and generating the written period report. No role in Dashboard360 can reach Google Ads.
- The tool is not offered as a self-service public product and is not resold as a platform to third parties.

6. How the account access is obtained

For each advertiser we report on, the account administrator grants our Google account **read-only** user access through the Google Ads interface. We do not ask advertisers to link their accounts to our manager account, and we do not request administrative or standard access. Access is revocable by the advertiser at any time from their own account, without involving us.

7. Data handling and security

What is stored	Aggregated daily campaign metrics only: date, campaign identifier and name, impressions, clicks, cost, conversions
What is not stored	No personally identifiable information. No user-level, click-level or device-level data. No audience or remarketing lists
Where	PostgreSQL (Neon), single-tenant database per deployment
Credentials	OAuth client secret, refresh token and developer token are stored as encrypted environment variables on Vercel. They are never written to the source repository
Transport	HTTPS/TLS end to end
Retention	Rolling operational history for reporting; deleted on request or at the end of the engagement
Sharing	None. Data is not sold, resold, shared with third parties, or combined across advertisers

8. What the tool explicitly does not do

- It does not create, edit, pause or remove any Google Ads entity.
- It does not manage bids, budgets or targeting.
- It does not use the App Conversion Tracking and Remarketing API.
- It does not upload conversions or customer data to Google.
- It does not build or manage audiences or remarketing lists.
- It is not used with, or embedded into, a tool developed by a third party.
- It does not expose the Google Ads API to end users in any form.

9. Current status

Dashboard360 is built and running in production at <https://www.adoops.digital/dashboard360>, behind login. The screens are: a consolidated performance panel, a per-channel breakdown, the generated management report, and a data source status page. The application currently runs on seeded demonstration data with the same schema the connector writes to.

The OAuth flow, refresh token and developer token are already configured and verified: `customers:listAccessibleCustomers` returns successfully. The only remaining blocker is that the developer token is limited to test accounts. A live walkthrough with credentials can be provided to the review team on request at nelson@adoops.digital.

Contact for this application. Nelson García — nelson@adoops.digital — adoOps, Santiago, Chile. We monitor this inbox daily and will respond to any request for clarification during the review.