


Lesson 4 - The Cairo Language

Cairo



Cairo pain points

- constantly changing
- "quirky"
- the low level language is difficult
- documentation is fragmented
- learning resources are limited (but growing quickly)
- not many tools

There has been a recent change to Cairo syntax (now version 0.10), details are given here [Syntax changes](#)

Our approach

We will initially focus on the language and writing programs rather than contracts.

We will avoid the 'low level ' aspects as much as possible

There are many exercises for you to practice with.

Introduction

Cairo is the programming language used for [StarkNet](#) It aims to validate computation and includes the roles of prover and verifier.

It is a Turing complete language.

"In Cairo programs, you write what results are **acceptable**, not **how to** come up with results."

In solidity we might write a statement to extract an amount from a balance, in Cairo we would write a statement to check that for the parties involved the sum of the balances hasn't changed.

General Points

- Cairo is a turing complete language for creating STARK-provable programs for general computation.
 - It can be approached at a low level, it supports a read-only nondeterministic memory, which means that the value for each memory cell is chosen by the prover, but it cannot change over time.
 - A great deal of syntactic sugar has been added to make it more user friendly
 - There is a distinction between Cairo programs (stateless) and Cairo contracts (given storage in the context of Starknet)
 - The Cairo [white paper](#) is more readable than some.
-

Language Features

- Datatypes
 - Felt – a field element
 - Struct
 - Tuples
 - Pointers
- Functions
- Constants
- Literals
- Arrays
- Builtins

Cairo Low level

Although we shall approach Cairo from a higher level, it is useful to understand the concepts, and also useful for debugging to know the low level features.

Memory Model

From Cairo [docs](#)

Cairo supports a read-only nondeterministic memory, which means that the value for each memory cell is chosen by the prover, but it cannot change over time (during a Cairo program execution).

The memory cell is specified by square brackets, so

`[x]` gives us the value at address `x`.

If we think of the memory as 'write once' then a statement

`[1] == 13` can mean either

1. Set the value at address 1 to be 13 , if it hasn't already been set , or
2. test whether the value at address 1 is 13.

There are 3 'registers' used

'ap' - the allocation pointer, to show where unused memory starts

'fp' frame pointer, this points to the function we are in, and variables in the function are then offsets from that.

'pc' - program counter, this gives us the current instruction.

Using this syntax, a simple statement could be

```
[ap] = [ap - 1] * [fp], ap++
```

We could write our code like this, but thankfully some syntactic sugar has been added to make our lives easier.

Example Code

```
// Use the output builtin.
%builtins output

// Import the serialize_word() function.
from starkware.cairo.common.serialize import serialize_word

func main{output_ptr: felt*}() {
    tempvar x = 10;
    tempvar y = x + x;
    tempvar z = y * y + x;
    serialize_word(x);
    serialize_word(y);
    serialize_word(z);
    return ();
}
```

Datatypes

There is only one datatype - the field element (felt), although we can combine these into Structs.

Annoyingly the felt is a 252 bit integer, which gives problems when we want to fit a uint256 value into it.

We can put felts together into tuples for example

```
(a, b)
```

or if we want to name the tuple

```
(x : a, y : b)
```

We can create pointers

```
T*
```

where T is a type

Structs

```
struct MyStruct:
    first_item : felt,
```

```
    second_item : felt,  
end
```

To create a struct once it has been declared, we use the syntax

```
let my_best_struct = MyStruct(  
    first_item=12, second_item=13  
);
```

Expressions

- An integer literal (e.g., 5). Considered as of type `felt`.
- An identifier (a `constant` or a `reference`).
E.g., `my_identifier`, `struct_name.member_name`, `reference_name.member_name`.
- An address register: `ap` or `fp`. Both have type `felt`.
- `x + y`, `x - y`, `x * y`, `x / y`, `-x` where `x` and `y` are expressions.
- `(x)` where `x` is an expression – same as `x` (allows to control operator precedence in the expression).
- `[x]` where `x` is an expression – represents the value of the member at the address `x`. If `x` is of type `T*` then `[x]` is of type `T`.
- `&x` where `x` is an expression – represents the address of the expression `x`. For example, `&[x]` is `x`.
- `cast(x, T)` where `x` is an expression and `T` is a type – same as `x`, except that the type is changed to `T`. For example, `cast(10, MyStruct*)` is `10`, thought as a pointer to a `MyStruct` instance.

Statements in Cairo (now) finish with a semicolon.

Variables / References

Variables may be aliased or evaluated:

- Aliased
 - Value **Reference**: `let a = 5.`
 - Expression **Reference**: `let a = x.`
 - An alias may be evaluated with `assert a = b` (checks x equals b).
- Evaluated
 - **Temporary variable**: `tempvar a = 5 * b.`
 - **Local**: `local a = 5 * b.`
 - **Constant**: `const a = 5.`

So we can use the `let` keyword to create a reference

```
let a = 3;  
let b = 7;
```

and we can change the reference

```
let a = 3;  
let a = 7;
```

but we need to be aware of 'revoked' references, more of which later.

Constants

Similar to other languages we can define a constant that evaluates to a felt at compile time
For example

```
const PI = 3;
```

Local References

We use the `local` keyword to define a variable that is local to a frame, these have the advantage of not being revoked.

```
local c = 13;
```

A function that has local variables must include the statement

```
alloc_locals;
```

Function outputs

In the function signature we have to specify the return type

```
func foo() -> (res: felt)
```

Return statement accepts expressions, rather than only tuples. For example, you can write

```
let x = (5,); return x;
```

The following format is used to reference the output from a function

```
let (x) = my_function().
```

If you want to use a local reference, use

```
let (local x) = my_function().
```

Assert

The assert statement is of the form

```
assert <expr0> = <expr1>
```

Its use is somewhat confusing that it can assert that a reference is equal to a particular value, or can set a memory location value if it hasn't already been set up (for example when assigning a value to an array)

Arrays

Dynamic arrays are created using `alloc()` this gives the address of the first element, and we can do arithmetic to get the rest of the elements.

```
alloc_locals

# Allocate a new array.
let (local array) = alloc()
# Fill the new array with field elements.
assert [array] = 1
assert [array + 1] = 2
assert [array + 2] = 3
assert [array + 3] = 4
```

Note the use of assert here as we are specifying the memory cells.

The Cairo Common Library

This can be imported into our code and provides useful components

- `alloc`.
- `bitwise`.
- `cairo_builtins`.
- `default_dict`.
- `dict`.
- `dict_access`.
- `find_element`.
- `set`.

You can import these using for example

```
from starkware.cairo.common.bitwise import bitwise_operations
```

Functions

In simple form a function can be declared as

```
func function_name() {  
    # Your code here.  
    return ();  
}
```

We can also have `implicit arguments` (see below)

```
func func_name{implicit_arg1 : felt, implicit_arg2 : felt*}  
(arg1 : felt, arg2 : MyStruct*) -> (ret1 : felt, ret2 : felt) {  
  
    # Function body.  
    return (a,b);  
}
```

Return statement

The return statement is of the following form, we can name the return values, or use their position

```
return (ret1=val1, ret2=val2);  
  
return (2, b=3); # positional, named.
```

but positional must come first.

Calling functions

Suppose we have a function named `foo`,
we can call it in 4 ways

```
foo(x=1, y=2); # (1)
let x = foo(x=1, y=2); # (2)
let (ret1, ret2) = foo(x=1, y=2); # (3)
return foo(x=1, y=2); # (4)
```

Option (1) can be used when there is no return value or it should be ignored.

Option (2) binds `x` to the return value struct.

Option (3) unpacks the return value into `ret1` and `ret2`.

Option (4) is a tail recursion – after `foo` returns, the calling function returns the same return value.

You need to be consistent with named arguments
as shown where we call `foo`

```
func foo(y : felt) -> (z : felt){
    return (z=y + 1);
}
```

```
# x defined earlier
let (z) = foo(y=x);
```

Unpacking return values

```
let (a, b) = foo();
let (_, b) = foo();
let (local a, local b) = foo();
let (local a, _) = foo();
```

Implicit arguments

From [documentation](#)

```
from starkware.cairo.common.cairo_builtins import HashBuiltin

func hash2{hash_ptr: HashBuiltin*}(x, y) -> (z: felt) {
    // Create a copy of the reference and advance hash_ptr.
    let hash = hash_ptr;
    let hash_ptr = hash_ptr + HashBuiltin.SIZE;
    // Invoke the hash function.
    hash.x = x;
    hash.y = y;
    // Return the result of the hash.
    // The updated pointer is returned automatically.
    return (z=hash.result);
}
```

The curly braces declare `hash_ptr` as an *implicit argument*. This automatically adds an argument **and** a return value to the function. If you're using the high-level `return` statement, you don't have to explicitly return `hash_ptr`. The Cairo compiler just returns the current binding of the `hash_ptr` reference.

Hints

A hint is a piece of code that the prover runs to initialize some values. It is written in python code within a `%{ %}` block.

The hint can interact with the program's variables/memory.

The hint is not seen by the verifier.

For example

```
# Set the value of res using a python hint.
%{
    import math
    # Use the ids variable to access the value of a Cairo variable.
    ids.res = int(math.sqrt(ids.n))
%}
```

You should have an assert statement to test the thing you are trying to prove.

For example, if you are showing the res is the square root of n

```
assert n = res * res;
```

Hints and contracts

Hints should not be used in Cairo smart contracts, (contracts on Starknet are completely public.)

BUT

There is a problem with protostar, which means that we cannot use `serialise_word` to log values from our programs.

To get around this we can use hints to do the logging.

Note this is only to get round the problem in protostar which hopefully will get fixed soon.

The cairo playground doesn't have this problem, so there we can use `serialise_word`

USING HINTS FOR LOGGING IN PROTOSTAR

A hint of the format

```
%{ print(f"my value: {x}") %}
```

will allow you to add log values when using protostar

Output

We can use the component `serialise_word` to output values from our Cairo code
This is a convenient way to 'log' values when we are testing our code.

```
from starkware.cairo.common.serialize import serialize_word

...

serialize_word(1234);
```

This output is seen by the validator.

Entrypoint

The entrypoint to a Cairo program is the main function

```
# Use the output builtin.  
%builtins output  
  
func main{output_ptr : felt*}(){  
    ...  
    serialize_word(1234);  
    return ();  
}
```

We need the output_ptr argument for the builtins output

Loops and recursion

We favour recursion over loops in cairo, I will cover this tomorrow.

Setting up Protostar

See [documentation](#) and this useful medium [article](#)

LINUX / MAC

1.

```
curl -L https://raw.githubusercontent.com/software-mansion/protostar/master/install.sh | bash
```

2. Restart the terminal.

3. Run `protostar -v` to check Protostar and [cairo-lang](#) version.

It adds to your PATH in `.bashrc`, you may need to move that line to `.bash_profile` If it doesn't find protostar.

You may also need to update your version of git

WINDOWS

Windows is not supported.

To create a new project use

```
protostar init
```

This will give a directory structure similar to this

```
drwxr-xr-x  7 laurecekirk  staff  224 16 Jul 05:39 ./
drwxr-xr-x  3 laurecekirk  staff   96 16 Jul 05:39 ../
drwxr-xr-x  9 laurecekirk  staff  288 16 Jul 05:39 .git/
drwxr-xr-x  2 laurecekirk  staff   64 16 Jul 05:39 lib/
-rw-r--r--  1 laurecekirk  staff  148 16 Jul 05:39 protostar.toml
drwxr-xr-x  3 laurecekirk  staff   96 15 Jul 10:03 src/
drwxr-xr-x  3 laurecekirk  staff   96 15 Jul 10:03 tests/
```

Configuration

This is specified in the `.toml` file

```
["protostar.config"]
protostar_version = "0.1.0"

["protostar.project"]
libs_path = "./lib"           # a path to the dependency directory
```



```
# This section is explained in the "Project compilation" guide.
["protostar.contracts"]
main = [
    "./src/main.cairo",
]
```

Compiling your programs / contracts

once you have specified the contracts in the `protostar.toml` file, run

```
protostar build
```

to compile them.

Deploying your programs / contracts

You need to specify the path to the compilation results.

```
$ protostar deploy ./build/main.json --network alpha-goerli
```

Testing your programs / contracts

Protostar will find the test file using its name, checking if it begins with `test_` prefix, and has `@external` functions, which names begin with `test_`.

A test looks like

```
@external
func test_sum{syscall_ptr : felt*, range_check_ptr}(){
    let (r) = sum_func(4,3);
    assert r = 7;
    return ();
}
```

You can run the tests, specifying the test directory

```
protostar test ./tests
```