Total No. of Questions : 8]	SEAT No. :

P4417 [Total No. of Pages : 3

[5251]-1001 F.E.

ENGINEERING MATHEMATICS - I (2015 Pattern)

Time: 2 Hours] [Max. Marks: 50

Instructions to the candidates:

- 1) Solve Q.1 or Q.2, Q.3 or Q.4, Q.5 or Q.6, Q.7, or Q.8.
- 2) Neat diagrams must be drawn, wherever necessary.
- 3) Figures to the right indicate full marks.
- 4) Use of electronic pocket calculator is allowed.
- 5) Assume suitable data, if necessary.
- Q1) a) Reduce the following matrix to its normal form and hence find the rank.[4]

$$A = \begin{bmatrix} 1 & 1 & -1 & 1 \\ 1 & -1 & 2 & -1 \\ 3 & 1 & 0 & 1 \end{bmatrix}$$

- b) Show that $A = \begin{bmatrix} \cos \alpha & 0 & \sin \alpha \\ 0 & 1 & 0 \\ -\sin \alpha & 0 & \cos \alpha \end{bmatrix}$ is an orthogonal matrix. [4]
- c) A square lies above real axis in argand diagram, and of its adjecent vertices are the origin and the point 5 + 6i, find the complex numbers representing other vertices. [4]

OR

Q2) a) Verify Cayley-Hamilton theorem for

$$A = \begin{bmatrix} 1 & 2 & -2 \\ -1 & 3 & 0 \\ 0 & -2 & 1 \end{bmatrix}$$
 find A^{-1} [4]

- b) If tan(x+iy) = i, where x and y are real, prove that x is indeterminate and y is infinite. [4]
- c) Considering the principal value, express in the form a + ib the expression. $(\sqrt{i})^{\sqrt{i}}$. [4]

P.T.O.

i)
$$\frac{1}{1+2} + \frac{2}{1+2^2} + \frac{3}{1+2^3} + ---- + \frac{n}{1+2^n} + ----$$

- $ii) \qquad \sum_{n=1}^{\infty} \frac{10n+4}{n^3}$
- Expand $(1+x)^{1/x}$ in ascending powers of x, expansion being correct upto b) second power of x. [4]

c) Find nth derivative of
$$y = \frac{2x+3}{(x-1)(x-2)}$$
 [4]

OR

Solve any one **Q4**) a)

[4]

[4]

$$i) \qquad \lim_{x \to \frac{1}{2}} \frac{\cos^2 \pi x}{e^{2x} - 2xe}$$

- $\lim_{x \to 1} (1 x^2)^{\frac{1}{\log(1 x)}}$
- Using Taylor's theorem, express $5 + 4(x-1)^2 3(x-1)^3 + (x-1)^4$ in ascending powers of x. b)
- If $y = e^{a \sin^{-1} x}$, prove that $(1-x^2)y_{n+2} (2n+1)xy_{n+1} (n^2+a^2)y_n = 0$

Q5) Solve any two

If $z^3 - zx - y = 4$ find $\frac{\partial z}{\partial x}$ and $\frac{\partial z}{\partial y}$ [6]

a) If
$$z^3 - zx - y = 4$$
 find $\frac{\partial u}{\partial x}$ and $\frac{\partial u}{\partial y}$

(6)

b) If $u = \frac{xyz}{2x + y + z} + \log\left(\frac{x^2 + y^2 + z^2}{xy + yz}\right)$ Find $x\frac{\partial u}{\partial x} + y\frac{\partial u}{\partial y} + z\frac{\partial u}{\partial z}$ [7]

If x = u + v + w, y = uv + vw + uw, z = uvw and ϕ is a function of x,y,zc) then prove that $u \frac{\partial \phi}{\partial u} + v \frac{\partial \phi}{\partial v} + w \frac{\partial \phi}{\partial w} = x \frac{\partial \phi}{\partial x} + 2y \frac{\partial \phi}{\partial y} + 3z \frac{\partial \phi}{\partial z}$ [6]

Q6) Solve any two

a) Find
$$\frac{dz}{dx}$$
 if $z = x^2y$ and $x^2 + xy + y^2 = 1$ [6]

b) If
$$u = \cos ec^{-1} \sqrt{\frac{x^{\frac{1}{2}} + y^{\frac{1}{2}}}{x^{\frac{1}{3}} + y^{\frac{1}{3}}}}$$

Prove that
$$x^2 u_{xx} + 2xy u_{xy} + y^2 u_{yy} = \frac{\tan u}{144} [\tan^2 u + 13]$$
. [7]

c) If
$$x = \frac{r}{2} \left[e^{\theta} + e^{-\theta} \right]$$
 and $y = \frac{r}{2} \left[e^{\theta} + e^{-\theta} \right]$ prove that $\left(\frac{\partial x}{\partial r} \right)_{\theta} = \left(\frac{\partial r}{\partial x} \right)_{y}$ [6]

Q7) a) If
$$x = v^2 + w^2$$
, $y = w^2 + u^2$, $z = u^2 + v^2$ find $\frac{\partial(u, v, w)}{\partial(x, y, z)}$ [4]

- b) Examine for functional dependence [4] $u = \sin^{-1}x \sin^{-1}y, \ v = x\sqrt{1-y^2} y\sqrt{1-x^2}$
- c) Find the extreme values of the function $f(x,y) = x^2 + y^2 + 6x + 12$. [5]

Q8) a) If
$$ux + vy = 0$$
, $\frac{u}{x} + \frac{v}{y} = 1$ then using Jacobian find $\left(\frac{\partial u}{\partial x}\right)_y$. [4]

- b) The focal length of a mirror is found from the formula : $\frac{1}{v} \frac{1}{u} = \frac{2}{f}$
 - Find the percentage error in f if u and v are both in error by p% each.[4]
- c) Find the point on the surface $z^2 = xy + 1$ nearest to the origin, by using lagranges method. [5]

