

COMMERCE MENTORSHIP PROGRAM

MIDTERM REVIEW SESSION COMM 290



PREPARED & UPDATED BY

TONY CHEN LUCAS LAZZARONI, October 2021





@ubccmp



@ubccmp



cmp.cus.ca

TABLE OF CONTENTS



Introduction to LPs	3
Simple LP	4
Graphing	5
Sensitivity Analysis	9
Blending LP	12
Scheduling LP	14
Transportation LP	16

Disclaimer: CMP and this review session are not operated by or affiliated with the COMM 290 course or its professors. This review session and review package do not serve as a substitute for lectures, labs, and classroom materials.



INTRODUCTION

Target Cell Contains the output of the objective function - what are you trying to

minimize or maximize?

Input Data The data given to you as part of a problem

Constraint A limitation presented in the problem

Action Plan The "action" you will take to solve the problem



Relative Reference Will change when auto-filled in other cells

(=A1)

Absolute Reference Will not change when auto-filled in other cells

(=\$A\$1)


Mixed Reference Will partially change when auto-filled in other cells


(=\$A1 or =A\$1)

=SUMPRODUCT Returns the sum of the products of corresponding arrays

=SUMPRODUCT(array1, [array 2], [array 3]...)







SIMPLE LP


Problem – Pocky Dealer: You are a student running a business selling two combos of Pocky: Combo A earns you \$5, consisting of one chocolate and one strawberry, while Combo B earns you \$6, consisting of two chocolates and no strawberry. You have 20 chocolates in stock and 10 strawberries in stock. Assume there are no costs associated with this model.

What is the objective? Is this a maximizing or minimizing model?

How many constraints are there? How would you write them algebraically?

Create the model and solve using Excel/Solver







GRAPHING

Feasible Region The region in which all solutions are valid and subject to the

constraints

Optimal Solution The best set of decisions that maximizes/minimizes the objective

function while remaining within the constraints

Multiple Optima Multiple sets of optimal solutions

Infeasible Solution There is no feasible region associated with your LP

Unbounded Solution The feasible region is infinitely large, and the objective function

behaves such that you are moving the isoprofit line outwards

indefinitely

Redundant Constraint A constraint that does not affect on the feasible region

Non-Negativity Constraint

A constraint which makes sure a "decision" cannot be a negative


value







Problem: Consider the following graph of an arbitrary linear programming model with the correct labelled optimal solution, feasible region. Assume this is a profit maximization model (That is, objective function is in the form xA + yB).



Define the range of possible slopes for isoprofit lines that would lead to this optimal solution (marked by the yellow circle)

Find the coordinates of the optimal solution. The two constraints are A + B = 20 and A + 2B = 30.


Suppose the sign of Constraint B (<=) is changed to the >= sign. How will this change the feasible region?




Problem – Rachel's Bootleg Textbooks: Rachel is furious with the high cost of virtual textbooks. Being the entrepreneurial Sauder snake she is, Rachel gets a PDF copy of the math textbook and geography textbook and decides to print copies to sell to students (don't actually do this).

Each math textbook will sell for \$20 and each geography textbook will sell for \$30. Each math textbooks require 1 ounce of ink and 2 pounds of paper. Since the geology textbook has more photos, it requires 3 ounces of ink but only 1 pound of paper. Rachel only has 18 ounces of ink and 11 pounds of paper. What combination of textbooks should Rachel produce to make as much profit as possible?

Graph the problem and find optimal solution










Questions – Based on the Rachel's Bootleg Textbooks problem:

What would happen to the feasible region if the inequality symbol for the ink constraint reversed? What if both constraints' inequality symbols flipped?

What would happen to the feasible region if we added another constraint m+g<=20?

What range of prices for math textbooks would give the same optimal solution?







SENSITIVITY ANALYSIS

RHS Allowable Increase/Decrease of Binding Constraint

Range that the RH side of a binding constraint can move, keeping the shadow price the same

RHS Allowable Increase/Decrease of Non-Binding Constraint

Range that the RH side of the non-binding constraint can move, keeping the constraint non-binding and the shadow price the same

Allowable Increase/Decrease of Objective Coefficient

Range that an objective coefficient can move without changing the optimal solution

Shadow Price


The increase in the target cell's value for every unit Increase in the RH side of a constraint

Questions – Solve algebraically based on the Rachel's Bootleg Textbooks problem:

What if Rachel could get an extra pound of paper? How would this change the constraint and optimal solution?

If Rachel has the opportunity to buy the extra pound of paper for \$8, should she?







Sensitivity Report – for the Rachel's Bootleg Textbooks problem:

Variable Cells

		Final	Reduced	Objective	Allowable	Allowable
Cell	Name	Value	Cost	Coefficient	Increase	Decrease
\$C\$12	Math textbook	3	0	20	40	10
\$D\$12	Geography textbook	5	0	30	30	20

Constraints

			Final	Shadow	Constraint	Allowable	Allowable
Cell		Name	Value	Price	R.H. Side	Increase	Decrease
\$E\$5	Ink		18	8	18	15	12.5
\$E\$6	Paper		11	6	11	25	5

Based on the sensitivity report above:

What is the objective formula?


What is the optimal solution and total profit?

How much could the price of a math textbook increase, keeping the same optimal solution?

Are the constraints binding?

How much would profit change with 1 more ounce of ink? How about 1 less ounce of ink?







Sensitivity Report – Additional Practice Problem

Assume this is the sensitivity report for a profit maximizing LP model

Variable Cell	S						
			Final	Reduced	Objective	Allowable	Allowable
	Cell	Name	Value	Cost	Coefficient	Increase	Decrease
	\$C\$16	Decision 1	4500	0	0.33	0.01	0.016
	\$D\$16	Decision 2	0	0	0.33	1E+30	1E+30
	\$E\$16	Decision 3	62000	0	0.2	1E+30	0.017
	\$F\$16	Decision 4	0	-0.062	-8.81E-10	0.03	1E+30
Constraints							
			Final	Shadow	Constraint	Allowable	Allowable
	Cell	Name	Value	Price	R.H. Side	Increase	Decrease
	\$C\$25	Constraint 1	(1)	0.65	5400	2501	1008
	\$C\$26	Constraint 2		0.55	21600	6500	5300
	\$C\$27	Constraint 3		0.14	0	12000	(
	\$C\$29	Constraint 4		0.62	7500	28000	7500
	\$C\$28	Constraint 5	62000	0.062	(2)	22000	27000

What are the missing values (1) and (2)?

How much more profit would the firm make if the RHS of Constraint 1 was increased by 2500?

How much more profit would the firm make if the RHS of Constraint 3 was increased by 1000?







BLENDING LP

Problem – Kostco Hot Dogs: You are in charge of procurement at Kostco (not Costco), a company that sells hot dogs.


Kostco sells two types of hot dogs: premium and classic. The hot dogs are made with a combination of 3 different ingredients: beef, pork, and mystery meat. Each type of meat has its own cost per pound and maximum amount you can order from the meat supplier (as shown in the table below).

In order to ensure quality, the premium hot dog must be at least 50% beef and cannot contain more than 5% mystery meat. The classic hot dog can have mystery meat, but no more than 25%.


How much of each type of meat should Kostco order?

Input Data					
		Cost per pound	Pounds Available	Selling Price	
	Beef	\$ 3.00	1,000	Classic	\$ 3.00
	Pork	\$ 2.00	3,000	Premiun	\$ 5.00
	Mystery meat	\$ 1.50	2,000		









Fill in the Blanks – Based on the Kostco Hot Dogs problem:

4	Α	В	С		D	E		F	(3	Н
1	Kostco H	ot Dogs									
2		_									
3	Input Data										
4			Cost per pour	ıd	Pounds Available			Selling Price			
5		Beef	\$ 3.0	00	1,000			Classic	\$	3.00	
6		Pork	\$ 2.	00	3,000			Premiun	\$	5.00	
7		Mystery meat	\$ 1.	50	2,000						
8											
9		Premium must	be at least 50%	bee	f			50%			
10		Premium must	not contain mor			5%					
11		Classic can not b	be more than 25	% n	nystery meat			25%			
12											
13	Action Plan					Mod	el		Model	l	
14			Classic				out		Requirement		units
15		Beef		0	1000		1000	<=	Α		pounds
16		Pork	21	100	900		3000	<=		3,000	pounds
17		Mystery meat	7	700	100	В		<=		2,000	pounds
18		Total	28	300	2000						
19											
20	Blending					Mod			Model		
21	Constraints					Outp			Requi	remen	
22		Premium must			-		1000	>=		1000	
23					nan 5% mystery meat		100	<=	(C	
24		Classic can not b	be more than 25	% n	nystery meat		700	<=		700	
25											
26	Revenue and	l Cost Info					_				
27			Classic		Premium	Tota	-				
28		Revenue	D		\$ 10,000.00	\$	18,400.00				
29		Costs									
30		Beef	\$ -		\$ 3,000.00	\$	3,000.00				
31		Pork	\$ 4,200.		\$ 1,800.00	\$	6,000.00				
32		Mystery meat	\$ 1,050.0	_	\$ 150.00	\$	1,200.00				
33		Profit	\$ 3,150.0	00	\$ 5,050.00	\$	8,200.00				

Note: Write both the formula and the numerical output

A] B] C] D]

How would you write the blending constraints algebraically?



SCHEDULING LP

Problem – CUS 24-hr Fast Food: After enough Sauder students protest their high student fees, the CUS promises to open up a budget 24-hr fast-food restaurant in Henry Angus.

Your restaurant has six labour shifts per 24-hour period, starting at 12am, 4am, 8am, 12pm, 4pm, 8pm, and 12pm. You have access to workers who work two consecutive shifts a day. Due to fluctuations in demand, your required labour at different time periods is as follows:

Shift Time	12am-4am	4am-8am	8am-12pm	12pm-4pm	4pm-8pm	8pm-12am
Workers	3	4	7	8	6	5
Required						

Find the scheduling method that will use the minimum amount of workers. The completed LP has been provided to you.

CUS 24-h	r Fast Food										
					Time Peric) d	s Covered				
		12am		4am	8am	1	L2pm	4pm	8pm	Labour	
	12am		4	4							4
	4am			0	0)					0
	8am				7	,	7				7
	12pm						1	1			1
	4pm							5	5		5
Start	8pm		0						O		0
Time	Supply		4	4	7	7	8	6	5		17
		>=		>=	>=		>=	>=	>=		
	Required		3	4	7	,	8	6	5	;	



Questions - Based on the CUS 24-hr Fast Food problem:

Is this a maximizing or minimizing model? What are you trying to maximize or minimize?

How many constraints are there – fill in the table:

	Binding	Non-Binding
Regular		
Non-Negativity		

Answer below questions based on sensitivity report:

Variable Cells

		Final	Reduced	Objective	Allowable	Allowable
Cell	Name	Value	Cost	Coefficient	Increase	Decrease
\$1\$5	12am Labour	4	0	1	0	1
\$1\$6	4am Labour	0	0	1	1	0
\$1\$7	8am Labour	7	0	1	0	1
\$1\$8	12pm Labour	1	0	1	1	0
\$1\$9	4pm Labour	5	0	1	0	1
\$1\$10	8pm Labour	0	0	1	1E+30	0

Constraints

Cell	Name	Final Value	Shadow Price	Constraint R.H. Side	Allowable Increase	
	Shift 12am	4	0	3	1	1E+30
	Shift 4am	4	1	4	1E+30	1
	Shift 8am	7	0	7	1	0
	Shift 12pm	8	1	8	0	1
	Shift 4pm	6	0	6	1	0
\$H\$11	Shift 8pm	5	1	5	0	1

Due to an overnight frat party, your demand for workers at 12am-4am goes up to four. Will this affect your optimal solution?

Suppose the demand for workers at 4am-8am increases by one. How will this affect the optimal solution?



TRANSPORTATION LP

Problem – SkipTheTuition: In order to pay your super high tuition, which seems to increase every year, you take a side gig as a delivery person for SkipTheDishes.

There are three restaurants you deliver identical ramen from: Kokoro, Danbo, and Kinton. You must deliver these meals to UBC residences, Totem, Orchard, and Vanier, one unit at a time. The supply and demand are as follows:

- Kokoro has 7 bowls, Danbo has 16, and Kinton has 13
- Totem requires 17 bowls, Orchard requires 5, Vanier requires 14


The time it takes to deliver to and from each location are as follows:

			Deliver to	
	Time _(mins)	Totem	Orchard	Vanier
eliver From	Kokoro	4	4.5	2.5
Ę Ę	Danbo	3	4	2.5
	Kinton	3.5	3	2

How can you complete all your deliveries in the least amount of time possible?



The action plan has been completed for you. Based on the information in the prompt, fill in all the remaining unpopulated cells. Include both the formula and the numerical output for each cell using a formula.



How many binding constraints are there in total?

What will happen to the LP if suddenly, an explosion happens at Kokoro and three of the seven ramen bowls in stock are destroyed?

What are the objective coefficients in this model?



Variable Cells

		Final	Reduced	Objective	Allowable	Allowable
Cell	Name	Value	Cost	Coefficient	Increase	Decrease
\$C\$13	Kokoro Totem	0	0	4	1E+30	0
\$D\$13	Kokoro Orchard	0	1	4.5	1E+30	1
\$E\$13	Kokoro Vanier	7	0	2.5	0	0.5
\$C\$14	Danbo Totem	16	0	3	1	1E+30
\$D\$14	Danbo Orchard	0	1.5	4	1E+30	1.5
\$E\$14	Danbo Vanier	0	1	2.5	1E+30	1
\$C\$15	Kinton Totem	1	0	3.5	0	1
\$D\$15	Kinton Orchard	5	0	3	1	3.5
\$E\$15	Kinton Vanier	7	0	2	0.5	0

Constraints

		Final	Shadow	Constraint	Allowable	Allowable
Cell	Name	Value	Price	R.H. Side	Increase	Decrease
\$C\$16	Received Totem	17	4	17	0	1
\$D\$16	Received Orchard	5	3.5	5	0	5
\$E\$16	Received Vanier	14	2.5	14	0	7
\$F\$13	Kokoro Shipped	7	0	7	1E+30	0
\$F\$14	Danbo Shipped	16	-1	16	1	0
\$F\$15	Kinton Shipped	13	-0.5	13	7	0

Questions – based on sensitivity analysis:

Is there evidence of multiple optima in this LP?

It now takes only 2.5 minutes to deliver from Kinton to Orchard. Will this change the optimal solution? What will be the new value in the target cell?

Suppose Danbo has increased its supply by one. How will this affect the target cell under the optimal solution?

Due to construction around UBC (what's new?), all delivery times to Vanier have been increased by 3. What will be the new optimal solution?





