

**HIGH SCHOOL STUDENTS STRESSORS AND
THEIR COPING STRATEGIES**

**CHONA MAY C. LABANZA
JEIRT VINCENT P. LINGA
MA. GINA MAE OQUIL
RODEL B. BANTAD**

**SUBMITTED TO THE ADMINISTRATION, FACULTY AND STAFF OF THE
CENTRAL PHILIPPINES STATE UNIVERSITY-VICTORIAS
CAMPUS IN PARTIAL FULFILLMENT OF THE
REQUIREMENTS FOR THE
DEGREE**

**BACHELOR OF ELEMENTARY EDUCATION
(General Education)**

APRIL 2015



ABSTRACT

JEIRT VINCENT P. LINGA, CHONA MAY C. LABANZA, MA. GINA MAE M. OQUIL AND RODEL B. BANTAD of Central Philippines State University, Victorias City Campus, Negros Occidental. June 2014. "High School Students Stressors and Their Coping Strategies"

Adviser: Merlito C. Sebugan

This study aims to determine the High School Students Stressors and Their Coping Strategies in Negros Occidental National Science High School, Negros Occidental for the school year 2014-2015 as evaluated by the high school students themselves. This study aims to determine the common stressors and the coping strategies of Negros Occidental National Science High School Students. The respondents were grade 7 that composed of sixty- seven (67) students. This study focuses on the following variables in the demographic profile: age and sex. This study was conducted on June 2014 at Negros Occidental National Science High School.

The researchers used descriptive type of research employing the standardized questionnaire. The data were analyzed using the Frequency and Percentage Distribution and Frequency Mean.

There were twenty- two (22) common stressors that the high school students experienced, and these are: Financial shortage, Health problems, Volumes of class



requirements, High cut-off grades, Difficult examinations and quizzes, Projects, Strict Teachers, Teacher Practicing Favoritism, Unfriendly classmates, Family problem, Conflict in love life. The result revealed that unfair grading system under Teacher Practicing Favoritism with the high mean of .770.

It was also found out that By Relaxing got the highest score with the frequency of 61 Or 91.0 % were their coping strategies.