Simulation variables to setup per game

Variables filled in red are the default variables.
In blue, limitation for the field and check before committing

TAB - Start:

Template

- Choose template . “Classical setup v1.00” [List of all available templates]

Available templates

{example}

Template name	**Rating**	**Aviable for**	**Players**	**Products**	**sprints**	**Notes**	**Owner**	**Release date**
Classical setup v1.00	100/100	Simulation, physical	4	7	4	Classic game good balance for scrum	Micha	10/02/26 19:10:15
Sim setup v1.00	90/100	simulation	8	5	7	Entrepreneurs that dare	micha	12/02/26 20:10:15

Overview

- Progress overview from all TABS on the side.

TAB - Basic:

Players

- How many players are playing this game : 4 players [minimal 1, maximal 12]

Board and setup variables

- Unique generated boardname id
- Boardname from the setup: "classical setup V1.00" chars [minimal 4, maximal 64]
- Number of products: 7 products [minimal 4, maximal 12]
- Sprints per product: 4 sprints [minimal 4, maximal 12]
- Game Length (Sprint Tokens per Player): 6 tokens [minimal 4, maximal 32]
- Starting Money: € 25000 [minimal 0, maximal 250000]
- Game Length (game rounds per player): 6 sprints per player [minimal 4, maximal 32]

Costs and financial variables

- Value of 1 Ring: € 5000 [minimal 0, maximal 250000]
- Cost to Continue (stay same product, no switching): € 0 [minimal 0, maximal 250000]
- Cost to Switch (after sprint one and before ending the last sprint): € 5000 [minimal 0, maximal 250000]
- Cost to Switch (after the last sprint): € 0 [minimal 0, maximal 250000]
- Mandatory Loan Amount: € 50000 [minimal 0, maximal 250000]
- Loan Interest (per turn): € 5000 [minimal 0, maximal 250000]
- Penalty Multiplier (for negative net results): € 1000 [minimal 0, maximal 250000]
- Penalty Multiplier (for positive net results): € 5000 [minimal 0, maximal 250000]

Scrum mechanics

- Daily Scrums per Sprint: 5 sprints [minimal 4, maximal 12]
- Daily Scrum Target Number: 12 [minimal 4, maximal 12]

TAB - Player:

{depending on the player amount selected in TAB basic, a table of those amount of players will appear}

Player number	Player name	Player color	Strategy	Difficulty
1	Player 1 [minimal 4, maximal 32 characters]	# FF0000 [minimal #000000, maximal FFFFFF]	scrum [scrum,waterfall, random]	0.3 [minimal 0.0, maximal 1.0]
2	Player 2 [minimal 4, maximal 32 characters]	# 00FF00 [minimal #000000, maximal FFFFFF]	waterfall [scrum,waterfall, random]	0.3 [minimal 0.0, maximal 1.0]
3	Player 3 [minimal 4, maximal 32 characters]	# FF00FF [minimal #000000, maximal FFFFFF]	random [scrum,waterfall, random]	0.3 [minimal 0.0, maximal 1.0]
4	Player 14 [minimal 4, maximal 32 characters]	# FFFF00 [minimal #000000, maximal FFFFFF]	scrum [scrum,waterfall, random]	0.8 [minimal 0.0, maximal 1.0]

TAB 3 - Product:

{depending on the product amount selected in TAB basic, a table of those amount of players will appear}

Product number	Product name	Product color	Product description
1	Product 1 [minimal 4, maximal 32 characters]	# FF0000 [minimal #000000, maximal FFFFFF]	Product description [minimal 0, maximal 128 characters]
2	Product 2 [minimal 4, maximal 32 characters]	# 00FF00 [minimal #000000, maximal FFFFFF]	Product description [minimal 0, maximal 128 characters]
3	Product 3 [minimal 4, maximal 32 characters]	# FF00FF [minimal #000000, maximal FFFFFF]	Product description [minimal 0, maximal 128 characters]
4	Product 4 [minimal 4, maximal 32 characters]	# FFFF00 [minimal #000000, maximal FFFFFF]	Product description [minimal 0, maximal 128 characters]

TAB - Layout:

{Depending on board setup TAB basic ->the value of products and sprint the matrix will be defined}

Board Rows = sprints Cols = products	Product 1 P1 • theme=yellow	Product 2 P2 • theme=orange	Product 3 P3 • theme=red	Product 4 P4 • theme=green	Product 5 P5 • theme=blue	Product 6 P6 • theme=purple	Product 7 P7 • theme=gray
Sprint 1 S1	Sprint 1 value: 4 #features: 3	Sprint 1 value: 5 #features: 2	Sprint 1 value: 6 #features: 1	Sprint 1 value: 5 #features: 2	Sprint 1 value: 4 #features: 3	Sprint 1 value: 5 #features: 2	Sprint 1 value: 7 #features: 1
Sprint 2 S2	Sprint 2 value: 2 #features: 3	Sprint 2 value: 3 #features: 2	Sprint 2 value: 4 #features: 1	Sprint 2 value: 3 #features: 2	Sprint 2 value: 3 #features: 2	Sprint 2 value: 3 #features: 2	Sprint 2 value: 4 #features: 1
Sprint 3 S3	Sprint 3 value: 1 #features: 2	Sprint 3 value: 2 #features: 1	Sprint 3 value: 3 #features: 1	Sprint 3 value: 2 #features: 2	Sprint 3 value: 2 #features: 2	Sprint 3 value: 2 #features: 1	Sprint 3 value: 3 #features: 1
Sprint 4 S4	Sprint 4 value: 1 #features: 1	Sprint 4 value: 1 #features: 1	Sprint 4 value: 2 #features: 1	Sprint 4 value: 1 #features: 1	Sprint 4 value: 1 #features: 1	Sprint 4 value: 1 #features: 1	Sprint 4 value: 2 #features: 1

{on the side there is an edit field, will be automatically filled in depending on the product - sprint cell selected}

Editable Fields (edit mode) staged

Je kunt nu value en #features aanpassen. Dit wordt staged (niet direct actief).

Selection	S1 × P1
Product	Product 1
Sprint	Sprint 1
Current	value=4, features=3

value

4

Value (circle) influences scoring/value stream for this sprint×product.

#features

3

#features (square) is the delivery capacity for this sprint×product cell.

notes (optional)

e.g. 'advanced workshop variant'

Stage change **Discard**

{Below there is a list with changes made on product fields, will be automatically filled in depending on the change. Delete button will restore previous amounts}

Change #	Product name	Sprint #	Value amount	Feature amount	Date time	User	Role	
1	Product 1	1	5	4	12/02/26 20:10:15	Micha	admin	Delete button
2	Product 2	1	1	1	12/02/26 20:15:15	Micha	admin	Delete button

TAB- Refinements::

Refinement cards:

- How many different refinement cards in this game : 8 cards [minimal 1, maximal 32]

Refinement settings:

Controls the D20 mechanics that change future sprints.

- Refinements Active: Yes [Yes, No]
- Refinement Logic Model: Standard (ID 301) [Standard (ID 301), Chaos (Custom)]
- Standard matches the physical board game:
    - roll 1 to 2 (increase) [minimal 1, maximal 10]
    - roll 19 to 20 (decrease). [minimal 11, maximal 20]

TAB - Incidents:

Incident cards:

- How many different refinement cards in this game : 8 cards [minimal 1, maximal 32]

Incident settings

Controls the story cards drawn after every round.

- Incidents Active: Yes [Yes, No]
- Incident Frequency (Weight): Normal (0.35) [Low (0.15), Normal (0.35), High (0.60)]
- Allow Player-Specific Incidents: No [Yes, No]

If set to 'No', only global incidents (like ID 401) occur. If 'Yes', incidents targeting specific players (like ID 402) are included.

TAB - Validate

Validate and save boardgame settings

Click 'Validate'

Result: Validation passes or errors are shown.

If validation is true Click 'Save' button.