C Programming Assignment 1

Joddha Dipen

August 2025

Question 7: convert minutes into hours

Write a program in C convert minutes into hours.

Code:

```
include < stdio.h>
int main() {
   int hours, minutes;
   printf("enter minutes: ");
   scanf("%d", &minutes);

hours = minutes / 60;

printf("%d hours is %d minutes, hours, minutes);
   return 0;
}
```

Figure 1: Program with output

```
main.c

| #include<stdio.h>
| c | c | c | c | c | c |
| | | minclude<stdio.h>
| c | c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| | minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| c | c |
| minclude<stdio.h>
| c | c | c |
| minclude<stdio.h>
| minclude<stdio.h
```