mlflow 2.10.0 Experiments Models GitHub Docs

Default >

grandiose-mole-405

Run ID: 9a9fa24aabeb4f45be8103e681fd51a8

Date: 2026-10-22 13:46:24

Source: ipykernel_launcher.py

User: root

Duration: 2.1s

Status: FINISHED

Lifecycle Stage: active

Description Edit

Parameters (4)

Name	Value
C	0.1
penalty	l2
random_state	42
solver	liblinear

Metrics (4)

Name	Value
accuracy	0.8211497515968772
f1	0.6379310344827587
precision	0.6873065015479877
recall	0.5951742627345844

Tags

Artifacts

- model
  - MLmodel
  - conda.yaml
  - model.pkl
  - python_env.yaml
  - requirements.txt

Full Path:mlflow-artifacts:/0/9a9fa24aabeb4f45be8103e681fd51a8/artifacts/model

Register model

MLflow Model

The code snippets below demonstrate how to make predictions using the logged model. This model is also registered to the model registry.

Model schema

Input and output schema for your model. Learn more

Name
No schema. See MLflow docs

Make Predictions

Predict on a Spark DataFrame:

```
import mlflow
from pyspark.sql.functions import struct, col
logged_model = 'runs:/9a9fa24aabeb4f45be8103e681fd51a8/model'
```

```
# Load model as a Spark UDF. Override res
ult_type if the model does not return dou
ble values.
loaded_model = mlflow.pyfunc.spark_udf(sp
ark, model_uri=logged_model, result_type
='double')

# Predict on a Spark DataFrame.
df.withColumn('predictions', loaded_model
(struct(*map(col, df.columns))))
```

Predict on a Pandas DataFrame:

```
import mlflow
logged_model = 'runs:/9a9fa24aabeb4f45be8
```