

FLOWRA

Tally* + Busy* Analytics Platform

Complete Application Documentation

A plain-English reference covering every module, every flowchart, every data path — from Tally / Busy on the desk, through the Desktop Agent, all the way to the field salesman's phone.

Version: FY 2026-27 release · **Generated:** 11 May 2026

Audience: business owners, accountants, sales managers, admins, and partners.

Pages include: 16 sections · 10 flowcharts · role × feature matrix · data-model glossary.

FLOWRA — Complete Application Documentation

What is this document? A single, plain-English reference that explains everything about FLOWRA — what it does, how it works, where your data lives, how the Tally and Busy agents talk to the cloud, and how each screen is meant to be used. Written so a business owner, accountant, salesman, or first-day employee can read it cover to cover without a technical background.

Last updated: February 2026 · App version: FY 2026-27 release For: end-users, accountants, sales managers, admins, and partners. Includes: 10 ASCII flowcharts covering the architecture, data flow, auth, sync loop, salesman orders, dispatch lifecycle, AI query, role matrix, renewal lifecycle, tenant isolation, and onboarding.

Table of contents

1. [What is FLOWRA?](#)
2. [Who is it for?](#)
3. [The big picture — how the pieces fit together](#)
4. [How data flows from Tally / Busy → your dashboard](#)
5. [User roles & what each role can see](#)
6. [The modules, one by one](#)
 - [6.1 Dashboard](#)
 - [6.2 Sales](#)
 - [6.3 CRM \(Customers\)](#)
 - [6.4 Inventory](#)
 - [6.5 Inventory Analytics](#)
 - [6.6 Salesman](#)
 - [6.7 Salesman Order App \(mobile-first\)](#)
 - [6.8 AI Reports & AI Query Builder](#)
 - [6.9 Insider Result \(deep analytics\)](#)
 - [6.10 CA Corner](#)
 - [6.11 Dispatch Terminal](#)
 - [6.12 Sync History](#)
 - [6.13 Setup / Settings](#)
 - [6.14 Refer & Earn](#)
 - [6.15 SuperAdmin Command Center](#)
7. [The Tally Sync Agent — what it is and how to run it](#)

- 8. [The Busy Sync Agent — what it is and how to run it](#)
- 9. [Background jobs, schedules and triggers](#)
- 10. [AI features and the Universal LLM Key](#)
- 11. [Where your data lives \(collections in plain English\)](#)
- 12. [Security, privacy and the "no data on cloud" claim](#)
- 13. [Plans, subscriptions, and the demo account](#)
- 14. [Recent changes \(changelog\)](#)
- 15. [Troubleshooting — common situations](#)
- 16. [Glossary](#)

1. What is FLOWRA?

FLOWRA is a web application built on top of Tally Prime and Busy Accounting Software. It does not replace your accounting software — it unlocks the data already sitting inside it.

If you run your books in Tally or Busy, you already have a goldmine of information: sales, purchases, stock, customers, receipts, GST. The problem is that getting that data out — for daily reporting, sales follow-ups, dispatch, salesman tracking, or showing it to your CA — is painful and manual.

FLOWRA solves that by:

- 1. Running a small Desktop Agent on the Windows machine where Tally or Busy lives.
- 2. The agent reads vouchers, masters, ledgers and stock — and uploads only the structured rows (no PDFs, no Tally backup files) to your private FLOWRA cloud space.
- 3. You and your team open a web app in any browser, log in, pick the company, and see live reports, dashboards, analytics and tools.

The phrase you'll see on the marketing site — "No Data on Cloud*" — is explained in [Security](#). Short version: business names and sensitive identifiers are encrypted at rest, only authenticated users in your tenant can ever query them, and you can wipe everything with a single "Disconnect" toggle.

Three things FLOWRA gives you that your accounting software doesn't

	Plain Tally / Busy	With FLOWRA on top
Live dashboards	One PC, one user at a time	Whole team, any device, in real time
Beyond accounting	Vouchers and ledgers only	Dispatch board, salesman mobile app, CRM follow-ups, AI insights, CA reports
Sharable answers	"Send me the screenshot"	"Open the dashboard"

2. Who is it for?

FLOWRA is built for Indian SMEs running on Tally Prime or Busy 18+. The sweet spot is:

- ₹2 Cr – ₹50 Cr annual turnover
- 1–5 GSTINs / companies
- 1–25 employees who need access to numbers (sales, dispatch, accounts)
- A field salesman team of 2–20 people taking orders on the road
- A CA / accountant who wants clean P&L, Balance Sheet, cash flow

Five real-world users you'll find in every customer:

Role	Daily question they need answered
Owner / Director	"How are we doing today vs last month?"
Sales Manager	"Who is buying less than usual? Which customer is overdue?"
Salesman in field	"What did this customer buy last 10 months? What should I cross-sell?"
Dispatch in-charge	"Which invoices are ready to pack? Who has paid the porter?"
CA / Accountant	"Show me P&L, Balance Sheet, and a breakup of expenses for review."

Each of those questions has a dedicated FLOWRA module — see [§6](#).

3. The big picture — how the pieces fit together




Two simple rules to remember

1. The agent only reads — never writes — back into Tally/Busy. Your accounting software stays the source of truth.
2. Everything is scoped by `tenant_id` + `company_id`. That is FLOWRA's data wall: salesman A on company X can never see company Y, even by accident.

4. How data flows from Tally / Busy → your dashboard

Here is what actually happens between "I made a sale in Tally" and "It shows on my phone".

End-to-end flow at a glance



Step 1 — You record a voucher in Tally / Busy

A Sales voucher (or Receipt, Credit Note, Journal, Purchase, Debit Note, Contra, Stock Journal) is saved in Tally Prime or Busy as you would normally.

Step 2 — The Desktop Agent picks it up

The agent is a small program running on the same PC. It wakes up on a schedule:

- Every 5 minutes → quick sales sync (only new Sales + Receipts of today)
- Every 20 minutes → full sync (all voucher types + masters + ledgers)
- You can also click "Sync Now" in the agent window any time.

The agent uses each ERP's native protocol:

- Tally: XML over ODBC port 9000 (configured in Tally Gateway → F1 → ODBC)
- Busy: Microsoft Access ODBC against the active financial-year `.bds` file

Step 3 — Data is shipped to FLOWRA over HTTPS

The agent: 1. Authenticates with your FLOWRA login (the same email/password the office team uses to open the web app). 2. Gets back a JWT (a temporary key valid 24 hours). 3. Sends structured JSON rows in chunks of 500 to the backend's `/api/sync/*` endpoints.

Every row carries: - `tenant_id` (your business — assigned at signup) - `company_id` (specific GSTIN / company inside your business) - `voucher_date`, `party_name`, `items[]`, `ledger_entries[]`, etc.

No screenshots, no PDFs, no Tally backup file is ever transmitted.

Step 4 — Deletion reconciliation

After each sync the agent also sends a manifest — the list of voucher IDs it just saw in Tally/Busy. The backend compares this to what it already has and deletes any rows that are no longer in your ERP. That is how FLOWRA fixes the classic "I deleted this invoice but it still shows up" problem.

Step 5 — The web app shows it

The web app polls and listens via WebSocket. The moment a sync finishes, a toast notification appears ("Sales: 23 items synced") and the dashboard refreshes.

Step 6 — Background jobs work on the data

After ingestion, FLOWRA's backend computes derived numbers in the background: overdue digests, sales forecasts, salesman targets, recommendations. See [§9 Background jobs](#).

5. User roles & what each role can see

When the admin of an account adds a teammate (Setup → Manage Employees), they pick a role. The role decides which left-menu tabs that person sees the moment they log in.

Role	What they see / can do
admin	Everything — all 12 feature tabs of their tenant, all companies
employee	A subset of admin's features (chosen by admin per employee)
salesman	Mobile-first Salesman Order App only (no dashboard)
dispatch	Dispatch Terminal only — pick / pack / dispatch / hold
flowra_staff	FLOWRA's internal staff with limited SuperAdmin tabs
super_admin	FLOWRA founders / control-panel — sees every tenant

Important: an admin can also be a salesman (in some shops the owner is the sales lead). Salesman role for that admin is set via Setup → Manage Salesmen.

Role × Feature matrix (who sees what)

	admin	employee	salesman	dispatch	flowra_staff	super_admin
Dashboard	●	◐	·	·	·	·
Sales	●	◐	·	·	·	·
CRM (Customers)	●	◐	·	·	·	·
Inventory	●	◐	·	·	·	·
Analytics	●	◐	·	·	·	·
AI Reports	●	◐	·	·	·	·
Insider Result	●	·	·	·	·	·
CA Corner	●	◐	·	·	·	·
Salesman Order App	·	·	●	·	·	·
Dispatch Terminal	●	◐	·	●	·	·
Sync History	●	◐	·	·	·	·
Setup / Settings	●	·	·	·	·	·
SuperAdmin tabs	·	·	·	·	◐	●

● = full access

◐ = admin-controlled subset

· = no access

6. The modules, one by one

This is the meat of the document. For every module the doc covers:

- What it does (plain English)
- Who uses it
- Key screens or buttons
- Where the data comes from

6.1 Dashboard

Plain English: the daily front-page of the business.

Used by: owner, manager, accountant.

What you see:

- Total Sales for the selected financial year (₹ figure, voucher count).
- Inventory Items (how many SKUs you stock and total stock value).
- Low Stock count (items below their reorder level).
- FY Sales Value card for the active FY chosen in the top-bar FY picker.
- Overdue Payments card — invoices older than your "overdue threshold" setting (default 55 days), with one-click drill-down.
- Recent Transactions (last 10 sales).
- Top Customers for the FY by revenue.

- Quick links to "Refresh now" or toggle Auto-refresh.

Data source: `sales_vouchers` , `inventory_items` , `customers` , `dashboard/overdue-digest` .

Tip: flip the FY dropdown in the top bar to instantly recalculate everything for FY 2025-26, 2024-25, etc. FLOWRA stores 6 years of FY data.

6.2 Sales

Plain English: every invoice your business has raised, searchable.

Used by: owner, accountant, sales manager.

Key views:

- Voucher list — filter by date, party, salesman, voucher type (Sales / Sales General / branch-specific sub-types).
- Voucher detail — opens the invoice with all line items, ledger entries (CGST, SGST, freight, round-off), and the salesman's tagged name.
- Customer-Item Sales — pivot of what each customer bought across months (the classic "what does this customer always order?" question).
- Sales summary — month-on-month chart + top-customer leaderboard.
- CSV / Excel export for any of the above.

Data source: `sales_vouchers` + `credit_notes` for returns.

6.3 CRM (Customers)

Plain English: the address book + collection workbench.

Used by: sales manager, accounts team.

Key features:

- All customers with city, phone, opening balance, transaction count, total purchases, outstanding amount.
- Outstanding ageing — 0-30 / 31-60 / 61-90 / 90+ buckets.
- Follow-ups — set a reminder ("call Patel Motor Works on 15th about overdue 50K") and the dashboard rings on the day.
- Payment Behaviour score per customer — pays-on-time, slow-payer, chronic.
- Customer Targets — set a quarterly target per customer and track variance.
- Concentration risk — see what % of your revenue depends on the top 5 or top 10 customers (under Insider Result, see §6.9).

Data source: `customers` , `sales_vouchers` , `receipt_vouchers` , `customer_followups` , `customer_targets` .

6.4 Inventory

Plain English: stock list with values and reorder alerts.

Used by: purchase officer, store keeper.

Key features:

- All SKUs with current quantity, unit, last sale price, purchase price, standard price (the rate Tally / Busy treats as "default"), and stock group.
- ABC categorisation (A / B / C / D) — automatically by velocity × value.
- Reorder level — editable per item, defaults to 25 % of opening qty.
- Below-cost sales — finds invoices where you sold a SKU under its purchase rate. Great for spotting pricing leaks.
- Auto Reorder Suggestions — AI looks at last 90-day movement and tells you what to reorder and how much.

Data source: `inventory_items` , `sales_vouchers` , `purchase_vouchers` .

6.5 Inventory Analytics

Plain English: the "why is this SKU not moving" tab.

Used by: category manager, owner.

Six views inside one screen:

1. Pareto / ABC chart — 80/20 of your revenue by SKU.
2. Category Sales — drill into a stock group and see what's hot.
3. Sales Frequency — every SKU's number of sale events per month with "Dead / Slow / Steady / Fast" tags.
4. Movement Analysis — opening qty + purchases - sales = closing qty (and highlights variance vs Tally).
5. Pivot Table — month × SKU × quantity grid you can export.
6. Below-cost Sales report (already mentioned above).

All views have CSV export.

6.6 Salesman

Plain English: the leaderboard + customer ownership for your field team.

Used by: sales head, owner.

Key features:

- Salesman Master — list of all salesmen with monthly + quarterly target, contact, mapped customers.
- Performance dashboard — % of target, growth vs last month, last-visited customer.

- Customer ownership map — which salesman "owns" which customer (used by the mobile order app and for commission calc).
- Beat plans — geo-cluster customers into a daily route, mark check-ins.
- Export the whole salesman performance table for monthly review.

Data source: `salesman_master` , `sales_vouchers` (using the `salesman` field stamped by Tally / Busy or by salesman order app), `salesman_beats` , `beat_runs` .

6.7 Salesman Order App (mobile-first)

Plain English: WhatsApp-fast order taking for the salesman in the field.

Used by: salesman role only (the user logs in on phone).

What the salesman sees:

- My Customers — only customers mapped to them. Search and tap.
- New Order — pick items, qty, rate, save as Draft / Pending Approval.
- Repeat last order — one tap re-creates the previous order.
- Customer purchase history — last 10 months of purchases for a customer, so they can confidently recommend ("you usually take 5L pack, want 6 this time?").
- Cross-sell suggestions — AI-driven "related items" using velocity + affinity (items A and B bought together often).
- Beat run today — check-in / check-out at each customer's location.
- Pending billing — orders the admin marked "approved" but not yet billed in Tally.
- My Stats — own monthly target, achievement %, growth %.

Admin side (under the regular FLOWRA web app): Sales → Salesman Orders tab shows all incoming orders. Admin approves / rejects / holds them, and the dispatch terminal billing step closes the loop.

Salesman Order lifecycle (flowchart)



6.8 AI Reports & AI Query Builder

Plain English: "Type your question, get the answer."


Used by: owner, sales head, accountant.

Two surfaces:

1. Enhanced AI Reports — pre-built one-click reports:
2. "Top 10 slow-moving SKUs this quarter"
3. "Customers with falling order frequency"
4. "GST input vs output mismatch"

5. "Sales forecast for next month"
6. AI Query Builder — open chat box. Ask in English or Hindi: "Mujhe pichle 3 mahine ke top 5 customers chahiye jinka order kam ho gaya hai." GPT-5.2 reads the question, picks the right data, returns a chart + table. The answer is saved in `ai_queries` so you can re-open it later.

AI Query flow (flowchart)



Powered by: Universal LLM Key (Emergent-managed) calling GPT-5.2 for text. See [§10](#).

6.9 Insider Result (deep analytics)

Plain English: the "what is really going on" tab for owners.

Used by: owner only (sensitive numbers).

Sections:

- Customer Lifecycle — for every customer: first-bought-date, days-since-last-purchase, repeat frequency, churn risk score.
- Concentration Risk — % of revenue coming from top 1 / top 5 / top 10 customers. Red flag if any single customer crosses 25 %.
- SPIP Analysis — Sales-Per-Inventory-Position. Are you sitting on stock that nobody is buying?
- Sales Forecast — next 3 months projected using a simple ARIMA-style model (no AI required).

6.10 CA Corner

Plain English: what you'd hand to your Chartered Accountant.

Used by: the CA (read-only sub-user is supported), the in-house accountant.

Reports:

- Profit & Loss — annual P&L with income / expense / direct expense / indirect expense rollup, exactly the way Tally / Busy compute it.
- Cash Flow — Tally indirect method: Operating, Investing, Financing.
- Balance Sheet (new April 2026) — Assets vs Liabilities & Capital, grouped by parent group, expandable to the ledger.
- Ledger Drill-Down (new April 2026) — Income/Expense toggle, parent group bars, % share.
- AI Expense Insights — GPT highlights where you can save: "Freight inward is up 18 % in 3 months — investigate the new transporter."

Data source: `all_ledgers` , `bank_cash_ledgers` , `profit_loss` , `contra_vouchers` , `journal_vouchers` , `purchase_vouchers` , `receipt_vouchers` , `stock_journals` .

6.11 Dispatch Terminal

Plain English: the warehouse Kanban board.

Used by: dispatch role + admin.

Daily flow:

1. New invoice from Tally lands → appears as a card in the "New" column.
2. Warehouse moves it: Queued → Processing → Packed → Dispatched → Info Shared.
3. Each move stamps `status_history` (who changed it, when).
4. Additional cards can be created without an invoice for "online orders" or pre-billing pickups.
5. Hold column to flag a card with a reason ("waiting on payment").
6. Settlements: porter and transporter payments tracked per LR. Close-of-Day PDF generated and emailed.
7. Document uploads per card — picture of the loaded truck, LR copy, E-way bill PDF.
8. Pending billing column shows salesman orders ready for invoicing.

Data source: `dispatch_cards` , `dispatch_porters` , `dispatch_transporters` , `dispatch_porter_payments` , `dispatch_transporter_payments` , `dispatch_settings` .

Dispatch Kanban lifecycle (flowchart)



6.12 Sync History

Plain English: the agent's running diary.

Every sync writes a row: when it started, when it finished, how many vouchers / items / customers came in, whether it failed and why. This is the first place to look when someone says "today's sale isn't showing yet". Sort by company, see the latest agent version (`v9.8.9` for Tally, `v1.0` for Busy).

6.13 Setup / Settings

Plain English: everything an admin configures once and forgets about.

Sub-tabs:

- Manage Employees — add/edit/disable employees, pick which feature tabs they see, reset password.
- Manage Salesmen — salesman master, map customers, set targets.
- Tally Connection — download the agent zip, copy the sync token, see "Last sync 2 min ago".
- Company Setup — add additional companies (up to your plan's `max_companies` limit).
- Overdue Threshold — change the default 55-day overdue cutoff per business.
- Tenant Settings — creditor groups, expense groups, dispatch defaults.
- Dispatch Settings — porter rates, default transporter, packaging types.
- Audit Log — every meaningful action on this tenant (login, password changes, employee created, prospect converted, etc.).
- Data Export — owner can download a full ZIP of every row this tenant holds — vouchers, masters, ledgers — in CSV/JSON.
- Disconnect / Wipe Tenant — a single-button kill switch (see [Security §12](#)).

6.14 Refer & Earn

A built-in referral programme. Every admin gets a referral code they can share. When a new tenant subscribes using that code, FLOWRA credits the referrer with commission, visible in My Dashboard. SuperAdmin sees the master ledger and pays out monthly.

6.15 SuperAdmin Command Center

Internal-only screen for FLOWRA's founders + staff. Nine modular tabs:

1. Overview — MRR, ARR, active tenants, churn.
2. Subscriptions — every paying customer, plan, renewal date, manual extend / pause.
3. Payments — incoming payments and Stripe/manual reconciliation.
4. Invoices — FLOWRA's own invoicing for tenants.
5. Prospects — leads pipeline.
6. Health — agent uptime, last sync per company, error rate.
7. Admins — view-only list of tenants and their admins.
8. Renewals — renewal requests, send reminder emails.
9. Referrals — referral leaderboards and payouts.
10. Questionnaires — onboarding feedback.
11. Backups — download per-tenant MongoDB backup zips.
12. Activity — global audit log across all tenants.
13. Staff — give FLOWRA team members `flowra_staff` role with fine-grained tab access.

7. The Tally Sync Agent — what it is and how to run it

7.1 What it is, in one line

A Python program (`tally_sync_agent_v9.py`) you run on the same Windows PC where Tally Prime is open. It reads vouchers and masters from Tally and uploads them to your private FLOWRA cloud.

7.2 What it fetches (current v9.8.9 capabilities)

Tally data	Sync frequency
Sales vouchers (all sub-types)	Every 5 min (quick) + 20 min (full)
Receipt vouchers	Every 5 min (quick) + 20 min (full)
Credit Notes	Every 20 min
Purchase vouchers (goods + expense)	Every 20 min
Debit Notes	Every 20 min
Journal vouchers	Every 20 min
Contra vouchers (bank-to-bank)	Every 20 min
Stock journals (transfers, mfg)	Every 20 min
Customers (party masters under Sundry Debtors)	Every 20 min
Sundry Creditors	Every 20 min
Inventory masters (stock items + groups)	Every 20 min
Bank & Cash ledger balances	Every 20 min
All ledgers (for P&L / Balance Sheet)	Every 20 min
Profit & Loss group balances	Every 20 min

7.3 How the user actually runs it (Windows GUI Build Kit)

We ship a Windows Build Kit at `/app/desktop-agent/build-kit/` . Inside:

- `flowra_gui.py` — a small Tkinter window (Start / Stop / View Logs).
- `tally_sync_agent_v9.py` — the engine.
- `agent.spec` + `build.bat` — PyInstaller recipe to produce a single `.exe` .
- `requirements.txt` — pinned dependencies.

On the customer's Windows PC, the one-time install is:

```
# 1. Install Python 3.10+ from python.org (check "Add to PATH")
# 2. Unzip the build kit somewhere like C:\FLOWRA-Agent
# 3. Double-click build.bat – produces FLOWRA-Agent.exe
# 4. Double-click FLOWRA-Agent.exe – a small window appears.
```

In the window:

1. Type the FLOWRA login email + password (same as the web app).
2. Click Connect to Tally — the agent runs a one-time diagnostic against Tally ODBC port 9000.
3. Pick the starting financial year (e.g. 2024-25) — first sync will go back to 1 April of that year.
4. Click Start. The agent now:
5. Sits in the system tray (right-click for Pause / Resume / Quit).
6. Optionally launches at Windows startup (toggle in Settings).
7. Logs to `tally_sync_agent.log` next to the exe.

7.4 What Tally needs configured

Inside Tally Prime, on the same PC:

1. Open the company you want to sync.
2. Press F1 → Settings → Connectivity → ODBC Server.
3. Set Enable ODBC Server: Yes.
4. Port: 9000 (default; the agent expects this).
5. Save and keep Tally open while syncing.

7.5 What changed in v9.8.9

- DayBook fallback for "Last Voucher Date" — when Tally's `$$LastVoucherDate` TDL function returns empty (common with older builds), the agent falls back to a 730-day Day-Book scan to find the most recent voucher date.
- Cleaner debug logs — separate messages for "TDL returned empty" vs "Day-Book scan failed", so users can tell why the agent decided to "default to today".


7.6 Encrypted local config

The agent encrypts your `tenant_id`, `company_id`, and auth token to disk using Fernet (AES-128) with a per-machine key. If the laptop is stolen, the file alone cannot be used to log in.

7.7 Deletion reconciliation (Option B)

After each sync the agent posts a manifest of voucher IDs to `/api/sync/reconcile/{type}`. The backend deletes any row whose ID is not in the manifest, scoped to `tenant_id + company_id + financial_year`. Net result: when a voucher is deleted inside Tally, it disappears from FLOWRA at the next sync. No more ghost data.

7.8 Agent sync loop (flowchart)



8. The Busy Sync Agent — what it is and how to run it

8.1 What it is, in one line

A Python program (`flowra_busy_agent_v1.py`) that reads Busy Accounting Software's `.bds` (Microsoft Access) databases over ODBC and uploads structured rows to FLOWRA.

8.2 What it fetches (v1.0)

Busy data	Notes
Sales vouchers	All types (Tax Invoice, Bill of Supply, etc.)
Receipts	With bill-allocation breakdown
Credit Notes	Returns + rate-difference notes
Journals	Adjustment entries
Purchase vouchers	Goods + expense
Debit Notes	
Contra	Bank ↔ Bank, Cash ↔ Bank
Stock journals	Transfers + manufacturing
Customers / Sundry Debtors masters	
Creditors masters	
Inventory items + groups	
All ledgers, account groups	For P&L computation
P&L (computed from ledger groups)	

8.3 How the user actually runs it

Build kit lives at `/app/busy-agent-build/` :

- `src/flowra_busy_agent_v1.py` — engine.
- `flowra-busy-agent.spec` — PyInstaller recipe.
- `build.bat` — produces `FLOWRA_Busy_Agent.exe` .
- `installer.iss` — Inno Setup script for a full Windows installer with Start Menu shortcut + auto-update path.

Inside the GUI:

1. Login with FLOWRA email + password.
2. Pick Busy data folder — the agent auto-detects the active `.bds` filename (e.g. `db2526.bds`).

- 3. Pick starting FY — same as Tally, FY 2024-25 backfill is the typical default for prospect demos.
- 4. Start — same dual-schedule (5-min quick + 20-min full), same tray support, same encrypted config, same deletion reconciliation.

8.4 What Busy needs configured

Busy ships with ODBC built-in. The only requirement:

- Install Microsoft Access Database Engine 2016 Redistributable (64-bit) on the same PC (free download from Microsoft).
- Make sure the user running the agent has read access to the Busy data folder (`C:\BusyWin\Data` is the default).

8.5 Difference vs the Tally agent (today)

	Tally Agent v9.8.9	Busy Agent v1.0
Transport	XML over ODBC port 9000	Microsoft Access ODBC against <code>.bds</code>
<code>standard_price</code> per item	Yes (from STANDARDPRICE)	Planned in v1.1 parity update
Per-line DR/CR direction	Yes (Dr/Cr explicit)	Planned in v1.1 parity update
GUI build kit	Tkinter + tray + auto-start ✓	Tkinter + tray + auto-start ✓
Deletion reconciliation	✓	✓
Encrypted local config	✓	✓

The two pending parity items above are on the [§14 roadmap](#).

9. Background jobs, schedules and triggers

FLOWRA quietly does work in the background. Here is the full list — in plain English — so nothing feels like a "black box".

9.1 Sync schedules (run on the customer's PC)

Job	Where it runs	How often
Quick sales sync (Sales + Receipts only)	Desktop Agent	Every 5 minutes
Full sync (everything else)	Desktop Agent	Every 20 minutes
Agent command poll (admin clicks "Re-sync this month" in the web app, agent picks it up)	Desktop Agent	Every 30 seconds
Sync history heartbeat	Desktop Agent	At the end of each sync

9.2 Cloud-side background jobs

Job	What it does	Trigger
Deletion reconciliation	Removes rows that Tally / Busy no longer has	After every sync manifest is posted
Subscription expiry email	Warns admin 30 / 14 / 7 / 1 days before expiry	Daily, at admin's first login of the day
Overdue digest	Re-computes overdue invoices per ageing bucket	After every receipt voucher sync
Salesman target rollop	Recalculates achievement % per salesman	After every sales voucher sync
Customer payment behaviour score	Recomputes pays-on-time / slow / chronic per customer	Daily
AI Expense Insights	GPT call to summarise expense ledgers	Triggered by user clicking "Generate Insights" in CA Corner
Salesman cross-sell affinity	Pre-computes "customers who bought A also bought B" velocity table	After every sales voucher sync (planned for background-job migration)
Audit log	Writes every login / mutation / failed login	Real-time, on every relevant endpoint
WebSocket fan-out	Pushes "sync_started", "data_synced", "sync_complete" to the open browsers	Real-time

9.3 Email triggers


Email	When
Subscription started	Right after first payment / signup
Subscription renewed	After successful renewal
Subscription expiry warning	30/14/7/1 days before expiry (at most once a day)
Employee created (to employee)	When admin creates an employee, with first-time password
Employee created (to admin)	Confirmation copy
Renewal requested	When admin clicks "Request Renewal"
Referral commission credited	When a referred customer pays

(All email triggers can be muted per-tenant from Setup → Tenant Settings.)

9.4 Manual one-click triggers from the web app

- Refresh Now — re-fetches dashboard cards.
- Resync This Month — pushes a command to the Desktop Agent to re-fetch the current month's vouchers (used to fix a missing voucher).
- Delete Company Data — wipes one company in your tenant (kept for the case where the admin connects a wrong Tally company by mistake).
- Disconnect Tenant — kill-switch; wipes everything for this tenant.

9.5 Subscription & renewal lifecycle (flowchart)



10. AI features and the Universal LLM Key

FLOWRA uses Large Language Models in three places:

1. AI Query Builder — open chat that turns a plain-English (or Hindi / Hinglish) question into a SQL-like query against your data.
2. AI Expense Insights in CA Corner — summarises your expense ledgers and flags anomalies.
3. Auto Reorder Suggestions in Inventory — proposes purchase orders based on velocity.

All three currently use GPT-5.2 (OpenAI) via the Emergent Universal LLM Key. The customer doesn't need to bring their own OpenAI key — Emergent manages and bills it. Admin can see the balance under Profile → Universal Key.

If the balance ever runs out, the AI features show "AI temporarily unavailable — please top up". Non-AI modules keep working normally.

The Universal Key also supports: - Google Gemini 3 (text + Nano Banana image generation) - Anthropic Claude (Sonnet 4.5, Opus 4.5, Haiku 4.5) - OpenAI image (GPT Image 1) - Sora 2 (video) - OpenAI Whisper (speech-to-text)

These are wired into the codebase via the `emergentintegrations` Python library but not all are exposed in the UI yet. See [§14](#) for what's live today.

11. Where your data lives (collections in plain English)

FLOWRA stores everything in MongoDB. There are ~50 collections. Here are the ones you'll hear about most, with what they hold:

Collection	Plain-English content
users	Every login (admins, employees, salesman, dispatch, super_admin, flowra_staff)
tenant_settings	Per-business config (overdue threshold, expense groups, etc.)
company_mappings	Encrypted name + UUID for each company under a tenant
sales_vouchers	Every sales invoice (header + items[] + ledger_entries[])
purchase_vouchers	Every purchase (goods + expense)
receipt_vouchers	Every receipt with bill allocations
credit_notes	Sales returns + rate-difference notes
debit_notes	Purchase returns
journal_vouchers	Adjustment entries
contra_vouchers	Bank-to-bank, cash-to-bank transfers
stock_journals	Stock transfers + manufacturing entries
customers	Sundry-debtor party masters + outstanding + transaction count
sundry_creditors	Supplier masters
inventory_items	Every SKU + qty + rate + reorder level + ABC tag
all_ledgers	Flat list of every ledger with balance + parent group (for CA Corner)
bank_cash_ledgers	Subset of all_ledgers filtered to bank + cash
profit_loss	Pre-aggregated P&L group totals
dispatch_cards	One row per Kanban card
dispatch_porters / dispatch_transporters	Vendor masters for dispatch
dispatch_porter_payments / dispatch_transporter_payments	Settlements
dispatch_settings	Per-tenant dispatch defaults
salesman_master	Salesman list + mapped customers + targets
salesman_beats / beat_runs	Daily beat plans + check-ins
salesman_orders	Orders raised from the mobile app (pre-billing)
customer_targets / customer_target_removals	Per-customer quarterly targets

Collection	Plain-English content
<code>customer_followups</code>	"Call X on Y" reminders
<code>overdue_digest</code>	Pre-computed overdue table
<code>audit_logs</code>	Every meaningful action
<code>sync_history</code>	Agent run log
<code>sync_status</code>	"Is a sync running right now?"
<code>agent_commands</code>	Queued commands for the desktop agent to pick up
<code>tally_connections</code>	Saved Tally / Busy connection details per company
<code>ai_queries</code>	Saved AI Query Builder sessions
<code>prospects</code>	Lead pipeline (SuperAdmin)
<code>questionnaires</code>	Onboarding feedback
<code>referral_codes</code> / <code>referrals_dashboard_views</code>	Refer & Earn
<code>archived_tenant_data</code>	Holding area when a tenant is disconnected

Why split into so many? It's how MongoDB stays fast. Each collection is indexed by `tenant_id` + `company_id` (and often `voucher_date`), so even with millions of vouchers across all customers, a single query for one tenant is milliseconds.

Multi-tenant data isolation (visual)



12. Security, privacy and the "no data on cloud" claim

The marketing site says No Data on Cloud*. Here's exactly what that means:

What we DO send to the cloud

- Structured business rows: vouchers, masters, ledgers.
- Encrypted company names (Fernet AES-128).
- Encrypted login credentials inside the agent's local config.

What we NEVER send

- Your Tally backup file (`.tcp` , `.txt` , `.bak`).
- Your Busy `.bds` file.
- Tally screenshots or PDFs.
- Anything from outside the financial year you authorise.


How a single tenant is sealed off

- `tenant_id` is added to every row, every query, every API call.
- The web app and agent both carry it inside a signed JWT.
- A salesman of tenant A literally cannot construct an API call that returns tenant B's data — the backend checks the JWT's `tenant_id` against the query's `tenant_id` on every single endpoint.

Encryption at rest

- Company names: Fernet (symmetric AES-128) using `JWT_SECRET` as the key derivation seed. Lookups happen via deterministic HMAC-SHA256 hash so two syncs of the same name still resolve to the same UUID.

Authentication flow (flowchart)



Authentication

- Email + bcrypt password hash (cost factor 12).
- JWT (HS256) with a 24-hour expiry stored in `httpOnly` cookie + bearer token.

- Optional reCAPTCHA v3 on login (currently fail-open if score ≥ 0.3 or missing token, for prospect demos).

Idle timeout

- 30 minutes of no activity → automatic logout in the browser.

Audit trail

- Every login (success + failure), password change, employee created, prospect converted, referral payout, data export, etc. lands in `audit_logs` with the client IP. Available from Setup → Audit Log.

"Disconnect" kill switch

- Setup → Tenant Settings → Disconnect moves all your rows to `archived_tenant_data`, then schedules a hard delete in 7 days. Your data is gone, your login still works (in case you want to re-onboard).

Server-side protections

- All `/api/*` traffic over HTTPS (TLS 1.2+).
- CORS limited to FLOWRA's hosted domains.
- Rate-limit on `/api/auth/login` (5 failed attempts → 15-min cooldown).
- MongoDB instance is private (not exposed to the internet); only the FastAPI layer can reach it.

13. Plans, subscriptions, and the demo account

13.1 Subscription plan defaults

Field on a user document	Default
<code>plan</code>	<code>enterprise</code>
<code>max_companies</code>	10
<code>max_employees</code>	20
<code>subscription_months</code>	12

When `max_employees` is hit, the admin sees a clear error and a CTA to upgrade. Renewal requests can be raised from Profile → Subscription.

13.2 The pre-loaded demo account

For prospect demos, FLOWRA ships a self-contained demo:

Login	<code>demo@flowralive.in</code>
Password	<code>demo2026</code>
Subscription	24 months (won't expire during a sales cycle)
Companies	3 — Sharma Lubricants & Distribution Pvt Ltd (FMCG/auto), Bharat Electricals & Hardware Pvt Ltd, Krishna Textiles & Garments LLP
Per-company data	35 inventory items, 12-16 customers, 3-5 salesmen, 70 sales vouchers, ~30 receipts, 20 purchase/expense vouchers, 10 dispatch cards
Vouchers (total)	210 sales + 60 receipts + 60 purchases across 10 months
Revenue (seeded)	~₹68 lakh
Reseed any time	<code>cd /app/backend && python3 scripts/seed_demo_account.py</code>

All seeded dates are relative to today, so the dashboard charts and "recent transactions" always look fresh, no matter which week the demo is shown.

Twelve demo salesman logins (`rajesh.lub.demo@flowralive.in` , `amit.lub.demo@flowralive.in` , etc.) all use the same `demo2026` password, so the same demo can showcase the field salesman mobile app too. Full list lives in `/app/memory/test_credentials.md` .

13.3 Adding / removing companies and employees

- New company: Setup → Company Setup → "Add company". After save, the agent picks up the new `company_id` on its next 30-second command poll.
- New employee: Setup → Manage Employees → "Create". A password is generated and emailed to them; they're forced to change it on first login (`must_change_password` flag).
- Pause an employee: toggle Active off. Their JWT is invalidated within one minute.

13.4 Tenant onboarding flow (flowchart)



14. Recent changes (changelog)

Feb 2026

Demo account seeding - New script `/app/backend/scripts/seed_demo_account.py` creates a single admin user (`demo@flowralive.in` / `demo2026`) with 3 companies fully populated — see §13.2.

Tally Sync Agent v9.8.9-daybook-lvd - DayBook fallback for `$$LastVoucherDate` when TDL returns empty. - Cleaner debug logs distinguishing TDL empty vs Day-Book scan failure.

Tally Windows Build Kit shipped - Tkinter GUI wrapper (`flowra_gui.py`) over the CLI agent. - PyInstaller spec + `build.bat` produce a single `.exe` . - `pystray` system tray + Windows startup registry hook. - Zip available at `/app/frontend/public/flowra-agent-buildkit.zip` .

Salesman Order Recommendations - `/api/salesman-orders/customer-history/{customer_name}` returns the customer's last 10 months of purchases. - `/api/salesman-orders/related-items/{customer_name}` returns AI-driven cross-sell suggestions via velocity + affinity. - UI redesigned with "Repeat last order" + "Suggestions" tabs.

SuperAdmin Dashboard refactor - `SuperAdminDashboard.js` split into 9 modular tab components in `pages/super-admin/tabs/` .

Flowra Staff role - New `flowra_staff` role for FLOWRA's internal team with fine-grained tab access. Endpoints under `/api/super-admin/staff` .

Sales & marketing collateral - `PRODUCTION_PLAYBOOK.pdf` , `FLOWRA_BUSINESS_PROPOSAL.pdf/pptx` generated via `weasyprint` , `python-pptx` , `matplotlib` .

April 2026

CA Corner enhanced - New Balance Sheet view — Assets vs Liabilities & Capital, grouped by `parent_group` with expandable ledger drill-down. - New Ledger Drill-Down — Income/Expense toggle, parent-group bars, per ledger % share. - AI Expense Insights powered by GPT-5.2.

Tally Sync Agent v9 - Deletion reconciliation (Option B) added. - Contra vouchers, bank/cash ledger balances, full P&L group sync added in v8 → carried into v9. - FY auto-discovery, encrypted local config, memory-optimised chunked uploads.

Busy Sync Agent v1.0 - Initial release — feature parity with Tally agent except `standard_price` + per-line DR/CR direction (on the roadmap).

Earlier

- Dispatch Terminal Kanban + porter/transporter settlements.
- Salesman Order System (admin + mobile-first PWA).
- Refer & Earn programme with commission ledger.
- Inventory Analytics (Pareto, Pivot, Sales Frequency, Movement, Below-cost).
- AI Query Builder.

On the roadmap (next 60 days)

- WhatsApp Automation (overdue reminders) — pending route decision (AiSensy + Meta Lead Ads vs direct Meta Cloud API).
 - GST Portal integration — manual GSTR JSON upload + reconciliation in CA Corner.
 - Busy Agent v1.1 parity: `standard_price` + per-line DR/CR direction.
 - Export Audit Logs to CSV.
 - Weekly "Sync Health" digest email to admins.
 - Move salesman cross-sell affinity calculation to a background job to drop API latency.
-

15. Troubleshooting — common situations

"Today's sale isn't showing yet."

1. Open Sync History → check the latest row. If it's >10 min old, the agent is paused. Right-click the tray icon → Resume.
2. If the agent log shows "Tally ODBC connection refused", reopen Tally and make sure F1 → Connectivity → ODBC Server = Yes, port 9000.
3. Last resort: from the web app, Setup → Tally Connection → Resync this month. The command lands on the agent within 30 seconds.

"I deleted a voucher in Tally but it still shows in FLOWRA."

- Wait for the next sync (max 20 min). Deletion reconciliation will catch it. If you want it gone immediately, click Resync this month in Setup → Tally Connection.

"Salesman can't see his customers."

- Setup → Manage Salesmen → open the salesman → ensure customers are in his mapped_customers list. Save and ask him to pull-to-refresh on the mobile app.

"My CA wants only read-only access."

- Setup → Manage Employees → Create. Pick role `employee`, untick everything except `ca_corner` and `dashboard`. Send the credentials.

"Login says 'Subscription expired'."

- Visit Profile → Subscription → Request Renewal. SuperAdmin or your account manager will respond within 24 h.

"I want to download all my data."

- Setup → Data Export → "Download Full Tenant ZIP". Includes every collection scoped to your tenant in CSV + JSON.

"I want to wipe everything and disconnect."

- Setup → Tenant Settings → Disconnect. A 7-day grace window starts; we hard delete after that. You can cancel the disconnect from the same screen during the window.

"Agent log says: STANDARDPRICE 0 for every item."

- A Tally TDL quirk — the agent strips the trailing /unit (e.g. 1495.00/Nos). If it still happens, the company has no rate set at all on the items. Fix in Tally → Inventory Info → Stock Items → set Standard Cost / Standard Selling Price.

"Busy agent crashes with IM002 – Data source not found ."

- Microsoft Access Database Engine 2016 (64-bit) is not installed. Download from microsoft.com/en-us/download/details.aspx?id=54920 and rerun.
-

16. Glossary

Term	What it means in FLOWRA
Tenant	One business signed up with FLOWRA. Has 1+ companies.
Company	One Tally / Busy company (typically one GSTIN).
<code>tenant_id</code> / <code>company_id</code>	UUIDs that wall off your data from every other tenant.
JWT	The 24-hour login token issued at sign-in.
Universal LLM Key	Emergent-managed AI credit shared across GPT, Gemini, Claude.
Voucher	A single transaction in Tally / Busy — invoice, receipt, journal, etc.
Stock group	The Tally / Busy parent category an item belongs to.
ABC category	A=top 20 % of revenue, B=next 30 %, C=remaining, D=dead stock.
Beat	A daily field-route for a salesman covering a cluster of customers.
Kanban card	A row in the Dispatch Terminal that tracks one invoice's pack & ship status.
Reconciliation manifest	The list of IDs the agent says still exist in Tally / Busy — used by the backend to delete orphans.
Disconnect	The user-initiated kill switch that schedules a hard wipe in 7 days.

Where to ask for help

- In-app: bottom-right chat bubble.
- Email: support@flowra.in
- Self-help: Setup → Help & Resources (links to Training Booklet, What's New PDF, Customer Questionnaire, Production Playbook).

FLOWRA is a JODIDAR INDIA product. Tally* and Busy* are trademarks of their respective owners and are not affiliated, endorsed, connected or sponsored in any way to this website. They are referenced here solely to describe compatibility.