

02 / BUILD YOUR SYSTEM

The While-You-Sleep Storefront

System Guide

Your complete setup prompt, automatic recipes, scheduled tasks and optional alternatives. A reference book you can actually use.



xoxo, Jodie

START HERE

Paste once. Keep the files.

Read the Preparation Guide first. Put the kit files in the durable folder your runtime can read and write. Open a new agent chat with access to that folder, then paste the full setup prompt from 02_SETUP_PROMPT.txt.

THE INTERVIEW

One question at a time: theme, accounts, boards, products/destination route, tools, budget, persona, pace and optional channels. The agent tests what it can instead of asking you to do every repetitive step.

THE AUTOMATIC CONTRACT

The main path includes sourcing and destination creation. The product sheet is filled by the agent. Optional manual steps exist to save credits or match your chosen mix.

THE FIRST RUN

Create tasks paused. Build the first look, show the exact test Pin, schedule with test authorization, read it back and check duplicates. Separately prove recurring execution and live publication before calling it fully unattended.

Use the TXT/MD files for reliable copying. This PDF includes the complete contents too; bookmarks and the file index take you to each one.

YOUR SETUP

The order matters.

01 / CAPABILITIES

Choose the runtime only after the needed account actions can be tested there.

02 / DIRECTION

Save the theme, public boards, Amazon path and destinations.

03 / TOOLS

Test publishing and image actions; choose budget, persona and optional extras.

04 / SCOPE

Save real customer authorization and compatible platform-permission evidence.

05 / RECORDS

Create state and paused tasks; preserve IDs and existing work.

06 / PROOF

Build the first look, schedule the exact authorized test and read it back. Test a separate scheduled run. Enable ongoing production only after its gates pass.

YOUR WEEK

What happens automatically.

THEMED BUILD

Weekly, plus a second midweek slot at higher pace. It reconciles leftovers, picks calendar and evergreen looks, sources products, builds destinations and paired images, writes copy and schedules through the approved route.

OPTIONAL OUTFIT OF THE DAY

Checks authorized lesson access, reads a new outfit without republishing member content, independently sources the pieces and builds its own destination and original pair.

DAILY RECONCILIATION

Matches IDs and publisher UUIDs, checks publication, handles pull requests, recovers missed runs and resumes only missing work. It cannot call an unconfirmed removal successful.

The shopping list is the agent's next sourcing queue. It becomes buyer homework only for a manual step you explicitly choose.



A WORKED EXAMPLE

One look, two concepts.

Office commute, with a little pink. The same edit underlies both Pins: brown tote, black loafers, pearl studs and pink scrunchie. Pin 1 includes a pink travel tumbler; Pin 2 uses the persona's signature glitter coffee tumbler as a scene prop.



Real generated assets from a scheduled test. They illustrate styling inspiration, not verified exact retail matches. They are not proof of a complete Amazon-to-live-Pin run.

The destination must match the look

A working example uses one collection containing the five selected products: a brown laptop tote, black penny loafers, pearl studs, a pink handled tumbler and a pink velvet scrunchie.

The AI images are styling inspiration, not exact product photographs. Clothing and the glitter straw cup in the lifestyle scene are props. The caption and shopping page must explain this and direct shoppers to the real product listings for design, color, size and options.

Verify the actual Pin Visit link, the collection title and every selected product. A storefront homepage, an inaccessible collection or a saved scheduler payload alone does not pass this check.

For the controlled repair test, the existing Pins and Instagram carousel were independently verified live. The user accelerated the two Pin times. This proves those publications, not the standard three-day spacing or a fresh unattended customer run.

Your setup still requires a separate scheduled run, account permission tests and recovery checks before recurring automation is enabled. Scheduled, published, independently verified and delivered are separate statuses.

COPY AND VISUAL QA

Check the same look all the way.

VISUAL

Portrait 2:3, complete items, no accidental text, safe title margins, sharp high-contrast type and a phone-size check. Both concepts must be coherent with the same underlying edit.

CONTENT

Title is specific. Description starts with #ad and includes disclosure. Alt text describes the actual asset. Link wording matches exact product imagery versus inspiration. No invented prices, availability or product facts.

DESTINATION

The URL opens, holds the linked products and belongs to the intended look. A live page is not proof Pinterest accepts the domain; use the destination test.

PUBLICATION

Correct account, public board, section, final media, title, description, alt text, link, time and time zone. Verify the publisher response independently. Scheduled is not published; published is not fully verified.

IF A RUN STOPS

Keep the work. Resume the missing step.

MISSING ACCOUNT ACCESS

Keep the affected item queued and report the precise capability. Sign-in and security checks may need the customer. Do not assign weekly manual sourcing as the new default.

UNCLEAR WRITE

Save the write intent before creating anything. If a reply is lost, look up the result by recorded ID/UUID and fingerprint. Do not repeat a create blindly.

PULL REQUEST

Import PULL marks into authoritative state before rebuilding readable views. Cancel through the tested route, then verify. An already-live Pin needs removal in Pinterest itself.

OPTIONAL MANUAL STEP

If you choose a manual or mixed route, return its result to the agent. It updates state first and regenerates the readable views. Do not maintain two competing versions of the record.

THE COMPLETE FILES

Your prompt library.

00_START_HERE.txt

01_REQUIREMENTS.txt

02_SETUP_PROMPT.txt

03_THEMED_LOOK_RECIPE.txt

04_OUTFIT_OF_THE_DAY_RECIPE.txt

05_RECOMMEND_IT_TOO.txt

06_SCHEDULED_TASK_PROMPTS.txt

07_PERSONA_PATHS.txt

08_STOREFRONT_PATHS.txt

09_THE_BLOG_HALF.txt

10_INSTAGRAM_ADD_ON.txt

11_WHATS_NEXT.txt

12_STATE_SCHEMA.md

13_PIN_VISUAL_STANDARD.md

14_AUTOMATIC_EXECUTION_CONTRACT.txt

The following pages contain each complete file, in order. Continued pages retain the file name.

00_START_HERE.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

THE WHILE-YOU-SLEEP STOREFRONT™

Start here

Your Amazon picks become Pinterest Pins that point shoppers to your Idea Lists (or your own shop-the-look pages). Pinterest is search: people type "cozy fall outfit" or "pink desk setup" with their wallet half open. This kit makes sure something of yours is there when they do.

You set it up once. After that, the work is done by scheduled tasks, by you with AI help, or by hand. You choose.

=====

READ THESE IN THIS ORDER

=====

1. While-You-Sleep-Storefront-Preparation-Guide.pdf

What to get ready before you build: accounts, a public board, your account access, visual direction and budget.

2. While-You-Sleep-Storefront-Setup-Guide.pdf

The numbered setup steps, with two example Pins.

3. 02_SETUP_PROMPT.txt

The one prompt you paste. It interviews you and writes your own settings and log files.

You never have to read the other files. The setup prompt and your tasks read them for you. They're here so you can.

=====

WHAT'S IN THE KIT

=====

- 00_START_HERE.txt You're reading it.
- 01_REQUIREMENTS.txt What you need, and what you don't.
- 02_SETUP_PROMPT.txt Paste once. It sets everything up.
- 03_THEMED_LOOK_RECIPES.txt Automation 1: themed looks, any theme, any season.
- 04_OUTFIT_OF_THE_DAY_RECIPES.txt Automation 2 (optional): The Brand Closet™ Outfit of the Day.
- 05_RECOMMEND_IT_TOO.txt Optional: a Brand Closet™ card for your own pages.
- 06_SCHEDULED_TASK_PROMPTS.txt The three scheduled tasks.
- 07_PERSONA_PATHS.txt With your own AI persona, or flat lays only.
- 08_STOREFRONT_PATHS.txt Amazon Influencer (Idea Lists) or Associates only (your own site).
- 09_THE_BLOG_HALF.txt Optional: a shop-the-look section on your own website.
- 10_INSTAGRAM_ADD_ON.txt Optional: Instagram feed posts.
- 11_WHATS_NEXT.txt Recommending the kit, and the done-for-you option.
- 12_STATE_SCHEMA.md The rules every task follows, and how records are kept.
- 13_PIN_VISUAL_STANDARD.md What a good Pin and a good shop page look like.
- 14_AUTOMATIC_EXECUTION_CONTRACT.txt Main-path scope, capability tests and activation gates.
- The two PDFs above.

=====

THREE WAYS TO RUN IT

=====

TIME-SAVING (the true while-you-sleep version)

The agent runs the complete approved workflow. ChatGPT Work handles its connected steps; a permitted, tested browser operator handles browser-only account actions. Cloud can run with your computer off only when every required step works in that runtime. Local browser steps require your computer on. Setup records and tests the exact route before enabling tasks.

CREDIT-SAVING

Use the ChatGPT or Claude plan you already have to write the copy and the image prompts. You run the image tool yourself and schedule the finished Pin in Pinterest's own scheduler. No Work plan or Metricool needed.

MANUAL

Use the recipes as checklists and do each step yourself. Slowest, cheapest.

You can mix them (for example: AI writes everything, you make the images) and switch any time. The rules on disclosure, links, public boards and duplicates are the same on every path.

AUTOMATIC OR REVIEW FIRST

On the time-saving path, setup asks one more question.

AUTOMATIC: you approve the rules once (which accounts, boards, links, image tool, budget, pace and channels). After that, Pins that pass every check can be scheduled without another routine approval only when the account, publishing service and platform permit that scope. Setup must test this permission before enabling recurring work. If the platform requires approval for each Pin, record approval-required and retain the queued work; do not claim that account is hands-off.

REVIEW FIRST: every finished Pin waits for you to say yes before it's scheduled.

Either way, every Pin is checked first: the image, the link, the public board, the #ad disclosure, the title and the alt text. Nothing with a missing check goes out.

YOUR PART AFTER SETUP

AUTOMATIC: no weekly product-picking, link-copying or Idea List homework. The agent sources products and builds destinations through the account routes tested during setup. You receive a short run report and can request changes or pulls. Re-sign-in, security checks or a revoked connection can interrupt an individual step; the queued work is retained.

CREDIT-SAVING / MANUAL: if you choose this route, you supply product rows and links, create the list or page, run image generation and schedule the finished Pins. **MIXED:** your saved recipe names exactly which steps you chose to do yourself.

Type **PULL** in the state sheet's **PULL** column (cloud) or next to the Pin in pin-tab.md (local/manual). The next reconciliation imports the request into state, cancels through the tested route and verifies removal. An unavailable cancellation route is reported, never described as a successful pull.

WHAT IT DOESN'T PROMISE

Sales. Pinterest is search, and Pins get found over weeks and months, not hours. This kit builds and runs the machine. What people buy is up to them and Amazon. It also can't promise that every outside service (ChatGPT, Metricool, Pinterest, your image tool) will behave the same in your account as in mine, which is why setup tests each connection before relying on it.

xoxo, Jodie

01_REQUIREMENTS.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

REQUIREMENTS

Read this before you buy anything else. Most of it you only need for the time-saving path.

=====
EVERYONE NEEDS
=====

1. AMAZON

An approved Amazon Associates account.

For the Idea List path, also Amazon Influencer approval and a storefront. No Influencer approval? The Associates-only path uses a page on your own website instead (08_STOREFRONT_PATHS.txt).

On the connected time-saving route (AUTOMATIC or REVIEW_FIRST), the agent sources products and records links belonging to your account through the permitted route tested at setup. It never invents products, ASINs or tags. Creators API is one eligible catalog route, not a requirement assumed for every buyer. Browser account actions require supported access and applicable permission; see 14_AUTOMATIC_EXECUTION_CONTRACT.txt. On the optional manual route, you supply your own product rows and links.

2. PINTEREST

A Pinterest business account with at least one PUBLIC board. A secret board gets zero reach.

Pinterest's own scheduler holds standard Pins up to 30 days ahead, and up to 10 scheduled at once. The kit never schedules more than 14 days ahead.

3. AN AI CHAT

Any ChatGPT or Claude plan for the setup interview, the copy and the image prompts.

=====
ONLY FOR THE TIME-SAVING PATH
=====

4. CHATGPT WORK

The automated path runs as ChatGPT Work scheduled tasks. Work is available on eligible paid ChatGPT plans, and what's switched on can vary by account, region and workspace. Ordinary Scheduled Tasks on their own are not the full automation.

Cloud runs with your computer off only if every required account action has passed in that runtime. Local browser execution requires your computer and app available. Test the entire route, including Amazon and destination writes, before choosing.

No Work or equivalent recurring runtime? Setup reports the unavailable automatic capability and preserves the work. You may choose the optional credit-saving path; it is never substituted silently.

5. AN IMAGE TOOL

Higgsfield is the tested connected image tool. Its ChatGPT connection needs an active paid Higgsfield subscription. Setup records the exact model, its cost per image and your commercial-use rights, and never switches model or spends quietly.

Credit-saving alternative: AI writes the prompt and you run it yourself in the image tool you choose. You can also use your own photos or images you're licensed to use.

6. METRICOOL

Schedules your Pins for you. Connects to ChatGPT through Metricool's own app.

Metricool's Free plan has a monthly limit on published posts (20 when this kit was written). The default pace of 4 looks a week is about 34 Pins a month, so plan on a paid Metricool plan for this path, or lower your pace.

7. GOOGLE DRIVE

For CLOUD mode, your kit files and records live in one Google Drive folder that ChatGPT can read and write.

=====

ONLY FOR THE OPTIONAL EXTRAS

=====

8. THE BRAND CLOSET™: only for the Outfit of the Day automation. You need access to its Outfit of the Day lessons. Check the current tiers on its page before upgrading. To run it as a scheduled task, your ChatGPT mode must be able to open your signed-in Skool classroom; setup tests this for you. If access fails, keep that optional automation queued. You may choose to describe each lesson yourself as a manual alternative.

9. YOUR OWN WEBSITE: any website for the Associates-only path. A site on GitHub only for the blog half (09_THE_BLOG_HALF.txt).

10. INSTAGRAM: only for the Instagram add-on.

=====

WHAT YOU DON'T NEED

=====

No single browser-agent brand is mandatory. Automatic browser-only steps do require a supported, permitted operator.

No Pinterest developer app.

No Amazon API.

No website on the Influencer path.

No Instagram for the core machine.

No design skills, no code, no face on camera.

=====

TWO HONEST NOTES

=====

Automating Amazon and Pinterest carries some account risk. The kit is built to go slowly, never scrape or fake clicks, and stop at the first sign of trouble. You run it on your own accounts, at your own call.

Never type a password into a task or a chat. Sign in through each service's own sign-in screen.

02_SETUP_PROMPT.txt

SETUP PROMPT

How to use it:

- TIME-SAVING: open a new ChatGPT Work chat that can see your kit folder (the Google Drive folder for CLOUD, your computer folder for LOCAL).
- CREDIT-SAVING or MANUAL: open a new ChatGPT or Claude chat and attach every kit file (or the whole kit zip) first. Then copy everything between the two long lines below, paste it in and press Enter.

To renew your theme calendar, change one answer, or add the blog half or Instagram later, paste this same prompt again. It sees your existing settings and asks what you want to change.

You are setting up The While-You-Sleep Storefront™ for me.

Read these files first, before you ask me anything:

14_AUTOMATIC_EXECUTION_CONTRACT.txt (main automatic workflow, capability and permission gates)

12_STATE_SCHEMA.md (Part A is the rule book: follow it for everything you do)

00_START_HERE.txt

01_REQUIREMENTS.txt

13_PIN_VISUAL_STANDARD.md

03_THEMED_LOOK_RECIPE.txt

04_OUTFIT_OF_THE_DAY_RECIPE.txt

05_RECOMMEND_IT_TOO.txt

06_SCHEDULED_TASK_PROMPTS.txt

07_PERSONA_PATHS.txt

08_STOREFRONT_PATHS.txt

09_THE_BLOG_HALF.txt

10_INSTAGRAM_ADD_ON.txt

If any of them is missing, tell me the file name and stop.

HOW TO TALK TO ME

Plain words. One question at a time. Give one example answer when it helps.

Never ask me for anything you can find in my files or my connected services, or test yourself.

If an answer is vague, ask one short follow-up, then decide sensibly and tell me what you decided.

Never type or ask for a password.

Never promise something these files say is untested in my account.

STEP 00. NEW SETUP OR CHANGE?

If MY_RECIPE.txt already exists, ask: "Do you want to renew your theme calendar, change one answer, add the blog half or Instagram, or start over?"

- Renew: rebuild THEME CALENDAR and EVERGREEN BANK for the next 6 months from today, set a new RENEWAL DATE, keep everything else. Then STEP 10 and STEP 15.

- Change one answer: ask which one and run only that step, then re-run every test it affects: a new board needs STEP 2 and the board ID in STEP 4; a new publisher needs STEP 4; a new image tool or model needs STEP 5 and STEP 5A; a new pace needs STEP 8's plan check; anything that changes the AUTOMATIC scope needs STEP 9 again. Then STEP 10 and STEP 15.

- Add the blog half: STEP 8A, then STEP 9 if I'm on AUTOMATIC, then STEP 10 and STEP 15.

- Add Instagram: STEP 8B, then STEP 9 if I'm on AUTOMATIC, then STEP 10 and STEP 15.

- Start over: go to STEP 0, but never delete existing state or scheduled Pins. Reconcile them first.

STEP 0. CHECK WHAT THIS ACCOUNT CAN DO, THEN CHOOSE A MODE

Check whether this chat has ChatGPT Work with Scheduled Tasks.

If it doesn't (or this is Claude, or a normal chat):

- Report the missing recurring runtime. Preserve AUTOMATIC as the requested main path with its specific capability blocker. Offer the optional CREDIT-SAVING / MANUAL route and switch only if I choose it. Do available preparation and tests without claiming recurring execution.
- Use this chat to prepare MY_RECIPE.txt, the state file, the product sheet, the prompts and the checklists, and give me each file to save in my folder.
- Do not create tasks this account can't run.
- For every automated or paid step, show me both choices: (A) connected, time-saving and (B) lower-cost or by hand.

If it does, ask: "Do you want it to run in the cloud while your computer is off, or locally on your computer?"

CLOUD: ChatGPT Work Cloud plus a connected Google Drive folder for the kit files and records. Only valid for unattended production if every required account action passes in this runtime.

- Confirm Google Drive is connected.
- Ask me to choose or create one folder named While-You-Sleep Storefront and use it for everything.
- Create the state spreadsheet STOREFRONT_STATE there. Write one harmless test row and read it back.
- If you can't write to Drive, say exactly that, and offer LOCAL.

LOCAL: ChatGPT Work Local and a folder on my computer. My computer must be on during runs.

- Ask me to choose the folder.
- Create storefront-state.json there. Write one harmless test record and read it back.
- Ask: "What time does your computer usually go off at night?" Save COMPUTER OFF TIME.

Save STATE LOCATION.

STEP 1. THEME AND LOOK

Ask: "What's your look? Describe it the way you'd describe your Pinterest to a friend."

Then: "Clothing, home, or both? If both, roughly how much of each?"

Then: "Do you have brand colors and fonts? If not, I'll suggest a palette and two fonts that fit your look."

Save THEME, MIX, VOICE, VISUAL STYLE (a one-line description of the photo style that fits the theme, for example "bright, airy, natural daylight, cream and blush tones"), BRAND COLORS and BRAND FONTS.

Never put a real person, film, show, brand or character into anything a shopper will see.

STEP 2. BOARDS

Ask for my exact Pinterest board names. If I have none, suggest search-first names like "Cozy Fall Outfits for Moms | Amazon Finds".

Ask whether each board has sections, and which kind of look goes where.

Ask me to open each production board in Pinterest and confirm it says Public. Save the exact board name, its public web address, its sections, how public status was checked, and when.

A secret TEST board is allowed only for a dry run, marked TEST. A dry run never creates or schedules a Pin.

On native Pinterest, the board's public web address is its identifier. A numeric board ID is needed for Metricool; STEP 4 resolves it through the available supported account route. Never guess an ID, scrape Pinterest or use hidden Pinterest addresses.

STEP 3. AMAZON PATH

Ask: "Are you an approved Amazon Influencer with a storefront, or Associates only?"

Influencer: ask for my storefront address. PATH = Influencer. Each look's destination = an Idea List the automatic operator creates or updates in my storefront through a tested permitted route (08_STOREFRONT_PATHS.txt).

Associates only: ask for my website address, what it's built on (for example Squarespace, Shopify, WordPress, or an Astro site on GitHub), and the page base (for example /lifestyle). PATH = Associates. Remind me that Amazon needs my website listed in Associates Central (08_STOREFRONT_PATHS.txt).

Associates only and no website: tell me kindly that the Pins need somewhere to send people, either an Influencer storefront or a page on my own site, and that I can paste this prompt again when I have either. Then stop.

Ask: "Do you have Amazon Creators API access?" Save CREATORS API (yes or no). Never assume API access. Test a permitted alternative operator for product sourcing and authorized account actions. Save sourcing, link capture, Idea List create/update and destination readback as separate CAPABILITIES. Missing API access does not automatically assign weekly sourcing to me.

Destination check (Associates path, or any website destination): ask me to run 08_STOREFRONT_PATHS.txt, QUICK DESTINATION TEST, and tell you the result. Save DESTINATION TEST. If Pinterest rejects the domain, no Pin may point there.

STEP 4. PUBLISHING

Ask: "Do you want Metricool to schedule your Pins (time-saving), schedule them yourself in Pinterest (credit-saving), or a mix?"

TIME-SAVING:

- Ask me to connect Metricool to this chat, with my Pinterest account connected inside Metricool. Confirm the right Metricool brand and save METRICOOL BRAND.
- Ask which Metricool plan I'm on and save METRICOOL PLAN (STEP 8 checks it fits my pace).
- Discover the available Metricool tools. If board listing is absent, use its supported official account interface through an authorized browser operator to match each production board to its board ID; do not invent an unavailable API action. Save it with the board. A board Metricool can't see is marked unavailable for Metricool (a new board may need the Pinterest connection refreshed inside Metricool), and nothing is scheduled there through Metricool.
- Save PUBLISH METHOD = Metricool direct.
- The test Pin is built and scheduled in STEP 12, not now.

CREDIT-SAVING: PUBLISHER = native Pinterest. PUBLISH METHOD = native. No Metricool. If I already pay for Metricool and want a batch file instead of scheduling Pins one by one, PUBLISH METHOD = Metricool CSV.

MIX: Metricool direct where its STEP 12 test passes; native Pinterest for the rest.

STEP 5. IMAGE TOOL AND BUDGET

Ask: "Do you want the connected image tool to make your images (time-saving), or do you want me to write the prompts and you run the image tool yourself (credit-saving)?"

TIME-SAVING:

- Ask which connected image tool. If Higgsfield, confirm it's connected to this chat.
- Save IMAGE PROVIDER, IMAGE MODEL, IMAGE PLAN, the RESOLUTION (2K unless I say otherwise) and my commercial-use rights.
- Look up the model's current cost per image in the tool and save IMAGE COST PER GENERATION.
- Work out what my pace needs (looks per week x 2 images, plus up to 2 corrections now and then; Outfit of the Day adds 2 per outfit) and show me a suggested monthly amount. Ask: "What's the most you want spent on images per month?" Save GENERATION BUDGET (amount and period) and what happens when it runs out (default: stop making new images and tell me).

CREDIT-SAVING / MANUAL:

- You write the full image prompt and the checklist. I run it in the tool I choose and bring the result back for checking.
- I may use my own photos or licensed images instead. Save their source and rights.
- GENERATION BUDGET = paid by me directly, outside this setup.

Never pay for a second image just to add text. Never spend credits or switch tools or models quietly.

STEP 5A. HEADLINE METHOD

Every Pin gets its headline added after the image is approved, never generated inside the image.

TIME-SAVING: add the headline yourself with your built-in code tool (an image library such as Python's PIL), using BRAND FONTS (or the closest free font if a brand font can't be loaded), in the reserved top band, sharp and high-contrast, checked at phone size. Test it on one sample image now and show me. Save HEADLINE METHOD = assistant layout.

If your code tool can't do it, or on CREDIT-SAVING / MANUAL: HEADLINE METHOD = Canva (free). Give me these steps to keep: open a 1000 x 1500 px design, upload the image to fill the page, add one text box at the top with the headline you wrote, in my brand font, big enough to read on a phone, then Share, Download, PNG. No design skills needed; the headline text comes from you.

STEP 6. PERSONA

Ask: "Do you have an AI persona who wears the looks?"

Yes: find her reference image in my folder (ask only if there's more than one), then ask for 3 or 4 everyday places she lives her life, including one with a mirror. Save PERSONA IMAGE and PERSONA WORLD, plus any signature props she always has (PERSONA PROPS; they are never linked products). Never ask for face, hair, eye, skin, body or age details. No: PERSONA = no. Pin 1 is a flat lay or collage and Pin 2 is a person-free scene (03 Part 4).

STEP 7. THE BRAND CLOSET™

Ask: "Are you a member of The Brand Closet™ with access to its Outfit of the Day lessons?"

Yes: save BRAND CLOSET MEMBER = yes and the tier. Then test it yourself: try to open the Outfit of the Day course page (04_OUTFIT_OF_THE_DAY_RECIPE.txt) through this chat's supported tools. If you can see the lesson list, Automation 2 runs as a scheduled task. If you can't, keep optional Automation 2 queued with its access blocker. Offer its credit-saving form, where I open the lesson and describe the outfit, but switch only if I choose it.

Ask: "Do you want to recommend The Brand Closet™ on your own pages with your own referral link?" If yes, show me how to find it (05_RECOMMEND_IT_TOO.txt, FIND YOUR LINK), save BRAND CLOSET REFERRAL LINK and BRAND CLOSET CARD = on. Then ask: "Do you also want one line about it in your Outfit of the Day Pin descriptions?" Save PIN LINE (on or off).

No: BRAND CLOSET MEMBER = no, BRAND CLOSET CARD = off, PIN LINE = off. Skip Automation 2.

STEP 8. PACE AND TIMES

Ask: "What time zone are you in, and how many looks a week do you want: 3, 4, 5, 6 or 7?" Save an IANA time zone (for example America/New_York). Default 4.

LOOK DAYS defaults:

- 3: Tuesday, Thursday, Sunday
- 4: Tuesday, Thursday, Saturday, Sunday
- 5: Monday, Tuesday, Thursday, Saturday, Sunday
- 6: every day except Friday
- 7: every day

Build runs: Saturday 1:05 pm. At 5 or more looks a week, also Wednesday 1:05 pm.

Outfit of the Day run (if on): Sunday to Friday, 9:20 pm.

Reconciliation run: daily, 7:45 am (it checks yesterday's Pins and acts on pulls before the first Pin of the day). Save RECONCILE TIME.

Pin times (they don't depend on my computer):

- Pin 1: 1:30 pm
- Pin 2: 8:30 pm
- Outfit of the Day flat lay: 4:30 pm
- Outfit of the Day lifestyle: 9:30 am

Keep at least 1 hour between any two Pins. Never schedule more than 14 days ahead.

OUTFIT TIME ESTIMATE: 2 hours per outfit unless I say otherwise.

PLAN CHECK: count my Pins per month (looks per week x 2 x about 4.3, plus about 2 a day for Outfit of the Day if on). If I chose Metricool, compare it with my METRICOOL PLAN's monthly post limit (the Free plan was 20 a month when the kit was written). If I chose native Pinterest, remind me Pinterest holds only 10 future Pins at once, so the tasks will hand me at most 10 to schedule at a time. If it doesn't fit, suggest a lower pace or a bigger plan, and save my choice.

STEP 8A. THE BLOG HALF (optional)

Ask: "Do you have a website on GitHub, like a Weekend Ecosystem™ site, where you want a shop-the-look section?"

No: BLOG_HALF = off.

Yes: if 09_THE_BLOG_HALF.txt STEP 1 isn't done yet, tell me to do it first and come back. If it's done, save BLOG_HALF = on, CAN_PUBLISH_TO_SITE (yes only after repository write, deployment and live-URL readback pass; otherwise untested/no), SITE, REPO and LIFESTYLE_CATEGORIES (the line the site chat printed), and run the QUICK_DESTINATION_TEST for my site if it isn't saved yet.

STEP 8B. INSTAGRAM (optional)

Ask: "Do you want each look posted to Instagram as a feed carousel too?"

No: INSTAGRAM = off.

Yes: ask for my handle and a posting time (default 7:00 pm). Ask which publisher: Metricool (if my Instagram is connected there) or Meta Business Suite. Test it the way 10_INSTAGRAM_ADD_ON.txt describes before relying on it. Save INSTAGRAM = feed posts on, with account, posting time, publisher and test result.

STEP 9. AUTOMATIC OR REVIEW FIRST

(Time-saving and mix only. Credit-saving and manual are always REVIEW_FIRST, because I schedule those myself.)

Ask once: "Do you want AUTOMATIC, where every Pin (and blog page and Instagram post, if those are on) that passes every check is scheduled within the rules you approve now, without asking you each time? Or REVIEW_FIRST, where you approve each finished Pin before it's scheduled?"

For AUTOMATIC, read back the exact scope, using what I've already answered (12_STATE_SCHEMA.md A2): accounts, board IDs and sections, destinations, image provider, model and resolution, generation budget and period, channels (Pinterest, plus blog and Instagram if on), looks per week, every schedule and the time zone, how products are supplied, and an end date or "until I revoke it" (ask me which). Ask me to authorize that scope in my own words. Save AUTOMATION_MODE and AUTOMATION_POLICY (my words, who, when, policy_id, version, scope) in MY_RECIPE.txt and the state before any paid or publishing action. Never invent a permission or a budget.

For REVIEW_FIRST, save AUTOMATION_MODE = REVIEW_FIRST.

Either way, the one test Pin in STEP 12 is shown to me and approved by me before it's scheduled, so I see what the machine makes. Record that approval as approval_actor = customer, with my real selection and authorization.

STEP 10. WRITE MY_RECIPE.txt

Create or update MY_RECIPE.txt with these lines (write "off", "no" or "not used" rather than leaving a line out):

SETTINGS

THEME

MIX

VOICE

VISUAL_STYLE

BRAND_COLORS

BRAND_FONTS

TIME_ZONE

BOARDS (name, public address, Metricool board ID or "not needed", sections, public check method and date)

PATH

STOREFRONT

SITE

SITE PLATFORM
SITE PAGE BASE
CREATORS API
CAPABILITIES (exact operators, account actions, permission and readback evidence)
PUBLISHING PERMISSION EVIDENCE
DESTINATION TEST (domain, result, date)
EXECUTION MODE (CLOUD, LOCAL or CREDIT-SAVING / MANUAL)
STATE LOCATION
COMPUTER OFF TIME (LOCAL only)
PUBLISHER
PUBLISH METHOD (Metricool direct, Metricool CSV or native)
PUBLISHING TEST
METRICOOL BRAND
METRICOOL PLAN
AUTOMATION MODE
AUTOMATION POLICY (policy_id, version, my words, who, when, full scope)
IMAGE PROVIDER
IMAGE MODEL
IMAGE PLAN
RESOLUTION
IMAGE COST PER GENERATION
GENERATION BUDGET (amount, period, and what happens when it runs out)
COMMERCIAL RIGHTS RECORDED
HEADLINE METHOD
PERSONA
PERSONA IMAGE
PERSONA WORLD
PERSONA PROPS
BRAND CLOSET MEMBER
BRAND CLOSET TIER
BRAND CLOSET REFERRAL LINK
BRAND CLOSET CARD (on or off)
PIN LINE (on or off)
PACE
LOOK DAYS
RECONCILE TIME
OUTFIT TIME ESTIMATE
BLOG HALF
CAN PUBLISH TO SITE
REPO
LIFESTYLE CATEGORIES
INSTAGRAM (off, or feed posts on, with account, posting time, publisher, test result)
SLOTS (every run time and every Pin time)
DISCLOSURE LINE: As an Amazon Associate I earn from qualifying purchases.
(Every Pin description starts with "#ad " and ends with the DISCLOSURE LINE.)
THEME CALENDAR: 6 months of look windows from today, each with 4 to 6 look ideas that fit THEME and MIX.
EVERGREEN BANK: 30 evergreen look ideas.

RENEWAL DATE: 6 months from today.

STEP 11. THE STATE AND YOUR FILES

Create the state described in 12_STATE_SCHEMA.md Part B, in STATE LOCATION:

CLOUD: STOREFRONT_STATE in Google Sheets, with tabs AUTOMATION_POLICY, CAPABILITIES, LOOKS, PRODUCTS, IMAGES, PINS, BLOG, INSTAGRAM, LESSONS, RUNS, ERRORS. The PINS tab has a PULL column I can type in.

LOCAL or CREDIT-SAVING: storefront-state.json with the same sections.

Also create storefront-log.md, pin-tab.md, pin-drafts.md, shopping-list.md and PRODUCT_SOURCES.md (with one row marked EXAMPLE showing every field in 03_THEMED_LOOK_RECIPE.txt Part 3). These are readable views; the state is the source of truth.

Then the tasks, or a run checklist:

TIME-SAVING (Work):

- Create the tasks PAUSED in 06_SCHEDULED_TASK_PROMPTS.txt with this Work chat's scheduler: the weekly build always, Outfit of the Day only if on, reconciliation always. Each task's prompt is everything between its two long lines.
- Write MY_SCHEDULED_TASKS.txt with each task's name, schedule, time zone, state location, on/off status and the actual task ID the scheduler gave it. Read the file back.
- A saved schedule is not a successful run. Don't call the automation working until a separate scheduled run has done its job (12_STATE_SCHEMA.md A8).

CREDIT-SAVING / MANUAL:

- Don't create tasks. Write MANUAL_RUN_CHECKLIST.md with the same three jobs as on-demand checklists: build the next looks, build Outfit of the Day (if on), reconcile drafts, schedules and pulls. I can paste any task prompt from 06 into a normal chat whenever I want to run that job. Same IDs, checks and disclosure rules.

If a connected service can't do a step, leave that item queued and tell me. Never push me to upgrade when the manual path can do the same step.

STEP 12. YOUR FIRST LOOK

CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): choose the first look from my calendar, source its products through my tested route, capture my authorized links and create/update the look's Idea List or publish its page. Record and read back the product/destination packet yourself. Missing access keeps the look queued with a capability blocker, not a compulsory shopping list for me. CREDIT-SAVING / MANUAL, if chosen: guide me through the same product-row fields and destination creation. Then build the paired images and confirm:

- MY_RECIPE.txt reads back correctly
- the look gets a LOOK_ID and its sourced product records are saved
- the destination opens and is on a domain that passed the destination test
- both images pass the checks in 13_PIN_VISUAL_STANDARD.md, with the headline added by HEADLINE METHOD
- Pin copy, disclosure and alt text are recorded
- the board is confirmed public (and matched to its Metricool board ID if using Metricool)
- the state holds both complete Pins and their approval status
- running the same build again finds the existing PIN_IDs and creates nothing new

Show me Pin 1. When I approve that exact Pin and its time, schedule it (through Metricool with the write-intent rule, or by giving me the package to schedule natively). Read it back from Metricool and compare image, title, link, board, time and status; on native Pinterest, ask me to confirm it shows in my scheduled Pins.

PUBLISHING TEST = passed only when that read-back matches. A draft or an unconfirmed request is not a pass. If Metricool needs a platform approval, PUBLISHING TEST = approval-required and tell me the exact step. If it can't be done safely, PUBLISHING TEST = blocked (or failed) with the reason, offer native Pinterest, and never promise unattended publishing.

Pin 2 then follows the normal rules (AUTOMATIC: scheduled within my scope; REVIEW FIRST: waits for me).

Without Work, run this whole test right here in the chat, step by step. It proves the setup, not unattended running.

STEP 13. THE NEXT AUTOMATIC RUN

Write shopping-list.md as the agent's sourcing queue for the next looks from the theme calendar and evergreen bank. It is not mandatory buyer homework in AUTOMATIC. Record any customer-chosen manual assignments separately. Keep recurring tasks paused until the capability, publishing-permission and first-look gates pass. Then run a controlled scheduled test, reconcile its results and save the evidence. A schedule is not live-publication proof.

STEP 14. CHECK BACK

Read MY_RECIPE.txt, the state's AUTOMATION_POLICY and MY_SCHEDULED_TASKS.txt back from STATE LOCATION and confirm each one saved.

STEP 15. MY SETUP REPORT

Tell me, in plain words:

- where it runs (cloud, local, or by hand) and how it publishes
- Automatic or Review First, and what I approved
- image tool, model, cost per image and monthly budget
- Amazon path and destination test result
- looks per week and every run and Pin time
- tasks created, with their IDs
- the test result
- automatic capabilities that passed, tasks still paused, and exact blockers; any manual steps I explicitly chose
- the controlled scheduled-run and live-verification results, separately

Never say "fully automated" unless a separate scheduled run has passed.

03_THEMED_LOOK_RECIPE.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

AUTOMATION 1: THE THEMED-LOOK RECIPE

The weekly task reads this file, MY_RECIPE.txt and 12_STATE_SCHEMA.md at the start of every run, and follows the Automation Rules in 12_STATE_SCHEMA.md Part A for every step. You never edit this file. Your theme, boards, times and path live in MY_RECIPE.txt.

WHAT ONE LOOK PRODUCES

One look = 5 to 8 Amazon pieces that go together (a roundup: 3 or 5), one list or page that links every piece, and two pins that point to it, posted 3 days apart.

Three kinds of look, all built the same way:

Outfit: one full outfit. Main piece (dress, set, or top plus bottom), shoes, bag, at least one piece of jewelry, one accessory, and optionally one beauty item or one book (a plain clothbound book with no title showing, named by its kind, never its title or author).

Theme list: 5 to 8 matching finds for one space or purpose (a room, a desk, a car, a party table, a gift guide).

Roundup: 3 or 5 options of one item ("3 cozy cardigans for...").

PART 1. THE RULES THAT NEVER MOVE

R1. Publishing is handled by the selected publishing path in MY_RECIPE.txt. The recipe does not use Pinterest scraping, Pinterest internal endpoints, or browser automation to simulate Pinterest publishing.

R2. The TIME-SAVING path uses the customer's connected Metricool account when the current ChatGPT + Metricool workflow is available and has passed the customer's test publish. The CREDIT-SAVING path prepares the complete Pin package for the customer to schedule through Pinterest's native scheduler.

R3. Every pin description starts with "#ad " and ends with the DISCLOSURE LINE from MY_RECIPE.txt ("As an Amazon Associate I earn from qualifying purchases."), so #ad appears once, at the start. A pin with a link and no disclosure, or a disclosure and no link, does not ship.

R4. No prices, anywhere. Not on the image, title, description, alt text, site page, look idea, or item name.

R5. No third-party IP in any image. No film stills, character likenesses, logos, designer monograms, team or university crests, printed brand names, book titles, or other protected identifiers.

R6. No brand names in listings, Pin titles, descriptions, hashtags, alt text or page item names. Describe the item plainly. No real people, films, shows or characters in customer-facing content.

R7. The two Pins of one look are normally scheduled 3 days apart. Any near-identical Pins should be separated according to the schedule in MY_RECIPE.txt.

R8. No affiliate links in email. If you ever email about a look, link to your own site page, never directly to Amazon.

R9. Do not use Amazon-hosted product images as published assets. They are not uploaded as generator references. Use original generated imagery or customer-owned/licensed imagery.

R10. At most 4 image-generation attempts per final asset: initial generation, up to two in-place corrections, and one fresh retry with the correction incorporated. If still wrong, drop the look and log why.

R11. Verify every required destination before a Pin enters the publishing queue. For the Influencer path, the look's own Idea List must open and hold the look's pieces (verified through the tested operator; customer confirmation is reserved for a chosen manual step). For Associates-only, the site page must open before publishing. The destination's domain must have passed the QUICK DESTINATION TEST in 08_STOREFRONT_PATHS.txt. If Pinterest blocks a domain, no Pin may point there, and never disguise or redirect a link to get around a block. Never point a Pin at a general storefront home page while its copy says every piece is linked: the link must hold the pieces the copy names.

R12. Never schedule more than 14 days ahead in the storefront system, even though Pinterest and Metricool may support longer horizons. On native Pinterest, never hand me more Pins to schedule than fit Pinterest's limit of 10 future Pins; hold the rest as drafts and add them as earlier Pins go live.

R13. If Pinterest exposes an AI-generated/AI-modified control in the selected publishing path, enable it when appropriate to the actual asset.

R14. Amazon affiliate links must come from the customer's authorized Amazon workflow. Never invent, alter or substitute a customer's affiliate tag.

R15. No em dashes in customer-generated copy.

R16. State is authoritative. Stable LOOK_ID and PIN_ID values prevent duplicate work. Human-readable markdown exports are views of state, not the source of truth.

R17. Do not silently switch image models, providers, or paid plans when a credit or access limit is reached. Record the waiting state and tell the customer what is required.

R18. Amazon product research must respect Amazon's current terms and the customer's authorized access. Do not scrape Amazon in the background or bypass access controls.

R19. Every automated or credit-heavy step must have a lower-cost/manual equivalent. The customer may use ChatGPT or Claude for planning/copy, run the selected image provider directly, schedule natively in Pinterest, and update the state/log manually. The approval, disclosure, destination and duplicate-prevention rules are identical in every path.

LOW-COST / MANUAL EQUIVALENTS

- Product intake: customer supplies the product rows and authorized links directly.
- Image generation: ChatGPT or Claude writes the prompt; customer runs the chosen image provider directly and returns the asset for QA.
- Text/layout: add deterministic text/layout without paying for another image generation when possible.
- Publishing: customer uses Pinterest's native scheduler after exact Pin review and authorization.
- State: customer records the stable IDs and final status in the provided state/log files.

Never make a paid connected action mandatory when the manual equivalent can complete the same customer-controlled step.

=====

PART 2. PICK THE LOOKS

=====

1. Read storefront-log.md and pin-drafts.md first. Leftovers (Part 7 step 4) go before anything new.

1a. CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): choose look ideas from the THEME CALENDAR and EVERGREEN BANK, then source and record their products yourself through the tested permitted route in Part 3. CUSTOMER-SUPPLIED rows are used only when I chose that manual or mixed step.

2. Assign the next free LOOK DAYS, at most four looks per run, after reconciling leftovers.

3. Use the current calendar window and at least one evergreen look each week; prioritize existing valid incomplete work before new sourcing.

4. Mix. If MY_RECIPE.txt says both clothing and home, follow its MIX. Two outfit looks never land on back-to-back days: put a theme list or roundup between them. Outfit of the Day pins don't count toward this.

5. No repeats. The hero piece (the dress, set, top or statement item the look is built on) never repeats within 30 days, counting both automations' rows in storefront-log.md. Shoes, bags, jewelry and accessories may repeat, at most once a week each.

6. If a window has no unused ideas left for the shopping list, use the EVERGREEN BANK and flag calendar renewal in the run report. Rules 4 and 5 apply when you assign dates: if two selected outfit groups would land back to back, or a hero piece repeats within 30 days, move one to a later free look date and tell me.

=====

PART 3. AMAZON PRODUCT INTAKE

=====

AUTOMATIC PRODUCT SOURCING

Follow 14_AUTOMATIC_EXECUTION_CONTRACT.txt. The agent selects the products and fills the records. Use current authorized Creators API fields where eligible, or a supported operator for account actions only when the applicable permission permits them. Do not scrape or evade access controls. Qualify the selected variant, check availability and quality signals where the permitted source exposes them, and record timestamps. Never infer unknown ratings, materials or stock. If a requirement cannot be checked, queue that look with the exact reason.

OPTIONAL CREDIT-SAVING / MANUAL

The buyer supplies the same product rows in PRODUCT_SOURCES.md. This is a chosen alternative, not the automatic default.

Required fields:

- look (the look name this piece belongs to, for example "Cozy Fall School Run". Rows with the same look name make one look.)
- ASIN
- short name (plain words, no brand)
- plain-language product description (only facts you checked)
- color or variant you chose
- your own affiliate link (SiteStripe Special Link) when your Amazon path needs one
- date checked
- idea list (Influencer path: the address of the Idea List created or updated for this look by the saved operator, on every row of the look; see 08_STOREFRONT_PATHS.txt)

Optional: material or key detail (leave blank if you don't know it), Amazon product page address, notes.

Leave unknown facts blank. Never guess a material, rating or availability.

2. The assistant checks the supplied ASIN and link format and checks that the row has enough information to build the look.

3. The assistant does NOT:

- scrape Amazon pages
- use browser actions without a supported route and applicable permission
- capture affiliate links from any account other than the buyer's authorized account
- copy Amazon-hosted product images into the image workflow
- invent ASINs
- invent affiliate tags
- use Amazon customer reviews or ratings as if they were independently sourced data

4. If a supplied row is incomplete:

Set PRODUCT_STATUS = intake_needed.

Tell the customer exactly which field is missing.

Do not silently substitute a different Amazon product.

ADVANCED PATH: AMAZON CREATORS API

If the customer has current, authorized Creators API access, use only the documented API fields and permissions available to that customer.

Record:

- API access = yes
- integration method
- retrieved product fields
- retrieval timestamp

Do not assume Creators API eligibility.

Do not build customer instructions around PA-API 5.

PRODUCT SHEET

Before image generation, create a product sheet from the customer's authorized product data:

- short name
- ASIN
- plain-language description
- color
- shape/cut
- material
- distinctive details
- authorized affiliate link or destination
- source method

Amazon-hosted product images are not published as Pin assets or uploaded as generator references. Describe verified facts in original words; use customer-owned/licensed reference images only.

INFLUENCER PATH

AUTOMATIC: the tested permitted operator creates or updates the buyer's per-look Idea List, adds the selected products and reads back its URL and contents. Reconcile an existing list before creating another. Save the list ID and verification evidence in state. Missing write access keeps the destination queued with its capability blocker. MANUAL, only if chosen: the buyer creates the list and supplies its URL for verification.

ASSOCIATES-ONLY PATH

Use the customer's authorized Special Links in the customer's own site/page workflow.

If an affiliate link or destination cannot be verified, the look remains queued.

=====

PART 4. MAKE THE IMAGES

=====

IMAGE EXECUTION

Read 13_PIN_VISUAL_STANDARD.md before generating an outfit inspiration Pin and apply its composition, headline and acceptance checks. A generated outfit is inspiration unless it depicts the actual linked items or uses clearly identified customer-owned/licensed product photos; match the Pin's title, destination, board, disclosure and alt text to that status.

TIME-SAVING: use the connected image provider and model saved in MY_RECIPE.txt (the tested path is Higgsfield connected to ChatGPT). Check the cost against GENERATION BUDGET before each paid generation (12_STATE_SCHEMA.md A4).

CREDIT-SAVING / MANUAL: the assistant (ChatGPT or Claude) prepares the complete prompt from the product sheet. The customer runs it directly in the selected provider, then returns the finished asset for QA. This path may be used to

conserve connected-tool credits or avoid an additional automation plan.

Do not require manual copy/paste when the customer chose the connected path and the provider can return the finished asset directly. Do not require a connected paid action when the customer chose the manual path.

For each final asset:

1. Build the prompt from the product sheet, persona settings and look requirements.
2. Generate the asset once.
3. Inspect the result against the acceptance criteria.
4. If a correction is needed, use an in-place edit when the selected provider/model supports it.
5. Regenerate only when an edit cannot produce the required correction.
6. Record the generation job/asset identifier, provider and model in structured state.
7. Preserve the approved asset as the canonical IMAGE_ID and reuse it for every downstream Pin that uses that asset.

Do not generate a second image merely to add deterministic text or layout. Use deterministic rendering when that produces the same required final asset with less generation cost and no loss of quality.

Never make the customer copy an image from one application into another as the normal path.

PIN 1: THE FLAT LAY OR COLLAGE (no person)

Use the image provider and model configured in MY_RECIPE.txt and confirmed available for this run. Do not hard-code or silently substitute an image provider/model. If the configured model is unavailable, keep the appropriate allowed status from 12_STATE_SCHEMA.md, record the blocker in error_code and notes, and report the required action.

Two Pin 1 compositions, alternating look to look (read the last look's Pin 1 in storefront-log.md and use the other one):

FLAT LAY: the pieces styled from directly above on one surface, arranged like a real flat lay.

COLLAGE: each piece shown cleanly and separately on a plain background, arranged in a tidy grid, like a shoppable product board.

Favor a calm editorial composition with clear product hierarchy, restrained props, and comfortable background margins. Every garment and accessory must fit completely inside the 2:3 canvas; do not crop straps, hems, sleeves, shoes, or trouser legs. Leave a moderate clean area at the top for a headline.

Use the product sheet as text input in the prompt. Do not ask the image model to open or attach a text document. For each item, use customer-authorized product facts and describe only visible, supported attributes such as color, shape, material, and details. Use customer-owned or licensed image references only when the selected provider supports them and the customer has rights to use them. Never use Amazon-hosted product images as published assets or as image-generation references.

IMAGE PROMPT (fill brackets; do not request text):

Create a polished vertical 2:3 Pinterest [outfit inspiration / themed collection / product roundup] image. Arrange [the selected items, described individually using approved product facts] neatly on [a suitable restrained background]. Keep every item fully inside the canvas with comfortable margins on all sides. Leave a moderate uncluttered band across the top for a headline to be added after image generation. Use [VISUAL STYLE from MY_RECIPE.txt], soft natural light, realistic material detail, and balanced editorial spacing. Use only [zero to two relevant props, if any]. No text, letters, logos, labels, watermarks, brand marks, invented product details, or extra products. Do not crop, distort, or obscure any listed item.

TEXT AND LAYOUT:

Add the approved headline after image generation using HEADLINE METHOD in MY_RECIPE.txt (assistant layout with your code tool and BRAND FONTS, or Canva steps for me). Use a short search phrase in a sharp, high-contrast display font and an optional brief supporting line. Keep all text inside the reserved top area and check spelling, contrast, and readability at phone size. If the method fails on a run, keep the clean image, record error_code headline_failed, and put the headline text in pin-drafts.md; never ask the image model to render the words.

PIN 2 depends on MY_RECIPE.txt and 07_PERSONA_PATHS.txt:

PERSONA PATH, OUTFIT LOOKS: use the approved persona reference and the configured available image provider/model. Keep each item visible and consistent with customer-authorized product facts; otherwise make no unsupported exact-product claim.

PERSONA PATH, THEME LISTS AND ROUNDUPS: show a relevant moment using the hero in the authorized persona world when appropriate, or a distinct in-situ scene. Follow 13_PIN_VISUAL_STANDARD.md; do not default to another collage.

NO-PERSONA PATH: use a distinct in-situ composition, perspective or product story. A new surface or headline on the same arrangement is insufficient. Follow 13_PIN_VISUAL_STANDARD.md.

Refine before you restart: if something's off (wrong color, a missing piece, something cut off at the edge), say exactly what to change. Up to two correction rounds, then one fresh retry with the corrections written in, then stop (R10: 4 attempts in all).

=====

PART 5. WRITE THE PIN COPY

=====

Title, 60 to 100 characters: the search phrase first, then the hook. Specific, a little flirty. Example: "Cozy Fall Outfit Ideas for Moms: The Sweater and Boots Look for Every School Run".

Description, 450 to 500 characters including the disclosure: start with "#ad ", then a first sentence that repeats the search phrase naturally. Name what's in the look (by description, never brand). One line of personality in my VOICE from MY_RECIPE.txt. Then use destination-accurate wording: "Shop the linked edit" for an inspiration image with similar items; "Every featured product is linked" only when all featured products are identified on that destination. Exclude scene props from product claims. A storefront homepage does not qualify as the destination for this look. Keep the look queued until its verified per-look collection or accepted shopping page identifies the selected products. Then 3 to 5 keyword hashtags (the #ad doesn't count). Then the DISCLOSURE LINE, last.

Alt text, 150 to 200 characters: a plain description of what's literally in the image, including the title words if they're on it.

Board: the board in MY_RECIPE.txt that fits the look. If the board has sections, use the one MY_RECIPE.txt names for that kind of look; if none fits, no section.

No price. No brand. No em dashes. No promise about what the buyer will get or how fast.

Write each pin's full copy into pin-drafts.md the moment it's finished.

=====

PART 6. PUBLISH AND VERIFY

=====

1. Confirm the destination URL is live and belongs to the look. If it does not resolve, stop this Pin.
2. Build the final draft record for each Pin with every Pin field in 12_STATE_SCHEMA.md Part B (title, description, alt text, destination, board name, address and ID, scheduled time and time zone, publisher, and the approval fields for the saved AUTOMATION_MODE).
3. Apply the approval gate in 12_STATE_SCHEMA.md A1: AUTOMATIC checks the Pin is inside the saved scope and every check passed, then records automation_policy approval and the fingerprint without asking. REVIEW_FIRST waits until I pick that exact Pin and its time. A changed Pin goes through the gate again. A missing check or approval blocks only that Pin.
4. TIME-SAVING PATH:
Use the connected Metricool workflow in MY_RECIPE.txt only after PUBLISHING TEST = passed. Its later live publication still has to be checked separately; a draft proves neither scheduling nor publication.
 - Confirm the correct Pinterest brand/profile and exact board/section.
 - Save the write intent first (12_STATE_SCHEMA.md A6). Then create and schedule only the exact approved Pin: its

final image, copy, board, link and time.

- Record the returned Metricool post identifier and read back the scheduled record when supported.
- If the connected ChatGPT + Metricool workflow requires a separate platform approval, set awaiting_approval and report the exact step. Do not claim the Pin is scheduled or published before evidence confirms that state.
- If the workflow cannot safely perform the action, leave it unscheduled and report the blocker.

5. CREDIT-SAVING PATH:

Native publishing: after every check passes (and, in REVIEW_FIRST, my approval), prepare the complete package (image, title, description, alt text, board, link, date and time) in pin-tab.md and set customer_scheduling_required. I schedule it in Pinterest and tell you; then set customer_scheduled.

6. Set state to scheduled only after the selected publishing layer confirms the Pin exists. Otherwise retain customer_review_required, customer_scheduling_required, or awaiting_approval as appropriate.

7. Verification:

- TIME-SAVING: read the scheduled post back through Metricool when supported and compare image, title, board, destination, time and status.
 - CREDIT-SAVING: the customer confirms the Pin appears in Pinterest's scheduled area.
8. Never use Pinterest's undocumented internal endpoints or automated scraping to verify Pins. Never report a Pin as verified based only on an unconfirmed request.

=====

PART 7. STATE, LEFTOVERS AND RECOVERY

=====

1. Every completed Pin is written to structured state immediately. The human-readable pin-tab.md and storefront-log.md are updated from that state.
 2. A run that stops early leaves completed assets and records intact. The next run reconciles existing LOOK_ID and PIN_ID values before creating anything new.
 3. A repeated run must never create a second Pin for the same PIN_ID. If a publisher post ID already exists, reconcile it instead of creating another post.
 4. Leftovers are processed before new looks:
 - queued or awaiting_approval Pins are resumed first
 - scheduled but unverified Pins are checked through the selected publishing layer
 - failed Pins are retried only when the failure is retryable
 - dropped Pins are never silently resurrected
 5. Pull handling:
 - A scheduled/unpublished Pin is cancelled through the selected publishing layer.
 - An already-published Pin must be removed from Pinterest itself. Do not claim that deleting a Metricool record removes an already-published Pinterest Pin.
 - Record the exact final state: pull_requested, pulled, or pull_failed.
 6. Associates-only path: the destination page must load before publishing. If it does not, the Pin remains queued.
 7. Influencer path: if an Idea List is pending or unavailable, the Pin remains queued and no alternate look/list is substituted.
 8. Image lost: rebuild from the logged product sheet and regenerate once. If the asset cannot be recovered safely, mark the Pin dropped and explain why.
 9. Never silently substitute a new product, destination, board or image after a partial failure.
 10. At the end of every run, update the agent's NEXT SOURCING QUEUE: for each upcoming look day without complete product records, the look idea from the THEME CALENDAR or EVERGREEN BANK and the pieces it needs (for example: "Tue: Cozy Fall School Run: a chunky cardigan, straight jeans, ankle boots, a tote, small gold hoops").
- CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): the agent sources and fills these rows on the next run.
- MANUAL/MIXED: only assignments I explicitly chose are sent to me. Then write:

- run_id
- task
- started_at
- finished_at
- result
- created IDs
- failed IDs
- retryable IDs

11. On the RENEWAL DATE in MY_RECIPE.txt: schedule nothing past it, and tell me in one line that the calendar needs renewing (paste 02_SETUP_PROMPT.txt again and answer "renew").

STATE AND NO DUPLICATES

Follow 12_STATE_SCHEMA.md for status values, run claims, write intents, publisher IDs and UUIDs, and unclear outcomes (A6, A7). Scheduled is not published. A connection that can't be reached is never evidence that something was published or removed.

04_OUTFIT_OF_THE_DAY_RECIPE.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

AUTOMATION 2: THE BRAND CLOSET™ OUTFIT OF THE DAY RECIPE

CREDIT-SAVING / MANUAL ALTERNATIVE

If the customer has authorized access to the optional Brand Closet lessons but does not have Work, they may personally open the lesson in their own signed-in Skool session and describe the outfit in their own words without sharing Rose's paid images, prompts, or lesson text. ChatGPT or Claude can prepare original sourcing checklists and image prompts from that customer-supplied description. The customer supplies their own authorized Amazon product rows/links, runs their selected image provider directly, reviews the finished Pins, schedules natively in Pinterest only after exact approval, and updates the state/log manually. Do not require scheduled tasks, connected browser access, or connected image spending. All B1-B8 content and authorization safeguards still apply.

The nightly task reads this file, 03_THEMED_LOOK_RECIPE.txt (Part 1 rules and Parts 3 to 7 methods), 12_STATE_SCHEMA.md and MY_RECIPE.txt at the start of every run. Everything in Part 1 of the themed-look recipe and the Automation Rules in 12_STATE_SCHEMA.md Part A apply here too.

=====
STEP 0. JOIN THE BRAND CLOSET™
=====

This optional automation needs authorized access to The Brand Closet™ Outfit of the Day lessons. Check the current listing and your actual classroom access before upgrading. A free membership or historical tier price does not prove that the lessons are included today.

Join The Brand Closet™ here (it's the same link, on the words, in the Setup Guide PDF):
<https://www.skool.com/the-brand-closet/about?ref=97643519c9b448d0a683ab33b6cc68ce>

Affiliate link: I earn a commission if you upgrade, at no extra cost to you.

Already a member? Confirm you have the Outfit of the Day lessons and that your chosen mode has a supported, signed-in way to open your Skool classroom. If access is unavailable, retain the optional automatic lesson queue and report its blocker. Use the manual version above only if the customer chooses it.

=====
HOW ROSE'S OUTFIT OF THE DAY WORKS (the same for every member)
=====

- The course is "Outfit of the Day Closet", in The Brand Closet™ classroom:
<https://www.skool.com/the-brand-closet/classroom/272075b5>
- Inside it are month folders (for example "SEPTEMBER"), each holding one lesson per outfit. Lessons are titled by date ("September 24") or by name ("Downtown After Dark"). Some days have more than one lesson.
- Each lesson holds: the outfit flat lay image; one or two ready-made lifestyle prompts written for "the woman in image 1 wearing the outfit in image 2"; and a "Link to Outfit" button. That button goes to a Benable list owned by someone else, so its links pay THEIR owner. Never use it.
- Rose usually posts between 7:30 am and 3 pm Eastern on weekdays, and announces each one with a community post in the OOTD category. Saturday outfits are rare; the Sunday run catches them up.

=====
THE RULES THAT MAKE THIS SAFE (never move)
=====

B1. Rose's content is a reference only. Her flat lay images, her lifestyle images, her prompts and her lesson text are paid member content. Her flat lay is captured as a screenshot into the working session only: never saved to my computer, never posted, never uploaded anywhere public, never attached to a pin, never attached to an image generator, never resold or shared. You look at it to know what the outfit is.

B2. Benable links are never used. The "Link to Outfit" button and every Benable link pay their owner. Never open, click or copy them, and never use the product names, brand names or ASINs in them (or anywhere in the lesson text) to search Amazon. Every piece is sourced through the authorized product-intake path in the themed-look recipe, Part 3, and linked with the customer's authorized affiliate link when the selected Amazon path requires one.

B3. My own list is the pin link. Influencer path: my own Idea List for the outfit. Associates-only path: my own shop page for the outfit (08_STOREFRONT_PATHS.txt).

B4. Brand cues are stripped from every prompt. Rose's lifestyle prompt may give the scene idea only: the moment and the mood (for example "grabbing a coffee on a crisp fall morning"). Rewrite it in your own words, for my persona, and set it in one of the places in PERSONA WORLD. Strip every brand cue: monograms, store names, red carts, logos, chains, malls, designer references, device brands, cup sizes and menu items, recognizable shops or landmarks, and anything that names or imitates a real business. Take nothing else from her prompt.

B5. Own posting slots. This automation only uses its own two PIN slots in MY_RECIPES.txt (defaults: pin 1, the flat lay, at 4:30 pm; pin 2, the lifestyle pin, at 9:30 am). They never collide with automation 1, and no two pins on the account sit less than 1 hour apart.

B6. My images are new images. Every flat lay and lifestyle photo is generated fresh from the Amazon pieces I found, using authorized descriptions of MY pieces as prompt text (themed-look recipe, Part 3). A text product sheet is not an image attachment.

B7. The two pins of one outfit are never on the same day. The flat lay goes out the day after the outfit's date; the lifestyle pin at least 3 days after the flat lay; nothing is ever scheduled more than 14 days ahead.

B8. Public board first. Ask the customer to confirm public status after checking the exact board in Pinterest's official interface; record the board URL, check method and time. Resolve its stable identifier only through an authorized supported publisher path. Never guess an ID or use hidden endpoints/scraping. If public status or exact board assignment cannot be verified, schedule nothing and report the board blocker. A TEST board is for a dry run only; a dry run never creates or schedules a Pin.

=====

THE NIGHTLY RUN

=====

0. Create a RUN_ID and claim the run in structured state before doing production work. If an active run already owns the same work window, reconcile it instead of starting a second run. Work out when this run must be out: 30 minutes before the next build or nightly RUN time in MY_RECIPES.txt SLOTS (ignore the reconciliation time), or (LOCAL mode only) 30 minutes before COMPUTER OFF TIME, whichever comes first.

1. Read storefront-log.md, pin-drafts.md and structured state. Reconcile all existing provider IDs and unknown writes before missing work. Built work must pass every check and the approval gate (12_STATE_SCHEMA.md A1) before scheduling. Existing schedules are verified, never recreated.

2. Open the course in one fresh supported browser session:
<https://www.skool.com/the-brand-closet/classroom/272075b5>
Use the rendered classroom/course interface and the information exposed by the supported browser session to locate the recent lessons. Do not depend on Skool's private JavaScript objects, __NEXT_DATA__, undocumented endpoints, or DOM implementation details.
If the course isn't there, is locked, asks for an upgrade, or Skool asks you to sign in, stop and tell me in one line: "I can't open the Outfit of the Day course in The Brand Closet™: check your Skool sign-in and current lesson entitlement."

3. Read the Outfit of the Day lessons table and storefront-log.md before selecting new work. Resume any lesson

already logged "sourcing" first. Then pick every not-yet-completed lesson dated within the last 14 days (by the date in its title or the date shown on the lesson), oldest first. Do not silently discard backlog: if an unstarted lesson is older than 14 days, log it as missed and report it. If there are no eligible or in-progress lessons, close the tab and end: "No new outfits tonight." Only say that after you've actually read the lesson list and state.

4. Before starting each new outfit, check the time available until the run limit. Use OUTFIT TIME ESTIMATE in MY_RECIPES.txt; if none is set, use 2 hours per outfit. If it cannot be finished, leave it queued for the next run without changing its status. The 14-day eligibility window is a recovery limit, not permission to lose work silently.

5. For each lesson: add it to the table now, status "sourcing", with its id and title. Open it with the course address plus ?md=<lesson id> and read its page text. Take one screenshot of Rose's flat lay into this session only (B1). Write down each piece in plain words: type, color, cut, material, details. Pieces are what she wears: clothes, shoes, bag, jewelry, hair pieces, sunglasses if worn. Props (drinks, phones, flowers, books, candles) are not pieces. Fewer than 4 pieces? Add shoes, a bag or jewelry in the outfit's colors until there are 4. More than 8? Keep the 8 that define it. Note the lesson's lifestyle prompt only for its moment and mood (B4). Don't touch the "Link to Outfit" button (B2). Close the Skool tab before you open Amazon or any image tool.

6. Source every Amazon piece through the current authorized product-intake path in 03_THEMED_LOOK_RECIPES.txt, Part 3. CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): independently source and record the pieces through the tested permitted account route, using plain type, color and cut requirements. Create my authorized links and destination, then read them back. Customer-supplied rows apply only to a chosen manual step. Never scrape, evade access controls, invent an ASIN or affiliate link, or use Benable as a product source. An unavailable automatic capability queues the affected lesson with its precise blocker. If a look from the last 30 days in storefront-log.md has the same hero piece, still build this outfit, but keep both of its pins at least 3 days from that look's pins.

7. Check my own list or page for this outfit (B3): the Idea List or page created and verified through the operator saved in my recipe. I title it for search: the outfit described in plain words, never Rose's lesson title (for example "Pink Color Block Hoodie Outfit"). The connected time-saving route (AUTOMATIC or REVIEW_FIRST) creates or updates it through the tested route, retaining the selected approval gate before publication. If that route is blocked, retain the outfit with its capability error; do not assign me destination creation unless I chose the manual alternative. Log the list link on the lesson's row.

8. Read 13_PIN_VISUAL_STANDARD.md and make pin 1 using the configured provider and model in MY_RECIPES.txt, following 03_THEMED_LOOK_RECIPES.txt, Part 4. Apply its full-frame, no-generated-text and product-fidelity acceptance checks. Supply authorized product facts as prompt text; do not attach a text product sheet. Add headline text after generation with the approved deterministic layout when available. Do not hard-code a provider or ask the image model to render exact typography.

9. Make pin 2:

PERSONA PATH: create the lifestyle image with the configured available provider/model and the prompt in 07_PERSONA_PATHS.txt, set in a PERSONA WORLD place, using only the moment and mood from Rose's lifestyle prompt after rewriting and stripping it (B4).

NO-PERSONA PATH: a person-free in-situ scene of the outfit (03_THEMED_LOOK_RECIPES.txt Part 4, PIN 2, NO-PERSONA PATH), with the configured provider and model.

10. Write the pin copy (themed-look recipe, Part 5) into pin-drafts.md. Nothing from Rose's lesson text is copied, and Rose is never named. The Brand Closet™ is never named on a pin unless MY_RECIPES.txt says PIN LINE: on, and then only as the one sentence in 05_RECOMMEND_IT_TOO.txt. Set the lesson's row to "built".

11. Pin 1 (flat lay) goes in its slot on the day after the outfit's date; if that slot has passed, is taken, or is less than 3 hours away, use the next free slot at least 3 hours away. Pin 2 (lifestyle) goes at least 3 days after Pin 1, inside the 14-day limit. If it can't fit, keep it as a draft and record why. Apply the approval gate in 12_STATE_SCHEMA.md A1 (AUTOMATIC approves after every check passes; REVIEW_FIRST waits for me). Anything blocked stops only that item; finish the rest.

12. Read back scheduled Pins through the selected supported publisher when available. Otherwise ask the customer to confirm Pinterest's scheduled area. Set state to scheduled only when that evidence confirms the Pin is queued

there; record verification_scope=schedule and the evidence. Keep the Pin scheduled (or customer_scheduled for a native customer confirmation). Use published only after actual publication evidence, then verified only after the published image, destination, board, disclosure and metadata are checked, as defined in 12_STATE_SCHEMA.md. Update the lesson and look records and pin-tab.md with the actual result.

13. Write this run into structured state first, then refresh the Runs view in storefront-log.md (task "nightly", date, started, finished, result). One-line report.

WHAT THIS AUTOMATION NEVER DOES

Never save, post, upload or attach Rose's images; copy paid prompts or lesson text; use Benable destinations; name Rose on a Pin; schedule without passing every check and the approval gate; claim publication without evidence; or promise unverified account entitlement.

05_RECOMMEND_IT_TOO.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

RECOMMEND IT TOO (optional)

Putting The Brand Closet™ on your own pages.

If you're a member of The Brand Closet™, you can recommend it with your own referral link, so a friend who joins through you is tracked to you. Rose's program sets the terms, and she can change them, so read them on her site before you promise anyone anything. I don't quote a rate here on purpose.

CREDIT-SAVING / MANUAL ALTERNATIVE

No Work plan? Paste the instruction below into ChatGPT or Claude. It writes the card and tells you exactly which files to add or change in your site, and you upload them yourself. Then open a live look page and check the card shows, the button opens your referral link and the affiliate line sits right under it. Check current Brand Closet tiers and referral terms on its live page before you mention them anywhere.

FIND YOUR LINK

1. Join The Brand Closet™ on Skool, then stay signed in.
2. Click your profile picture at the top right of Skool, choose Settings, then Affiliates. Under "Your affiliate links", click The Brand Closet™ and press COPY.
3. Paste it into MY_RECIPE.txt on the line BRAND CLOSET REFERRAL LINK: (your link), and change BRAND CLOSET CARD: off to on. (If you told the setup chat you wanted this, it's already done.)

ADD A CARD TO YOUR SHOP-THE-LOOK PAGES (needs the blog half, 09_THE_BLOG_HALF.txt)

Open ChatGPT Work with your website repository connected, then give it this instruction:

Add a small card component to my shop-the-look section and show it on the hub page, every category page and every look page, just above the Amazon disclosure. Match my site's existing card style. The card has:

- a small label: "Love these looks?"
 - a title: "Where my outfit ideas come from"
 - one line using only current verified listing facts. Keep it price-free by default: "The Brand Closet™ is Rose's styling community on Skool. Check its current membership options and lesson access before joining." Do not publish free membership or tier/price claims from an old example.
 - a button reading "Join The Brand Closet™", linked to my referral link from MY_RECIPE.txt, opening in a new tab, with rel="sponsored nofollow noopener"
 - directly under the button, in small text: "Affiliate link: I earn a commission if you upgrade, at no extra cost to you."
- The link, the rel attribute and the disclosure ship together or not at all. No commission rate anywhere. No em dashes. Name only what's written above; don't describe anything else Rose offers. Build the site, open one look page locally and show me the card.
-

ADD ONE LINE TO YOUR PIN DESCRIPTIONS (optional)

Pinterest descriptions can't hold a clickable link, so this line is awareness only; your card is where your link lives. If you want it, add to MY_RECIPE.txt: PIN LINE: on. The tasks then add this sentence before the disclosure on Outfit of the Day pins only, and still keep the description at 450 to 500 characters:

"Outfit ideas like this come from a styling community I'm in: search The Brand Closet™ on Skool."

06_SCHEDULED_TASK_PROMPTS.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

THE SCHEDULED TASK PROMPTS

The master copy of your three tasks. Setup creates them PAUSED for you (02_SETUP_PROMPT.txt, STEP 11) and writes their names, times and IDs into MY_SCHEDULED_TASKS.txt.

- 1. WEEKLY THEMED-LOOK BUILD (always)
- 2. NIGHTLY OUTFIT OF THE DAY (only if you're a Brand Closet™ member and turned it on)
- 3. DAILY RECONCILIATION (always)

No separate "pull sweep" or "missed-run sweep" tasks: the daily reconciliation does both jobs.

CREDIT-SAVING / MANUAL

No Work plan? You don't need recurring tasks. Paste any prompt below into a normal ChatGPT or Claude chat (with your kit files and records attached) whenever you want to run that job. It prepares everything; you run the image tool and the Pinterest step yourself and bring the results back so the records stay right. Same IDs, checks and disclosure rules.

Every task follows the Automation Rules in 12_STATE_SCHEMA.md Part A and keeps its records as described in Part B.

=====

TASK 1. WEEKLY THEMED-LOOK BUILD

=====

Name:

While-You-Sleep: weekly themed looks

Schedule:

Saturday 1:05 pm in your MY_RECIPE.txt time zone.

At 5, 6 or 7 looks a week, also Wednesday 1:05 pm.

Prompt (everything between the two long lines):

You are the weekly themed-look build for The While-You-Sleep Storefront™.

Read, in this order:

14_AUTOMATIC_EXECUTION_CONTRACT.txt (automatic scope and capability gates)

12_STATE_SCHEMA.md (Part A is your rule book)

MY_RECIPE.txt

13_PIN_VISUAL_STANDARD.md

03_THEMED_LOOK_RECIPE.txt

07_PERSONA_PATHS.txt

08_STOREFRONT_PATHS.txt

09_THE_BLOG_HALF.txt (only if BLOG HALF: on)

10_INSTAGRAM_ADD_ON.txt (only if INSTAGRAM: feed posts on)

the state in STATE LOCATION (the source of truth), with the markdown logs as readable views only.

If a file you need is missing, stop and tell me its name.

Use AUTOMATION_MODE and AUTOMATION_POLICY from the state and MY_RECIPE.txt for every approval.

THE JOB

1. Get today's date and time in my time zone. Claim this run in the state (12_STATE_SCHEMA.md Part B, "Running one task at a time"). Copy any PULL marks into the state (12_STATE_SCHEMA.md, PULL MARKS).
2. Check the RENEWAL DATE. Schedule nothing past it.
3. Finish leftovers first: anything queued, awaiting approval, scheduled but not yet checked, or failed with a retryable error. Reconcile every existing ID and every unclear write before creating anything.
4. Pick up to four looks from my calendar and evergreen bank, matched to LOOK DAYS; prioritize existing unfinished looks (03 Part 2).
5. Give each a LOOK_ID before building anything.
6. CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): source and record its products and my authorized links through the tested permitted route (03 Part 3). Use my supplied rows only for a manual step I chose. Missing capability = queued with the exact error.
7. Create or update and independently verify the look's destination: my own Idea List (Influencer) through the saved permitted operator, or the published page on my site (Associates) through the tested site route. Reconcile existing IDs before writes. It must open and contain the linked products. If write permission is unavailable, keep it queued with the capability error. Do not silently give me list creation as weekly homework.
8. Make the images with the provider and model in MY_RECIPE.txt, inside the budget (03 Part 4).
9. Check every image against 13_PIN_VISUAL_STANDARD.md before it moves on: full 2:3 frame, safe margins, every piece complete, room for the headline, no stray text, labels, logos, watermarks or invented details. Add the headline only after the image passes; check spelling, phone-size readability and no overlap. Stay inside the attempt limit (03 R10). If it still fails, drop the look and record why. A generated image is styling inspiration unless it really shows the linked items; the copy must say which.
10. Record an IMAGE_ID for every final image.
11. Write each Pin's title, description and alt text (03 Part 5).
12. Give each Pin a PIN_ID.
13. Run the approval gate (12_STATE_SCHEMA.md A1).
14. Publish:
TIME-SAVING (Metricool, PUBLISHING TEST = passed): save the write intent, then create and schedule only the approved Pin with its final image, board, title, description, link and time. If the image is in Google Drive and Metricool's Drive connection works, use that instead of making the file public. Record Metricool's post ID and UUID. Read it back and compare image, title, board, link, time and status. PENDING in Metricool means scheduled and waiting; keep the Pin "scheduled". If a sign-in or security check appears, keep the work, tell me the exact step, and carry on with other work. Never get around a platform review. An unconfirmed request is not scheduled.
METRICOOOL CSV (only if I chose it): after every check and approval, prepare a UTF-8 Metricool CSV. The image addresses must be publicly reachable. A CSV is a hand-off, not a schedule.
NATIVE PINTEREST: never fake Pinterest clicks. Put the complete package in pin-tab.md and set customer_scheduling_required. I schedule it.
15. If BLOG HALF: on, add each finished look to my site (09_THE_BLOG_HALF.txt, STEP 3) under the same approval gate, before its Pins go out, and check the page is live.
16. If INSTAGRAM: feed posts on, follow 10_INSTAGRAM_ADD_ON.txt for each look only after both of its Pins are published and checked.
17. Update the state first, then storefront-log.md, pin-tab.md and pin-drafts.md.
18. Write the run record, release the claim, update shopping-list.md and report the automatic sourcing queue and only any manual assignments I explicitly chose (03 Part 7 step 10).
19. Report only what actually happened, plus anything I must do.

NO DUPLICATES

Before creating anything, search the state for its ID. If it exists, reconcile it. Never create a second Pin because an earlier run stopped after creating the first.

WHEN SOMETHING FAILS

Image: retry only within the attempt limit and budget.

Publishing: record the exact error; retry only if it's retryable.

Never change provider, plan, product, destination or board on your own.

TASK 2. NIGHTLY OUTFIT OF THE DAY

Name:

While-You-Sleep: nightly outfit of the day

Schedule:

Sunday to Friday, 9:20 pm in your time zone. Only when BRAND CLOSET MEMBER = yes.

Prompt (everything between the two long lines):

You are the optional Outfit of the Day run for The While-You-Sleep Storefront™.

Read, in this order:

14_AUTOMATIC_EXECUTION_CONTRACT.txt (automatic scope and capability gates)

12_STATE_SCHEMA.md (Part A is your rule book)

MY_RECIPE.txt

04_OUTFIT_OF_THE_DAY_RECIPE.txt (your full instructions)

03_THEMED_LOOK_RECIPE.txt

07_PERSONA_PATHS.txt

08_STOREFRONT_PATHS.txt

13_PIN_VISUAL_STANDARD.md

the state in STATE LOCATION.

If today is Saturday, end without doing anything.

Follow 04_OUTFIT_OF_THE_DAY_RECIPE.txt, THE NIGHTLY RUN, step by step. In short:

1. Claim the run and copy any PULL marks into the state. Finish unfinished outfits first.
2. Read the Outfit of the Day lesson list I have access to.
3. Never copy, save, upload or publish Rose's images, prompts or lesson text. Never open or use a Benable link. Never name Rose on a Pin.
4. CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): independently source and record my products, links and destination through the tested permitted route in 03 Part 3 and 04. Missing access queues that lesson with a capability blocker. Use customer-supplied rows only for a manual step I chose.
5. Give each outfit a LOOK_ID and each Pin a PIN_ID.
6. Make original images only, inside the budget.
7. Write the Pin copy.
8. Run the checks and the approval gate (03 Part 6 and 12_STATE_SCHEMA.md A1).
9. Publish exactly as Task 1 step 14 describes.
10. Record every status change in the state, then the readable views.
11. Never call a Pin published until the publisher confirms it.

Report only what actually happened, plus anything I must do.

=====

TASK 3. DAILY RECONCILIATION

=====

Name:

While-You-Sleep: daily reconciliation

Schedule:

Daily at RECONCILE TIME in MY_RECIPES.txt (default 7:45 am): it checks yesterday's Pins and acts on pulls before the first Pin of the day.

Prompt (everything between the two long lines):

You are the daily reconciliation run for The While-You-Sleep Storefront™.

Read:

14_AUTOMATIC_EXECUTION_CONTRACT.txt (automatic scope and capability gates)

12_STATE_SCHEMA.md (Part A is your rule book)

MY_RECIPES.txt

the state in STATE LOCATION

storefront-log.md, pin-tab.md, pin-drafts.md

Never scrape Pinterest or use hidden Pinterest addresses.

1. Claim the run and copy any PULL marks into the state. Then find:

- Pins waiting for my approval (REVIEW_FIRST only)
- queued Pins with a recorded approval and passing checks
- Pins awaiting a platform approval
- Pins scheduled for today or earlier that aren't yet checked as published
- retryable failures
- Pins I asked to pull (pull_requested in the state)
- runs that stopped mid-way (claims past their expiry)
- publisher posts that aren't in the state
- a weekly build or nightly run that was due but has no run record (a missed run)

2. Reconcile everything that already exists before creating anything.

TIME-SAVING: read Metricool's schedule and match IDs and UUIDs first. Before creating anything missing, re-check its approval, fingerprint and every check. Never recreate something that exists or whose outcome is unclear; never schedule anything unapproved or failed. If Metricool can't be reached, change nothing and tell me.

NATIVE PINTEREST: in REVIEW_FIRST, leave Pins waiting for me. Native packages stay customer_scheduling_required until I confirm them.

3. Published check: for each Pin whose time has passed, confirm through the publisher that it actually published. Set published only with that evidence, and verified only after the live image, link, board, disclosure and text match the approved version. On native Pinterest, ask me to confirm.

4. Pulls:

- scheduled and not yet published: cancel it through the tested supported connector or permitted official service interface. A missing connector action is not proof no cancellation route exists. If every permitted route is unavailable, keep it pull_requested and report the exact blocker.
- already published: remove it through the tested permitted Pinterest route and read back removal. If access is unavailable, retain pull_requested and report the exact blocker.
- mark pulled only once the removal is confirmed.

- 5. Missed runs: if the weekly build or nightly run was due and didn't run, and nothing else is running, run it once now by following its prompt in 06_SCHEDULED_TASK_PROMPTS.txt under this same claim. Never run it twice.
- 6. Retry only errors marked retryable. Never create a duplicate.
- 7. Update the state first, then the readable views. Write the run record and release the claim.
- 8. Message me only if something happened or I need to act.

=====

PUBLISHING SAFETY

=====

- The storefront never:
- uses Pinterest's hidden internal addresses or scrapes Pinterest
 - clicks through a site just to get around an API or consent rule
 - invents an affiliate link
 - calls a Pin checked without the publisher confirming it
 - switches provider or paid plan on its own

- The storefront always:
- uses stable IDs
 - records publisher IDs and UUIDs
 - keeps failed work instead of losing it
 - keeps queued, awaiting approval, scheduled, published and checked separate
 - keeps the credit-saving path available

=====

THE ONE THING TO TEST IN YOUR OWN ACCOUNT

=====

Whether a recurring ChatGPT scheduled task can call Metricool's publishing action on its own has to be tested in your account. Until a separate scheduled run has done it (12_STATE_SCHEMA.md A8), the time-saving path means "ChatGPT plus Metricool, connected", not "fully unattended". Keep that distinction in every report.

07_PERSONA_PATHS.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

PERSONA PATHS

The second Pin of every look is either your AI persona wearing or using the pieces, or (no persona) a person-free scene. Your setup chat saved your choice in MY_RECIPE.txt. You can switch any time: paste 02_SETUP_PROMPT.txt again and change that answer.

The rest of this file is instructions for your assistant and tasks.

=====

THE PERSONA PATH (pin 2 is your AI persona wearing the look)

=====

You need: one reference image of your persona that you have the right to use, your product rows, and the PERSONA WORLD line in MY_RECIPE.txt.

TIME-SAVING: the task uses the image tool and model saved in MY_RECIPE.txt, inside your budget, with your rights recorded.

CREDIT-SAVING / MANUAL: your ChatGPT or Claude chat writes this prompt from your product rows. You run it in an image tool that lets you attach a reference photo, then bring the result back for the same checks. If your tool can't keep her looking like herself from a reference photo, use the no-persona path instead.

DIRECT MANUAL: you may instead prepare the scene yourself using original, permitted imagery. Record its source and rights. No connected image tool or recurring task is required.

THE RULES

P1. Identity comes from the reference image only. Never describe her face, face shape, skin, eye color, hair color, hair length or cut, body shape or age in words. Not even "same face". Words compete with the image and she drifts.

P2. What you DO describe: how her hair is worn today (claw clip, half up with a bow), nails, every piece she's wearing, jewelry, shoes, what she's doing, where she is.

P3. Her world, not a stock set. Every scene is one of the places in PERSONA WORLD. Never a generic luxury apartment, hotel, marble office or influencer studio. No recognizable campus, landmark, shop, sign or chain.

P4. Faces give it away. Read the last three pin 2 formats in storefront-log.md, then pick a different one. Show her full face in at most one shot in three:

a mirror selfie with the phone covering her face

a chin-down outfit crop

an over-the-shoulder walk-away

a detail shot of hands, bag and jewelry

a candid full shot (shows her face, so it counts toward the one in three)

Use a mirror selfie only if a place in PERSONA WORLD has a mirror.

P5. Professional real-world lifestyle photography. Use believable natural light, deliberate composition, tactile materials and camera/lens language. Do not confuse luxury with a staged showroom or an AI influencer set.

P6. No words, signs, logos or labels anywhere in the photo.

P7. Tool routing: use the image provider and model recorded in MY_RECIPE.txt (the tested connected path is Higgsfield through ChatGPT). At setup, pick the lowest-cost model that holds her identity, looks real and can edit in place; after that, never change it without setup. If a correction is supported as an in-place edit, edit the approved asset rather than starting a new generation. Do not silently switch to another paid provider or model when credits are unavailable.

P7a. Signature props: anything in PERSONA PROPS (her usual cup, her dog, her car) can appear in her photos, but it is never a linked product. Say so in the alt text when it could be mistaken for one.

P8. Persona lifestyle imagery can serve outfit looks and applicable theme lists/roundups. Show a meaningful action involving relevant items in the authorized world. Home objects may be shown in use. Do not force unrelated products into the scene. Compare siblings against 13_PIN_VISUAL_STANDARD.md.

INPUTS: attach only the authorized persona reference. Supply the approved product descriptions as prompt text. Do not attach a text product sheet as an image. Additional product photographs are optional only when you have documented permission to use them with the selected provider.

THE PROMPT (fill the brackets, keep every other word)

Photograph of this exact woman from the attached reference image (the first image). Identity is taken only from the reference. Please make me one single very realistic lifestyle photo, not a collage or grid. I can't use the exact Amazon images, so this is a new photo. She is wearing the outfit described in the approved product facts below (a beauty item or book goes in her hand or in the scene): [piece by piece: the top, the bottoms or dress, the shoes, the bag and which shoulder it's on, the jewelry, the accessory, how her hair is worn today]. Nails: [color]. Format: [mirror selfie with her phone covering her face / chin-down outfit crop / over-the-shoulder walking away / detail shot of hands, bag and jewelry / candid full shot]. Scene: [one place from PERSONA WORLD and a specific moment, for example her front hallway mirror on a Saturday morning]. Make it look like professional real-world lifestyle photography: 35mm or 50mm lens, natural light, realistic camera angle, real skin and fabric texture, small real-life imperfections, nothing glossy. Portrait 2:3. No lettering, no signs, no logos, no text anywhere in the frame.

Corrections, same chat, two at most: say exactly what's wrong ("the bag should be the black crescent bag described in my approved product facts, on her left shoulder").

=====

THE NO-PERSONA PATH (product edit plus a distinct in-situ story)

=====

No persona, no faces. Both pins of every look are person-free images made with the current image provider/model recorded in MY_RECIPE.txt. The production default is not locked to an obsolete model name.

Pin 1: the FLAT LAY or the COLLAGE (03_THEMED_LOOK_RECIPE.txt Part 4), alternating look to look.

Pin 2: a genuinely distinct in-situ scene or perspective with its own composition and headline. A recolored flat lay or new title on the same arrangement fails sibling QA.

The 3-day spacing still applies: the two pins are different enough to earn their own spot, and 3 days apart they never look like a repeat.

Theme lists and roundups work beautifully on this path, including home decor: Pin 1 shows the pieces styled from above or as a clean collage, and Pin 2 shows them in use in a real room or moment.

IMAGE QA AND CUSTOMER REVIEW

Use 13_PIN_VISUAL_STANDARD.md before approval. Record whether the result actually depicts the linked products or is styling inspiration. Use matching copy and alt text; do not claim an exact retail match without evidence. Respect the configured generation-attempt and spend limits. Any paid correction requires authorized budget. Review and scheduling authorization remain separate from image generation.

08_STOREFRONT_PATHS.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

STOREFRONT PATHS

Your Pins need a destination. Choose the path that matches your Amazon account.

=====

THE AMAZON INFLUENCER PATH: IDEA LISTS

=====

You need:

- approved Amazon Influencer access
- an Amazon storefront

Each look gets its own Idea List containing the products in that look.

CONNECTED TIME-SAVING (AUTOMATIC or REVIEW_FIRST): the permitted operator tested at setup creates or updates the buyer's own per-look Idea List, names it for the search phrase, adds the verified selected products and reads back its public URL and contents. Record ID and evidence before scheduling. Creators API catalog access alone does not prove Idea List writes. If the account route is unavailable, preserve the automatic destination queue with the exact blocker. No weekly list-making is assigned to the buyer by default.

CREDIT-SAVING / MANUAL: the customer creates the Idea List in their own Amazon Influencer storefront, adds the approved products, then supplies its live URL. ChatGPT or Claude can prepare the product checklist without requiring a paid automation step.

The Pin destination is the look's Idea List.

The automation must verify that the list resolves before the Pin enters the publishing queue.

If an Idea List is pending review or unavailable:

- do not substitute another look
- keep the Pin queued
- record the exact state

No website is required for this path.

=====

THE ASSOCIATES-ONLY PATH: YOUR OWN SITE

=====

You need:

- approved Amazon Associates
- a website where a shop-the-look page can live

Each look gets a page containing:

- look title
- original Pin images
- product descriptions
- your authorized affiliate links
- required disclosure

The page URL is the destination for both Pins.

Amazon needs every website where your links appear listed in Associates Central (Account Settings, then websites and mobile apps). Add yours before your first look.

TIME-SAVING: use an authorized, tested website integration to write the approved page and verify its live URL.

CREDIT-SAVING / MANUAL: ChatGPT or Claude prepares the page copy, product-link list, disclosure and image filenames; the customer publishes the page in their site builder and returns its live URL for verification. No Work or connected website write is required.

The page must load before a Pin can be published.

=====

QUICK DESTINATION TEST (do this once for every website domain)

=====

Pinterest blocks some domains. A live site does not prove Pinterest will accept it.

1. In Pinterest, start creating a Pin (any image).
2. Paste one of your page addresses into the link field.
3. If Pinterest accepts it, the domain passes. Close the draft without publishing.
4. If Pinterest says the site is blocked or the link can't be used, the domain fails. No Pin may point there. Never use a redirect or a different address to get around a block.

Save the result in MY_RECIPE.txt as DESTINATION TEST (domain, pass or fail, date).

Amazon Idea List addresses (amazon.com) don't need this test.

=====

SITE TYPES

=====

1. A site the workflow can write to through an authorized supported connection:

The page can be generated and published as part of the workflow, subject to the exact site integration being available.

2. Any other site builder:

The workflow prepares the complete page package.

You publish the page yourself.

Pins remain queued until the page is live and verified.

Never claim that ChatGPT can publish to a site unless the customer's actual connected integration supports the required write action.

=====

PUBLISHING PATHS

=====

TIME-SAVING: METRICOOOL

Metricool currently supports Pinterest scheduling and publishing and supports:

- Pinterest board selection
- Pin title
- Pin link
- alt text
- image/video media
- scheduled publication
- scheduled-post management
- CSV bulk scheduling

Metricool's MCP can connect to ChatGPT and can create, schedule, publish and update posts within the customer's Metricool plan limits.

For direct connected publishing, Metricool's current action accepts Pinterest media and can use connected Google Drive media through Metricool's supported external-media path. This avoids requiring public Drive permissions for the normal direct-publishing path.

The customer's Pinterest account must be connected to the correct Metricool brand.

IMPORTANT:

The exact combination of a recurring ChatGPT Scheduled Task automatically invoking the Metricool action must be tested in the customer's account.

The storefront test must also prove that the customer's production Pinterest boards resolve correctly through the connected Metricool account. A newly created board may require the Pinterest connection to be refreshed and synchronized before it is available to the publishing action.

If the task requires approval, the Pin remains awaiting_approval.

If the action fails, the Pin remains queued.

Do not describe the workflow as fully unattended until the end-to-end test passes.

BATCH FALLBACK:

If direct connected publishing is unavailable but the customer has Metricool, the system can prepare a Metricool CSV batch. Metricool currently recommends up to 50 posts per CSV and supports Pinterest board, Pin title, Pin link, alt text and media fields. CSV media URLs must be publicly accessible. This is a batch handoff, not unattended publishing.

CREDIT-SAVING: NATIVE PINTEREST

Pinterest's business scheduler currently supports standard Pins up to 30 days ahead and up to 10 future Pins.

The assistant prepares:

- image
- title
- description
- alt text
- board
- destination URL
- scheduled date/time

The customer performs the final scheduling action in Pinterest.

No Metricool subscription or Work access is required for this path. A lower-cost ChatGPT or Claude plan may prepare the copy and image prompt; the customer may run image generation directly in their chosen provider and upload the finished image to Pinterest. Preserve the exact-Pin review and scheduling-authorization gate even when scheduling manually.

=====

AMAZON API

=====

Amazon PA-API 5 is deprecated.

Amazon's current successor is Creators API.

Creators API can provide programmatic Amazon catalog access for eligible Associates/influencers, but the product does not require every customer to qualify for it.

Do not build customer instructions around PA-API 5.
Do not assume Creators API access.

=====

AMAZON + PINTEREST STOREFRONT CONNECTION

=====

An eligible Amazon Storefront can connect to Pinterest.

Treat this as a supplemental discovery/product-tagging path.

It does not replace the core Idea List or Associates-only destination architecture.

=====

AFFILIATE DISCLOSURE

=====

Every Pin must contain the disclosure required by the customer's current Amazon program terms and the exact disclosure configured in MY_RECIPE.txt.

Never invent disclosure wording.

Never omit the disclosure from a monetized Pin.

=====

NO PRICES / NO AMAZON-HOSTED PRODUCT IMAGES

=====

Do not put Amazon prices in:

- images
- titles
- descriptions
- alt text
- pages
- lists

Do not publish Amazon-hosted product images as the generated Pin asset.

Use original generated imagery or customer-owned/licensed imagery.

09_THE_BLOG_HALF.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

THE BLOG HALF

Pins are one half of being found. Google is the other. This file adds a shop-the-look section to your own website, so every look also becomes a page on your own site that Google can find, and your pins can link to your own pages.

=====

HAVE THE WEEKEND ECOSYSTEM™?

=====

Then you already have the site this needs: your own site, on your own domain, updated through GitHub. One paste adds the whole section.

The rest of this file is mostly instructions for your AI chat. You copy and paste; it builds.

A note on Pinterest: it blocks some website domains, and a live site doesn't prove yours is accepted. (Before your first pin, run the QUICK DESTINATION TEST in 08_STOREFRONT_PATHS.txt anyway: paste your address into a pin's link field and make sure Pinterest accepts it. If it doesn't, your look pages still work for Google. Pins may use a verified per-look Idea List only if your account has tested Influencer and Idea List access. An Associates-only account keeps the Pins queued until an accepted owned shopping-page destination is available. Do not use redirects to evade a domain block.)

TIME-SAVING: your ChatGPT Work chat is connected to your site's GitHub, with permission to make changes.

CREDIT-SAVING / MANUAL: your ChatGPT or Claude chat prepares every file and tells you exactly where to upload it in GitHub. Work is not required.

Do not make a connected GitHub write mandatory when the customer chooses the manual path.

STEP 1.

TIME-SAVING:

Open ChatGPT Work with your website repository connected and give it access to the repository. Use the supported GitHub connected workflow, then paste the prompt below.

CREDIT-SAVING / MANUAL:

Paste the same prompt into ChatGPT or Claude and use it as the implementation checklist. If your plan cannot write to GitHub directly, have it prepare the exact files and changes, then make the repository changes yourself and run the build/deploy through your normal GitHub workflow.

Add a shop-the-look section called Lifestyle to my website at /lifestyle. It builds itself from data files, so a scheduled task can add a new look by uploading files without touching any code. I've attached 13_PIN_VISUAL_STANDARD.md from my kit. Read my site's existing layout, styles and components first and match them exactly: same approved fonts, colors, header and footer, with deliberate editorial scale, photographic depth, responsive spacing and clear shopping hierarchy. Follow 13_PIN_VISUAL_STANDARD.md. Don't change the content or address of any existing page; you may edit the shared layout to add the navigation and footer links.

THE DATA

- A folder src/lifestyle/ holds one JSON file per look plus that look's images, side by side.
- File names: <slug>.json, <slug>-pin1.jpg and <slug>-pin2.jpg. Images are portrait, roughly 2:3, at least 800 pixels wide. Also accept .jpeg, .png and .webp, and match each JSON image to its file by name without the extension, so

"<slug>-pin1.jpg" in the JSON still finds <slug>-pin1.png.

- JSON fields: slug, title, date (YYYY-MM-DD), category, season (a season or holiday name, or "Evergreen"), intro, images (array of { file, alt, role (optional: product_edit or lifestyle), cleanFile (optional) }), ideaList (the look's Amazon Idea List, or empty on the Associates-only path), items (array of { name, link, note (optional) }).
- Categories: write a list of 6 to 10 categories that fit my theme (ask me my theme in one question if you can't tell from the site). Each has a slug (lowercase, hyphens only), a name and a one-line blurb in my voice.
- Be forgiving: an image whose file isn't there is dropped; a look left with no images or no items is skipped; a look whose category isn't in the list is skipped; a JSON file that doesn't parse is skipped with a warning. Only a look slug equal to a category slug, or two looks with the same slug, stops the build, with a clear error naming the slug. Read only the .json files, never the README.
- Add a README.md inside src/lifestyle/ explaining the format in plain words, with one example JSON.

THE PAGES

- /lifestyle: the hub. A headline, one line about the section, a grid of category cards (with a look count or "Coming soon"), then the latest 24 looks as image cards.
- /lifestyle/<category>: a heading, the blurb, and every look in that category as image cards.
- /lifestyle/<slug>: one designed shopping article. Build a responsive editorial hero with category eyebrow, one H1, a concise desire-led introduction, a visible Shop the edit anchor and clean lifestyle photography. Below, place the 80-150 word introduction and clear affiliate/AI notice, then a clean product edit beside distinct item cards. Give each card its authorized item name, a short factual styling or use note and an individual shopping button. Finish with a deliberate visual next step and up to 4 related looks. Use approved brand fonts, deliberate scale, generous spacing, restrained accent color and real photographic texture. Preserve the site header/footer and existing content. Inspect desktop and phone screenshots; a plain stack of Pin graphics and text links fails visual QA. Follow 13_PIN_VISUAL_STANDARD.md. An Idea List button appears only when an authorized Idea List exists.
- Every Amazon link opens in a new tab with rel="sponsored nofollow noopener".
- Every page in the section ends with this disclosure: "As an Amazon Associate I earn from qualifying purchases. Amazon shopping links on this page are affiliate links: if you buy through them, I may earn a commission at no extra cost to you." Add "AI-generated styling inspiration; linked products may differ" only for AI-generated inspiration images. For owned/licensed product photography, record the source and omit a false AI notice. Mixed pages label the applicable images individually.
- No prices anywhere. Ever. Amazon prices change by the hour.
- Add Lifestyle to the site navigation and footer.

WRITTEN FOR GOOGLE

- Each look page's HTML title is the look's title (the search phrase people type), and its meta description is the intro, cut to 155 characters at a word boundary.
- One H1 per page. Images carry their alt text from the JSON and use the site's image optimization; the first image loads straight away, the rest lazy-load.
- Each look page sets its social share image to its first image, and has a canonical link tag with its full address.
- Add the hub, every category with at least one look, and every look page to the sitemap. A category with no looks yet is left out of the sitemap and marked noindex.
- Clean, flat URLs with no dates, using the same trailing-slash form as the rest of my site, everywhere (links, canonical tags, sitemap).

FINISH

Add two example looks built from the README sample, using any two images already in my site as stand-ins, so the section renders. Build the site and fix every error. Show me the hub, one category and one look page running locally. Then delete the two example looks, build again to confirm an empty section still builds and shows "Coming soon", and commit with the message "Add the Lifestyle shop-the-look section". Push. At the very end, print the category slugs on one line starting "LIFESTYLE CATEGORIES:" so I can paste it into MY_RECIPE.txt. Tell me in one line when it's live, with

the /lifestyle address. No em dashes in anything you write on the site.

STEP 2. When the section is live, paste 02_SETUP_PROMPT.txt again and choose "add the blog half" (in AUTOMATIC this also adds the blog to your saved scope). Or add these lines to MY_RECIPE.txt yourself (Review First only):

BLOG HALF: on

CAN PUBLISH TO SITE: untested until the connected write, deployment and live-URL readback pass

SITE: (your site address, for example https://www.yoursite.com)

REPO: (your GitHub repo address, for example https://github.com/you/site)

LIFESTYLE CATEGORIES: (the line the site chat printed)

And check your website is listed in Associates Central (Account Settings, websites and mobile apps). Amazon needs every place your links appear listed there.

STEP 3. From now on, the weekly task adds each finished look to your site (06_SCHEDULED_TASK_PROMPTS.txt, Task 1 step 15). It runs under the same approval gate as Pins (AUTOMATIC: inside your saved scope, if you included the blog; REVIEW_FIRST: you approve the exact change) and keeps every source, rights, disclosure, duplicate and live-page check. Here is exactly what it does:

1. Write <slug>.json with exactly these fields: slug (the look name, lowercase, hyphens, no dates, 60 characters at most, never equal to a LIFESTYLE CATEGORIES slug or a slug already in state; if it would be, add one describing word), title, date (the look's date), category (one slug from LIFESTYLE CATEGORIES, never a new one), season, intro (80 to 150 words in my voice, no prices), images (two distinct approved entries with file, alt, role and optional cleanFile; product_edit and lifestyle roles identify the concept. Store clean photographs alongside final Pin graphics, and use cleanFile for blog photography when supplied. Use actual filenames and extensions), idealList (the approved Amazon Idea List URL, or empty when that path does not use one), items (every piece: { "name", "link": its authorized affiliate link }). Validate the JSON before any repository write.
2. TIME-SAVING GitHub path: use the supported connected repository write action to add the two approved images and their clean blog photographs to src/lifestyle first, then add the JSON file. Render the two concepts as clean photography with lifestyle first, not duplicate graphics. Use the repository's current default/deployment branch rather than hard-coding main.
3. CREDIT-SAVING / MANUAL GitHub path: add the two approved images and their clean blog photographs to src/lifestyle through GitHub's normal upload flow, then create <slug>.json with the validated JSON. Commit images before JSON so the first deployed look never references missing image files.
4. Verify the production page SITE/lifestyle/<slug> after deployment. Re-check for up to 15 minutes without creating duplicate files or commits. If it does not load, keep the look's blog status as queued with error_code page_not_live, and inspect the site's normal deployment logs. Do not claim the page is live until the production URL reads back.
5. Record the repository commit identifier and the live page URL in state/log. A GitHub commit is not proof the deployment succeeded.

=====

DON'T HAVE THE WEEKEND ECOSYSTEM™?

=====

You don't need it. The machine runs without a website: on the Amazon Influencer path in 08_STOREFRONT_PATHS.txt, your pins link straight to your Idea Lists. That's the whole thing, working. (Associates only? 08_STOREFRONT_PATHS.txt explains what your path needs.)

If you want help building the site, see The Weekend Ecosystem™ for the current offer. Check its live checkout for price and payment terms.

<https://www.thedigitalincomeedit.com/shop/weekend-ecosystem>

10_INSTAGRAM_ADD_ON.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

INSTAGRAM ADD-ON (optional)

Instagram is not part of the core machine. The While-You-Sleep Storefront™ is Pinterest, your Amazon lists and (if you add it) your own site. Everything below is extra, and one part of it is done by hand.

CREDIT-SAVING / MANUAL ALTERNATIVE

Do not require connected scheduling or an additional paid plan. ChatGPT or Claude may prepare the caption and a ready-to-post asset from the customer's approved look. The customer can create and schedule the feed post in their own supported Instagram/Meta interface, or publish manually; Stories remain manual. Record account, asset, disclosure, AI label and final publishing confirmation. Do not treat a prepared file as scheduled or published. No earnings or income claims.

WHAT CAN RUN ON ITS OWN

Feed posts. Per look: a carousel with pin 2 first and pin 1 second, and a caption that names the pieces (by description, never brand), carries #ad, and uses destination-accurate wording: "shop the linked edit (link in bio)" for inspiration, or "every featured product is linked" only when the destination identifies all featured products. Clearly exclude unlinked props. Posted only after both of the look's Pins are published and checked.

Two ways to schedule them:

1. Metricool, if your Instagram is connected there. Before relying on it, test it once in your account: the right Instagram account, carousel support, image order, the AI label, the time zone, and a read-back of the scheduled post. Record Metricool's post ID and UUID.
2. Meta Business Suite, if your Instagram is a professional account connected to a Facebook Page you manage. Either way, the approval covers both images in order, the full caption, the account, the format, the disclosure, the AI label and the time. The no-duplicates rules in 12_STATE_SCHEMA.md A6 apply, and the post is checked live before it's marked verified.

WHAT IS DONE BY HAND

Instagram stories are posted by hand. Instagram's website can't post stories, and link stickers only work from the app. If you want a story per look with a "shop this look" link sticker, the task can save the story image and the link into your folder, and you post it from your phone. That's hand-work, which is exactly why it isn't in the core machine.

THE RULES

- No links anywhere on Instagram: not in captions, comments or replies. Calls to action point to your link in bio. (Story link stickers are the one exception, and those are by hand.)
- #ad on every post with an affiliate look.
- No earnings or income figures on Instagram, ever.
- Before sharing, read the account name at the top of the post composer. It must be the account you mean to post from. Switch accounts if it isn't.
- Turn on Instagram's AI label for every AI-made image.
- Your link in bio: your /lifestyle page if you have the blog half, otherwise your Amazon storefront.

TO TURN IT ON

Paste 02_SETUP_PROMPT.txt again and choose "add Instagram". Have your handle and a posting time ready (for example 7:00 pm). It saves INSTAGRAM: feed posts on, tests your chosen publisher, and (in AUTOMATIC) adds Instagram to your saved scope. The weekly task already knows what to do from there. If neither publisher passes its test, the task saves a ready-to-post package for you instead.

11_WHATS_NEXT.txt

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

WHAT'S NEXT

=====

RECOMMEND THE KIT

=====

Eligible members may recommend the kit when its referral program is active. Find your personal referral link and current terms in the member classroom. Do not assume enrollment or commissions are already live; confirm your account before sharing.

When you share it:

- Say it's an affiliate link, every time, right beside the link.
- No income or earnings claims, anywhere. Never put a commission rate or earnings figure on Facebook or Instagram.
- Talk about what the kit does (the machine), never about what anyone has earned.

=====

WANT IT DONE FOR YOU?

=====

The DFY Amazon Storefront Launch is a separate service. Check the current member classroom or the TDIE shop for availability, scope and live checkout terms. This kit does not require a DFY purchase.

xoxo, Jodie

12_STATE_SCHEMA.md

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

The While-You-Sleep Storefront™: Automation Rules and State

This file has two parts. Part A is the rule book every task and every chat follows. Part B is the record-keeping layout (the "state") that stops work from being lost or done twice. Every task reads this file at the start of every run.

PART A. THE AUTOMATION RULES

A1. Two modes, chosen once at setup

Setup saves AUTOMATION_MODE in MY_RECIPE.txt and in the state. It is one of:

AUTOMATIC. The customer authorizes a written scope once, during setup (A2). After that, every Pin, blog page or Instagram post that passes every check inside that scope is scheduled without asking again. For each one, record:

- approval_actor = automation_policy
- approval_basis = the saved policy_id, and policy_version
- qa_evidence and qa_passed (which checks ran and what they showed)
- approved_at
- authorization_fingerprint: an exact record of the final image (file hash), title, description, alt text, link, account, board, section, disclosure, format, AI label where it applies, scheduled time and time zone.

A policy existing is never a pass by itself. Every check still has to pass for every output. Platform consent must also be compatible with the proposed arrangement; see 14_AUTOMATIC_EXECUTION_CONTRACT.txt. Blanket customer scope does not establish a Pinterest developer-policy exception.

REVIEW_FIRST. Nothing is scheduled until the customer picks the exact finished Pin (or post) and says yes to its time. Record customer_selected, customer_selection_at, customer_schedule_authorized, schedule_authorization_at and schedule_authorization_fingerprint. These fields are only ever filled in REVIEW_FIRST and are never invented in AUTOMATIC. Native or manual publishing always stays in the customer's hands.

A2. What an Automatic scope must contain

The customer's own authorization words, who gave them, when, the permitted accounts, exact board IDs and sections, destination types and paths, image provider, model and resolution, generation budget and its period, looks per week, channels (Pinterest, blog, Instagram), schedule and time zone, an end date or "until I revoke it", and how products are supplied. If any item is missing, finish setup before turning on recurring production. Never invent permission or a budget. Save it as AUTOMATION_POLICY with a policy_id and version.

A3. When something changes

A changed output (new image, edited copy, new time) loses its old fingerprint. Re-run the affected checks. In AUTOMATIC, record a new fingerprint automatically if it is still inside the saved scope. In REVIEW_FIRST, ask the customer again. A change of account, model, board, destination scope, budget or authorization needs setup authorization again. An expired or revoked policy cannot authorize anything new.

A4. Spending

Before any paid image generation, check it against the saved budget and the approved model, and record the expected cost and then the actual cost. Reserve expected costs before submitting; count retries, failures and uncertain outcomes. This workflow ledger is not a hard provider account spending cap. In AUTOMATIC, showing the cost is information, not another approval stop. Never buy a subscription or upgrade, never switch model or provider quietly, never ask for new account permissions.

A5. When something is missing or blocked

Record the affected item and the reason (error_code and notes), then carry on with any other work that does not depend on it. Only a sign-in, re-sign-in or security check needs the customer right away. Never get around a platform's approval or security step. AUTOMATIC product sourcing and destination creation belong to the saved tested operator. Missing access queues the affected item with a precise capability blocker. Product rows are the customer's job only when they chose that manual/mixed assignment. Follow 14_AUTOMATIC_EXECUTION_CONTRACT.txt.

A6. No duplicates, ever

Before any create, schedule, upload, commit or post, save what you are about to do: write_attempt_id, the exact payload fingerprint, and write_outcome = pending. If the reply is lost or unclear, set write_outcome_unknown and look the object up through the publisher before doing anything else. Never repeat a create blindly. A new run reads the saved state before any outside action and resumes only the missing work. Reuse an existing valid IMAGE_ID instead of paying for a new image.

A7. Scheduled is not published

scheduled means the publisher confirmed it is queued. customer_scheduled means the customer confirmed they queued it natively. published needs evidence it is live. verified needs the live image, link, board, disclosure and text checked against the approved version. Record verification_scope, verification_evidence and verified_at for each.

A8. What "fully automated" means

Never call a setup fully automated or unattended until one separate scheduled run has completed its connected steps, saved its results, resumed safely and produced live posts that were checked. A saved prompt, a draft or a schedule is not that proof. Sign-in problems and security checks on outside accounts can still interrupt any run.

PART B. THE STATE

The structured state is the source of truth. The markdown files (storefront-log.md, pin-tab.md, pin-drafts.md) are readable views made from it.

CLOUD mode: a Google Sheet named STOREFRONT_STATE with tabs AUTOMATION_POLICY, CAPABILITIES, LOOKS, PRODUCTS, IMAGES, PINS, BLOG, INSTAGRAM, LESSONS, RUNS, ERRORS. The PINS tab has a PULL column the customer can type in.

LOCAL or CREDIT-SAVING mode: a file named storefront-state.json with the same sections.

Capability record

action, operator, service, account, access_method, terms_permission_evidence, tested_at, result, readback_evidence, scheduled_runtime_available, last_checked_at, error_code. Record publishing_permission_evidence separately from customer authorization.

IDs

LOOK_ID, PIN_ID, PRODUCT_ID / ASIN, IMAGE_ID, PUBLISHER_POST_ID, BOARD_ID, RUN_ID

Automation policy

Top level: AUTOMATION_MODE (AUTOMATIC or REVIEW_FIRST), AUTOMATION_POLICY.

Policy fields: policy_id, version, authorization_text, authorization_actor, authorized_at, permitted_accounts, boards_sections, destinations, provider, model, resolution, generation_budget, budget_period, budget_spent, channels, pace, schedules, timezone, end_condition, revoked_at, sourcing_method.

Authorization fields on every Pin, blog page and Instagram post: approval_actor (automation_policy or customer), approval_basis, policy_version, approved_at, qa_evidence, qa_passed, authorization_fingerprint. Keep schedule_authorization_fingerprint as the Pin's REVIEW_FIRST field.

Look record

look_id, look_date, window, look_name, kind (outfit, theme list, roundup, ootd), board_id, board_name, products[], destination_type, destination_url, image_ids[], pin_ids[], blog_slug, instagram_post_id, status, created_at, updated_at, error_code, notes

Product record

product_id, asin, short_name, description (the approved written description), color_variant, shape_cut, material (or "not asserted"), details, source (who supplied it and how), rights_evidence, affiliate_link, destination_path, intake_fingerprint, status, last_checked_at, notes

Image record

image_id, look_id, pin_id, provider, model, resolution, prompt, prompt_fingerprint, job_id, input_reference_ids, input_rights, write_attempt_id, generation_attempt, attempt_history, expected_cost, actual_cost, raw_sha256, final_sha256, layout_version, asset_location, visual_qa_evidence, commercial_rights_recorded, status, created_at, notes

Pin record

pin_id, look_id, image_id, title, description, alt_text, destination_url, board_id, board_name, board_url, board_public_verified, board_assignment_verified, board_verification_method, board_verified_at, disclosure_present, metadata_reviewed_at, scheduled_at, timezone, publisher, publisher_post_id, publisher_post_uuid, approval_actor, approval_basis, policy_version, approved_at, qa_evidence, qa_passed, authorization_fingerprint, customer_selected, customer_selection_at, customer_schedule_authorized, schedule_authorization_at, schedule_authorization_fingerprint, write_attempt_id, write_outcome, verification_scope, verification_evidence, verified_at, status, last_checked_at, error_code, pull_requested, notes

Keep publisher_post_uuid as well as publisher_post_id where the publisher gives both. An edit can replace the number; the UUID stays.

Blog record (when BLOG HALF is on)

look_id, slug, json_sha256, image_sha256s, commit_id, deployment_id, live_url, approval fields, write_attempt_id, write_outcome, status, verified_at

Instagram record (when INSTAGRAM is on)

post_id, look_id, ordered_image_ids, caption, account, format, ai_label, scheduled_at, publisher, publisher_post_id, publisher_post_uuid, approval fields, write_attempt_id, write_outcome, status, verified_at

Lesson record (Outfit of the Day only)

lesson_id, lesson_title, lesson_date, look_id, status (sourcing, intake_needed, built, missed, dropped), idea_list, pin_ids[], notes

Run record

run_id, task, work_window_key, claim_owner, claim_expires_at, last_heartbeat_at, started_at, finished_at, result, created_ids[], failed_ids[], retryable_ids[], notes

Allowed status values

intake_needed, sourcing, missed, write_outcome_unknown, ready, building, built, queued, customer_review_required, awaiting_approval, customer_scheduling_required, scheduled, customer_scheduled, published, verified, pull_requested, pulled, pull_failed, failed, dropped

Use only these. Put the reason for a block in error_code and notes. Never invent a new status or combine two (for example, never "sourcing/intake_needed").

What some of them mean:

- sourcing: identifying the pieces of a look.
- intake_needed: an authorized product row is missing.
- missed: an unstarted Outfit of the Day lesson that fell outside the 14-day window. Record its date and the reason.
- queued: internal work waiting for its next step. It does NOT mean a publisher accepted a schedule.
- awaiting_approval: only when the platform itself requires a review or security step.

Running one task at a time

Before production, claim the run: write task + work_window_key with an owner and an expiry time. If another active run owns the same window, reconcile it instead of starting a second one. If the state can't do a safe claim (for example a plain file edited by hand), run one task at a time and note that in the run record. An expired claim does not prove that its outside writes failed: check before taking over.

Duplicate check order

1. LOOK_ID
2. PIN_ID
3. IMAGE_ID
4. PUBLISHER_POST_ID / UUID
5. a fingerprint of destination + board + scheduled time + title

If a match is found, reconcile it. Never create a second object.

Status paths

CONNECTED PUBLISHING (Metricool):

AUTOMATIC: built → queued (all checks passed, inside the saved scope, fingerprint recorded) → awaiting_approval only if the platform requires it → scheduled → published → verified

REVIEW_FIRST: built → customer_review_required → queued (customer picked it and authorized its time) → scheduled → published → verified

NATIVE PINTEREST (customer schedules it):

customer_review_required (REVIEW_FIRST only) → customer_scheduling_required → customer_scheduled → published → verified

For Metricool, PENDING means the post is scheduled and waiting for its time. It does not mean review is needed. A Metricool post does not have to appear in Pinterest's own Scheduled Pins list before it publishes.

Pulling a Pin

scheduled → pull_requested → pulled

published → pull_requested → pulled

pull_requested → pull_failed

Never mark a Pin pulled just because a publisher record disappeared. Deleting a Metricool record does not remove a Pin that is already live on Pinterest.

The readable views

pin-tab.md: the publishing queue, by day.

storefront-log.md: looks, Outfit of the Day lessons and run history.

pin-drafts.md: every Pin's copy and image reference.

shopping-list.md: the agent's next sourcing queue in AUTOMATIC; customer assignments only for explicitly chosen manual steps.

PULL MARKS: the customer can ask to pull a Pin by typing PULL in its PULL column (CLOUD sheet) or next to it in pin-tab.md (LOCAL and manual). Every task, at its start and before it rewrites any readable view, copies every PULL mark into the state as pull_requested, so a mark is never lost when a view is rebuilt.

browser-lock.txt: LOCAL mode only, if you run browser steps on your own computer. Not used in CLOUD mode.

13_PIN_VISUAL_STANDARD.md

Read 14_AUTOMATIC_EXECUTION_CONTRACT.txt first. Its main-path and capability rules apply throughout this file.

Professional Pinterest and Shopping-Page Visual Standard

Every look needs two different reasons to click. A new headline on the same arrangement is not a second concept. Generated imagery is styling inspiration unless exact retail fidelity is independently established.

Art direction before generation

Record the customer's visual references, brand colors and fonts, persona reference and world, product hero, intended use and the two concepts in MY_RECIPES.txt (setup asks for colors and fonts with the theme; if they were skipped, ask once and save them). Never invent a persona or generic luxury setting. Luxury means photographic craft, desirable styling, deliberate composition and polished typography.

Pin 1: THE PRODUCT EDIT. Complete tactile editorial product/outfit composition, clear hero, deliberate supporting-item hierarchy, dimensional natural light and realistic contact shadows. Frame every required garment, strap and shoe inside generous margins. Do not scatter all pieces at equal size.

Pin 2: THE LIFE IT FITS. With an authorized persona, photograph a believable moment showing relevant pieces worn or used in the customer's approved world. Accessories/theme lists can show a morning, work, home or errands moment; home pieces can appear in a naturally used environment. Do not force every item into a cluttered scene. Roundups can show one option in context. Without a persona, use a distinct in-situ scene or perspective, not a second near-identical flat lay.

Compare siblings side by side at 320px wide. Visual story, camera/viewpoint and composition must differ while belonging to the same edit. Record the comparison in QA. Revise a duplicated concept within existing attempt/budget limits.

Complete standalone prompts

Generate portrait photography for a 2:3 final Pin at least 1000×1500, using the configured provider/model/resolution. Record each full prompt, job, model, reference, attempt and charges. No silent substitution.

Product-edit structure: purpose/hero → exact authorized product descriptions → hierarchy/arrangement → surface/light → camera/lens/realistic materials → headline-safe area → no extras/logos/text/cropping. Include photorealistic, real-world photography, true-to-life textures, natural imperfections and actual camera language.

Lifestyle structure: reference-only identity → approved environment → one natural action involving the hero → changeable wardrobe/styling → brand props → subject/product composition and headline-safe area → physical light/camera → no invented performance, anatomy artifacts, logos or text. Identity reference is mandatory for a named persona. Never describe locked identity traits in words. The persona rules in 07_PERSONA_PATHS.txt override generic aesthetic language.

Every persona prompt begins: "Photograph of this exact woman from the attached reference image. Identity is taken only from the reference." Use the places in PERSONA WORLD and any PERSONA PROPS from MY_RECIPES.txt. Keep signature props and unlinked clothing clearly separate from linked retail pieces in the copy and alt text. Never imply an unlinked prop is in the shopping list.

Professional Pin layout

Add text after photography with a supported deterministic layout. Use the customer's own brand fonts recorded at setup (a strong, sharp display font for the headline and a clean sans for small text). Avoid thin hairline or soft italic

display fonts for headlines; they blur at phone size. Optional restrained script must remain readable.

Use a concise search-led headline, clear hierarchy, deliberate accent phrase, generous safe margins and a useful small CTA such as "Shop the edit." Photography dominates. Use approved cream/near-black/brand accents; avoid brown fills, hairline type, crowded badges, fake ratings, prices, scarcity or guarantees. Text cannot cover the face, hero or important details. Use a scrim or paper panel only where needed, never a full-image color wash.

Distinct sibling layouts: product headline above complete arrangement; lifestyle headline in genuinely clear photo space and CTA away from the subject. A caption change alone fails.

Acceptance gates

1. Inspect raw image and final Pin at full resolution and 320px phone size.
2. Complete required pieces, credible hands/anatomy, straps, shapes, scale, light and margins; no artifacts, fake labels, logos or watermarks.
3. Persona identity compared with actual reference; world, action and props checked. Prompt text is not proof.
4. Sharp, correctly spelled readable type, no overlaps; visible CTA without clutter.
5. Siblings pass distinct-story/camera/composition comparison.
6. Copy/alt/page distinguish inspiration, actual linked products and unlinked props. No invented specs, prices, reviews, guarantees or retail fidelity.
7. Live destination, exact public board, disclosure and copy verified, then the approval gate in 12_STATE_SCHEMA.md A1 (AUTOMATIC approves inside the saved scope; REVIEW_FIRST waits for the customer). Any change re-runs the checks.

Shopping-page design contract

Every look/blog page is visually designed. Lead with lifestyle photography when available, a short editorial headline and useful shopping CTA above the fold. Keep the product edit as a second visual section. Alternate photographs, concise styling commentary and well-spaced product cards with distinct links. Explain each verified reason to consider a piece without invented performance claims.

Use approved site fonts/palette, generous whitespace, intentional scale, visible buttons, subtle depth, responsive images and a clear shopping path. Use clean photography on the blog when available rather than two text-heavy Pin graphics. Disclose affiliate links near first shopping links and inspiration near imagery. Add relevant internal links and optional offers after shopping, not as competing hero CTAs.

Inspect desktop and 390px mobile screenshots: compelling first screen, no horizontal overflow, crisp loaded images, legible type, comfortable tap targets, each product reachable, one H1/canonical/SEO description and working links. Inspect before deployment and independently inspect live. Build success is not visual acceptance.

Credit-saving and manual equivalents

ChatGPT or Claude can prepare concepts, full prompts, copy and QA. Customers may run their chosen provider directly, use original/licensed photography, add type in an existing editor, build through their site editor and schedule manually. Keep identical rights, facts, disclosure, quality and duplicate checks. No new subscription is required.

14_AUTOMATIC_EXECUTION_CONTRACT.txt

AUTOMATIC EXECUTION CONTRACT

The main product is automatic. Once setup and the account tests pass, the agent chooses the next looks, sources qualifying products, records the buyer's authorized links, creates or updates the per-look destination, makes the paired images, writes copy, schedules through the approved publishing route and reconciles the result. The buyer does not stock a weekly product sheet or create every Idea List.

Credit-saving, manual and mixed routes are optional customer choices. Do not silently convert an automatic setup to one of them when access fails. Preserve the automatic queue and report the exact blocked capability.

CAPABILITY TESTS

Save CAPABILITIES with action, operator, service, account, access method, terms/permission evidence, tested_at, result, readback evidence and whether the scheduled runtime can use it. A connector being installed is not proof of any particular action.

Test product discovery, qualification, authorized link creation/capture, destination create/update and readback separately. Use documented Amazon Creators API where eligible. A supported signed-in browser operator may handle only account actions permitted by the applicable service terms and the customer's authorization. Do not scrape, use hidden endpoints, evade detection, or assume browser permission from a successful page load. Creators API catalog access does not establish Idea List write access.

Choose one operator per external write. Save the handoff packet and returned object ID in the shared state. A second agent must not duplicate a claimed write. Cloud runtime is valid only if every required step is available there. Local browser steps require the computer and application to be available. A mixed runtime needs a tested persistent handoff, not a promise that another tool will eventually do it.

PUBLISHING PERMISSION

AUTOMATIC records the customer's production scope. It does not replace a platform's consent requirements. Record PUBLISHING_PERMISSION_EVIDENCE for the exact publisher and automation arrangement. Pinterest's developer guidelines require the end user to choose each scheduled Pin. Do not treat blanket approval as evidence of an exception. If the proposed unattended route has no documented compatible permission, retain the automatic production queue with error_code publishing_permission_unverified. Review First remains an optional mode; do not relabel it as fully automatic.

SETUP AND ENABLEMENT

Create recurring production tasks PAUSED. Build the first complete look automatically, show the exact test Pin to the buyer, schedule only after its test authorization and read back the schedule. Separately test a controlled scheduled run and reconcile its outputs. Enable ongoing production only after all required capability and permission checks pass. Published and verified require live owning-service evidence; a schedule alone cannot pass the live release gate.

RECONCILIATION

Test board discovery/assignment, scheduled reads, published reads, cancellation and live removal as distinct capabilities. Use supported service UI when no connector action covers a capability and that route is permitted. Missing connector tools do not prove the service lacks the feature. If removal cannot be executed, retain pull_requested and report the blocker. Never mark pulled or verified without readback.

SPENDING

Reserve expected image cost in shared state before submission and account for failed/unknown submissions and retries. Enforce the saved remaining budget in the workflow. A prompt budget is not a provider account spending cap; unrelated provider usage is outside that ledger. No silent upgrades, new permissions or provider/model changes.

RELEASE STATUS

This revision repairs the automatic workflow specification. Full unattended execution remains unverified until the actual account route passes source-to-destination, scheduled execution and live publication tests. Do not advertise a tested cloud Amazon/Idea List capability that has not passed. Do not replace that missing proof with mandatory weekly buyer labor.