Secrets Hub CA - Create POC tenant flow

- This guide is for POC tenants only
- Introduction
- Step 0: Add tenant details to list
- Step 1: Create a Tenant in Everest
    - New tenant
    - Existing tenant
- Step 2 - Configure the new tenant
    - If you have permission to the Jenkins job and completed the training session - Run the Jenkins job
    - If you don't have the permission to Jenkins, follow this procedure -
- Step 3 (only for new tenants): Create the customer user in the Identity service of the tenant
- Step 4: Send tenant details to customer and save it internally
- Step 5: When POC is over

This guide is for POC tenants only

- Customer tenants in production should be configured by CE.
- Contact DevSecOps PMs for more information (DevopsPMs@cyberark.com)

Introduction

- Everest Tenant Management is responsible for controlling the lifecycle of services for each tenant. Tenants are created via the Tenant Management UI, using the 'Create Tenant' button.
    - Once the Secrets Hub service is created, we must perform several steps to complete its deployment.
    - You can find troubleshooting hints in Secrets Hub - Troubleshooting [Support knowledge].

Step 0: Add tenant details to list

- We manage our tenants' list on this page - Link to the list page**.** (if needed, contact Amanda for permission)
- Before you create the tenant for the customer, fill in the details on the above page and get approval from PM to create the tenant.
- Non-Everest tenants are not supported by Secrets Hub - hence, tenants that are created outside of TM service are not supported.

Step 1: Create a Tenant in Everest

Prerequisite:

- Access to Everest Production environment
    - Create an ITCC ticket to get access
        - Click on 'I have a request'
        - Choose 'Tenant Management Access' and click 'Next'
        - 

        - Fill in the form with the following details
            - Add a description asking for permissions
            - choose 'Production' under 'Application Name'

- Choose 'Bizmanagers' under Permission Type'



- Click on 'Submit Catalog Request'

New tenant

Steps:

a. Using CyberArk Identity, Connect to the Everest **Production** Tenant Management UI
b. Click on **Create Tenant**
   i. Fill in the following details
      1. Organization details
         a. Organization: 'SecretsHub customers'
            i. Note: There is a limit on the number of tenants per organization, so you'll need to add a suffix to the name above to create another organization every time we reach the limit
         b. Organization type: Internal
      2. Tenant Details
         a. Name: **<Customer name>**
         b. Environment: POC
         c. Region: America East
            i. Note: Currently, this is the only region that is supported
         d. Subdomain: Will be auto-filled
      3. Tenant contact details
         a. Tenant contact name: Your name
         b. Tenant contact email: Your email
         c. Tenant contact phone number: Your phone number
   ii. Add CyberArk services



      1. Privilege Cloud
         a. Click on 'Add'
         b. Service Type
            i. If the customer wants pCloud UM, choose Shared, otherwise choose Standalone
         c. Version Deployment Type
            i. Latest

iii. Add Secrets Hub service



iv. Press Create

Validation:

Once the tenant is created, all services will show as 'Active':



Existing tenant

Note: The person that will create the tenant will not have access to edit tenants in production. To add a Secrets Hub service to existing tenants, contact post-sales (Evan Litwak please add a name if you have one) and get them to perform the following steps.

Steps:

a. Using CyberArk Identity, Connect to the Everest **Production** Tenant Management UI
b. Search for tenant
c. Click on the additional actions button
d. Click on 'Edit'
e. Under 'CyberArk Services' choose 'Secrets Hub' and click 'Add'
f. Click 'Save'

Step 2 - Configure the new tenant

If you have permission to the Jenkins job and completed the training session - Run the Jenkins job

Follow this flow †' Secrets Hub Tenant configuration - Jenkins job

If you don't have the permission to Jenkins, follow this procedure -

Step 2.1: Creating Secrets Hub user in pCloud

a. Login to the Tenant Platform Shell

    i. The URL will be in the email that you received after the tenant creation

b. Go to the 'Identity Administration' page

i. 

c. Under 'Core Services' choose 'Users'
d. Mark the 'All service Users' option



e. Click on the 'installeruser' user
f. Under 'Actions' click on 'Set Password'
g. Declare the password you want to work with (the password will be rotated after 24 hours)



h. Logon as the InstallerUser using the following:

i. URL	Headers	Body
https://<tenant_name>.privilegecloud.cyberark.cloud/PasswordVault/API/auth/Cyberark/Logon/ For the integrations TM environment: https://<tenant_name>.privilegecloud.integration-cyberark.cloud/PasswordVault/API/auth/Cyberark/Logon/	Content-Type: application/json	Note: Replace the value of `suffix` to the suffix of the tenant's domain. Replace the value of `password` to the password you set in the previous step. `{ "username":"installeruser@cyberark.cloud.<suffix>", "password":"<password>" }`

i. Create the Secrets Hub user using the following:

i. URL	Headers	Body

https://<tenant_name>.privilegecloud.cyberark.cloud/PasswordVault/API/Users/
 	
For the integrations TM environment: https://<tenant_name>.privilegecloud.integration-cyberark.cloud/PasswordVault/API/Users/
	Content-Type: application/json
	
	Authorization: <session token that was returned from the "Logon" method>
		Note: Replace the value of the initialPassword to a password of your choosing. Later we will need it to create the Secret Store
		
		{
		"username":"SecretsHub",
		"userType": "**DAPService**",
		"initialPassword": "<password>",
		"authenticationMethod": ["AuthTypePass"],
		"location": "\\",
		"enableUser": true,
		"changePassOnNextLogon": false,
		"passwordNeverExpires": true,
		"distinguishedName": "",
		"description": ""
		}

a. Authenticate to pCloud using the tenant admin user according to the 'Logon' REST API docs.

   i. You may need to set a new password on your first authentication attempt

b. Using the session token that you received in the authentication response above, create the Secrets Hub User using the 'Add User' REST API docs

   i. Use the following body (replace <password> with a password of your choice [make sure it is complaint with CyberArk's password policy]):

Validation

a. Response code should be "201 Created"

Step 2.2: Add tenant admin user to the Secrets Hub Identity role

a. Login to the Tenant Platform Shell

   i. The URL will be in the email that you received after the tenant creation

b. Go to the 'Identity Administration' page

   i. 

c. Under 'Core Services' choose 'Roles'
d. Search for '**Secrets Manager - Secrets Hub Admin**'
e. Go to **Members**
f. Click 'Add'
g. Search for the tenant admin user

i. 

h. Click on 'Add'
i. In case you created a user for the customer
    i. Search for the customer user you created
    ii. Click on 'Add'
j. Click on **'Save'**

Validation

a. Login to the Tenant Platform Shell
    i. The URL will be in the email that you received after the tenant creation
b. Verify that the Secrets Hub tile is shown in the application

i. 

Step 2.3: Create a Secret Store object for pCloud of the tenant in Secrets Hub deployment using REST API

1. Get a Secrets Hub Session Token
    a. Login to the Tenant Platform Shell
        i. The URL will be present in the tenant's page in Tenant Management
    b. Navigate to Secrets Hub

i. 

c. Once inside 'Secrets Hub', press F12 and go to the 'Application' tab
d. Under 'Storage' †' 'Cookies', choose the Secrets Hub cookie

            i. 'https://<tenant-id>-secrets_hub.cyberark.cloud'
        e. Copy the cookie value of 'idToken-<tenant-id>'
2. Run the following REST API request:

Description	This REST API is used to connect pCloud to Secrets Hub
HTTP Method	POST
URL	`https://<tenant name>-secrets_hub.cyberark.cloud/api/secret-stores`
Authorization	Bearer Token Under value, set the Secrets Hub Session Token

Body	Note: the value of 'url' is different for pCloud UM and non-UM. For pCloud UM use 'https://<tenant-name>.privilegecloud.cyberark.cloud/PasswordVault' and for pCloud non-UM choose 'https://<tenant-name>.privilegecloud.cyberark.com/PasswordVault'
	
	{
	"data":
	{
	"url": "<pCloud URL>",
	"userName": "SecretsHub",
	"password": "<the password you chose when creating the Secrets Hub user>"
	},
	"name": "Privilege Cloud",
	"description":"pam",
	"type":"PAM_PCLOUD"
	}

Validation

1. The response code should be "201 Created"

Step 3 (only for new tenants): Create the customer user in the Identity service of the tenant

Note: If you're adding Secrets Hub to an existing tenant, which is already used by the customer's tenant admin user, skip this step.

1. Login to the Tenant Platform Shell
    a. The URL will be in the email that you received after the tenant creation
2. Go to the 'Identity Administration' page
3. Under 'Core Services' choose 'Users'
4. Click on 'Add User'
5. Fill in the customer user details as they are shown in List of contacts - Secrets Hub EA stage
    a. Login Name - the dot-separated name of the customer representative (e.g foo.bar)
    b. Email Address - the email address of the customer representative
    c. Display Name - the capitalized name of the customer representative (e.g Foo Bar)
    d. Password Type - Generated
    e. Status
        i. Verify that 'Require password change at next login **(recommended)**' is checked
        ii. **Verify that you uncheck 'Send email invite for user portal setup'**
6. Click on 'Create User'
7. Add user to System Administrator role
    a. Under 'Core Services' choose 'Roles'
    b. Search for 'System Administrator'
    c. Click on 'Members' and click 'Add'
    d. Search for the user you have created
    e. Click on the user and then on 'Add'
    f. Click on 'Save'

Step 4: Send tenant details to customer and save it internally

1. **For new tenants** †' Collect the data for the customer email:
    a. Tenant Platform Shell URL
        i. Can be found on the Tenant Management page of the tenant
    b. Customer Tenant username (Created in step 3)
2. **For any case** †' Send the email to the customer according to the **email template** that is relevant to the current use case (below):
    a. Download the template

    b. Open it - it should open a new email automatically
    c. Change the name to match the customer name/contact person
3. **Does the email template Sapir Zamir are you using the ones created by CS here?: Customer Success - NPI Hub#SecretsHub**
    a. New tenants
    b. Existing tenants
4. Update the tenant details on this page - Link to the list page with the tenant's name and ID. Janina de Jesus where should they update the tenant info for CA? Sapir Zamir, what type of info are we talking about? Customer Details? Or Provisioning status/info or both?

Step 5: When POC is over

1. If possible, set a POC summary with PM to get direct feedback.
2. Delete the tenant once POC is over.
3. Update the Above page - Link to the list page**.**