

Assignment

```
In [12]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Loading The dataset

```
In [3]: dt=pd.read.csv("C:\Users\PRAVEEN\Downloads\House Price India.csv")
dt
```

Out[3]:

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	...
0	6762810145	42491	5	2.50	3650	9050	2.0	0	4	5	...
1	6762810635	42491	4	2.50	2920	4000	1.5	0	0	5	...
2	6762810998	42491	5	2.75	2910	9480	1.5	0	0	3	...
3	6762812605	42491	4	2.50	3310	42998	2.0	0	0	3	...
4	6762812919	42491	3	2.00	2710	4500	1.5	0	0	4	...
...
14615	6762830250	42734	2	1.50	1556	20000	1.0	0	0	4	...
14616	6762830339	42734	3	2.00	1680	7000	1.5	0	0	4	...
14617	6762830618	42734	2	1.00	1070	6120	1.0	0	0	3	...
14618	6762830709	42734	4	1.00	1030	6621	1.0	0	0	4	...
14619	6762831463	42734	3	1.00	900	4770	1.0	0	0	3	...

14620 rows × 23 columns



Univariate Analysis


```
In [5]: dt.describe()
```

Out[5]:


	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	
count	1.462000e+04	14620.000000	14620.000000	14620.000000	14620.000000	1.462000e+04	14620.000000	1
mean	6.762821e+09	42604.538646	3.379343	2.129583	2098.262996	1.509328e+04	1.502360	
std	6.237575e+03	67.347991	0.938719	0.769934	928.275721	3.791962e+04	0.540239	
min	6.762810e+09	42491.000000	1.000000	0.500000	370.000000	5.200000e+02	1.000000	
25%	6.762815e+09	42546.000000	3.000000	1.750000	1440.000000	5.010750e+03	1.000000	
50%	6.762821e+09	42600.000000	3.000000	2.250000	1930.000000	7.620000e+03	1.500000	
75%	6.762826e+09	42662.000000	4.000000	2.500000	2570.000000	1.080000e+04	2.000000	
max	6.762832e+09	42734.000000	33.000000	8.000000	13540.000000	1.074218e+06	3.500000	

8 rows × 23 columns

```
In [8]: dt.hist()  
plt.show()
```




```
In [9]: sns.boxplot(data=dt.iloc[:, :-1])
plt.show()
```




Bivariate Analysis

```
In [14]: visual=sns.pairplot(dt,hue="number of bedrooms")  
print(visual)
```


<seaborn.axisgrid.PairGrid object at 0x000001C3D46F8B80>




```
In [16]: plt.boxplot(dt)
plt.show()
```




```
In [17]: sns.scatterplot(x='number of bedrooms', y='number of bathrooms', data=dt, hue='Built Year')
plt.show()
```




```
In [18]: dt_corr = dt.corr()
sns.heatmap(dt_corr, annot=True, cmap='coolwarm')
plt.show()
```



```
In [22]: dt.hist(bins=50,figsize=(20,50));
```





```

In [23]: from mpl_toolkits.mplot3d import Axes3D


fig = plt.figure(figsize=(10,8))
ax = fig.add_subplot(111, projection='3d')
ax.scatter(dt['number of bedrooms'], dt['number of bathrooms'], dt['Price'], c=pd.factor
ax.set_xlabel('No of Bedrooms')
ax.set_ylabel('No of Bathrooms')
ax.set_zlabel('Price')
plt.show()

```



The graph displays the daily death toll from COVID-19 in the UK. The y-axis represents the number of deaths in billions (1e9), ranging from 0 to 7. The x-axis represents the date of birth, spanning from January 1, 2020, to January 1, 2021. The data shows a massive spike in deaths in early 2020, peaking at approximately 6.5 billion, followed by a rapid decline to near zero by mid-2020. A slight increase in deaths is visible in late 2020, reaching about 0.5 billion by January 1, 2021.

```
In [28]: dt_corr = dt.corr()
sns.heatmap(dt_corr, annot=True, cmap='viridis')
plt.show()
```




Descriptive Analysis

In [30]: `dt.describe()`

Out[30]:

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors
count	1.462000e+04	14620.000000	14620.000000	14620.000000	14620.000000	1.462000e+04	14620.000000
mean	6.762821e+09	42604.538646	3.379343	2.129583	2098.262996	1.509328e+04	1.502360
std	6.237575e+03	67.347991	0.938719	0.769934	928.275721	3.791962e+04	0.540239
min	6.762810e+09	42491.000000	1.000000	0.500000	370.000000	5.200000e+02	1.000000
25%	6.762815e+09	42546.000000	3.000000	1.750000	1440.000000	5.010750e+03	1.000000
50%	6.762821e+09	42600.000000	3.000000	2.250000	1930.000000	7.620000e+03	1.500000
75%	6.762826e+09	42662.000000	4.000000	2.500000	2570.000000	1.080000e+04	2.000000
max	6.762832e+09	42734.000000	33.000000	8.000000	13540.000000	1.074218e+06	3.500000

8 rows × 23 columns



In [31]: `dt.skew()`

Out[31]:

id	-0.000802
Date	0.143747
number of bedrooms	2.663257
number of bathrooms	0.556663
living area	1.538337
lot area	10.155206
number of floors	0.586158
waterfront present	11.294672
number of views	3.409219
condition of the house	1.018018
grade of the house	0.777584
Area of the house(excluding basement)	1.436446
Area of the basement	1.609744
Built Year	-0.472049
Renovation Year	4.359764
Postal Code	0.227735
Latitude	-0.523831
Longitude	0.873803
living_area_renov	1.081959
lot_area_renov	7.774206
Number of schools nearby	-0.022519
Distance from the airport	0.006114
Price	4.269298
dtype:	float64

In [32]: `dt.kurtosis()`

```
Out[32]: id -1.201221
Date -1.130823
number of bedrooms 69.240310
number of bathrooms 1.588195
living area 6.073617
lot area 164.757273
number of floors -0.523576
waterfront present 125.586791
number of views 10.968839
condition of the house 0.351359
grade of the house 1.048022
Area of the house(excluding basement) 3.402258
Area of the basement 3.139635
Built Year -0.673474
Renovation Year 17.011306
Postal Code -1.058364
Latitude -0.619219
Longitude 0.950315
living_area_renov 1.428944
lot_area_renov 79.360403
Number of schools nearby -1.502552
Distance from the airport -1.203048
Price 40.321918
dtype: float64
```

In [36]: `dt.groupby("number of bedrooms").max()`

Out[36]:

	id	Date	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	..
number of bedrooms											
1	6762831615	42733	2.50	3000	533610	3.0	1	4	5	9	..
2	6762831616	42734	3.50	6840	982278	3.5	1	4	5	12	..
3	6762831613	42734	4.50	6400	843309	3.5	1	4	5	13	..
4	6762831588	42734	5.50	7620	982998	3.0	1	4	5	13	..
5	6762831510	42734	6.75	10040	1074218	3.0	1	4	5	13	..
6	6762831191	42734	8.00	12050	248600	3.0	1	4	5	13	..
7	6762827935	42685	8.00	13540	307752	3.0	0	4	5	12	..
8	6762825321	42722	6.00	7710	20666	3.5	0	3	5	12	..
9	6762820817	42592	7.50	4050	6988	2.5	0	0	3	8	..
10	6762815290	42732	5.25	4590	11914	2.0	0	2	4	9	..
11	6762818607	42602	3.00	3000	4960	2.0	0	0	3	7	..
33	6762815473	42545	1.75	1620	6000	1.0	0	0	5	7	..

12 rows × 22 columns




In [37]: `dt.groupby("Built Year").max()`

Out[37]:

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	...
Built Year											
1900	6762831268	42726	6	4.00	4380	262231	2.5	0	3	5	...
1901	6762827764	42721	8	2.75	3440	7200	2.5	0	2	5	...
1902	6762828814	42686	6	3.00	4480	6000	2.5	0	0	5	...
1903	6762831286	42714	6	3.50	2800	46173	2.5	1	4	5	...
1904	6762830724	42733	8	4.00	7710	47044	3.5	0	1	5	...
...
2011	6762829355	42729	5	4.00	5635	77832	3.0	0	3	3	...
2012	6762831335	42726	6	4.50	4920	95950	3.0	0	3	3	...
2013	6762831396	42726	7	5.00	5310	64441	3.0	0	3	3	...
2014	6762831181	42734	6	5.00	5790	108865	3.0	1	4	3	...
2015	6762829970	42734	5	4.00	4460	9240	3.0	0	2	3	...

116 rows × 22 columns




In [38]: `dt.groupby("Built Year").mean()`

Out[38]:

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	r o
Built Year									
1900	6.762819e+09	42598.868852	3.311475	1.758197	1784.918033	12321.196721	1.483607	0.000000	0.
1901	6.762819e+09	42592.761905	3.571429	1.535714	1825.476190	4377.238095	1.619048	0.000000	0.
1902	6.762817e+09	42574.650000	3.700000	2.087500	2075.500000	4342.900000	1.825000	0.000000	0.
1903	6.762821e+09	42609.363636	3.212121	1.613636	1596.848485	6999.424242	1.484848	0.030303	0.
1904	6.762820e+09	42597.250000	3.000000	1.571429	1740.464286	6149.535714	1.357143	0.000000	0.
...
2011	6.762820e+09	42604.408163	3.469388	2.660714	2342.326531	6385.693878	2.000000	0.000000	0.
2012	6.762821e+09	42601.970874	3.543689	2.645631	2395.242718	6329.757282	1.980583	0.000000	0.
2013	6.762818e+09	42592.592308	3.923077	2.869231	2691.600000	7792.353846	2.000000	0.000000	0.
2014	6.762818e+09	42617.628713	3.745050	2.729579	2634.391089	5566.292079	2.123762	0.004950	0.
2015	6.762821e+09	42598.000000	3.250000	2.416667	2195.833333	3899.333333	2.291667	0.000000	0.

116 rows × 22 columns



In [39]:

dt["Built Year"].value_counts()

Out[39]:

2014 404
2005 319
2006 300
2004 296
2003 295
...
1902 20
1935 18
1933 17
1934 15
2015 12
Name: Built Year, Length: 116, dtype: int64

In [42]:

dt.groupby("number of bedrooms").agg({'Built Year': 'max'})

Out[42]:

	Built Year
number of bedrooms	
1	2015
2	2015
3	2015
4	2015
5	2015
6	2014
7	2013
8	1997
9	1996
10	2008
11	1918
33	1947

```
In [44]: dt.groupby("number of bedrooms").agg({'Built Year':'min'})
```

```
Out[44]:
```

	Built Year	
number of bedrooms		
1	1900	
2	1900	
3	1900	
4	1900	
5	1900	
6	1900	
7	1901	
8	1901	
9	1915	
10	1913	
11	1918	
33	1947	

Handling Missing Values

```
In [45]: dt.duplicated()
```

```
Out[45]: 0      False
1      False
2      False
3      False
4      False
...
14615   False
14616   False
...
14617   False
14618   False
Length: 14620, dtype: bool
```

In [46]: `dt.isna()`

Out[46]:

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	...	Built Year	F
0	False	False	False	False	False	False	False	False	False	False	...	False	
1	False	False	False	False	False	False	False	False	False	False	...	False	
2	False	False	False	False	False	False	False	False	False	False	...	False	
3	False	False	False	False	False	False	False	False	False	False	...	False	
4	False	False	False	False	False	False	False	False	False	False	...	False	
...	
14615	False	False	False	False	False	False	False	False	False	False	...	False	
14616	False	False	False	False	False	False	False	False	False	False	...	False	
14617	False	False	False	False	False	False	False	False	False	False	...	False	
14618	False	False	False	False	False	False	False	False	False	False	...	False	
14619	False	False	False	False	False	False	False	False	False	False	...	False	

14620 rows × 23 columns



In [47]: `dt.dropna()`

Out[47]:

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	...
0	6762810145	42491	5	2.50	3650	9050	2.0	0	4	5	...
1	6762810635	42491	4	2.50	2920	4000	1.5	0	0	5	...
2	6762810998	42491	5	2.75	2910	9480	1.5	0	0	3	...
3	6762812605	42491	4	2.50	3310	42998	2.0	0	0	3	...
4	6762812919	42491	3	2.00	2710	4500	1.5	0	0	4	...
...
14615	6762830250	42734	2	1.50	1556	20000	1.0	0	0	4	...
14616	6762830339	42734	3	2.00	1680	7000	1.5	0	0	4	...
14617	6762830618	42734	2	1.00	1070	6120	1.0	0	0	3	...
14618	6762830709	42734	4	1.00	1030	6621	1.0	0	0	4	...
14619	6762831463	42734	3	1.00	900	4770	1.0	0	0	3	...

14620 rows × 23 columns



