

Patient Transaction Walkthrough — From Registration to Signed Lab Result

Scenario: A patient walks in and needs a **Lipid Profile + Fasting Blood Sugar** (Clinical Chemistry). This guide covers the full flow end to end: register the case, encode the requisition, collect cash at the cashier, generate the lab report, encode results, and Tag as Final.

Each step below is paired with a screenshot from the live app so you can follow along visually.

Part 1 — Patient Case & Requisition

Step 1. Open Patient Cases

From the left sidebar (under **OPERATIONS**), click **Patient Cases**. The list shows every case with search, type / status filters, and the **+ Add Case** button at the top-right.


The screenshot shows the MyLab Laboratory web application. The left sidebar contains a navigation menu with sections: Welcome, Dashboard, Setup Readiness, OPERATIONS (highlighted), CATALOG, and FINANCE. Under OPERATIONS, 'Patient Cases' is selected. The main content area displays a table of Patient Cases with 2 shown. Above the table are summary statistics: TOTAL CASES (2) and OPEN (0). The table has columns: CASE #, PATIENT, TYPE, ADMISSION, STATUS, and ACTIONS. Two cases are listed: Joe Castro Balabag (OPD-000002) and James Jones (OPD-000001), both with status 'closed'. A search bar and filters for 'All types' and 'All status' are at the top right of the table, along with a '+ Add Case' button.

CASE #	PATIENT	TYPE	ADMISSION	STATUS	ACTIONS
OPD-000002	Joe Castro Balabag P-000003 - M - 11 y/o	OPD	Aug 5, 2026, 9:45:08 AM	closed	...
OPD-000001	James Jones P-000002 - M - 0 y/o	OPD	Aug 4, 2026, 10:17:26 PM	closed	...

Step 2. Add Case — search patient first

Click **+ Add Case**. The **Add Case — search patient** modal opens. Type the patient's **First name** (Last name and Birthdate are optional but tighten the match). Then either:

- Click **Search** — if the patient already exists, a results row appears with a **Use for new case** button.
- Click **Register new patient** → — if you already know they're new (or the search returned nothing), jump straight into the register form.



Step 3. Register Patient & Create Case (new patient path)

Chose to register? The **Register Patient & Create Case** modal opens.

Fill in the **New Patient** block (First / Middle / Last name, Suffix, Sex, Birthdate, Contact number, Email, Address, City, Province). The MRN is auto-generated on save.

Below the patient block, fill in **Case Details** — Case Type (defaults to OPD), Chief Complaint / Reason for Visit, Attending Physician, Referring Physician, Notes. Click **Register & Create Case** to save both the patient and the case in one shot.

Register Patient & Create Case

NEW PATIENT

FIRST NAME * MIDDLE NAME LAST NAME * MRN auto-assigned on save

SUFFIX SEX * BIRTHDATE CONTACT NUMBER

Jr, Sr, III M mm/dd/yyyy +63 917 000 0000

EMAIL ADDRESS

CITY PROVINCE

Full patient profile (IDs, emergency contact, medical history) can be filled in later from Patients.

CASE DETAILS

CASE TYPE * OPD

Default OPD. Admission date is auto-set on save (registration time). Discharge is recorded later when the case is closed.

CHIEF COMPLAINT / REASON FOR VISIT

ATTENDING PHYSICIAN REFERRING PHYSICIAN

NOTES

Cancel Register & Create Case

Step 4. Add Patient Case (existing patient path)

If you picked an existing patient in Step 2, you land on the **Add Patient Case** modal instead — the identity block at the top is read-only (MRN, name, age, address, blood type). Fill in the **Case Details** as above and click **Create case**.

Add Patient Case

PATIENT

P-000003 Joe Castro Balabag 11 y/o

Birthdate: Jan 6 Civil status: —

Contact: — Email: —

Address: San Rafael, Barangay 1, HINIGARAN, NEGROS OCCIDENTAL, Philippines

Blood type: — Occupation: —

CASE DETAILS

CASE TYPE * OPD

Default OPD. Admission date is auto-set on save (registration time). Discharge is recorded later when the case is closed.

CHIEF COMPLAINT / REASON FOR VISIT

ATTENDING PHYSICIAN REFERRING PHYSICIAN

NOTES

Cancel Create case

Step 5. Add a Requisition (Lipid Profile + FBS)

Once the case exists, add the requisition. In the **Add Requisition** modal:

1. Optionally set **Physician** (referring — prints on the report) and **Notes**.
2. Under the **Tests** tab, filter by **All categories** (or narrow to Clinical Chemistry) and search — e.g. `fb` for Fasting Blood Sugar.
3. Click **+ Add** on each row you want. In the screenshot below, both **LIP1D Lipid Profile** (₱500.00) and **FBS Fasting Blood Sugar** (₱100.00) are already in the **Requested Items** table at the bottom.
4. Adjust the quantity or remove items with the trash icon.
5. Click **Create requisition**.

The requisition is saved as **Unpaid** and appears in the case's requisition list, ready for the cashier.

The screenshot shows the 'Add Requisition' modal in the MyLab Laboratory system. The modal is open for patient Michael De mesa, admitted on Aug 10, 2026, at 1:03:33 PM. The patient's physician is Michael De mesa. The modal contains a 'TESTS' tab with a search filter set to 'fb'. Below the search filter, there is a table of tests with columns: CODE, NAME, CATEGORY, and PRICE. The table shows two tests: 'LIP1D Lipid Profile' (PRICE: ₱500.00) and 'FBS Fasting Blood Sugar' (PRICE: ₱100.00). Both tests have a '✓ Added' status. Below the table, there is a 'REQUESTED ITEMS (2)' table with columns: #, TYPE, ITEM, QTY, UNIT PRICE, and LINE TOTAL. The table shows two items: 'LIP1D Lipid Profile' (QTY: 1, UNIT PRICE: ₱500.00, LINE TOTAL: ₱500.00) and 'FBS Fasting Blood Sugar' (QTY: 1, UNIT PRICE: ₱100.00, LINE TOTAL: ₱100.00). At the bottom of the modal, there are 'Cancel' and 'Create requisition' buttons.


CODE	NAME	CATEGORY	PRICE
LIP1D	Lipid Profile	Clinical Chemistry	₱500.00
FBS	Fasting Blood Sugar	Clinical Chemistry	₱100.00

#	TYPE	ITEM	QTY	UNIT PRICE	LINE TOTAL
1	TEST	LIP1D Lipid Profile	1	₱500.00	₱500.00
2	TEST	FBS Fasting Blood Sugar	1	₱100.00	₱100.00

Part 2 — Cashier: Cash Payment

Step 6. Open the Cashier


Click **Cashier** on the sidebar. The tape defaults to today, so on a fresh day it opens empty with the **No payments yet** empty state. Click **+ New Payment** to start a collection.



Step 7. New Payment — pick a case

The **New Payment — pick a case** modal lists every case with unpaid requisition items. Each row shows the case number, patient, unpaid item count, and outstanding balance. Search by case #, patient name, or MRN if the list is long.

Click **Settle** on the case you're collecting for (Michael De mesa, OPD-000003, ₱600.00 in the screenshot).



Step 8. Confirm items, choose Cash, and post

The **New Payment** form loads with all unpaid items pre-selected on the left and the totals panel on the right.

- **Unpaid items** — Lipid Profile ₱500 + Fasting Blood Sugar ₱100. Leave both checked (or uncheck any the patient isn't paying for right now — those stay unpaid on the case).
- **Discount** — leave as **Keep quoted line discount** unless a specific discount applies.
- **Payment Method** — pick **Cash**.
- **Amount Tendered** — enter the cash on the counter (e.g. 1000). The **Change** panel updates live (₱400.00 in the screenshot for a ₱600 due and ₱1000 tendered).
- Optionally note anything in **Notes**.
- Click **Confirm Payment**.

The payment posts as **completed**, the requisition items flip to **Paid**, and a receipt is available for print.

MyLab Laboratory

MyLab

JB-LAB - Joe Balabag Laboratory

Mike Balabag

admin

MyLab Laboratory

MyLab

JB-LAB - Joe Balabag Laboratory

Payments

0

Cashier — Payments

0 shown

Welcome

Dashboard

Setup Readiness

OPERATIONS

Patients

Patient Cases

Cashier

Laboratory

CATALOG

Item Groups

Item Categories

Test Items

Item Packages

Discounts

FINANCE

Expenses

Help & Getting Started

Payments

0

Cashier — Payments

0 shown

Methods

All status

+ New Payment

0PD-000003

P-000004

Michael De mesa

UNPAID ITEMS (2)

Select all Clear

ITEM	QTY	PRICE	DISCOUNT	TOTAL
R-000016 Aug 10, 2026, 1:04:32 PM				
☒ LIPID Lipid Profile	1	₱500.00	—	₱500.00
☒ FBS Fasting Blood Sugar	1	₱100.00	—	₱100.00

NOTES

Optional

Subtotal

₱600.00

DISCOUNT

Keep quoted line dis

— ₱0.00

TOTAL DUE

₱600.00

PAYMENT METHOD

Cash

AMOUNT TENDERED

1000

CHANGE

₱400.00

Cancel

Confirm Payment

TOTAL (0 COMPLETED) - Vailed excluded

₱0.00

Part 3 — Laboratory: Generate, Encode, Tag as Final

Step 9. Open the Laboratory module

Click **Laboratory** on the sidebar. The dashboard shows counters for Total / Drafts / Finalized reports and the list of every lab report, filterable by group, category, status, and date range. Click **+ Add Laboratory** at the top-right to create a new report from a paid requisition.


The screenshot shows the MyLab Laboratory dashboard. The top navigation bar includes the MyLab logo, a search bar, and a user profile for Mike Balabag. The dashboard features three summary cards: TOTAL (2), DRAFTS (0), and FINALIZED (2). Below these is a filter section with a search bar, a dropdown menu set to 'Clinical Laboratory', and buttons for 'All categories', 'All status', and date range selection. A table of lab reports is displayed with columns for LAB # / REQ #, PATIENT, CATEGORY, TESTS, MEDTECH / PATHOLOGIST, CREATED / FINALIZED, STATUS, and ACTIONS. Two lab reports are shown, both with a status of 'Final'.

LAB # / REQ #	PATIENT	CATEGORY	TESTS	MEDTECH / PATHOLOGIST	CREATED / FINALIZED	STATUS	ACTIONS
CLIN26-08-00017 R-000015	Joe Balabag - 11 y/o M P-000003	Clinical Chemistry	LDL Cholesterol, Potassium 2 item(s)	MT: Mike Balabag, RMT Path: Joe Balabag M.D.	Created: Aug 9, 2026 - Mike Balabag Final: Aug 9, 2026 - Joe Balabag M.D.	Final	...
CLIN26-08-00016 R-000016	Joe Balabag - 11 y/o M P-000003	Clinical Chemistry	Lipid Profile, Bilirubin, Fasting Blood Sugar, Potassium 4 item(s)	MT: Mike Balabag, RMT Path: Joe Balabag M.D.	Created: Aug 9, 2026 - Mike Balabag Final: Aug 9, 2026 - Joe Balabag M.D.	Final	...

Step 10. Add Laboratory — Choose Requisition

The **Add Laboratory — Choose Requisition** modal lists every paid requisition that still has uncovered items (i.e. items not yet attached to a lab report). Each row shows the requisition #, date, patient, case, categories, item summary, requested-by user, and uncovered count.

Click **Proceed** → on the requisition you want to generate a report for (R-000016 for Michael De mesa in the screenshot).




Step 11. Confirm Groupings

The **Add Laboratory — Confirm Groupings** step shows how the selected requisition's items will be split into lab reports. The default follows each item category's **Combine in one print-out** setting — Clinical Chemistry is combined, so **Lipid Profile** and **Fasting Blood Sugar** sit under one group.

- Uncheck a test to move it into its own separate report, or uncheck every test in a group to skip it entirely.
- The summary line ("Will create **1** lab report.") updates live.

Click **Create 1 report** to generate the draft.



Step 12. Encode the analyte results

The report editor opens for **Lab Report CLIN26-08-00018** (draft status). The header carries the patient, requisition, category, and medtech.

- Set **Specimen Collected At (Time Taken)** if it differs from now.
- For each panel component in the **Lipid Profile** table (Total Cholesterol, Triglycerides, HDL, LDL, VLDL, Total/HDL Ratio) type the measured value in the **Result** column. Unit and reference range are fixed by the test catalog.
- Do the same for the **Fasting Blood Sugar** panel below.
- Add any comments in **Remarks**.
- Click **Save Results** to persist without finalizing (status stays **Draft**), or **Tag as Final** to move on to Step 14.

MyLab Laboratory

Lab Report CLIN26-08-00018

Patient: Michael De mesa P-000004 · M Requisition: R-000016 Category: Clinical Chemistry Status: Draft Medtech: Mike Balabag, RMT

SPECIMEN COLLECTED AT (TIME TAKEN)
08/10/2026 01:05 PM

Lipid Profile
LIPID · PANEL · specimen: Serum (fasting)

ANALYTE	RESULT	UNIT	REFERENCE
Total Cholesterol CHOL	—	mg/dL	<200
Triglycerides TRIG	—	mg/dL	<150
HDL Cholesterol HDL	—	mg/dL	>40 (M) / >50 (F)
LDL Cholesterol LDL	—	mg/dL	<100
VLDL Cholesterol VLDL	—	mg/dL	<30
Total/HDL Ratio CRATIO	—		<5.0

Fasting Blood Sugar
FBS · SINGLE · specimen: Serum

ANALYTE	RESULT	UNIT	REFERENCE
Fasting Blood Sugar FBS	—	mg/dL	70-100


REMARKS

Close Tag as Final Save Results

Step 13. Print Preview (optional check before signing)

From the report row's action menu, choose **Print Preview** to see the final layout at true paper size. The preview shows the tenant letterhead, QR code, patient block, **CLINICAL CHEMISTRY** category banner, the Lipid Profile + FBS tables with your encoded values, and the medtech / pathologist signature block.

The amber note at the top tells you which paper size the printer will receive; use the **Configured / Recommended** toggle if the predictor suggests a larger sheet. Click **Print** to open the isolated print window.



Step 14. Tag as Final

Back in the report editor (or from the row action menu), click **Tag as Final**. The **Tag as Final** dialog confirms what's about to happen — "Finalizing L ({lab-number}) will lock it. You'll need to reopen (untag) later to issue a corrected version."

Enter the **second-holder signatory** credentials (username + password) to co-sign the report, then click **Tag as Final**. The report is now:

- Locked from further edits (a manager can Untag as Final to reopen).
- Signed by the medtech + pathologist and dated.
- Watermarked **Final** on every printout.
- Reachable via the QR code on the printed page (public read-only view).

MyLab Laboratory



Welcome

Dashboard

Setup Readiness

OPERATIONS

Patients

Patient Cases

Cashier

Laboratory

CATALOG

Item Groups

Item Categories

Test Items

Item Packages

Discounts

FINANCE

Expenses

Help & Getting Started

v1.0.0

MyLab

JB-LAB - Joe Balabag Laboratory

Mike Balabag admin

TOTAL3

DRAFTS1

FINALIZED2

Laboratory3 shown

Search lab #, requisition, patient...

Clinical Laboratory

All categories

All status

08/08/2026

08/10/2026

Reset

+ Add Laboratory

LAB # / REQ #	PATIENT	CATEGORY	MEDTECH / PATHOLOGIST	CREATED / FINALIZED	STATUS	ACTIONS
CLIN26-08-00018 R-000016	Michael De mesa - M P-000004	Clinical	MT: Mike Balabag, RMT Path: —	Created: Aug 10, 2026 - Mike Balabag Final: —	Draft	...
CLIN26-08-00017 R-000013	Joe Balabag - 11 y/o M P-000003	Clinical	MT: Mike Balabag, RMT Path: Joe Balabag M.D.	Created: Aug 9, 2026 - Mike Balabag Final: Aug 9, 2026 - Joe Balabag M.D.	Final	...
CLIN26-08-00016 R-000014	Joe Balabag - 11 y/o M P-000003	Clinical	MT: Mike Balabag, RMT Path: Joe Balabag M.D.	Created: Aug 9, 2026 - Mike Balabag Final: Aug 9, 2026 - Joe Balabag M.D.	Final	...

Tag as Final

Finalizing CLIN26-08-00018 will lock it. To correct results later you'll need to void this report and re-issue a new one.

Signatory (from item group): Joe Balabag M.D. - Lic. 123456

Name, license, and e-signature will be snapshotted from this doctor.

Second tester signatory

Enter another lab user's credentials to sign as the finalizer. If it's the same user who created the report, only one signature will print.

USERNAME

PASSWORD

Cancel

Tag as Final

Release the report to the patient — done.

Recap

#	Where	What happens
1–2	Patient Cases	Search for the patient before creating anything
3	Register modal	New patient + case in one save
4	Add Patient Case	Existing patient → case only
5	Add Requisition	Pick Lipid Profile + FBS → Create requisition
6–8	Cashier	Pick case → confirm items → Cash + Tendered → Confirm
9–11	Laboratory	Pick paid requisition → confirm groupings → generate report
12	Report editor	Encode analyte values, add remarks
13	Print Preview	Visual check at true paper size
14	Tag as Final	Second-signatory credentials lock the report