Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
OFFICE OF THE SECRETARY
DPWH Central Office, Bonifacio Drive, Port Area, Manila

BAGONG PILIPINAS

097.13 DPWH
03.18.2026

MAR 1 8 2026

DEPARTMENT ORDER NO. 43 Series of 2026

SUBJECT: Interim Guidelines on the Utilization of Construction Material Prices and Equipment Rental Rates Amid Fuel Price Volatility and its Effect to Project Cost Estimates

Recent developments in the global oil market arising from geopolitical tensions between Iran, Israel, and the United States of America have resulted in abrupt increases in fuel and petroleum prices, consequently affecting both the delivered cost of construction materials and the operating cost of construction equipment. In view thereof, the Department recognizes that certain prices reflected in the latest Construction Materials Price Data (CMPD), as well as the Prescribed Equipment Rental Rates (PERR), may no longer reasonably represent prevailing market conditions.

In order to ensure that project cost estimates remain reasonable and reflective of current market conditions, the following interim guidelines are hereby issued.

1. Temporary Reference for Construction Material Prices

1.1. General Policy

The latest CMPD shall remain the primary reference for construction material prices in the preparation of cost estimates, in accordance with Department Order (D.O.) No. 125, series of 2025, prescribing the Guidelines and Procedures for the Establishment and Utilization of Construction Material Prices, Labor Rates, and Equipment Rental Rates.

However, pending stabilization of market conditions and the issuance of the updated CMPD, Implementing Offices (IOs) may, when warranted, use supplier canvassed prices as a reference for materials which prevailing market prices are no longer adequately reflected in the latest CMPD.

1.2. Supplier Canvassing Requirements

The use of supplier canvassed prices shall be supported by:

a. At least three (3) current, independent, and verifiable supplier quotations/canvass for each construction material, reflecting prevailing market prices within or near the project locality; and

b. Clear indication in the canvass documents of the date of canvass, material specifications, unit of measure, value-added tax (VAT) inclusion/exclusion, and applicable delivery conditions.

1.3. Reasonable Construction Material Price

a. The adoption of canvassed prices shall be subject to strict comparability requirements, including but not limited to conformity in technical specifications, quality standards,

delivery conditions, and market location. Prices shall, as far as practicable, be sourced from the same locality or, where unavailable, from proximate or economically comparable areas.

b. For purposes of validation, the reasonableness of such canvassed prices shall be benchmarked against authoritative price data, including: (i) the latest available price indices issued by the Philippine Statistics Authority (PSA), particularly the Construction Materials Wholesale Price Index (CMWPI) or any other relevant PSA index applicable to the specific construction material and reference period, and (ii) officially published or maintained price repositories of the Department of Trade and Industry (DTI) (e.g., E-Presyo or other online price monitoring system [OPMS]), whichever is more recent/updated and/or applicable. The selected benchmark shall correspond to the appropriate commodity classification and time period consistent with the date of canvassing.

c. The adoption of a canvassed price for any construction material shall be allowed only when such price is demonstrably consistent with prevailing market movements as reflected in the applicable PSA indices or DTI price data.

Attached to this D.O. as **Annex A** is the consolidated list of material categories (commodity groups) as defined and published by the PSA on their website, including the corresponding price indices that are regularly updated, and their equivalent materials in the CMPD for each category. Said compilation is hereby prescribed as the official reference guide for: (i) the proper identification and selection of the applicable PSA price index for a given construction material, and (ii) the determination of the permissible price range for purposes of price validation, cost benchmarking, and project cost estimation using the CMWPI. The selection of the appropriate index shall be strictly aligned with the relevant commodity classification and reference period as defined by the PSA.

Likewise, attached to this D.O. as **Annex B** are the standard computational illustrations covering representative scenarios, demonstrating the comparative application of the CMPD reference price, the canvassed price, and the benchmark price derived from the applicable PSA index. Such illustrations shall serve as the prescribed basis for uniform interpretation and implementation of price validation methodologies across all concerned offices.

2. Temporary Reference for Equipment Rental Rates

2.1. General Policy

IOs shall continue to adopt the Prescribed Equipment Rental Rates (PERR) in accordance with D.O. No. 125, s. 2025, which is based on the equipment rental rate schedule provided in the Equipment Guidebook issued by the Association of Carriers and Equipment Lessors (ACEL), as duly authorized by the DPWH Secretary.

The prescribed rates shall remain applicable provided that the prevailing fuel price in the project locality does not exceed the maximum fuel price assumption adopted in the prevailing ACEL Equipment Guidebook (now Edition 27). Pursuant to Section 19 (Notes), Item 19.1 thereof, the fuel price considered for operated hour rental rates is P90/liter, considering remote areas and projection for the next five (5) years, in coordination with the DPWH Bureau of Equipment (BOE).

2.2. Alternative Equipment Rental Rates

In the event that the prevailing fuel price in the project locality exceeds the ACEL's assumed fuel price in its prevailing equipment guidebook, the IO may determine the appropriate equipment rental rate using the dry rental computation method, in accordance with the formula prescribed by the BOE, taking into consideration the actual prevailing fuel price in the project locality as canvassed, subject however to the conditions and limitations outlined in Sections 1.2 and 1.3 of this policy directive.

The alternative equipment rental rate shall be computed based on the applicable dry rental rate and the corresponding fuel consumption of the equipment unit. The reference table for the corresponding dry rental rates is attached to this D.O. as **Annex C** and shall serve as the basis for computing the alternative equipment rental rate.

3. Documentation and Monitoring

3.1. Certification of Compliance

The Heads of IOs shall certify, using the prescribed Certification of Compliance template attached to this D.O. as **Annex D**, that the construction material prices adopted in the cost estimates are consistent with the benchmark price derived from the applicable PSA index, and DTI price data. The certification shall likewise indicate whether the operated equipment rental rates or dry rental rates were utilized in the preparation of the cost estimates.

The duly accomplished Certification of Compliance shall be attached to, and form an integral part of, the documentary requirements prescribed under the latest Document Tracking System (DoTS) Checklist for the processing and approval of the Program of Works (POW) and the Approved Budget for the Contract (ABC).

3.2. Submission Requirements

Certified True Copies (CTCs) of the accomplished Certifications of Compliance for all approved POW/ABC, together with the corresponding canvass and/or price quotation documents used as basis in the preparation of the cost estimates, shall be consolidated by the concerned IO and periodically submitted to the Bureau of Construction (BOC) for monitoring and evaluation purposes.

The specific mode, format, and frequency of submission, together with further clarificatory provisions, shall be prescribed in a separate issuance to be released by the BOC to ensure uniform compliance and proper monitoring by all IOs.

4. Application to Projects Under Different Pre-Construction Stages

4.1. Projects under Preparation of Cost Estimates

For projects currently under the preparation of cost estimates, the concerned IO shall ensure that the most current, reasonable, and validated price references are adopted in the preparation of POW and ABC, in accordance with the provisions set forth under Sections 1 and 2 of this policy directive.

In view of this, in cases where the adoption of validated construction material prices and/or equipment rental rates in accordance with Sections 1 and 2 of this Department Order results in a computed Project Cost exceeding the authorized funding for the project as provided under the General Appropriations Act (GAA) for Fiscal Year 2026, the concerned Implementing Office (IO) shall undertake the necessary review and rationalization of the project scope, considering the following:

a. The major or principal scope of the project, as defined in the project description/type of work under the Annual Infrastructure Program (AIP) based on the GAA, shall be prioritized and preserved to the fullest extent practicable, together with only those ancillary or supporting components strictly necessary for the functionality, safety, and operational completeness of the project; and

b. The concerned IO shall document the justification and recommend the appropriate course of action, which may include scope restructuring or funding augmentation through appropriate programming or budgetary processes, subject to existing laws, rules, and Department policies.

4.2. Projects already Advertised

For projects that have already been advertised for procurement, the bidding process shall proceed in accordance with existing procurement rules and procedures. In case of bidding failure due to an insufficient ABC resulting from updated or prevailing market prices, the concerned IO may undertake the necessary revalidation and reprogramming of the cost estimates using updated and appropriate price references, as in Section 4.1 of these Guidelines, consistent with the provisions of this policy directive and other applicable policies of this Department.

4.3. Projects under Contract Perfection

For projects under contract perfection, i.e., with issued Resolution and/or Notice of Award, any increase in construction costs arising from fuel price volatility shall be addressed through price escalation claims during project implementation, in accordance with the applicable provisions of the existing Government Procurement Law and its Implementing Rules and Regulations (IRR), as well as any other relevant guidelines issued by the Department.

5. Effectivity Clause

5.1. These Guidelines are issued solely to address temporary market disruptions affecting construction material prices and equipment rental rates due to fuel price volatility. These Guidelines shall remain subject to periodic review and may be revoked upon stabilization of market conditions and the issuance of updated CMPD.

5.2. All IOs are hereby enjoined to exercise due diligence in the canvassing and adoption of prices, ensuring that cost estimates remain reasonable, transparent, and fully consistent with prevailing market conditions.

5.3. This Department Order supplements D.O. No. 125, s. 2025, and D.O. No. 17, s. 2026, and amends certain provisions thereof while remaining consistent with the policies and framework established therein. It shall take effect immediately upon issuance.

6. Penalty Clause

Failure to comply with the Department Order may subject the concerned personnel to appropriate administrative action, in accordance with existing laws, rules, and regulations.

VIVENCIO B. DIZON
Secretary

Department of Public Works and Highways
Office of the Secretary
SVBD-2026-01657

Encl: **Annex A** - PSA CMWPI-Based Classification of CMPD Materials
Annex B - Scenario Computation Sample (Construction Material Price)
Annex C - Prescribed Equipment Rental Rates (Operated Dry)
Annex D - Certification of Compliance Template

PSA CMWPI-Based Classification of CMPD Materials

Material Code	Material Description	Unit	CMWPI Commodity Group
MG00.0000	**GENERAL WORKS**	**NONE**	
MG01.0000	**AGGREGATE AND EARTH MATERIAL**	**NONE**	
MG01.0001	COMMON BORROW	CUM	Sand and Gravel
MG01.0002	SELECTED BORROW	CUM	Sand and Gravel
MG01.0003	AGGREGATE SUBBASE COURSE	CUM	Sand and Gravel
MG01.0004	AGGREGATE BASE COURSE	CUM	Sand and Gravel
MG01.0005	AGGREGATE BASE COURSE (CRUSHED)	CUM	Sand and Gravel
MG01.0008	FINE AGGREGATE (SAND)	CUM	Sand and Gravel
MG01.0009	GRAVEL, 3/4" (MAS 20 mm)	CUM	Sand and Gravel
MG01.0010	GRAVEL, G1 (MAS 40 mm)	CUM	Sand and Gravel
MG01.0012	STONE, CLASS A (15 - 25 kg)	CUM	Sand and Gravel
MG01.0013	STONE, CLASS B (30 - 70 kg)	CUM	Sand and Gravel
MG01.0014	STONE, CLASS C (60 - 100 kg)	CUM	Sand and Gravel
MG01.0015	STONE, CLASS D (100 - 200 kg)	CUM	Sand and Gravel
MG02.0000	**BITUMINOUS MATERIAL**	**NONE**	
MG02.0006	ASPHALT CONCRETE, HOT-LAID (PLANT MIX)	MTON	Asphalt
MG03.0000	**CEMENT**	**NONE**	
MG03.0002	PORTLAND CEMENT (40 kg)	BAG	Cement
MG04.0000	**CONCRETE HOLLOW BLOCK**	**NONE**	
MG04.0001	CHB LOAD BEARING (4" x 8" x 16")	PC	Concrete Products
MG04.0002	CHB LOAD BEARING (6" x 8" x 16")	PC	Concrete Products
MG04.0003	CHB ORDINARY (4" x 8" x 16")	PC	Concrete Products
MG04.0004	CHB ORDINARY (6" x 8" x 16")	PC	Concrete Products
MG05.0000	**CHEMICAL**	**NONE**	
MG05.0002	CONCRETE EPOXY (PART A & B SET)	GAL	Hardware
MG05.0003	CONCRETE NEUTRALIZER	LTR	Hardware
MG05.0004	CURING COMPOUND	LTR	Hardware
MG05.0012	GREASE	LTR	Fuels and Lubricants
MG06.0000	**FORM**	**NONE**	
MG06.0001	COMMON WIRE NAIL, ASSORTED	KG	Hardware
MG06.0002	CONCRETE NAIL, ASSORTED	KG	Hardware
MG06.0003	COCO LUMBER	BDFT	Lumber
MG06.0004	GOOD LUMBER	BDFT	Lumber
MG06.0006	MARINE PLYWOOD (1/4" x 4' x 8')	PC	Plywood
MG06.0007	MARINE PLYWOOD (1/2" x 4' x 8')	PC	Plywood
MG06.0008	MARINE PLYWOOD (3/4" x 4' x 8')	PC	Plywood
MG06.0009	ORDINARY PLYWOOD (1/4" x 4' x 8')	PC	Plywood
MG06.0010	ORDINARY PLYWOOD (1/2" x 4' x 8')	PC	Plywood
MG06.0011	ORDINARY PLYWOOD (3/4" x 4' x 8')	PC	Plywood
MG06.0018	PHENOLIC BOARD, (1/2" x 4' x 8')	PC	Plywood
MG06.0019	PHENOLIC BOARD, (3/4" x 4' x 8')	PC	Plywood
MG06.0012	STEEL FORM (150 mm width)	M	Metal Products
MG06.0013	STEEL FORM (200 mm width)	M	Metal Products
MG06.0014	STEEL FORM (230 mm width)	M	Metal Products
MG06.0015	STEEL FORM (250 mm width)	M	Metal Products
MG06.0016	STEEL FORM (280 mm width)	M	Metal Products
MG06.0017	STEEL FORM (300 mm width)	M	Metal Products
MG07.0000	**PAINT**	**NONE**	
MG07.0001	EPOXY PRIMER WITH CATALYST (SET)	GAL	Painting Works
MG07.0002	RED OXIDE METAL PRIMER	GAL	Painting Works
MG07.0003	SOLVENT-BASED PRIMER	GAL	Painting Works
MG07.0004	TINTING COLOR	LTR	Painting Works
MG07.0005	ALUMINUM PAINT	GAL	Painting Works
MG07.0006	LATEX PAINT, GLOSS	GAL	Painting Works
MG07.0007	LATEX PAINT, SEMI-GLOSS	GAL	Painting Works
MG07.0008	QUICK-DRYING ENAMEL PAINT	GAL	Painting Works
MG07.0009	LACQUER THINNER	GAL	Painting Works
MG07.0010	PAINT THINNER	GAL	Painting Works
MG08.0000	**PIPE**	**NONE**	
MG08.0001	GI PIPE, SCHEDULE 40 (1/2" | 12.7 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0002	GI PIPE, SCHEDULE 40 (3/4" | 19 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0003	GI PIPE, SCHEDULE 40 (1" | 25.4 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0004	GI PIPE, SCHEDULE 40 (1 1/2" | 38 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0005	GI PIPE, SCHEDULE 40 (2" | 50 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0007	GI PIPE, SCHEDULE 40 (3" | 76 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0009	GI PIPE, SCHEDULE 40 (4" | 101 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0010	GI PIPE, SCHEDULE 40 (5" | 127 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks

PSA CMWPI-Based Classification of CMPD Materials

Material Code	Material Description	Unit	CMWPI Commodity Group
MG08.0011	GI PIPE, SCHEDULE 40 (6" | 152.4 mm Ø)	PC	Plumbing Fixtures & Accessories / Waterworks
MG08.0012	PVC PIPE (1/2" | 12.7 mm Ø)	PC	PVC Pipes
MG08.0013	PVC PIPE (3/4" | 19 mm Ø)	PC	PVC Pipes
MG08.0014	PVC PIPE (1" | 25.4 mm Ø)	PC	PVC Pipes
MG08.0015	PVC PIPE (1 1/2" | 38 mm Ø)	PC	PVC Pipes
MG08.0016	PVC PIPE (2" | 50 mm Ø)	PC	PVC Pipes
MG08.0018	PVC PIPE (3" | 76 mm Ø)	PC	PVC Pipes
MG08.0020	PVC PIPE (4" | 101 mm Ø)	PC	PVC Pipes
MG08.0039	BI PIPE, SCHEDULE 40 (1" | 25.4 mm Ø)	pc.	Plumbing Fixtures & Accessories / Waterworks
MG08.0040	BI PIPE, SCHEDULE 40 (1 1/2" | 38 mm Ø)	pc.	Plumbing Fixtures & Accessories / Waterworks
MG08.0041	BI PIPE, SCHEDULE 40 (2" | 50 mm Ø)	pc.	Plumbing Fixtures & Accessories / Waterworks
MG08.0042	BI PIPE, SCHEDULE 40 (4" | 101 mm Ø)	pc.	Plumbing Fixtures & Accessories / Waterworks
MG08.0021	REINFORCED CONCRETE PIPE, CLASS II (12" | 300 mm Ø)	PC	Concrete Products
MG08.0022	REINFORCED CONCRETE PIPE, CLASS II (18" | 460 mm Ø)	PC	Concrete Products
MG08.0023	REINFORCED CONCRETE PIPE, CLASS II (24" | 610 mm Ø)	PC	Concrete Products
MG08.0024	REINFORCED CONCRETE PIPE, CLASS II (30" | 760 mm Ø)	PC	Concrete Products
MG08.0025	REINFORCED CONCRETE PIPE, CLASS II (36" | 910 mm Ø)	PC	Concrete Products
MG08.0026	REINFORCED CONCRETE PIPE, CLASS II (42" | 1070 mm Ø)	PC	Concrete Products
MG08.0027	REINFORCED CONCRETE PIPE, CLASS II (48" | 1220 mm Ø)	PC	Concrete Products
MG08.0028	REINFORCED CONCRETE PIPE, CLASS II (54" | 1370 mm Ø)	PC	Concrete Products
MG08.0029	REINFORCED CONCRETE PIPE, CLASS II (60" | 1524 mm Ø)	PC	Concrete Products
MG08.0030	REINFORCED CONCRETE PIPE, CLASS IV (12" | 300 mm Ø)	PC	Concrete Products
MG08.0031	REINFORCED CONCRETE PIPE, CLASS IV (18" | 460 mm Ø)	PC	Concrete Products
MG08.0032	REINFORCED CONCRETE PIPE, CLASS IV (24" | 610 mm Ø)	PC	Concrete Products
MG08.0033	REINFORCED CONCRETE PIPE, CLASS IV (30" | 760 mm Ø)	PC	Concrete Products
MG08.0034	REINFORCED CONCRETE PIPE, CLASS IV (36" | 910 mm Ø)	PC	Concrete Products
MG08.0035	REINFORCED CONCRETE PIPE, CLASS IV (42" | 1070 mm Ø)	PC	Concrete Products
MG08.0036	REINFORCED CONCRETE PIPE, CLASS IV (48" | 1220 mm Ø)	PC	Concrete Products
MG08.0037	REINFORCED CONCRETE PIPE, CLASS IV (54" | 1370 mm Ø)	PC	Concrete Products
MG08.0038	REINFORCED CONCRETE PIPE, CLASS IV (60" | 1524 mm Ø)	PC	Concrete Products
MG09.0000	**READY-MIX CONCRETE**	**NONE**	
MG09.0001	READY-MIX CONCRETE, 3000 PSI @ 28 DAYS, G1	CUM	Concrete Products
MG09.0002	READY-MIX CONCRETE, 3000 PSI @ 14 DAYS, G1	CUM	Concrete Products
MG09.0003	READY-MIX CONCRETE, 3000 PSI @ 7 DAYS, G1	CUM	Concrete Products
MG09.0004	READY-MIX CONCRETE, 3000 PSI @ 3 DAYS, G1	CUM	Concrete Products
MG09.0005	READY-MIX CONCRETE, 3500 PSI @ 28 DAYS, G1	CUM	Concrete Products
MG09.0006	READY-MIX CONCRETE, 3500 PSI @ 14 DAYS, G1	CUM	Concrete Products
MG09.0007	READY-MIX CONCRETE, 3500 PSI @ 7 DAYS, G1	CUM	Concrete Products
MG09.0008	READY-MIX CONCRETE, 3500 PSI @ 3 DAYS, G1	CUM	Concrete Products
MG09.0009	READY-MIX CONCRETE, 4000 PSI @ 28 DAYS, G1	CUM	Concrete Products
MG09.0010	READY-MIX CONCRETE, 4000 PSI @ 14 DAYS, G1	CUM	Concrete Products
MG09.0011	READY-MIX CONCRETE, 4500 PSI @ 28 DAYS, G1	CUM	Concrete Products
MG09.0012	READY-MIX CONCRETE, 5000 PSI @ 28 DAYS, G1	CUM	Concrete Products
MG10.0000	**STRUCTURAL STEEL**	**NONE**	
MG10.0001	REINFORCING STEEL BAR (GRADE 40)	KG	Structural Steel
MG10.0002	REINFORCING STEEL BAR (GRADE 60)	KG	Structural Steel
MG10.0003	GI TIE WIRE #16	KG	Structural Steel
MG10.0004	ANGULAR BAR (A36)	KG	Structural Steel
MG10.0005	CHANNEL BAR (A36)	KG	Structural Steel
MG10.0022	FLAT BAR (A36)	KG	Structural Steel
MG10.0006	SQUARE BAR (A36)	KG	Structural Steel
MG10.0007	I-BEAM (A36)	KG	Structural Steel
MG10.0008	WIDE FLANGE (A36)	KG	Structural Steel
MG10.0009	MILLED STEEL PLATE, PLAIN (A36)	KG	Structural Steel
MG10.0010	STEEL CASING (10 mm thk, 600 mm Ø)	M	Structural Steel
MG10.0011	STEEL CASING (10 mm thk, 700 mm Ø)	M	Structural Steel
MG10.0012	STEEL CASING (10 mm thk, 800 mm Ø)	M	Structural Steel
MG10.0013	STEEL CASING (10 mm thk, 900 mm Ø)	M	Structural Steel
MG10.0014	STEEL CASING (10 mm thk, 1000 mm Ø)	M	Structural Steel
MG10.0015	STEEL CASING (10 mm thk, 1100 mm Ø)	M	Structural Steel
MG10.0016	STEEL CASING (10 mm thk, 1200 mm Ø)	M	Structural Steel
MG10.0017	STEEL CASING (10 mm thk, 1300 mm Ø)	M	Structural Steel
MG10.0018	STEEL CASING (10 mm thk, 1400 mm Ø)	M	Structural Steel
MG10.0019	STEEL CASING (10 mm thk, 1500 mm Ø)	M	Structural Steel
MG10.0020	STEEL SHEET PILE, U-TYPE (A36)	KG	Structural Steel
MG99.0000	**VARIOUS**	**NONE**	
MG99.0001	ACETYLENE	KG	Hardware

PSA CMWPI-Based Classification of CMPD Materials

Material Code	Material Description	Unit	CMWPI Commodity Group
MG99.0002	OXYGEN	KG	Hardware
MG99.0003	WELDING ROD	KG	Hardware
MG99.0012	TARPAULIN	SQFT	Others
	SPECIFIC WORKS	**NONE**	
MS01.0000	**CURB AND GUTTER**	**NONE**	
MS01.0001	PRECAST CONCRETE CURB (3000 PSI)	M	Concrete Products
MS01.0002	PRECAST CONCRETE GUTTER (3000 PSI)	M	Concrete Products
MS01.0003	PRECAST CONCRETE CURB & GUTTER (3000 PSI)	M	Concrete Products
MS02.0000	**SLOPE AND BANK PROTECTION MATERIAL**	**NONE**	
MS02.0001	GABION, METALLIC COATED (0.5m x 1m x 3m)	PC	Metal Products
MS02.0002	GABION, METALLIC COATED (0.5m x 1m x 4m)	PC	Metal Products
MS02.0003	GABION, METALLIC COATED (1m x 1m x 2m)	PC	Metal Products
MS02.0004	GABION, METALLIC COATED (1m x 1m x 3m)	PC	Metal Products
MS02.0005	GABION, METALLIC COATED (1m x 1m x 4m)	PC	Metal Products
MS02.0006	GABION, PVC COATED (0.5m x 1m x 3m)	PC	Metal Products
MS02.0007	GABION, PVC COATED (0.5m x 1m x 4m)	PC	Metal Products
MS02.0008	GABION, PVC COATED (1m x 1m x 2m)	PC	Metal Products
MS02.0009	GABION, PVC COATED (1m x 1m x 3m)	PC	Metal Products
MS02.0010	GABION, PVC COATED (1m x 1m x 4m)	PC	Metal Products
MS02.0011	MATTRESS, METALLIC COATED (0.3m x 2m x 6m)	PC	Metal Products
MS02.0012	MATTRESS, PVC COATED (0.3m x 2m x 6m)	PC	Metal Products
MS02.0013	FILTER CLOTH	SQM	Others
MS02.0014	COCO-NET, CGN 400	SQM	Others
MS02.0015	COCO-NET, CGN 700	SQM	Others
MS02.0016	FASCINE, CGR 200	M	Others
MS02.0017	FASCINE, CGR 300	M	Others
MS02.0018	SODDING	SQM	Others
MS02.0019	TOPSOIL (GARDEN SOIL)	CUM	Sand and Gravel
MS02.0020	VEGETATION, HYDROSEEDING	SQM	Others
MS02.0021	VEGETATION, VETIVER GRASS SYSTEM	SQM	Others
MS05.0000	**GIRDER**	**NONE**	
MS05.0001	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE I)	M	Concrete Products
MS05.0002	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE II)	M	Concrete Products
MS05.0003	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE III)	M	Concrete Products
MS05.0004	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE IV)	M	Concrete Products
MS05.0005	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE IV-A)	M	Concrete Products
MS05.0006	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE IV-B)	M	Concrete Products
MS05.0007	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE V)	M	Concrete Products
MS05.0008	PRESTRESSED CONCRETE GIRDER (AASHTO TYPE VI)	M	Concrete Products
MS05.0009	PRESTRESSED CONCRETE ANCHORAGE ASSEMBLY	SET	Concrete Products
MS05.0010	DUCT TUBE, GALVANIZED METAL (50 mm Ø)	M	Metal Products
MS05.0011	HIGH-TENSILE WIRE STRAND (12.70 mm Ø)	KG	Metal Products
MS09.0000	**ELECTRICAL WORKS**	**NONE**	
MS09.0001	RIGID STEEL CONDUIT (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0002	RIGID STEEL CONDUIT (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0003	RIGID STEEL CONDUIT (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0004	RIGID STEEL CONDUIT COUPLING (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0005	RIGID STEEL CONDUIT COUPLING (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0006	RIGID STEEL CONDUIT COUPLING (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0007	RIGID STEEL CONDUIT ELBOW, 90° (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0008	RIGID STEEL CONDUIT ELBOW, 90° (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0009	RIGID STEEL CONDUIT ELBOW, 90° (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0010	RIGID STEEL LOCKNUT AND BUSHING (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0011	RIGID STEEL LOCKNUT AND BUSHING (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0012	RIGID STEEL LOCKNUT AND BUSHING (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0013	PVC CONDUIT (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0014	PVC CONDUIT (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0015	PVC CONDUIT (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0016	PVC CONDUIT ELBOW, 90° (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0017	PVC CONDUIT ELBOW, 90° (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0018	PVC CONDUIT ELBOW, 90° (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0019	PVC MALE ADAPTER WITH LOCKNUT (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0020	PVC MALE ADAPTER WITH LOCKNUT (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0021	INTERMEDIATE METAL CONDUIT (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0022	INTERMEDIATE METAL CONDUIT (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0023	INTERMEDIATE METAL CONDUIT (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0024	INTERMEDIATE METAL CONDUIT COUPLING (1/2" | 12.7 mm Ø)	PC	Electrical Works

PSA CMWPI-Based Classification of CMPD Materials

Material Code	Material Description	Unit	CMWPI Commodity Group
MS09.0025	INTERMEDIATE METAL CONDUIT COUPLING (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0026	INTERMEDIATE METAL CONDUIT COUPLING (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0027	INTERMEDIATE METAL CONDUIT LOCKNUT AND BUSHING (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0028	INTERMEDIATE METAL CONDUIT LOCKNUT AND BUSHING (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0029	INTERMEDIATE METAL CONDUIT LOCKNUT AND BUSHING (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0030	INTERMEDIATE METAL CONDUIT ELBOW, 90° (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0031	INTERMEDIATE METAL CONDUIT ELBOW, 90° (3/4" | 19 mm Ø)	PC	Electrical Works
MS09.0032	INTERMEDIATE METAL CONDUIT ELBOW, 90° (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0033	FLEXIBLE METAL CONDUIT (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0034	FLEXIBLE METAL CONDUIT CONNECTOR (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0035	FLEXIBLE PVC CONDUIT (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0036	FLEXIBLE PVC CONDUIT CONNECTOR (1/2" | 12.7 mm Ø)	PC	Electrical Works
MS09.0037	MICA TUBE (1/4" | 6.35 mmØ)	PC	Electrical Works
MS09.0038	SERVICE ENTRANCE CAP (1" | 25.4 mm Ø)	PC	Electrical Works
MS09.0039	SERVICE ENTRANCE CAP (1 1/4" | 32 mm Ø)	PC	Electrical Works
MS09.0040	SERVICE ENTRANCE CAP (1 1/2" | 38 mm Ø)	PC	Electrical Works
MS09.0041	SERVICE ENTRANCE CAP (2" | 50 mm Ø)	PC	Electrical Works
MS09.0042	SERVICE ENTRANCE CAP (2-1/2" | 63 mm Ø)	PC	Electrical Works
MS09.0043	SQUARE BOX, GA 16 (4" x 4" x 2")	PC	Electrical Works
MS09.0044	SQUARE BOX, PVC (4" x 4" x 2")	PC	Electrical Works
MS09.0045	UTILITY BOX, GA 16 (2" x 4" x 2")	PC	Electrical Works
MS09.0046	UTILITY BOX, PVC (2" x 4" x 2")	PC	Electrical Works
MS09.0047	SURFACE TYPE UTILITY BOX (AMCO), PVC	PC	Electrical Works
MS09.0048	OCTAGONAL JUNCTION BOX, GA 16 (4" x 4" x 2")	PC	Electrical Works
MS09.0049	OCTAGONAL JUNCTION BOX, PVC (4" x 4" x 2")	PC	Electrical Works
MS09.0050	METAL PULL BOX, GA 16 (6" x 6" x 4")	PC	Electrical Works
MS09.0051	METAL PULL BOX, GA 16 (12" x 12" x 4")	PC	Electrical Works
MS09.0052	SOLDERLESS CONNECTOR (20 mm dia.)	PC	Electrical Works
MS09.0053	ELECTRIC WIRE, THWN/THHN, 14 AWG (2 mm Ø)	M	Electrical Works
MS09.0054	ELECTRIC WIRE, THWN/THHN, 12 AWG (3.5 mm Ø)	M	Electrical Works
MS09.0055	ELECTRIC WIRE, THWN/THHN, 10 AWG (5.5 mm Ø)	M	Electrical Works
MS09.0056	ELECTRIC WIRE, THWN/THHN, 8 AWG (8.0 mm Ø)	M	Electrical Works
MS09.0057	SWITCH, ONE-GANG	PC	Electrical Works
MS09.0058	SWITCH, TWO-GANG	PC	Electrical Works
MS09.0059	SWITCH, THREE-GANG	PC	Electrical Works
MS09.0060	THREE-WAY SWITCH, ONE-GANG	PC	Electrical Works
MS09.0061	THREE-WAY SWITCH, TWO-GANG	PC	Electrical Works
MS09.0062	THREE-WAY SWITCH, THREE-GANG	PC	Electrical Works
MS09.0063	UNIVERSAL OUTLET, ONE-GANG	PC	Electrical Works
MS09.0064	UNIVERSAL OUTLET, TWO-GANG	PC	Electrical Works
MS09.0065	UNIVERSAL OUTLET, THREE-GANG	PC	Electrical Works
MS09.0066	AIRCON OUTLET, ONE-GANG	PC	Electrical Works
MS09.0067	GFCI OUTLET, TWO-GANG	PC	Electrical Works
MS09.0068	FLOOR-MOUNTED UNIVERSAL OUTLET, TWO-GANG	PC	Electrical Works
MS09.0069	TWIST LOCK OUTLET (30 A)	PC	Electrical Works
MS09.0070	ELECTRICAL TAPE (19 mm x 20 m)	PC	Electrical Works
MS09.0071	MINI CIRCUIT BREAKER, 20A, 2P, 10KA, BOLT-ON	PC	Electrical Works
MS09.0072	MINI CIRCUIT BREAKER, 20A, 3P, 10KA, BOLT-ON	PC	Electrical Works
MS09.0073	MINI CIRCUIT BREAKER, 20A, 2P, 10KA, PLUG-IN	PC	Electrical Works
MS09.0074	MINI CIRCUIT BREAKER, 20A, 3P, 10KA, PLUG-IN	PC	Electrical Works
MS09.0075	MOLDED CASE CIRCUIT BREAKER, 100A, 230V, 2P, 25Kaic	PC	Electrical Works
MS09.0076	ELECTRICAL CIRCUIT BREAKER, 100A, NEMA 3R (HOUSING ONLY)	PC	Electrical Works
MS09.0077	PANEL BOARD, BOLT-ON (2P, 12B)	PC	Electrical Works
MS09.0078	PANEL BOARD, PLUG-IN (2P, 12B)	PC	Electrical Works
MS10.0000	**LIGHTING FIXTURES**	**NONE**	
MS10.0001	6W LED DOWNLIGHT, ROUND, SURFACE-MOUNTED	PC	Electrical Works
MS10.0002	9W LED DOWNLIGHT, ROUND, SURFACE-MOUNTED	PC	Electrical Works
MS10.0003	12W LED DOWNLIGHT, ROUND, SURFACE-MOUNTED	PC	Electrical Works
MS10.0004	18W LED DOWNLIGHT, ROUND, SURFACE-MOUNTED	PC	Electrical Works
MS10.0005	6W LED DOWNLIGHT, ROUND, RECESSED	PC	Electrical Works
MS10.0006	9W LED DOWNLIGHT, ROUND, RECESSED	PC	Electrical Works
MS10.0007	12W LED DOWNLIGHT, ROUND, RECESSED	PC	Electrical Works
MS10.0008	18W LED DOWNLIGHT, ROUND, RECESSED	PC	Electrical Works
MS10.0009	7W LED BULB, E27	PC	Electrical Works
MS10.0010	9W LED BULB, E27	PC	Electrical Works
MS10.0011	15W LED BULB, E27	PC	Electrical Works
MS10.0012	18W LED BULB, E27	PC	Electrical Works

PSA CMWPI-Based Classification of CMPD Materials

Material Code	Material Description	Unit	CMWPI Commodity Group
MS10.0013	CEILING RECEPTACLE, PORCELAIN, E27	PC	Electrical Works
MS10.0014	150W LED HIGH BAY LIGHT	PC	Electrical Works
MS10.0015	10W LED FLOODLIGHT	PC	Electrical Works
MS10.0016	EMERGENCY LIGHT, 2X3W LED	PC	Electrical Works
MS10.0017	EXIT SIGN LIGHT, 3W LED	PC	Electrical Works
MS07.0000	**ROAD SAFETY MATERIAL**	**NONE**	
MS07.0027	REFLECTORIZED TRAFFIC PAINT, WHITE	LTR	Painting Works
MS07.0028	REFLECTORIZED TRAFFIC PAINT, YELLOW	LTR	Painting Works
MS07.0029	THERMOPLASTIC PAINT, WHITE (25 kg)	BAG	Painting Works
MS07.0030	THERMOPLASTIC PAINT, YELLOW (25 kg)	BAG	Painting Works
MS07.0031	GLASS BEADS (25 kg)	BAG	Others
MS07.0032	PRIMER	LTR	Painting Works
MS08.0000	**ROOFING**	**NONE**	
MS08.0001	CORRUGATED ROOFING SHEET, GA 26	SQM	G.I. Sheet
MS08.0002	RIB-TYPE ROOFING SHEET, GA 26	SQM	G.I. Sheet
MS08.0003	FLASHING, GA 26 (0.61 m x 2.44 m)	PC	G.I. Sheet
MS08.0004	GUTTER, GA 24 (0.61 m x 2.44 m)	PC	G.I. Sheet
MS08.0005	RIDGE ROLL, GA 26 (0.61 m x 2.44 m)	PC	G.I. Sheet
MS08.0006	GI SHEET, PLAIN, GA 16 (1.22 m x 2.44 m)	PC	G.I. Sheet
MS08.0007	GI SHEET, PLAIN, GA 20 (1.22 m x 2.44 m)	PC	G.I. Sheet
MS08.0008	GI SHEET, PLAIN, GA 26 (1.22 m x 2.44 m)	PC	G.I. Sheet
MS11.0000	**FINISHING WORKS**	**NONE**	
MS11.0001	FIBER CEMENT BOARD (4.5 mm x 4' x 8')	PC	Hardware
MS11.0002	FIBER CEMENT BOARD (9 mm x 4' x 8')	PC	Hardware
MS11.0003	SINGLE FURRING, METAL (3/4" x 2" x 16', 0.5 mm thk.)	PC	Metal Products
MS11.0004	DOUBLE FURRING, METAL (3/4" x 2" x 16', 0.5 mm thk.)	PC	Metal Products
MS11.0005	METAL STUD (4" x 2" x 10', 0.5 mm thk.)	PC	Metal Products
MS11.0006	METAL STUD (3" x 2" x 10', 0.5 mm thk.)	PC	Metal Products
MS11.0007	CARRYING CHANNEL (1" x 2" x 16', 0.6 mm thk.)	PC	Metal Products
MS11.0008	CARRYING CHANNEL (1" x 2" x 16', 1.0 mm thk.)	PC	Metal Products
MS11.0009	W-CLIP (0.5 mm thk.)	PC	Metal Products
MS11.0010	WALL ANGLE, GA 24 (1" x 1" x 10', 0.6 mm thk.)	PC	Metal Products
MS11.0011	WALL ANGLE, GA 26 (1" x 1" x 10', 0.4 mm thk.)	PC	Metal Products
MS11.0012	BLIND RIVET, 50 pcs. (5/32" x 3/8")	BOX	Hardware
MS11.0013	TEK SCREW, 50 pcs. (1")	BOX	Hardware
MS11.0014	TEK SCREW, 50 pcs. (2")	BOX	Hardware
MS11.0015	GYPSUM BOARD (1/2" x 4' x 8')	PC	Hardware
MS11.0016	GYPSUM BOARD, MOISTURE RESISTANT (1/2" x 4' x 8')	PC	Hardware
MS11.0017	MAIN TEE (1 1/2" x 1" x 12', 0.3 mm thk.)	PC	Metal Products
MS11.0018	CROSS TEE RUNNER (1" x 1" x 4', 0.3 mm thk.)	PC	Metal Products
MS11.0019	BLACK SCREW, 50 pcs. (3/4")	BOX	Hardware
MS11.0020	BLACK SCREW, 50 pcs. (1")	BOX	Hardware
MS12.0000	**AIRCONDITIONING SYSTEM**	**NONE**	
MS12.0001	L-TYPE COPPER REFRIGERANT PIPE, 6m (1/4" Ø)	PC	Others
MS12.0002	L-TYPE COPPER REFRIGERANT PIPE, 6m (3/8" Ø)	PC	Others
MS12.0003	L-TYPE COPPER REFRIGERANT PIPE, 6m (1/2" Ø)	PC	Others
MS12.0004	L-TYPE COPPER REFRIGERANT PIPE, 6m (5/8" Ø)	PC	Others
MS12.0005	L-TYPE COPPER REFRIGERANT PIPE, 6m (3/4" Ø)	PC	Others
MS12.0006	L-TYPE COPPER REFRIGERANT PIPE, 6m (7/8" Ø)	PC	Others
MS12.0007	L-TYPE COPPER REFRIGERANT PIPE, 6m (1-1/8" Ø)	PC	Others
MS12.0008	RUBBER PIPE INSULATION, 25mm thk. (1/4" Ø)	M	Others
MS12.0009	RUBBER PIPE INSULATION, 25mm thk. (3/8" Ø)	M	Others
MS12.0010	RUBBER PIPE INSULATION, 25mm thk. (1/2" Ø)	M	Others
MS12.0011	RUBBER PIPE INSULATION, 25mm thk. (5/8" Ø)	M	Others
MS12.0012	RUBBER PIPE INSULATION, 25mm thk. (3/4" Ø)	M	Others
MS12.0013	RUBBER PIPE INSULATION, 25mm thk. (7/8" Ø)	M	Others
MS12.0014	RUBBER PIPE INSULATION, 25mm thk. (1-1/8" Ø)	M	Others
MS13.0000	**VENTILATING SYSTEM**	**NONE**	
MS13.0001	SPIRAL ROUND DUCT, GI, 3m (6" | 150mm Ø)	PC	Others
MS13.0002	FLEXIBLE ROUND DUCT, ALUMINUM, 3m (6" | 150mm Ø)	PC	Others
MS13.0003	EXHAUST VENT CAP, STEEL (6" | 150mm Ø)	PC	Others
MS13.0004	EXHAUST RAINHOOD (450 mm x 450 mm)	PC	Others
MS14.0000	**AUTOMATIC FIRE SPRINKLER SYSTEM (AFSS)**	**NONE**	
MS14.0001	FIRE EXTINGUISHER, PORTABLE, ABC DRY CHEMICAL, 10 lbs.	PC	Others
MS14.0002	FIRE EXTINGUISHER, PORTABLE, ABC DRY CHEMICAL, 20 lbs.	PC	Others
MS14.0003	FIRE EXTINGUISHER, WALL-MOUNTED, CLEAN AGENT HCFC-123, 19 lbs.	PC	Others
MS14.0004	FIRE HOSE CABINET WITH UL/FM APPROVED FIREHOSE (38 mm Ø x 30 m)	SET	Others

PSA CMWPI-Based Classification of CMPD Materials

Material Code	Material Description	Unit	CMWPI Commodity Group
MS14.0005	FIRE DEPARTMENT CONNECTION (2-1/2" x 2-1/2" x 3")	PC	Others
MS14.0006	SIAMESE TWIN (2-1/2" x 2-1/2" x 4")	PC	Others
MS14.0007	GATE VALVE, NRS, 200 PSI (2" | 50 mm Ø)	PC	Others
MS14.0008	GATE VALVE, NRS, 200 PSI (4" | 100 mm Ø)	PC	Others
MS14.0009	GATE VALVE, OS&Y, 200 PSI (4" | 100 mm Ø)	PC	Others
MS14.0010	CHECK VALVE, NRS, 200 PSI (4" | 100 mm Ø)	PC	Others
MS14.0011	ALARM CHECK VALVE, NRS, 200 PSI (4" | 100 mm Ø)	PC	Others
MS14.0012	FLEXIBLE CONNECTOR, 200 PSI (2" | 50 mm Ø)	PC	Others
MS14.0013	FLEXIBLE CONNECTOR, 200 PSI (4" | 100 mm Ø)	PC	Others

NOTE: Materials tagged as "Others" shall follow the general price index movement for "All Items."

Scenario Computation Sample (Construction Material Price)

To ensure that material prices used in the preparation of cost estimates remain attuned with prevailing market conditions, re-canvassing of CMPD materials suspected to be no longer reflective of current market prices may be undertaken. The median price derived from supplier canvasses may be adopted, provided that it is consistent with the benchmark price derived from the applicable PSA Construction Materials Wholesale Price Index (CMWPI). In all cases, the **CMPD price shall serve as the floor price.**

Provided on the following sheets is the classification of CMPD materials aligned with the commodity groups of the PSA CMWPI, which shall serve as the reference for determining the applicable CMWPI index in computing the material benchmark price.

Determination of the Benchmark Price

Compute the Benchmark Price using the formula:

$$Benchmark\ Price = CMPD\ Price \times \left(\frac{Latest\ CMWPI}{Reference\ CMWPI}\right)$$

$CMPD\ Price$	=	price of the material reflected in the CMPD 2nd Semester CY 2025
$Latest\ CMWPI$	=	latest available price index of the appropriate commodity group from PSA CMWPI
$Reference\ CMWPI$	=	price index of the appropriate commodity group as of December 2025

Sample Computation

Material	:	REINFORCED CONCRETE PIPE, CLASS II (36" | 910 mm Ø)
Commodity Group	:	Concrete Products
CMPD Price	:	Php 3,000.00
Latest CMWPI	:	125.9 (as of February 2026)
Reference CMWPI	:	125.8 (as of December 2025)

$$Benchmark\ Price = Php\ 3{,}000.00 \times \left(\frac{125.9}{125.8}\right)$$

$$Benchmark\ Price = \boldsymbol{Php\ 3,002.39}$$

In this case, for REINFORCED CONCRETE PIPE, CLASS II (36" | 910 mm Ø), new canvassed prices may be adopted, with Php 3,002.39 as benchmark for the median price.

3.9	Truck-Mounted Crane, Standard Lattice Boom	All Models	6-10 mt	100	PhP	636.00
3.10	Truck-Mounted Crane, Standard Lattice Boom	All Models	21-25 mt	200	PhP	1,522.00
3.11	Truck-Mounted Crane, Standard Lattice Boom	All Models	31-35 mt	238	PhP	1,849.00
3.12	Truck-Mounted Crane, Standard Lattice Boom	All Models	41-45 mt	246	PhP	2,110.00
3.13	Truck Mounted Crane with Bucket, Standard Lattice Boom	All Models	41-45 mt	246	PhP	2,532.00
3.14	Truck-Mounted Crane, Standard Lattice Boom	All Models	51-60 mt	280	PhP	2,955.00

6.4	Cold Milling Machine	W100, W50 2000 250 EF, Milling Width 1 Meter Max. Depth 300mm		220	PhP	7,967.00

7. CONCRETING EQUIPMENT

	DESCRIPTION	MODEL	CAPACITY	FLYWHEEL HORSEPOWER	DRY RENTAL RATE	
7.1	Concrete Paver	COMMANDER III, FOUR-TRACK		169	PhP	5,967.00
7.2	Concrete Screeder	Wacker Truss Screed		5.50	PhP	480.00
7.4	Transit Mixer	All Models	5 ft^3/min	175	PhP	1,288.00
7.5	Concrete Pump	Diesel Driven, Trailer-Mounted Less Pipe	100 m3/hr	130	PhP	1,831.00

12.1 Welding Machine	Gas/Diesel Driven	300	48	PhP	327.00
12.2 Welding Machine	Gas/Diesel Driven	500	70	PhP	476.00

14. MISCELLANEOUS EQUIPMENT

DESCRIPTION	MAKE/MODEL/CAPACITY	FLYWHEEL HORSEPOWER	DRY RENTAL RATE	
14.1 Portable Breaker	WACKER PORTABLE PETROL BREAKER, BHF30S	4	PhP	86.25

<Date>

CERTIFICATE OF COMPLIANCE

This is to certify that the material prices and equipment rental rates adopted for the project, **<Project ID> - <Project Description>** in the preparation of its Program of Works / Approved Budget for the Contract (POW/ABC) dated **<date of preparation>**, comply with the applicable Department guidelines, as follows:

(check one (1) option per category)

Material Prices

	Material prices are **aligned** with the Construction Materials Price Data (CMPD) pursuant to Department Order No. 125, Series of 2025.
	Certain material prices **were not aligned** with the CMPD as the CMPD prices were no longer reflective of prevailing market prices. These were re-canvassed, with adopted prices benchmarked against DTI price data or from the price indices of the PSA. For the deviated materials, the tabulated summary (Annex A) and supporting quotations / canvasses are attached herewith.

Equipment Rental Rates

	Prescribed Equipment Rental Rates **(Operated)** were used.
	Prescribed Equipment Rental Rates **(Operated Dry)** were used due to the prevailing diesel of ₱ **<median price>** per liter, which exceeds the ₱ 90.00 per liter threshold. The adopted diesel price reflects the median of three (3) supplier canvasses, which are attached hereto.

Prepared by:

(NAME)
Planning and Design
Division/Section Chief

Certified by:

(NAME)
Head of Office

Annex A

Materials with Deviated Prices from the CMPD

Material Description	CMPD Price	Benchmarked Prices from DTI / PSA	Median of Canvassed Price

Prepared by:

(NAME)
Planning and Design
Division/Section Chief

Certified by:

(NAME)
Head of Office