Ideal Nozzle Simulation Inputs:

a: 0.05 meter ** 2 / kilogram

n: 0.65 m: -0.2

Oxidiser:

Initial Volume: 0.41 liter Initial Mass: 0.68 lbs

Injector Mass Flow Rate: 0.042 kilogram / second

Number of Injectors: 1 Ideal O/F Ratio: 4.83 External Temp: 70 degF Time Step: 0.01 second

Simulation Results:

Total Burn Time: 7.34 second

Impulse: 1145.08 newton * second Average Thrust: 156.01 newton

Motor: J156

Nozzle Results:


Suggested Throat Diameter: 0.209 inch Suggested Exit Diameter: 0.475 inch Suggested Diffuser Length: 0.495 inch

Fuel Grain


Port Length: 15 inch

Fuel Density: 3.96 kilogram / meter ** 3


Grain Diameter: 1.75 inch Initial Port Diameter: 1.0 inch Final Port Diameter: 1.443 inch average fuel mass flow rate (kilogram / second) vs time (second)




average port diameter (inch) vs time (second)




average regression rate (inch / second) vs time (second)




average total mass flow rate (kilogram / second) vs time (second)




average total mass flux (kilogram / inch ** 2 / second) vs time (second)




inlet mach vs time (second)




inlet velocity (mph) vs time (second)




nozzle exit area (inch ** 2) vs time (second)







nozzle exit mach vs time (second)




nozzle exit velocity (mph) vs time (second)







nozzle nozzle diffuser length (inch) vs time (second)




nozzle star mach vs time (second)




nozzle star pressure (pound_force_per_square_inch) vs time (second)






+2.19226អូខ្លូវzle star velocity (mph) vs time (second) 0.0010 -0.0008 0.0006 -0.0004 0.0002 nozzle star velocity (mph) 2 6 time (second)


nozzle throat area (inch ** 2) vs time (second)




nozzle throat diameter (inch) vs time (second)




nozzle thrust (newton) vs time (second)



oxi fuel ratio vs time (second)



oxidiser mass (kilogram) vs time (second)



oxidiser mass flow rate (kilogram / second) vs time (second)

