SymPy generated orbital functions

Orbitals are constructed in the following fashion:

$$\phi(\vec{r})_{n_x,n_y} = H_{n_x}(kx)H_{n_y}(ky)e^{-\frac{1}{2}k^2r^2}$$

where $k=\sqrt(\omega\alpha)$, with ω being the oscillator frequency and α being the variational parameter.

```
\begin{array}{c|cccc} H_0(kx) & 1 \\ H_1(kx) & 2kx \\ H_2(kx) & 4k^2x^2-2 \\ H_3(kx) & 8k^3x^3-12kx \\ H_4(kx) & 16k^4x^4-48k^2x^2+12 \\ H_5(kx) & 32k^5x^5-160k^3x^3+120kx \\ H_6(kx) & 64k^6x^6-480k^4x^4+720k^2x^2-120 \\ \hline H_0(ky) & 1 \\ H_1(ky) & 2ky \\ H_2(ky) & 4k^2y^2-2 \\ H_3(ky) & 8k^3y^3-12ky \\ H_4(ky) & 16k^4y^4-48k^2y^2+12 \\ H_5(ky) & 32k^5y^5-160k^3y^3+120ky \\ H_6(ky) & 64k^6y^6-480k^4y^4+720k^2y^2-120 \\ \end{array}
```

Table 1: Hermite polynomials used to construct orbital functions

$\phi_0 \to \phi_{0,0}$	
$\phi(\vec{r})$	1
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-k^2x$
$\vec{j} \cdot abla \phi(\vec{r})$	$-k^2y$
$\nabla^2 \phi(\vec{r})$	$k^2 (k^2 r^2 - 2)$

Table 2: Orbital expressions HOOrbitals : 0, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_1 \to \phi_{0,1}$	
$\phi(\vec{r})$	y
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-k^2xy$
$\vec{j} \cdot abla \phi(\vec{r})$	-(ky-1)(ky+1)
$\nabla^2 \phi(\vec{r})$	$k^2y\left(k^2r^2-4\right)$

Table 3: Orbital expressions HOOrbitals : 0, 1. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cc} \phi_2 \rightarrow \phi_{1,0} & \\ \hline \phi(\vec{r}) & x \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -(kx-1)(kx+1) \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -k^2 xy \\ \hline \nabla^2 \phi(\vec{r}) & k^2 x \left(k^2 r^2 - 4\right) \end{array}$$

Table 4: Orbital expressions HOOrbitals : 1, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|ccc} \phi_3 \to \phi_{0,2} & & \\ \hline \phi(\vec{r}) & 4k^2y^2 - 2 & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -2k^2x \left(2k^2y^2 - 1\right) & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -2k^2y \left(2k^2y^2 - 5\right) & \\ \hline \nabla^2 \phi(\vec{r}) & 2k^2 \left(k^2r^2 - 6\right) \left(2k^2y^2 - 1\right) & & \\ \hline \end{array}$$

Table 5: Orbital expressions HOOrbitals : 0, 2. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{4} \to \phi_{1,1} & & & \\ \hline \phi(\vec{r}) & xy & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -y \left(kx-1\right) \left(kx+1\right) \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -x \left(ky-1\right) \left(ky+1\right) \\ \hline \nabla^{2} \phi(\vec{r}) & k^{2} x y \left(k^{2} r^{2}-6\right) \end{array}$$

Table 6: Orbital expressions HOOrbitals : 1, 1. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_5 \to \phi_{2,0}$	
$\phi(\vec{r})$	$4k^2x^2 - 2$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-2k^2x\left(2k^2x^2-5\right)$
$\vec{j} \cdot \nabla \phi(\vec{r})$	$-2k^2y(2k^2x^2-1)$
$\nabla^2 \phi(\vec{r})$	$2k^2(k^2r^2-6)(2k^2x^2-1)$

Table 7: Orbital expressions HOOrbitals : 2, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{6} \to \phi_{0,3} & & & \\ \hline \phi(\vec{r}) & y \left(2k^{2}y^{2} - 3\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -k^{2}xy \left(2k^{2}y^{2} - 3\right) & & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -2k^{4}y^{4} + 9k^{2}y^{2} - 3 & & \\ \hline \nabla^{2}\phi(\vec{r}) & k^{2}y \left(k^{2}r^{2} - 8\right) \left(2k^{2}y^{2} - 3\right) & & \\ \hline \end{array}$$

Table 8: Orbital expressions HOOrbitals : 0, 3. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{7} \to \phi_{1,2} & & & \\ \hline \phi(\vec{r}) & x \left(2k^{2}y^{2}-1\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -(kx-1)\left(kx+1\right)\left(2k^{2}y^{2}-1\right) & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -k^{2}xy\left(2k^{2}y^{2}-5\right) & \\ \hline \nabla^{2}\phi(\vec{r}) & k^{2}x\left(k^{2}r^{2}-8\right)\left(2k^{2}y^{2}-1\right) & & \end{array}$$

Table 9: Orbital expressions HOOrbitals : 1, 2. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_8 \to \phi_{2,1} & & & \\ \hline \phi(\vec{r}) & y \left(2k^2x^2 - 1\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -k^2xy \left(2k^2x^2 - 5\right) & & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -(ky-1)\left(ky+1\right)\left(2k^2x^2 - 1\right) & \\ \hline \nabla^2 \phi(\vec{r}) & k^2y \left(k^2r^2 - 8\right)\left(2k^2x^2 - 1\right) & & \end{array}$$

Table 10: Orbital expressions HOOrbitals : 2, 1. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|ccc} \phi_{9} \rightarrow \phi_{3,0} & & & \\ \hline \phi(\vec{r}) & x \left(2k^{2}x^{2} - 3\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -2k^{4}x^{4} + 9k^{2}x^{2} - 3 & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -k^{2}xy \left(2k^{2}x^{2} - 3\right) & \\ \hline \nabla^{2}\phi(\vec{r}) & k^{2}x \left(k^{2}r^{2} - 8\right) \left(2k^{2}x^{2} - 3\right) & & \\ \hline \end{array}$$

Table 11: Orbital expressions HOOrbitals : 3, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{10} \rightarrow \phi_{0,4}$	
$\phi(\vec{r})$	$16k^4y^4 - 48k^2y^2 + 12$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-4k^2x\left(4k^4y^4 - 12k^2y^2 + 3\right)$
$\vec{j} \cdot abla \phi(\vec{r})$	$-4k^2y\left(4k^4y^4-28k^2y^2+27\right)$
$\nabla^2 \phi(\vec{r})$	$4k^{2}(k^{2}r^{2}-10)(4k^{4}y^{4}-12k^{2}y^{2}+3)$

Table 12: Orbital expressions HOOrbitals : 0, 4. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{11} \rightarrow \phi_{1,3}$	
$\phi(\vec{r})$	$xy\left(2k^2y^2-3\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-y(kx-1)(kx+1)(2k^2y^2-3)$
$\vec{j} \cdot abla \phi(\vec{r})$	$-x(2k^4y^4-9k^2y^2+3)$
$\nabla^2 \phi(\vec{r})$	$k^2xy(k^2r^2-10)(2k^2y^2-3)$

Table 13: Orbital expressions HOOrbitals : 1, 3. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{|c|c|c|c|c|}\hline \phi_{12} \rightarrow \phi_{2,2} & & & \\ \hline \phi(\vec{r}) & \left(2k^2x^2 - 1\right)\left(2k^2y^2 - 1\right) \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -k^2x\left(2k^2x^2 - 5\right)\left(2k^2y^2 - 1\right) \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -k^2y\left(2k^2x^2 - 1\right)\left(2k^2y^2 - 5\right) \\ \hline \nabla^2 \phi(\vec{r}) & k^2\left(k^2r^2 - 10\right)\left(2k^2x^2 - 1\right)\left(2k^2y^2 - 1\right) \\ \hline \end{array}$$

Table 14: Orbital expressions HOOrbitals: 2, 2. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{13} \to \phi_{3,1} & & & \\ \hline \phi(\vec{r}) & xy \left(2k^2x^2 - 3\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -y \left(2k^4x^4 - 9k^2x^2 + 3\right) & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -x \left(ky - 1\right) \left(ky + 1\right) \left(2k^2x^2 - 3\right) & \\ \hline \nabla^2 \phi(\vec{r}) & k^2xy \left(k^2r^2 - 10\right) \left(2k^2x^2 - 3\right) & & \end{array}$$

Table 15: Orbital expressions HOOrbitals : 3, 1. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{14} \rightarrow \phi_{4,0} & & & \\ \hline \phi(\vec{r}) & 16k^4x^4 - 48k^2x^2 + 12 & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -4k^2x \left(4k^4x^4 - 28k^2x^2 + 27\right) & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -4k^2y \left(4k^4x^4 - 12k^2x^2 + 3\right) & \\ \hline \nabla^2 \phi(\vec{r}) & 4k^2 \left(k^2r^2 - 10\right) \left(4k^4x^4 - 12k^2x^2 + 3\right) & \\ \hline \end{array}$$

Table 16: Orbital expressions HOOrbitals : 4, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{15} \rightarrow \phi_{0,5}$	
$\phi(\vec{r})$	$y\left(4k^4y^4 - 20k^2y^2 + 15\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-k^2xy\left(4k^4y^4-20k^2y^2+15\right)$
$\vec{j} \cdot \nabla \phi(\vec{r})$	$-4k^6y^6 + 40k^4y^4 - 75k^2y^2 + 15$
$\nabla^2 \phi(\vec{r})$	$k^2y(k^2r^2-12)(4k^4y^4-20k^2y^2+15)$

Table 17: Orbital expressions HOOrbitals : 0, 5. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{16} \rightarrow \phi_{1,4}$	
$\phi(\vec{r})$	$x\left(4k^4y^4 - 12k^2y^2 + 3\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-(kx-1)(kx+1)(4k^4y^4-12k^2y^2+3)$
$\vec{j} \cdot \nabla \phi(\vec{r})$	$-k^2xy\left(4k^4y^4-28k^2y^2+27\right)$
$\nabla^2 \phi(\vec{r})$	$k^2x(k^2r^2-12)(4k^4y^4-12k^2y^2+3)$

Table 18: Orbital expressions HOOrbitals : 1, 4. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{17} \rightarrow \phi_{2,3} & & & \\ \hline \phi(\vec{r}) & y \left(2k^2x^2 - 1\right) \left(2k^2y^2 - 3\right) & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -k^2xy \left(2k^2x^2 - 5\right) \left(2k^2y^2 - 3\right) & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -\left(2k^2x^2 - 1\right) \left(2k^4y^4 - 9k^2y^2 + 3\right) & \\ \hline \nabla^2 \phi(\vec{r}) & k^2y \left(k^2r^2 - 12\right) \left(2k^2x^2 - 1\right) \left(2k^2y^2 - 3\right) & \\ \hline \end{array}$$

Table 19: Orbital expressions HOOrbitals : 2, 3. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{18} \rightarrow \phi_{3,2} & & & \\ \hline \phi(\vec{r}) & x \left(2k^2x^2 - 3\right) \left(2k^2y^2 - 1\right) \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & - \left(2k^2y^2 - 1\right) \left(2k^4x^4 - 9k^2x^2 + 3\right) \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -k^2xy \left(2k^2x^2 - 3\right) \left(2k^2y^2 - 5\right) \\ \hline \nabla^2 \phi(\vec{r}) & k^2x \left(k^2r^2 - 12\right) \left(2k^2x^2 - 3\right) \left(2k^2y^2 - 1\right) \end{array}$$

Table 20: Orbital expressions HOOrbitals : 3, 2. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{19} \rightarrow \phi_{4,1} & & & \\ \hline \phi(\vec{r}) & y \left(4k^4x^4 - 12k^2x^2 + 3\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -k^2xy \left(4k^4x^4 - 28k^2x^2 + 27\right) & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -(ky-1) \left(ky+1\right) \left(4k^4x^4 - 12k^2x^2 + 3\right) & \\ \hline \nabla^2 \phi(\vec{r}) & k^2y \left(k^2r^2 - 12\right) \left(4k^4x^4 - 12k^2x^2 + 3\right) & \\ \hline \end{array}$$

Table 21: Orbital expressions HOOrbitals : 4, 1. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{20} \rightarrow \phi_{5,0}$	
$\phi(\vec{r})$	$x\left(4k^4x^4 - 20k^2x^2 + 15\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-4k^6x^6 + 40k^4x^4 - 75k^2x^2 + 15$
$\vec{j} \cdot abla \phi(\vec{r})$	$-k^2xy\left(4k^4x^4-20k^2x^2+15\right)$
$\nabla^2 \phi(\vec{r})$	$k^2x \left(k^2r^2 - 12\right) \left(4k^4x^4 - 20k^2x^2 + 15\right)$

Table 22: Orbital expressions HOOrbitals : 5, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{21} \rightarrow \phi_{0,6}$	
$\phi(ec{r})$	$64k^6y^6 - 480k^4y^4 + 720k^2y^2 - 120$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-8k^2x\left(8k^6y^6 - 60k^4y^4 + 90k^2y^2 - 15\right)$
$\vec{j} \cdot \nabla \phi(\vec{r})$	$-8k^2y\left(8k^6y^6 - 108k^4y^4 + 330k^2y^2 - 195\right)$
$\nabla^2 \phi(\vec{r})$	$8k^{2}(k^{2}r^{2}-14)(8k^{6}y^{6}-60k^{4}y^{4}+90k^{2}y^{2}-15)$

Table 23: Orbital expressions HOOrbitals : 0, 6. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{22} \rightarrow \phi_{1,5}$	
$\phi(ec{r})$	$xy\left(4k^4y^4 - 20k^2y^2 + 15\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-y(kx-1)(kx+1)(4k^4y^4-20k^2y^2+15)$
$\vec{j} \cdot \nabla \phi(\vec{r})$	$-x\left(4k^6y^6 - 40k^4y^4 + 75k^2y^2 - 15\right)$
$\nabla^2 \phi(\vec{r})$	$k^2xy\left(k^2r^2-14\right)\left(4k^4y^4-20k^2y^2+15\right)$

Table 24: Orbital expressions HOOrbitals : 1, 5. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{23} \rightarrow \phi_{2,4} & & & \\ \hline \phi(\vec{r}) & \left(2k^2x^2-1\right)\left(4k^4y^4-12k^2y^2+3\right) & & \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -k^2x\left(2k^2x^2-5\right)\left(4k^4y^4-12k^2y^2+3\right) & & \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -k^2y\left(2k^2x^2-1\right)\left(4k^4y^4-28k^2y^2+27\right) & & \\ \hline \nabla^2 \phi(\vec{r}) & k^2\left(k^2r^2-14\right)\left(2k^2x^2-1\right)\left(4k^4y^4-12k^2y^2+3\right) & & \\ \hline \end{array}$$

Table 25: Orbital expressions HOOrbitals : 2, 4. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{24} \rightarrow \phi_{3,3} & & & \\ \hline \phi(\vec{r}) & xy\left(2k^2x^2-3\right)\left(2k^2y^2-3\right) \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -y\left(2k^2y^2-3\right)\left(2k^4x^4-9k^2x^2+3\right) \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -x\left(2k^2x^2-3\right)\left(2k^4y^4-9k^2y^2+3\right) \\ \hline \nabla^2 \phi(\vec{r}) & k^2xy\left(k^2r^2-14\right)\left(2k^2x^2-3\right)\left(2k^2y^2-3\right) \end{array}$$

Table 26: Orbital expressions HOOrbitals : 3, 3. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{25} \rightarrow \phi_{4,2}$	
$\phi(ec{r})$	$\left(2k^2y^2 - 1\right)\left(4k^4x^4 - 12k^2x^2 + 3\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-k^2x\left(2k^2y^2-1\right)\left(4k^4x^4-28k^2x^2+27\right)$
$\vec{j}\cdot abla\phi(\vec{r})$	$-k^2y(2k^2y^2-5)(4k^4x^4-12k^2x^2+3)$
$\nabla^2 \phi(\vec{r})$	$k^{2} (k^{2}r^{2} - 14) (2k^{2}y^{2} - 1) (4k^{4}x^{4} - 12k^{2}x^{2} + 3)$

Table 27: Orbital expressions HOOrbitals : 4, 2. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$\phi_{26} \rightarrow \phi_{5,1}$	
$\phi(\vec{r})$	$xy\left(4k^4x^4-20k^2x^2+15\right)$
$\vec{i} \cdot \nabla \phi(\vec{r})$	$-y\left(4k^6x^6 - 40k^4x^4 + 75k^2x^2 - 15\right)$
$\vec{j} \cdot \nabla \phi(\vec{r})$	$-x(ky-1)(ky+1)(4k^4x^4-20k^2x^2+15)$
$\nabla^2 \phi(\vec{r})$	$k^2xy\left(k^2r^2-14\right)\left(4k^4x^4-20k^2x^2+15\right)$

Table 28: Orbital expressions HOOrbitals : 5, 1. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.

$$\begin{array}{c|cccc} \phi_{27} \rightarrow \phi_{6,0} & & & \\ \hline \phi(\vec{r}) & 64k^6x^6 - 480k^4x^4 + 720k^2x^2 - 120 \\ \hline \vec{i} \cdot \nabla \phi(\vec{r}) & -8k^2x \left(8k^6x^6 - 108k^4x^4 + 330k^2x^2 - 195\right) \\ \hline \vec{j} \cdot \nabla \phi(\vec{r}) & -8k^2y \left(8k^6x^6 - 60k^4x^4 + 90k^2x^2 - 15\right) \\ \hline \nabla^2 \phi(\vec{r}) & 8k^2 \left(k^2r^2 - 14\right) \left(8k^6x^6 - 60k^4x^4 + 90k^2x^2 - 15\right) \end{array}$$

Table 29: Orbital expressions HOOrbitals : 6, 0. Factor $e^{-\frac{1}{2}k^2r^2}$ is omitted.