



Lab RSMortgage Spring Boot Person Service  
→ REST Microservice

## **RSMortgage Spring Boot Person Service**

Udemy Spring Cloud Course  
Presented By  
Binit Datta

**Rolling Stone Technology**

**Formatted: February, 2017**

# Table of Content

<b>1.0 - Introduction .....</b>	<b>5</b>
<b>1.1 – Create a new Spring Starter Project.....</b>	<b>6</b>
<b>1.2 – Fill initial values .....</b>	<b>7</b>
<b>1.3 – Do not choose anything .....</b>	<b>8</b>
<b>1.4 – Click Finish Now .....</b>	<b>29</b>
<b>1.5 – Let Spring Tool Suite Prepare the Project.....</b>	<b>30</b>
<b>1.6 – Verify the project identification in the pom.xml .....</b>	<b>31</b>
<b>1.7 – Add Parent project .....</b>	<b>31</b>
<b>1.8 – Add Properties .....</b>	<b>31</b>
<b>1.9– Add web and actuator Dependencies.....</b>	<b>32</b>
<b>1.10 – Add security and tomcat dependencies .....</b>	<b>32</b>
<b>1.11 – Add jpa orm and h2 db dependencies .....</b>	<b>32</b>
<b>1.12 – Add spring test dependencies .....</b>	<b>33</b>
<b>1.13 – Add Jackson databind dependencies .....</b>	<b>33</b>
<b>1.14 – Add HAL Browser dependencies .....</b>	<b>33</b>
<b>1.15 – Add Swagger dependencies.....</b>	<b>34</b>
<b>1.16 – Add MySQL Driver dependencies .....</b>	<b>34</b>
<b>1.17 – Add maven build section .....</b>	<b>34</b>
<b>1.18 –Add properties for application.properties resource directory .....</b>	<b>35</b>
<b>1.19 –Create application.yml under resource directory .....</b>	<b>35</b>
<b>1.20 –Create domain package .....</b>	<b>37</b>
<b>1.21 –Create api.rest package .....</b>	<b>38</b>
<b>1.22 –Create exception package.....</b>	<b>39</b>
<b>1.23 –Create dao.jpa package .....</b>	<b>40</b>
<b>1.24 –Create service package .....</b>	<b>41</b>
<b>1.25 –Create Person domain class in domain package.....</b>	<b>42</b>
<b>1.26 –Do the following for the Person domain class .....</b>	<b>43</b>
<b>1.27 –Create RESTAPIErrorInfo domain class .....</b>	<b>43</b>
<b>1.28 –Create HTTP400Exception class in the exception pckage.....</b>	<b>44</b>
<b>1.29 –Create HTTP404Exception class in the exception pckage.....</b>	<b>45</b>
<b>1.30 –Create PersonRepository interface in the dao.jpa package .....</b>	<b>46</b>
<b>1.31 –Create ServiceProperties class in the service package.....</b>	<b>47</b>
<b>1.32 –Create PersonServiceHealth class in the service package .....</b>	<b>48</b>
<b>1.33 –Create PersonServiceEvent class in the service package.....</b>	<b>49</b>
<b>1.34 –Create PersonServiceListener class in the service package .....</b>	<b>50</b>
<b>1.35 –Create PersonService class in the service package.....</b>	<b>51</b>
<b>1.36 –Create AbstractRestHandler class in the rest.api package .....</b>	<b>53</b>
<b>1.37 –Add PersonController in the rest.api package.....</b>	<b>55</b>
<b>1.38 –Add RestControllerAspect in the com.rollingstone package.....</b>	<b>58</b>
<b>1.39 –Add Application class in the com.rollingstone package.....</b>	<b>60</b>
<b>1.40 –Open Git Bash in project folder .....</b>	<b>61</b>
<b>1.41 –Run build .....</b>	<b>61</b>

<b>1.42 –Build successful .....</b>	<b>62</b>
<b>1.43 –Now Run .....</b>	<b>63</b>
<b>1.44 –Verify Database.....</b>	<b>64</b>
<b>1.45 –Verify Database Data.....</b>	<b>65</b>
<b>1.46 –Verify Data Retrieval API is working.....</b>	<b>66</b>
<b>1.47 –Verify Data AOP for @Before and @AfterReturning.....</b>	<b>67</b>
<b>1.47 –Verify Single Data Retrieval API is working .....</b>	<b>68</b>
<b>1.48 –Verify Not Found is working .....</b>	<b>69</b>
<b>1.49 –Verify Person Creation is working.....</b>	<b>70</b>
<b>1.49 –Verify Person Updation is working.....</b>	<b>72</b>
<b>1.50 –Verify Person Deletion is working .....</b>	<b>75</b>
<b>1.51 –Custom Health.....</b>	<b>76</b>
<b>1.54 – Metrics and Custom Metrics .....</b>	<b>77</b>
<b>1.55 – /env endpoint .....</b>	<b>78</b>
<b>1.56 – /beans endpoint .....</b>	<b>79</b>
<b>1.57 – /actuator endpoint.....</b>	<b>80</b>
<b>1.58 – /dump endpoint .....</b>	<b>82</b>
<b>1.59 – /logfile endpoint.....</b>	<b>83</b>
<b>1.60 –Conclusion .....</b>	<b>83</b>


# Chapter 1

## *Spring Boot Person Service Project Creation*


### **1.0 - Introduction**

The purpose of this guide is to help walk through the process of creating a Spring Boot based Person Service REST Application so that the reader / learner becomes completely familiar with Spring Boot and its associated features such as actuator etc.

## 1.1 – Create a new Spring Starter Project



## 1.2 – Fill initial values



The image shows a 'New Spring Starter Project' dialog box. It contains several input fields and checkboxes for configuring a new project. The fields are filled with the following values: Name: 'udemy-rsmortgage-person-service', Location: 'C:\AWS\RSMortgagePracticeWS\udemy-rsmortgage-person-service', Type: 'Maven', Packaging: 'Jar', Java Version: '1.8', Language: 'Java', Group: 'com.rollingstone', Artifact: 'udemy-rsmortgage-person-service', Version: '0.0.1-SNAPSHOT', Description: 'Demo project for Spring Boot', and Package: 'com.rollingstone'. There is also a 'Working sets' section with an unchecked checkbox 'Add project to working sets' and a 'Working sets:' dropdown menu. The 'Next >' button is highlighted.

**New Spring Starter Project**

Name:

☒ Use default location

Location:

Type:  Packaging:

Java Version:  Language:

Group:

Artifact:

Version:

Description:


Package:

Working sets

☐ Add project to working sets

Working sets:

### 1.3 – Do not choose anything



**New Spring Starter Project**

Boot Version: 1.5.1

Dependencies:


Actu

- ▼ Cloud Discovery
  - ☒ Eureka Server
- ▼ Ops
  - ☒ Actuator ☐ Actuator Docs
- ▼ Web
  - ☒ Web

? < Back Next > **Finish** Cancel



## 1.4 – Click Finish Now




The image shows a 'New Spring Starter Project' dialog box. It has a title bar with a green icon, a minimize button, a maximize button, and a close button. The main area is titled 'New Spring Starter Project' and contains a 'Site Info' section. This section has two text fields: 'Base Url' and 'Full Url'. The 'Base Url' field contains the text 'http://start.spring.io/starter.zip'. The 'Full Url' field contains a long URL: 'http://start.spring.io/starter.zip?name=udemy-rsmortgage-eureka-service-discovery-ha-1&groupId=com.rollingstone&artifactId=demo&version=0.0.1-SNAPSHOT&description=RSMortgage+Spring+Cloud+Service+Discovery+For+High+Availability+&packageName=com.rollingstone&type=maven-project&packaging=jar&javaVersion=1.8&language=java&bootVersion=1.5.1.RELEASE&dependencies=cloud-eureka-server&dependencies=actuator&dependencies=web'. At the bottom of the dialog, there is a row of four buttons: '< Back', 'Next >', 'Finish', and 'Cancel'. The '< Back' button is highlighted with a blue border. There is also a help icon (a question mark in a circle) on the bottom left.

**New Spring Starter Project**


Site Info

Base Url:

Full Url:



## 1.5 – Let Spring Tool Suite Prepare the Project



## 1.6 – Verify the project identification in the pom.xml

```
<groupId>com.rollingstone</groupId>
<artifactId>udemy-rsmortgage-person-service</artifactId>
<version>0.0.1-SNAPSHOT</version>
<packaging>jar</packaging>

<name>udemy-rsmortgage-person-service</name>
<description>Demo project for Spring Boot</description>
```

## 1.7 – Add Parent project

```
<parent>
  <groupId>org.springframework.boot</groupId>
  <artifactId>spring-boot-starter-parent</artifactId>
  <version>1.3.6.RELEASE</version>
</parent>
```

## 1.8 – Add Properties

```
<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <project.reporting.outputEncoding>UTF-8</project.reporting.outputEncoding>
  <java.version>1.8</java.version>
<start-class>com.rollingstone.Application</start-class>
  <!--      <slf4j.version>1.6.4</slf4j.version>
  <logback.version>1.0.1</logback.version> -->
</properties>
```

## 1.9– Add web and actuator Dependencies

```
<dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-actuator</artifactId>
</dependency>

<!-- web development, including Tomcat and spring-webmvc -->
<dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-web</artifactId>
</dependency>
```

## 1.10 – Add security and tomcat dependencies

```
<!-- Spring security -->
<dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-security</artifactId>
</dependency>

<dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-tomcat</artifactId>
    <scope>provided</scope>
</dependency>
```

## 1.11 – Add jpa orm and h2 db dependencies

```
<!-- spring-data-jpa, spring-orm and Hibernate -->
<dependency>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-data-jpa</artifactId>
</dependency>

<dependency>
    <groupId>com.h2database</groupId>
    <artifactId>h2</artifactId>
    <version>1.4.181</version>
</dependency>
<dependency>
    <groupId>org.hsqldb</groupId>
    <artifactId>hsqldb</artifactId>
    <scope>runtime</scope>
```

```
</dependency>
```

## 1.12 – Add spring test dependencies

```
<!-- spring-test, hamcrest, ... -->  
<dependency>  
  <groupId>org.springframework.boot</groupId>  
  <artifactId>spring-boot-starter-test</artifactId>  
  <scope>test</scope>  
</dependency>
```

```
<!-- attribute level json comparisons -->  
  <dependency>  
    <groupId>com.jayway.jsonpath</groupId>  
    <artifactId>json-path</artifactId>  
    <version>0.9.1</version>  
    <scope>test</scope>  
  </dependency>  
  <dependency>  
    <groupId>com.jayway.jsonpath</groupId>  
    <artifactId>json-path-assert</artifactId>  
    <version>0.9.1</version>  
    <scope>test</scope>  
  </dependency>
```

## 1.13 – Add Jackson databind dependencies

```
<dependency>  
  <groupId>com.fasterxml.jackson.core</groupId>  
  <artifactId>jackson-databind</artifactId>  
</dependency>
```

## 1.14 – Add HAL Browser dependencies

```
<dependency>  
  <groupId>org.springframework.data</groupId>  
  <artifactId>spring-data-rest-hal-browser</artifactId>  
</dependency>
```

## 1.15 – Add Swagger dependencies

```
<dependency>
  <groupId>io.springfox</groupId>
  <artifactId>springfox-swagger2</artifactId>
  <version>2.3.1</version>
</dependency>
<dependency>
  <groupId>io.springfox</groupId>
  <artifactId>springfox-swagger-ui</artifactId>
  <version>2.3.1</version>
</dependency>
```

## 1.16 – Add MySQL Driver dependencies

```
<dependency>
  <groupId>mysql</groupId>
  <artifactId>mysql-connector-java</artifactId>
  <version>5.1.40</version>
</dependency>
```

## 1.17 – Add maven build section

```
<build>
  <resources>
    <resource>
      <directory>src/main/resources</directory>
      <filtering>true</filtering>
    </resource>
  </resources>
  <plugins>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-compiler-plugin</artifactId>
      <version>3.1</version>
      <configuration>
        <source>1.8</source>
        <target>1.8</target>
      </configuration>
    </plugin>
    <!-- Spring boot support -->
    <plugin>
      <groupId>org.springframework.boot</groupId>
      <artifactId>spring-boot-maven-plugin</artifactId>
      <configuration>
        <addResources>>false</addResources>
      </configuration>
    </plugin>
  </plugins>
```

```
</plugins>
</build>
```

## 1.18 –Add properties for application.properties resource directory

```
logging.level.org.springframework.web=INFO
logging.level.org.hibernate=ERROR
logging.file=logs/udemy-rsmortgage-person-service.log
```

## 1.19 –Create application.yml under resource directory

```
spring.jmx:
  enabled: false
```

```
spring.datasource:
  driverClassName: org.h2.Driver
  url: jdbc:h2:mem:bootexample;MODE=MySQL
```

```
server:
  port: 8090
```

*#todo: make sure to always enable security in production*

```
security:
  basic:
    enabled: false
```

*#management endpoints on a separate port*

```
management:
  port: 8091
  security:
    enabled: false # management port is internal only. no need to secure it.
```

*#default project info followed by actual injected pom-specified values.*

```
project:
  name: udemy-rsmortgage-person-service
  version: 0.1
  description: udemy-rsmortgage-person-service
info:
  build:
    artifact: ${project.artifactId}
    name: ${project.name}
    description: ${project.description}
    version: ${project.version}
```

```
spring.jpa:
  hibernate.ddl-auto: create-drop


---
spring:
  profiles: mysql

datasource:
  driverClassName: com.mysql.jdbc.Driver
  url: jdbc:mysql://localhost/rsmortgage
  username: root
  password: root


jpa:
  hibernate:
    dialect: org.hibernate.dialect.MySQLInnoDBDialect
    ddl-auto: update # todo: in non-dev environments, comment this out:
```




## 1.20 –Create domain package




## 1.21 –Create api.rest package




## 1.22 –Create exception package



## 1.23 –Create dao.jpa package



## 1.24 –Create service package



## 1.25 –Create Person domain class in domain package

```
package com.rollingstone.domain;

import java.util.Date;

import javax.persistence.*;
import javax.xml.bind.annotation.*;

/*
 * a simple domain entity doubling as a DTO
 */
@Entity
@Table(name = "rsmortgage_person")
@XmlRootElement
@XmlAccessorType(XmlAccessType.FIELD)
public class Person {

    @Id
    @GeneratedValue
    private long id;

    @Column(nullable = false)
    private String firstName;

    @Column(nullable = false)
    private String lastName;

    @Temporal(TemporalType.DATE)
    @Column(name = "dob", unique = true, nullable = false, length = 10)
    private Date dateOfBirth;

    @Column(nullable = false)
    private int age;

    @Column(nullable = false)
    private String socialSecurityNumber;

    public Person() {
    }
}
```

## 1.26 –Do the following for the Person domain class

- Generate a non-default constructor using all fields
- Generate a hashCode method
- Generate an equals method
- Generate a toString method using all fields
- Generate getter and setters for all fields

## 1.27 –Create RESTAPIErrorInfo domain class

```
package com.rollingstone.domain;
```

```
import javax.xml.bind.annotation.XmlRootElement;
```

```
@XmlRootElement
```

```
public class RESTAPIErrorInfo {  
    public final String errorDetail;  
    public final String errorMessage;
```

```
    public RESTAPIErrorInfo(Exception ex, String detail) {  
        this.errorMessage = ex.getLocalizedMessage();  
        this.errorDetail = detail;
```

```
    }  
}
```

## 1.28 –Create HTTP400Exception class in the exception pckage

```
package com.rollingstone.exception;

/**
 * for HTTP 400 Bad Request errors
 */
public final class HTTP400Exception extends RuntimeException {
    public HTTP400Exception() {
        super();
    }

    public HTTP400Exception(String message, Throwable cause) {
        super(message, cause);
    }

    public HTTP400Exception(String message) {
        super(message);
    }

    public HTTP400Exception(Throwable cause) {
        super(cause);
    }
}
```



## 1.29 –Create HTTP404Exception class in the exception pckage

```
package com.rollingstone.exception;

/**
 * For HTTP 404 Not Found errors
 */
public class HTTP404Exception extends RuntimeException {
    /**
     *
     */
    private static final long serialVersionUID = 1L;

    public HTTP404Exception() {
        super();
    }

    public HTTP404Exception(String message, Throwable cause) {
        super(message, cause);
    }

    public HTTP404Exception(String message) {
        super(message);
    }

    public HTTP404Exception(Throwable cause) {
        super(cause);
    }
}
```

### 1.30 –Create PersonRepository interface in the dao.jpa package

```
package com.rollingstone.dao.jpa;

import java.util.List;

import org.springframework.data.domain.Page;
import org.springframework.data.domain.Pageable;
import org.springframework.data.repository.PagingAndSortingRepository;

import com.rollingstone.domain.Person;

public interface PersonRepository extends PagingAndSortingRepository<Person,
Long> {
    Person findPersopnByage(int age);
    List<Person> findPersonByLastName(String lastName);
    Page findAll(Pageable pageable);
}
```

## 1.31 –Create ServiceProperties class in the service package

```
package com.rollingstone.service;

import org.springframework.boot.context.properties.ConfigurationProperties;
import org.springframework.stereotype.Component;
import javax.validation.constraints.NotNull;

/*
 * demonstrates how service-specific properties can be injected
 */
@ConfigurationProperties(prefix = "person.service", ignoreUnknownFields = false)
@Component
public class ServiceProperties {
    @NotNull // you can also create configurationPropertiesValidator
    private String name = "Person Service";

    @NotNull // you can also create configurationPropertiesValidator
    private String description = "Person Service Description";

    public String getName() {
        return this.name;
    }

    public void setName(String name) {
        this.name = name;
    }

    public String getDescription() {
        return description;
    }

    public void setDescription(String description) {
        this.description = description;
    }
}
```

### 1.32 –Create PersonServiceHealth class in the service package

```
package com.rollingstone.service;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.actuate.health.Health;
import org.springframework.boot.actuate.health.HealthIndicator;
import org.springframework.stereotype.Component;

/**
 * This is an optional class used to inject application specific health check
 * into the Spring Boot health management endpoint.
 */
@Component
public class PersonServiceHealth implements HealthIndicator {

    @Autowired
    private ServiceProperties configuration;

    @Override
    public Health health() {
        return Health.up().withDetail("details",
            "{ 'internals' : 'getting close to limit', 'profile' : " +
this.configuration.getName() + " }" + this.configuration.getDescription())
            .status("itsok!").build();
    }
}
```

### 1.33 –Create PersonServiceEvent class in the service package

```
package com.rollingstone.service;

import org.springframework.context.ApplicationEvent;

import com.rollingstone.domain.Person;

/**
 * This is an optional class used in publishing application events.
 * This can be used to inject events into the Spring Boot audit management endpoint.
 */
public class PersonServiceEvent extends ApplicationEvent {

    Person eventPerson;
    String eventType;

    public PersonServiceEvent(Object source, String eventType, Person person) {
        super(source);
        this.eventType = eventType;
        this.eventPerson = person;
    }

    public String toString() {
        return "My PErsonService Event";
    }

    public Person getEventPerson() {
        return eventPerson;
    }

    public void setEventPerson(Person eventPerson) {
        this.eventPerson = eventPerson;
    }

    public String getEventType() {
        return eventType;
    }

    public void setEventType(String eventType) {
        this.eventType = eventType;
    }
}
```

```
}
```

### 1.34 –Create PersonServiceListener class in the service package

```
package com.rollingstone.service;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.context.ApplicationListener;
import org.springframework.stereotype.Component;

@Component
public class PersonEventListener implements
ApplicationListener<PersonServiceEvent>
{
    private final Logger logger = LoggerFactory.getLogger(this.getClass());

    public void onApplicationEvent(PersonServiceEvent event)
    {
        PersonServiceEvent personEvent = (PersonServiceEvent) event;

        logger.info("Person " + event.getEventType() + " with details : " +
event.getEventPerson());
    }
}
```

## 1.35 –Create PersonService class in the service package

```
package com.rollingstone.service;

import com.rollingstone.dao.jpa.PersonRepository;
import com.rollingstone.domain.Person;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.actuate.metrics.CounterService;
import org.springframework.boot.actuate.metrics.GaugeService;
import org.springframework.data.domain.Page;
import org.springframework.data.domain.PageRequest;
import org.springframework.stereotype.Service;

@Service
public class PersonService {

    private static final Logger log = LoggerFactory.getLogger(PersonService.class);

    @Autowired
    private PersonRepository personRepository;

    @Autowired
    CounterService counterService;

    @Autowired
    GaugeService gaugeService;

    public PersonService() {
    }

    public Person createPerson(Person person) {
        return personRepository.save(person);
    }

    public Person getPerson(long id) {
        return personRepository.findOne(id);
    }
}
```

```

public void updatePerson(Person person) {
    personRepository.save(person);
}

public void deletePerson(Long id) {
    personRepository.delete(id);
}

public Page<Person> getAllPersons(Integer page, Integer size) {
    Page pageOfPersons = personRepository.findAll(new PageRequest(page, size));
    // example of adding to the /metrics
    if (size > 50) {
        counterService.increment("com.rollingstone.PersonService.getAll.largePayload");
    }
    return pageOfPersons;
}
}

```



### 1.36 –Create AbstractRestHandler class in the rest.api package

```
package com.rollingstone.api.rest;

import javax.servlet.http.HttpServletResponse;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.actuate.metrics.CounterService;
import org.springframework.context.ApplicationEventPublisher;
import org.springframework.context.ApplicationEventPublisherAware;
import org.springframework.http.HttpStatus;
import org.springframework.web.bind.annotation.ExceptionHandler;
import org.springframework.web.bind.annotation.ResponseBody;
import org.springframework.web.bind.annotation.ResponseStatus;
import org.springframework.web.context.request.WebRequest;

import com.rollingstone.domain.RESTAPIErrorInfo;
import com.rollingstone.exception.HTTP400Exception;
import com.rollingstone.exception.HTTP404Exception;

/**
 * This class is used as a super class to be extended by all REST API "controllers".
 */
public abstract class AbstractRestHandler implements
ApplicationEventPublisherAware {

    protected final Logger log = LoggerFactory.getLogger(this.getClass());
    protected ApplicationEventPublisher eventPublisher;

    protected static final String DEFAULT_PAGE_SIZE = "100";
    protected static final String DEFAULT_PAGE_NUM = "0";

    @Autowired
    CounterService counterService;

    @ResponseStatus(HttpStatus.BAD_REQUEST)
    @ExceptionHandler(HTTP400Exception.class)
    public
    @ResponseBody
    RESTAPIErrorInfo handleDataStoreException(HTTP400Exception ex, WebRequest
request, HttpServletResponse response) {
```

```

        log.info("Converting Data Store exception to RestResponse : " + ex.getMessage());
        counterService.increment("com.rollingstone.http.400.count");
        return new RESTAPIErrorInfo(ex, "You messed up.");
    }

    @ResponseStatus(HttpStatus.NOT_FOUND)
    @ExceptionHandler(HTTP404Exception.class)
    public
    @ResponseBody
    RESTAPIErrorInfo handleResourceNotFoundException(HTTP404Exception ex,
    WebRequest request, HttpServletResponse response) {
        log.info("ResourceNotFoundException handler:" + ex.getMessage());
        counterService.increment("com.rollingstone.http.404.count");

        return new RESTAPIErrorInfo(ex, "Sorry I couldn't find it.");
    }

    @Override
    public void setApplicationEventPublisher(ApplicationEventPublisher
    applicationEventPublisher) {
        this.eventPublisher = applicationEventPublisher;
    }

    public static <T> T checkResourceFound(final T resource) {
        if (resource == null) {
            throw new HTTP404Exception("resource not found");
        }
        return resource;
    }
}

```

## 1.37 –Add PersonController in the rest.api package

```
package com.rollingstone.api.rest;

import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.data.domain.Page;
import org.springframework.http.HttpStatus;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RequestBody;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestMethod;
import org.springframework.web.bind.annotation.RequestParam;
import org.springframework.web.bind.annotation.ResponseBody;
import org.springframework.web.bind.annotation.ResponseStatus;
import org.springframework.web.bind.annotation.RestController;

import com.rollingstone.domain.Person;
import com.rollingstone.exception.HTTP404Exception;
import com.rollingstone.service.PersonService;
import com.rollingstone.service.PersonServiceEvent;

@RestController
@RequestMapping(value = "/rsmortgage-personservice/v1/person")
public class PersonController extends AbstractRestHandler {

    @Autowired
    private PersonService personService;

    @RequestMapping(value = "",
        method = RequestMethod.POST,
        consumes = {"application/json", "application/xml"},
        produces = {"application/json", "application/xml"})
    @ResponseStatus(HttpStatus.CREATED)
    public void createPerson(@RequestBody Person person,
        HttpServletRequest request, HttpServletResponse response) {
        Person createdPerson = this.personService.createPerson(person);
        eventPublisher.publishEvent(new
        PersonServiceEvent(this,"PersonCreated",createdPerson));
        response.setHeader("Location",
        request.getRequestURL().append("/").append(createdPerson.getId()).toString());
```

```

}

@RequestMapping(value = "",
    method = RequestMethod.GET,
    produces = {"application/json", "application/xml"})
@ResponseStatus(HttpStatus.OK)
public
@ResponseBody
Page<Person> getAllPerson(@RequestParam(value = "page", required = true,
defaultValue = DEFAULT_PAGE_NUM) Integer page,
    @RequestParam(value = "size", required = true, defaultValue =
DEFAULT_PAGE_SIZE) Integer size,
    HttpServletRequest request, HttpServletResponse response) {
    return this.personService.getAllPersons(page, size);
}

@RequestMapping(value =("/{id})",
    method = RequestMethod.GET,
    produces = {"application/json", "application/xml"})
@ResponseStatus(HttpStatus.OK)
public
@ResponseBody
Person getPerson(@PathVariable("id") Long id,
    HttpServletRequest request, HttpServletResponse response) throws
Exception {
    Person person = this.personService.getPerson(id);
    checkResourceFound(person);
    return person;
}

@RequestMapping(value =("/{id})",
    method = RequestMethod.PUT,
    consumes = {"application/json", "application/xml"},
    produces = {"application/json", "application/xml"})
@ResponseStatus(HttpStatus.NO_CONTENT)
public void updatePerson(@PathVariable("id") Long id, @RequestBody Person
person,
    HttpServletRequest request, HttpServletResponse response) {
    checkResourceFound(this.personService.getPerson(id));
    if (id != person.getId()) throw new HTTP404Exception("ID doesn't match!");
    this.personService.updatePerson(person);
}

@RequestMapping(value =("/{id})",
    method = RequestMethod.DELETE,

```

```
        produces = {"application/json", "application/xml"})
    @ResponseStatus(HttpStatus.NO_CONTENT)
    public void deletePerson(@PathVariable("id") Long id, HttpServletRequest request,
        HttpServletResponse response) {
        checkResourceFound(this.personService.getPerson(id));
        this.personService.deletePerson(id);
    }
}
```

## 1.38 –Add RestControllerAspect in the com.rollingstone package

```
package com.rollingstone;

import java.util.NoSuchElementException;

import org.aspectj.lang.JoinPoint;
import org.aspectj.lang.annotation.AfterReturning;
import org.aspectj.lang.annotation.AfterThrowing;
import org.aspectj.lang.annotation.Aspect;
import org.aspectj.lang.annotation.Before;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.actuate.metrics.CounterService;
import org.springframework.stereotype.Component;

@Aspect
@Component
public class RestControllerAspect {

    private final Logger logger = LoggerFactory.getLogger(this.getClass());

    @Autowired
    CounterService counterService;

    @Before("execution(public * com.rollingstone.api.rest.*Controller.*(..))")
    public void logBeforeRestCall(JoinPoint pjp) throws Throwable {
        logger.info(":::::AOP Before REST call:::::" + pjp);
    }

    @AfterReturning("execution(public *
com.rollingstone.api.rest.*Controller.createPerson*(..))")
    public void afterCallingCreatePerson(JoinPoint pjp) {
        logger.info(":::::AOP @AfterReturning Create REST call:::::" + pjp);

        counterService.increment("com.rollingstone.api.rest.PersonController.createPerson");
    }

    @AfterReturning("execution(public *
com.rollingstone.api.rest.*Controller.getAllPerson*(..))")
    public void afterCallinggetAllPerson(JoinPoint pjp) {
        logger.info(":::::AOP @AfterReturning getAllPerson REST call:::::" + pjp);
    }
}
```

```
counterService.increment("com.rollingstone.api.rest.PersonController.getAllPerson");
}
```

```
    @AfterReturning("execution(public *
com.rollingstone.api.rest.*Controller.getPerson*(..))")
    public void afterCallinggetPerson(JoinPoint pjp) {
        logger.info(":::::AOP @AfterReturning getPErson REST call:::::" + pjp);

counterService.increment("com.rollingstone.api.rest.PersonController.getPerson");
    }
```

```
    @AfterReturning("execution(public *
com.rollingstone.api.rest.*Controller.updatePerson*(..))")
    public void afterCallingupdatePerson(JoinPoint pjp) {
        logger.info(":::::AOP @AfterReturning update PErson REST call:::::" + pjp);

counterService.increment("com.rollingstone.api.rest.PersonController.updatePerson");
    }
```

```
    @AfterThrowing(pointcut = "execution(public *
com.rollingstone.api.rest.*Controller.*(..))", throwing = "e")
    public void afterGetGreetingThrowsException(NoSuchElementException e) {
        counterService.increment("counter.errors.person.controller");
    }
}
```

### 1.39 –Add Application class in the com.rollingstone package

```
package com.rollingstone;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.EnableAutoConfiguration;
import org.springframework.boot.builder.SpringApplicationBuilder;
import org.springframework.boot.context.web.SpringBootServletInitializer;
import org.springframework.context.annotation.ComponentScan;
import org.springframework.data.jpa.repository.config.EnableJpaRepositories;

/*
 * This is the main Spring Boot application class. It configures Spring Boot, JPA,
 * Swagger
 */

@EnableAutoConfiguration // Sprint Boot Auto Configuration
@ComponentScan(basePackages = "com.rollingstone")
@EnableJpaRepositories("com.rollingstone.dao.jpa") // To segregate MongoDB and JPA
repositories. Otherwise not needed.
public class Application extends SpringBootServletInitializer {

    private static final Class<Application> applicationClass = Application.class;
    private static final Logger log = LoggerFactory.getLogger(applicationClass);

    public static void main(String[] args) {
        SpringApplication.run(applicationClass, args);
    }

    @Override
    protected SpringApplicationBuilder configure(SpringApplicationBuilder application)
    {
        return application.sources(applicationClass);
    }
}
```



## 1.40 –Open Git Bash in project folder

MINGW64:/c:/AWS/RSMortgageWS/udemy-rsmortgage-person-service

```
Caree2@Caree2-PC MINGW64 /c:/AWS/RSMortgageWS/udemy-rsmortgage-person-service
$
```

## 1.41 –Run build

MINGW64:/c:/AWS/RSMortgageWS/udemy-rsmortgage-person-service

```
Caree2@Caree2-PC MINGW64 /c:/AWS/RSMortgageWS/udemy-rsmortgage-person-service
$ mvn package
```

## 1.42 –Build successful

MINGW64/c/AWS/RSMortgageWS/udemy-rsmortgage-person-service

```
Caree2@Caree2-PC MINGW64 /c/AWS/RSMortgageWS/udemy-rsmortgage-person-service
$ mvn package
[INFO] Scanning for projects...
[INFO]
[INFO] -----
[INFO] Building udemy-rsmortgage-person-service 0.3.0
[INFO] -----
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ udemy-rsmortgage-person-service ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 2 resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ udemy-rsmortgage-person-service ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ udemy-rsmortgage-person-service ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory C:\AWS\RSMortgageWS\udemy-rsmortgage-person-service\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ udemy-rsmortgage-person-service ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.18.1:test (default-test) @ udemy-rsmortgage-person-service ---
[INFO] No tests to run.
[INFO]
[INFO] --- maven-jar-plugin:2.5:jar (default-jar) @ udemy-rsmortgage-person-service ---
[INFO] Building jar: C:\AWS\RSMortgageWS\udemy-rsmortgage-person-service\target\udemy-rsmortgage-person-service-0.3.0.jar
[INFO]
[INFO] --- spring-boot-maven-plugin:1.3.6.RELEASE:repackage (default) @ udemy-rsmortgage-person-service ---
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] -----
[INFO] Total time: 6.875s
[INFO] Finished at: Sun Feb 26 12:09:31 CST 2017
[INFO] Final Memory: 16M/220M
[INFO] -----
```

```
Caree2@Caree2-PC MINGW64 /c/AWS/RSMortgageWS/udemy-rsmortgage-person-service
$ |
```

## 1.43 –Now Run

java -jar -Dspring.profiles.active=mysql target/udemy-rsmortgage-person-service-0.3.0.jar


```
Caree2@Caree2-PC MINGW64 /c:/AWS/RSMortgageWS/udemy-rsmortgage-person-service
$ java -jar -Dspring.profiles.active=mysql target/udemy-rsmortgage-person-service-0.3.0.jar

:: Spring Boot ::
(v1.3.6.RELEASE)

2017-02-26 12:11:04.308 INFO 8944 --- [main] com.rollingstone.Application : Starting Application v0.3.0 on Caree2-PC with PID 8944 (C:\AWS\RSMortgageWS\udemy-rsmortgage-person-service\target\udemy-rsmortgage-person-service-0.3.0.jar started by Caree2 in C:\AWS\RSMortgageWS\udemy-rsmortgage-person-service)
2017-02-26 12:11:04.315 INFO 8944 --- [main] com.rollingstone.Application : The following profiles are active: mysql
2017-02-26 12:11:04.433 INFO 8944 --- [main] ationConfigEmbeddedWebApplicationContext : Refreshing org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext@5e265ba4: startup date [Sun Feb 26 12:11:04 CST 2017]; root of context hierarchy
2017-02-26 12:11:07.604 INFO 8944 --- [main] o.s.b.f.s.DefaultListableBeanFactory : Overriding bean definition for bean 'ignoredPathsWebSecurityConfigurerAdapter' with a different definition: replacing [Root bean: class [null]; scope=; abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=org.springframework.boot.autoconfigure.security.SpringBootWebSecurityConfiguration; factoryMethodName=ignoredPathsWebSecurityConfigurerAdapter; initMethodName=null; destroyMethodName=(inferred); defined in class path resource [org/springframework/boot/autoconfigure/security/SpringBootWebSecurityConfiguration.class]] with [Root bean: class [null]; scope=; abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=org.springframework.boot.autoconfigure.ManagementWebSecurityAutoConfiguration; factoryMethodName=ignoredPathsWebSecurityConfigurerAdapter; initMethodName=null; destroyMethodName=(inferred); defined in class path resource [org/springframework/boot/autoconfigure/ManagementWebSecurityAutoConfiguration.class]]









2017-02-26 12:11:24.725 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/metrics/{name:.*}])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.MetricsMvcEndpoint.value(java.lang.String)
2017-02-26 12:11:24.725 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/metrics | /metrics.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.MetricsMvcEndpoint.invoke()
2017-02-26 12:11:24.728 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/autoconfig | /autoconfig.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EndpointMvcAdapter.invoke()
2017-02-26 12:11:24.730 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/trace | /trace.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EndpointMvcAdapter.invoke()
2017-02-26 12:11:24.731 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/configprops | /configprops.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EndpointMvcAdapter.invoke()
2017-02-26 12:11:24.733 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/logfile | /logfile.json])" methods=[GET | HEAD], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.LogFileMvcEndpoint.invoke(javax.servlet.http.HttpServletRequest, javax.servlet.http.HttpServletResponse) throws javax.servlet.ServletException, java.io.IOException
2017-02-26 12:11:24.735 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/env/{name:.*}])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EnvironmentMvcEndpoint.value(java.lang.String)
2017-02-26 12:11:24.737 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/env | /env.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EnvironmentMvcEndpoint.invoke()
2017-02-26 12:11:24.738 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/info | /info.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EndpointMvcAdapter.invoke()
2017-02-26 12:11:24.739 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/health | /health.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.HealthMvcEndpoint.invoke(java.security.Principal)
2017-02-26 12:11:24.740 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/dump | /dump.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EndpointMvcAdapter.invoke()
2017-02-26 12:11:24.741 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/mappings | /mappings.json])" methods=[GET], produces=[application/json]" onto public java.lang.Object org.springframework.boot.actuate.endpoint.mvc.EndpointMvcAdapter.invoke()
2017-02-26 12:11:24.751 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/actuator | /actuator.json])" methods=[GET | HEAD], produces=[text/html]" onto public java.lang.String org.springframework.boot.actuate.endpoint.mvc.HalBrowserMvcEndpoint.browse(javax.servlet.http.HttpServletRequest)
2017-02-26 12:11:24.752 INFO 8944 --- [main] o.s.b.a.e.mvc.EndpointHandlerMapping : Mapped "([/actuator | /actuator.json])" methods=[GET], produces=[application/json]" onto public org.springframework.hateoas.ResourceSupport org.springframework.boot.actuate.endpoint.mvc.HalJsonMvcEndpoint.links()
2017-02-26 12:11:24.789 INFO 8944 --- [main] o.s.w.s.handler.SimpleUrlHandlerMapping : Mapped URL path [/actuator/**] onto handler of type [class org.springframework.web.servlet.resource.ResourceHttpRequestHandler]
2017-02-26 12:11:24.791 INFO 8944 --- [main] o.s.w.s.handler.SimpleUrlHandlerMapping : Mapped URL path [/webjars/**] onto handler of type [class org.springframework.web.servlet.resource.ResourceHttpRequestHandler]
2017-02-26 12:11:24.791 INFO 8944 --- [main] o.s.w.s.handler.SimpleUrlHandlerMapping : Mapped URL path [/**] onto handler of type [class org.springframework.web.servlet.resource.ResourceHttpRequestHandler]
2017-02-26 12:11:24.792 INFO 8944 --- [main] o.s.w.s.handler.SimpleUrlHandlerMapping : Mapped URL path [/browser/**] onto handler of type [class org.springframework.web.servlet.resource.ResourceHttpRequestHandler]
2017-02-26 12:11:24.816 INFO 8944 --- [main] s.b.c.e.t.TomcatEmbeddedServletContainer : Mapped "([/error])" onto public java.util.Map<java.lang.String, java.lang.Object> org.springframework.boot.actuate.endpoint.mvc.ManagementErrorEndpoint.invoke()
2017-02-26 12:11:25.036 INFO 8944 --- [main] s.b.c.e.t.TomcatEmbeddedServletContainer : Tomcat started on port(s): 8091 (http)
2017-02-26 12:11:25.084 INFO 8944 --- [main] s.b.c.e.t.TomcatEmbeddedServletContainer : Tomcat started on port(s): 8090 (http)
2017-02-26 12:11:25.097 INFO 8944 --- [main] com.rollingstone.Application : Started Application in 21.538 seconds (JVM running for 22.353s)
```

## 1.44 –Verify Database








1.45 –Verify Database Data

user    rsmortgage\_person    rsmortgage\_person    x





Don't Limit






1 • `SELECT * FROM rsmortgage.rsmortgage_person;`



<


Result Grid



Filter Rows:

Edit: 

Export/Import: 

Wrap Cell Content: 

	id	age	dob	first_name	last_name	social_security_number
▶	7	23	1993-11-03	Jacquiline	Smith	55555555
	12	23	1993-07-03	Stephen	Fleming	11011222
*	NULL	NULL	NULL	NULL	NULL	NULL

## 1.46 –Verify Data Retrieval API is working

<http://localhost:8090/rsmortgage-personservice/v1/person>

GET POST PUT DELETE PATCH Other methods

Raw headers Headers form Headers sets Variables

Accept: application/json  
Content-Type: application/json

55 bytes

200 OK 1704.00 ms

SEND

DETAILS

Raw JSON

```
{
  "content": [Array(1)
    - 0: {
      "id": 7,
      "firstName": "Jacquiline",
      "lastName": "Smith",
      "dateOfBirth": "1993-11-03",
      "age": 23,
      "socialSecurityNumber": "555555555"
    }
  ],
  "last": true,
  "totalPages": 1,
  "totalElements": 1,
  "size": 100,
  "number": 0,
  "numberOfElements": 1,
  "sort": null,
  "first": true
}
```

## 1.47 –Verify Data AOP for @Before and @AfterReturning

```
2017-02-26 12:16:40.854 INFO 8944 --- [nio-8090-exec-1]
com.rollingstone.RestControllerAspect : ::::AOP Before REST call::::execution(Page
com.rollingstone.api.rest.PersonController.getAllPerson(Integer,Integer,HttpServletRequest,
HttpServletResponse))
```

```
2017-02-26 12:16:41.412 INFO 8944 --- [nio-8090-exec-1]
com.rollingstone.RestControllerAspect : ::::AOP @AfterReturning getAllPerson
REST call::::execution(Page
com.rollingstone.api.rest.PersonController.getAllPerson(Integer,Integer,HttpServletRequest,
HttpServletResponse))
```

```
2017-02-26 12:16:40.748 INFO 8944 --- [nio-8090-exec-1] o.s.web.servlet.DispatcherServlet : FrameworkServlet 'dispatcherServlet': initialization completed in 61 ms
2017-02-26 12:16:40.854 INFO 8944 --- [nio-8090-exec-1] com.rollingstone.RestControllerAspect : ::::AOP Before REST call::::execution(Page com.rollingstone.api.rest.PersonController.getAllPerson(Integer,Integer,HttpServletRequest,HttpServletResponse))
2017-02-26 12:16:41.412 INFO 8944 --- [nio-8090-exec-1] com.rollingstone.RestControllerAspect : ::::AOP @AfterReturning getAllPerson REST call::::execution(Page com.rollingstone.api.rest.PersonController.getAllPerson(Integer,Integer,HttpServletRequest,HttpServletResponse))
```

## 1.47 –Verify Single Data Retrieval API is working

Raw headers

Accept: application/json  
Content-Type: application/json

55 bytes

200 OK 55.00 ms

DETAILS ▾

Raw JSON

```
{
  "id": 7,
  "firstName": "Jacqueline",
  "lastName": "Smith",
  "dateOfBirth": "1993-11-03",
  "age": 23,
  "socialSecurityNumber": "555555555"
}
```

```
(Person com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServletRequest,HttpServletResponse))
2017-02-26 12:22:03.431 INFO 8944 --- [nio-8090-exec-9] com.rollingstone.RestControllerAspect : :::::AOP Before REST call:::::execution(Person com.rolling
stone.api.rest.PersonController.getPerson(Long,HttpServletRequest,HttpServletResponse))
2017-02-26 12:22:03.437 INFO 8944 --- [nio-8090-exec-9] com.rollingstone.RestControllerAspect : :::::AOP @AfterReturning getPerson REST call:::::execution
(Person com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServletRequest,HttpServletResponse))
```

```
2017-02-26 12:22:03.431 INFO 8944 --- [nio-8090-exec-9]
com.rollingstone.RestControllerAspect : :::::AOP Before REST
call:::::execution(Person
com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServ
letRequest,HttpServletResponse))
2017-02-26 12:22:03.437 INFO 8944 --- [nio-8090-exec-9]
com.rollingstone.RestControllerAspect : :::::AOP
@AfterReturning getPerson REST call:::::execution(Person
com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServ
letRequest,HttpServletResponse))
```



## 1.48 –Verify Not Found is working

```
2017-02-26 12:19:33.435 INFO 8944 --- [nio-8090-exec-3]
com.rollingstone.RestControllerAspect : :::::AOP Before REST
call:::::execution(Person
com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServ
letRequest,HttpServletResponse))
2017-02-26 12:19:33.517 INFO 8944 --- [nio-8090-exec-3]
c.r.api.rest.PersonController :
ResourceNotFoundException handler:resource not found
```

> http://localhost:8090/rsmortgage-personservice/v1/person/4

☒ GET ☐ POST ☐ PUT ☐ DELETE ☐ PATCH Other methods

Raw headers Headers form Headers sets Variables

Accept: application/json  
Content-Type: application/json

A✓ 55 bytes

SEND

404 Not Found 161.00 ms DETAILS

Raw JSON

```
{
  "errorDetail": "Sorry I couldn't find it.",
  "errorMessage": "resource not found"
}
```

## 1.49 –Verify Person Creation is working

<http://localhost:8090/rsmortgage-personservice/v1/person>

```
{
  "firstName": "Stephen",
  "lastName": "Fleming",
  "dateOfBirth": "1993-07-04",
  "age": 23,
  "socialSecurityNumber": "110112222"
}
```

REST client interface showing a successful POST request to `http://localhost:8090/rsmortgage-personservice/v1/person`. The request body is a JSON object:

```
{
  "firstName": "Stephen",
  "lastName": "Fleming",
  "dateOfBirth": "1993-07-04",
  "age": 23,
  "socialSecurityNumber": "110112222"
}
```

The response is **201 Created** with a status bar and a details dropdown.

```
2017-02-26 12:24:30.242 INFO 8944 --- [nio-8090-exec-1] c.r.service.PersonEventListener : Person PersonCreated with details : Person [id=11, firstName=Stephen, lastName=Fleming, dateOfBirth=Sat Jul 03 19:00:00 CDT 1993, age=23, socialSecurityNumber=111111111]
2017-02-26 12:24:30.243 INFO 8944 --- [nio-8090-exec-1] com.rollingstone.RestControllerAspect : ::::AOP @AfterReturning Create REST call:::::execution(void com.rollingstone.api.rest.PersonController.createPerson(Person,HttpServletRequest,HttpServletResponse))
```

```
2017-02-26 12:24:30.242 INFO 8944 --- [nio-8090-exec-1]
c.r.service.PersonEventListener : Person PersonCreated
with details : Person [id=11, firstName=Stephen, lastName=Fleming,
dateOfBirth=Sat Jul 03 19:00:00 CDT 1993, age=23,
socialSecurityNumber=111111111]
Person PersonCreated with details : Person [id=11,
firstName=Stephen, lastName=Fleming, dateOfBirth=Sat Jul 03
19:00:00 CDT 1993, age=23, socialSecurityNumber=111111111]
2017-02-26 12:24:30.243 INFO 8944 --- [nio-8090-exec-1]
com.rollingstone.RestControllerAspect : ::::AOP
@AfterReturning Create REST call:::::execution(void
com.rollingstone.api.rest.PersonController.createPerson(Person,HttpServletRequest,H
ttpServletResponse))
```

The screenshot shows the SQL editor interface. The top toolbar includes icons for file operations, execution, and navigation. The SQL statement entered is:

```
1 • SELECT * FROM rsmortgage.rsmortgage_person;
```

Below the editor, the "Result Grid" tab is active. It displays the results of the query as a table with 7 columns: id, age, dob, first\_name, last\_name, and social\_security\_number. The results are as follows:

	id	age	dob	first_name	last_name	social_security_number
▶	7	23	1993-11-03	Jacquiline	Smith	55555555
	12	23	1993-07-03	Stephen	Fleming	110112222
*	NULL	NULL	NULL	NULL	NULL	NULL

The bottom toolbar contains options for filtering rows, editing, exporting/importing, and wrapping cell content.

## 1.49 –Verify Person Updation is working

<http://localhost:8090/rsmortgage-personservice/v1/person/11>

```
{
  "id": 11,
  "firstName": "Stephen",
  "lastName": "Fleming",
  "dateOfBirth": "1993-07-04",
  "age": 23,
  "socialSecurityNumber": "110112222"
}
```

Before

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8090/rsmortgage-personservice/v1/person/12`
- Method:** PUT (selected)
- Headers:** `Accept: application/json`, `Content-Type: application/json`
- Raw payload:**

```
{
  "id": 12,
  "firstName": "Stephen",
  "lastName": "Fleming",
  "dateOfBirth": "1993-07-04",
  "age": 23,
  "socialSecurityNumber": "333333333"
}
```
- Response:** 204 No Content, 109.00 ms

**ID missing in payload**

> http://localhost:8090/rsmortgage-personservice/v1/person/12

GET

POST

PUT

DELETE

PATCH

Other methods

application/json

Raw headers

Headers form

Headers sets

Variables

Accept: application/json

Content-Type: application/json

A✓

55 bytes

Raw payload

Data form

Files

{

"firstName": "Stephen",

"lastName": "Fleming",

"dateOfBirth": "1993-07-04",

"age": 23,

"socialSecurityNumber": "333333333"

}

SEND


404 Not Found

34.00 ms

DETAILS

73

## After



```
2017-02-26 12:30:38.625 INFO 8944 --- [nio-8090-exec-7]
com.rollingstone.RestControllerAspect : ::::AOP @AfterReturning update PErson
REST call:::::execution(void
com.rollingstone.api.rest.PersonController.updatePerson(Long,Person,HttpServletReq
uest,HttpServletResponse))
2017-02-26 12:31:07.060 INFO 8944 --- [nio-8090-exec-9]
com.rollingstone.RestControllerAspect : ::::AOP Before REST
call:::::execution(Person
com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServletRequest,HttpS
ervletResponse))
2017-02-26 12:31:07.067 INFO 8944 --- [nio-8090-exec-9]
com.rollingstone.RestControllerAspect : ::::AOP @AfterReturning getPErson REST
call:::::execution(Person
com.rollingstone.api.rest.PersonController.getPerson(Long,HttpServletRequest,HttpS
ervletResponse))
```

```

one.api.rest.PersonController.updatePerson(Long, Person, HttpServletRequest, HttpServletResponse))
2017-02-26 12:27:38.231 INFO 8944 --- [nio-8090-exec-5] c.r.api.rest.PersonController : ResourceNotFoundException handler: ID doesn't match!
2017-02-26 12:30:38.374 INFO 8944 --- [nio-8090-exec-7] com.rollingstone.RestControllerAspect : :::::AOP Before REST call:::::execution(void com.rollingst
one.api.rest.PersonController.updatePerson(Long, Person, HttpServletRequest, HttpServletResponse))
2017-02-26 12:30:38.625 INFO 8944 --- [nio-8090-exec-7] com.rollingstone.RestControllerAspect : :::::AOP @AfterReturning update Person REST call:::::execu
tion(void com.rollingstone.api.rest.PersonController.updatePerson(Long, Person, HttpServletRequest, HttpServletResponse))
2017-02-26 12:31:07.060 INFO 8944 --- [nio-8090-exec-9] com.rollingstone.RestControllerAspect : :::::AOP Before REST call:::::execution(Person com.rolling
stone.api.rest.PersonController.getPerson(Long, HttpServletRequest, HttpServletResponse))
2017-02-26 12:31:07.067 INFO 8944 --- [nio-8090-exec-9] com.rollingstone.RestControllerAspect : :::::AOP @AfterReturning getPerson REST call:::::execution
(Person com.rollingstone.api.rest.PersonController.getPerson(Long, HttpServletRequest, HttpServletResponse))

```

## 1.50 –Verify Person Deletion is working

> http://localhost:8090/rsmortgage-personservice/v1/person/11

☐ GET
 ☐ POST
 ☐ PUT
 ☒ DELETE
 ☐ PATCH
 Other methods
 application/json

Raw headers Headers form Headers sets Variables

Accept: application/json  
Content-Type: application/json

✓ 55 bytes

Raw payload Data form Files

```

{
  "id": 11,
  "firstName": "Stephen",
  "lastName": "Fleming",
  "dateOfBirth": "1993-07-04",
  "age": 23,
  "socialSecurityNumber": "110112222"
}

```

SEND

204 No Content 153.00 ms DETAILS

## Not Found

> http://localhost:8090/rsmortgage-personservice/v1/person/11

☒ GET
 ☐ POST
 ☐ PUT
 ☐ DELETE
 ☐ PATCH
 Other methods

Raw headers Headers form Headers sets Variables

Accept: application/json  
Content-Type: application/json

✓ 55 bytes

SEND

404 Not Found 28.00 ms DETAILS

Raw JSON

```

{
  "errorDetail": "Sorry I couldn't find it.",
  "errorMessage": "resource not found"
}

```


## 1.51 –Custom Health



```
1 // 20170226100155
2 // http://localhost:8091/health
3
4 {
5   "status": "UP",
6   "personServiceHealth": {
7     "status": "itsok!",
8     "details": "{ 'internals' : 'getting close to limit', 'profile' : 'Empty' }"
9   },
10  "diskSpace": {
11    "status": "UP",
12    "total": 718165323776,
13    "free": 378761715712,
14    "threshold": 10485760
15  },
16  "db": {
17    "status": "UP",
18    "database": "MySQL",
19    "hello": 1
20  }
21 }
```




## 1.54 – Metrics and Custom Metrics



```
23  "classes": 10378,  
24  "classes.loaded": 10378,  
25  "classes.unloaded": 0,  
26  "gc.ps_scavenge.count": 13,  
27  "gc.ps_scavenge.time": 272,  
28  "gc.ps_marksweep.count": 2,  
29  "gc.ps_marksweep.time": 360,  
30  "httpsessions.max": -1,  
31  "httpsessions.active": 0,  
32  "datasource.primary.active": 0,  
33  "datasource.primary.usage": 0.0,  
34  "gauge.response.rsmortgage-personservice.v1.person": 362.0,  
35  "gauge.response.rsmortgage-personservice.v1.person.id": 12.0,  
36  "counter.com.rollingstone.api.rest.PersonController.getPerson": 5,  
37  "counter.com.rollingstone.PersonService.getAll.largePayload": 1,  
38  "counter.com.rollingstone.api.rest.PersonController.createPerson": 1,  
39  "counter.status.200.rsmortgage-personservice.v1.person.id": 5,  
40  "counter.status.201.rsmortgage-personservice.v1.person": 1,  
41  "counter.com.rollingstone.http.404.count": 3,  
42  "counter.com.rollingstone.api.rest.PersonController.updatePerson": 1,  
43  "counter.status.200.rsmortgage-personservice.v1.person": 1,  
44  "counter.com.rollingstone.api.rest.PersonController.getAllPerson": 1,  
45  "counter.status.204.rsmortgage-personservice.v1.person.id": 2,  
46  "counter.status.404.rsmortgage-personservice.v1.person.id": 3  
47  }
```

## 1.55 – /env endpoint

<http://localhost:8091/env>



```
1 // 20170226130542
2 // http://localhost:8091/env
3
4 {
5   "profiles": [
6     "mysql"
7   ],
8   "server.ports": {
9     "local.management.port": 8091,
10    "local.server.port": 8090
11  },
12  "servletContextInitParams": {
13
14  },
15  "systemProperties": {
16    "jboss.i18n.generate-proxies": "true",
17    "java.runtime.name": "Java(TM) SE Runtime Environment",
18    "java.protocol.handler.pkgs": "null|org.springframework.boot.loader",
19    "sun.boot.library.path": "C:\\Java\\bin",
20    "java.vm.version": "25.65-b01",
21    "java.vm.vendor": "Oracle Corporation",
22    "java.vendor.url": "http://java.oracle.com/",
23    "path.separator": ";",
24    "java.vm.name": "Java HotSpot(TM) 64-Bit Server VM",
25    "file.encoding.pkg": "sun.io".
```

## 1.56 – /beans endpoint

<http://localhost:8091/beans>



The screenshot shows a web browser window with the address bar displaying 'localhost:8091/beans'. The page content is a JSON response from a Spring Boot API. The response is a list of beans, with the first bean being an 'application' and the second being a 'personController'. The 'personController' bean has a 'dependencies' array containing 'counterService'.

```
1 // 20170226130716
2 // http://localhost:8091/beans
3
4 [
5   {
6     "context": "application:mysql:8090",
7     "parent": null,
8     "beans": [
9       {
10        "bean": "application",
11        "scope": "singleton",
12        "type": "com.rollingstone.Application",
13        "resource": "null",
14        "dependencies": [
15
16        ]
17      },
18      {
19        "bean": "personController",
20        "scope": "singleton",
21        "type": "com.rollingstone.api.rest.PersonController$$EnhancerBySpringCGLIB$$5542c984",
22        "resource": "URL [jar:file:/C:/AWS/RSMortgageWS/udemy-rsmortgage-person-service/target/udemy-rsmortgage-person-service-0.3.0.jar!/com/rollingstone/api/rest/PersonController.class]",
23        "dependencies": [
24          "counterService",
```

# 1.57 – /actuator endpoint

http://localhost:8091/actuator/#!/actuator

← ↻ 🔍

localhost:8091/actuator/#!/actuator

🔍 ☆

Norton

Spring Boot info api displaying \$[projec

Safe Search

THIS PAGE IS SAFE

SHIPPING GUARANTEE

ACCESS VAULT

SHARE VIA FACEBOOK

The HAL Browser

Go To Entry Point

About The HAL Browser

Explorer

/actuator

Go!

Custom Request Headers

Properties

{ }

Links

rel	title	name / index	docs	GET	NON-GET
self				→	!
autoconfig				→	!
beans				→	!
dump				→	!

Inspector

Response Headers

200 OK

Date: Sun, 26 Feb 2017 19:09:02 GMT

Server: Apache-Coyote/1.1

























Transfer-Encoding: chunked

Content-Type: application/json

Response Body


{  
 "\_links": {  
 "self": {  
 "href": "http://localhost:8091/actuator"  
 },  
 "autoconfig": {  
 "href": "http://localhost:8091/autoconfig"  
 },  
 "beans": {  
 "href": "http://localhost:8091/beans"  
 },  
 "dump": {

# Links

rel	title	name / index	docs	GET	NON-GET
self					
autoconfig					
beans					
dump					
health					
mappings					
metrics					
trace					
info					
env					
logfile					
configprops					

## 1.58 – /dump endpoint


http://localhost:8091/dump



```
1 // 20170226131353
2 // http://localhost:8091/dump
3
4 [
5   {
6     "threadName": "http-nio-8091-exec-10",
7     "threadId": 41,
8     "blockedTime": -1,
9     "blockedCount": 0,
10    "waitedTime": -1,
11    "waitedCount": 5,
12    "lockName": "java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@410a0fef",
13    "lockOwnerId": -1,
14    "lockOwnerName": null,
15    "inNative": false,
```

## 1.59 – /logfile endpoint

<http://localhost:8091/logfile>



```
2017-02-26 09:45:30.473 INFO 10380 --- [main] com.rollingstone.Application : Starting Application v0.3.0 on Caree2-PC with PID 10380 (C:\AWS\RSMortgageWS\udemy-rsmortgage-person-service\target\udemy-rsmortgage-person-service-0.3.0.jar started by Caree2 in C:\AWS\RSMortgageWS\udemy-rsmortgage-person-service)
2017-02-26 09:45:30.479 INFO 10380 --- [main] com.rollingstone.Application : The following profiles are active: mysql
2017-02-26 09:45:30.629 INFO 10380 --- [main] ationConfigEmbeddedWebApplicationContext : Refreshing
org.springframework.boot.context.embedded.AnnotationConfigEmbeddedWebApplicationContext@5e265ba4: startup date [Sun Feb 26 09:45:30 CST 2017]; root of context hierarchy
2017-02-26 09:45:32.950 INFO 10380 --- [main] o.s.b.f.s.DefaultListableBeanFactory : Overriding bean definition for bean 'ignoredPathsWebSecurityConfigurerAdapter' with
a different definition: replacing [Root bean: class [null]; scope=; abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0; autowireCandidate=true; primary=false;
factoryBeanName=org.springframework.boot.autoconfigure.security.SpringBootWebSecurityConfiguration; factoryMethodName=ignoredPathsWebSecurityConfigurerAdapter;
initMethodName=null; destroyMethodName=(inferred); defined in class path resource [org/springframework/boot/autoconfigure/security/SpringBootWebSecurityConfiguration.class]]
with [Root bean: class [null]; scope=; abstract=false; lazyInit=false; autowireMode=3; dependencyCheck=0; autowireCandidate=true; primary=false;
factoryBeanName=org.springframework.boot.actuate.autoconfigure.ManagementWebSecurityAutoConfiguration; factoryMethodName=ignoredPathsWebSecurityConfigurerAdapter;
initMethodName=null; destroyMethodName=(inferred); defined in class path resource
[org/springframework/boot/actuate/autoconfigure/ManagementWebSecurityAutoConfiguration.class]]
2017-02-26 09:45:34.278 INFO 10380 --- [main] trationDelegate$BeanPostProcessorChecker : Bean
'org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration$$EnhancerBySpringCGLIB$$d906187b' is not eligible for getting processed by all
BeanPostProcessors (for example: not eligible for auto-proxying)
2017-02-26 09:45:36.373 INFO 10380 --- [main] s.b.c.e.t.TomcatEmbeddedServletContainer : Tomcat initialized with port(s): 8090 (http)
2017-02-26 09:45:36.402 INFO 10380 --- [main] o.apache.catalina.core.StandardService : Starting service Tomcat
2017-02-26 09:45:36.405 INFO 10380 --- [main] org.apache.catalina.core.StandardEngine : Starting Servlet Engine: Apache Tomcat/8.0.36
2017-02-26 09:45:36.570 INFO 10380 --- [localhost-startStop-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2017-02-26 09:45:36.570 INFO 10380 --- [localhost-startStop-1] o.s.web.context.ContextLoader : Root WebApplicationContext: initialization completed in 5950 ms
2017-02-26 09:45:38.095 INFO 10380 --- [localhost-startStop-1] j.LocalContainerEntityManagerFactoryBean : Building JPA container EntityManagerFactory for persistence unit
'default'
2017-02-26 09:45:41.804 INFO 10380 --- [localhost-startStop-1] o.s.b.f.config.PropertiesFactoryBean : Loading properties file from class path resource [rest-default-
messages.properties]
```

## 1.60 –Conclusion

This document listed the steps as well as provided the explanation of creating a Spring Boot application based on Spring Cloud Service Discovery.