

Markdown Formatting

This guide documents Markdown features that render correctly in Pluto.jl using `md""" ... """` blocks.

All examples are Markdown-native and safe for assignments and assessments`

***Use triple-quoted strings for all multi-line markdown in Pluto

1. Basic Text Formatting	headings • <code># H1</code> • <code>## H2</code> • <code>### H3</code> • <code>#### H4</code>	text decorations • <code>**bold**</code> • <code>*italic*</code> • <code>_italic_</code> • <code>`inline code`</code>
	strikethrough <pre>begin using CommonMark p() = enable!(Parser(), StrikethroughRule()) cm""" this text is strikethrough using HTML <s>this is also strikethrough</s> """p end</pre>	
2. Lists	bullet lists <pre>- Item 1 - Item 2 - Sub-item - Sub-sub-item</pre>	numbered lists <pre>1. First 2. Second 3. Third</pre>
	task lists <pre>- [x] Completed - [] Not completed</pre>	

3. Blockquotes and Horizontal Rules	<pre>> This is a blockquote >> Nested quote --- ← horizontal line</pre>	
4. Code Blocks	julia <pre>````julia f(x) = x^2 f(3) ````</pre>	python <pre>````python print("hello") ````</pre>
5. Links and Images	<pre>[Pluto Website] (https://plutojl.org) ![Alt text] (image_url_here)</pre>	
6. Tables	<pre> Variable Meaning Value ----- ----- ----- x input 10 f(x) output 100 </pre>	alignment <pre> Left Center Right :----- :----- :----- a b c </pre>
7. Pluto Julia Interpolation	<pre>for: x = 10 md""" The computed value is **\$(x^2)**. """ renders as:</pre> The computed value is 100	
8. LaTeX Math	inline equation <pre>\$E = mc^2\$ renders as:</pre> $E = mc^2$	

block equation

```
```math
\frac{1}{2 \pi}
```
```

renders as:

$$\frac{1}{2\pi}$$

aligned equation

```
md"""
```math
\begin{aligned}
E &= mc^2 \\
F &= ma \\
PV &= nRT
\end{aligned}
```
"""
```

renders as:

$$\begin{aligned} E &= mc^2 \\ F &= ma \\ PV &= nRT \end{aligned}$$

integral

here is the Gaussian integral:

```
`` \int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi} ``
```

renders as:

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

| | | |
|---------------------------|---|---|
| 9. Greek Letters | <p>example</p> <pre><code>\$\alpha\$</code></pre> <pre><code>\$\beta\$</code></pre> <pre><code>.</code></pre> <pre><code>.</code></pre> <pre><code>\$\omega\$</code></pre> | <p>renders as</p> <div>α</div> <div>β</div> <div>$\cdot$</div> <div>$\cdot$</div> <div>ω</div> |
| 10. Best Practices | <ul style="list-style-type: none">• use consistent heading hierarchy• keep paragraphs short (3-5 lines)• limit list nesting depth• avoid HTML styling inside md""" blocks• use fenced code blocks for all code• keep math in display blocks for clarity | |