

Instructions for Running First DFT Calculations on MSU High Performance Computing

Prepared by Rebecca Brew and Joe Gair
Scripts written by Mitchell Maday

Table of Contents

<i>Request access to HPC and software.....</i>	<i>1</i>
<i>Download submission script and sample input files.....</i>	<i>2</i>
<i>Put the submission script on HPC</i>	<i>2</i>
<i>Enable execution permission on submission script.....</i>	<i>3</i>
<i>Add scripts to your path</i>	<i>4</i>
<i>Create a directory and upload input files into it</i>	<i>5</i>
<i>Submit your jobs.....</i>	<i>7</i>
<i>Check outputs</i>	<i>8</i>
<i>Notes.....</i>	<i>9</i>

Goal

This tutorial is intended guide you through process of submitting density functional theory calculations to MSU high performance computing. The goal of this tutorial is to submit jobs with as few terminal commands as possible.

Most of the steps below are just part of setting up and you'll never need to do them again. Once you have completed the setup, submitting jobs will be as easy as uploading inputs and typing `submit.sh`.

Request access to HPC and software

Get a high performance computing (HPC) account by asking your advisor to submit a request at <https://contact.icer.msu.edu/account>.

Request access to [Gaussian](#) and [ORCA](#) at their respective links.

Log in to HPCC with ondemand.hpcc.msu.edu


Download submission script and sample input files

Navigate [here](#) and download the files called


AcCl.gjf
submit.sh
water.inp

Upload the submission script to HPC


Click on “Files” and select “Home Directory”



Create a new directory in your Home Directory and name it “scripts”. Note that naming of files and directories is case sensitive, eg (“scripts” not “Scripts”)




Click on your “scripts” directory so you’re working inside of it. Upload submit.sh to scripts directory




Enable execution permission on submission script

While in the scripts directory click on “Open in Terminal”



This opens an interface in which you’ll type all your commands – confirm that your interface says “scripts” in the initial line that pops up. This means you’re in the correct directory.


```
[brewrebe@dev-amd20 scripts]$
```

A screenshot of a terminal window with a black background. The prompt is '[brewrebe@dev-amd20 scripts]\$' followed by a red cursor. A red arrow points to the red cursor.

Into the terminal prompt type `ls` (to list the content of the directory) and press return.

The output of the terminal should show `submit.sh` in white (the white indicates execution permissions are not enabled yet)


```
[brewrebe@dev-amd20 scripts]$ ls
submit.sh
[brewrebe@dev-amd20 scripts]$
```

A screenshot of a terminal window. The prompt is '[brewrebe@dev-amd20 scripts]\$'. The user has entered 'ls' and the output is 'submit.sh' in white text. A red arrow points to the white text 'submit.sh'.

Type `chmod u+x submit.sh` and press return.

Type `ls` and hit return again. Now `submit.sh` should show up in green indicating that permissions are enabled.

```
[brewrebe@dev-amd20 scripts]$ ls
submit.sh
[brewrebe@dev-amd20 scripts]$ chmod u+x submit.sh
[brewrebe@dev-amd20 scripts]$ ls
submit.sh
[brewrebe@dev-amd20 scripts]$
```

A screenshot of a terminal window. The prompt is '[brewrebe@dev-amd20 scripts]\$'. The user has entered 'ls', then 'chmod u+x submit.sh', and then 'ls' again. The output of the second 'ls' command is 'submit.sh' in green text. A red arrow points to the green text 'submit.sh'.

Close out of the terminal – you should be back in your scripts directory

Add scripts to your path

Return to Home Directory


Home Directory

/mnt/gs21/scratch/groups/
chemistry

/mnt/scratch/brewrebe

/mnt/gs21/scratch/
brewrebe

You should see a checkbox labeled “Show dot files”. Check that box.



Find the file that is labeled “.bashrc”

<input type="checkbox"/>		.bashrc		359 Bytes	2/13/2024 3:12:43 PM
--------------------------	--	---------	--	-----------	----------------------

Click the three dot menu and select “edit”

<input type="checkbox"/>		.bashrc		359 Bytes	2/13/2024 3:12:43 PM
<input type="checkbox"/>		.dvipsrc			7/28/2021 3:02:35 PM
<input type="checkbox"/>		.emacs			7/28/2021 3:02:35 PM
<input type="checkbox"/>		.esd_auth			2/13/2024 2:56:55 PM
<input type="checkbox"/>		.exrc			7/28/2021 3:02:35 PM

- View
- Edit
- Rename
- Download
- Delete

This will pull up a file editor. Add a line to the bottom of the file that says `PATH=$PATH:~/scripts`

The file should now look like this:

```
1 test -f /etc/profile.dos && . /etc/profile.dos
2
3 # Some applications read the EDITOR variable to determine your favourite text
4 # editor. So uncomment the line below and enter the editor of your choice :-)
5 #export EDITOR=/usr/bin/vim
6 #export EDITOR=/usr/bin/mcedit
7
8 # add aliases if there is a .aliases file
9 test -s ~/.alias && . ~/.alias
10 PATH=$PATH:~/scripts|
11
```

OPTIONAL: You can add another line that says

```
alias sq='squeue --format="%.18i %.30j %.8u %.8T %.10M %.9l" --me'
```

This makes some stuff look prettier and easier to digest in your terminal view.

Your file should now look like this:

```
1 test -f /etc/profile.dos && . /etc/profile.dos
2
3 # Some applications read the EDITOR variable to determine your favourite text
4 # editor. So uncomment the line below and enter the editor of your choice :-)
5 #export EDITOR=/usr/bin/vim
6 #export EDITOR=/usr/bin/mcedit
7
8 # add aliases if there is a .aliases file
9 test -s ~/.alias && . ~/.alias
10 PATH=$PATH:~/scripts
11 alias sq='squeue --format="%.18i %.30j %.8u %.8T %.10M %.9l" --me'
12
```


Hit save and exit out of the file editor tab.

Log out of your on-demand session and login again.


Download input files

Create a directory and upload input files into it

Click on “Files” and select “Home Directory”




Click New Directory while in your Home Directory – label this “my_first_calcs”



Click into your “my_first_calcs” directory

Now upload the input vials that you [downloaded](#) (water.inp and AcCl.gjf) into “my_first_calcs” folder.




You should now see these two files in your “my_first_calcs” directory

<div> <div>↑</div> <div>/ mnt / home / brewrebe / my_first_calcs /</div> <div>Change directory</div> <div>Copy path</div> </div>				
<div> <input type="checkbox"/> Show Owner/Mode <input type="checkbox"/> Show Dotfiles Filter: <input type="text"/> </div>				
Showing 2 rows - 0 rows selected				
Type	Name	Size	Modified at	
<input type="checkbox"/>	accl.gjf	585 Bytes	4/9/2024 3:04:32 PM	
<input type="checkbox"/>	water.inp	132 Bytes	4/9/2024 3:04:32 PM	

Submit your jobs

While in “my_first_calcs” directory, click “open in terminal”



Confirm that your interface says “my_first_calcs” in the initial line that pops up. This means you’re in the correct directory.

```
[brewrebe@dev-amd20 my_first_calcs]$
```

 A terminal window screenshot showing the prompt [brewrebe@dev-amd20 my_first_calcs]\$. A red arrow points to the prompt text.

Type `submit.sh` and press return.

You should receive a “Submitted batch job” and a string of numbers – this means you submitted your job successfully! Good job!

```
[brewrebe@dev-amd20 my_first_calcs]$ submit.sh
Submitted batch job 33659858
```

Type `sq` and hit return to receive a report of the jobs you have in the queue

- Pending – the job is waiting to start
- Running – lists the amount of time the job has been running

```
[brewrebe@dev-amd20 my_first_calcs]$ sq
Tue Apr 09 15:12:19 2024
      JOBID PARTITION   NAME   USER   STATE       TIME TIME_LIMI  NODES NODELIST(REASON)
      33659858 general-s   accl brewrebe  RUNNING    0:34   4:00:00     1 lac-021
Checking the Queue
Total      1 Jobs in the queue for brewrebe
           1 Jobs Running
           0 Jobs Pending
           0 Jobs Completed
[brewrebe@dev-amd20 my_first_calcs]$
```

Check outputs

To find your completed job, close out of the terminal – you should still be in “my_first_calcs” folder




There should be three new folders here – they should be called “water”, “AcCl”, and “outputs”

Most of what we need will be in “outputs”

↑
/ mnt / home / brewrebe / my_first_calcs /
Change directory
Copy path

☐ Show Owner/Mode
☐ Show Dotfiles
Filter:

Showing 3 rows - 0 rows selected

Type	Name	Size	Modified at
<input type="checkbox"/> 	accl	-	4/9/2024 3:12:39 PM
<input type="checkbox"/> 	outputs	-	4/9/2024 3:12:39 PM
<input type="checkbox"/> 	water	-	4/9/2024 3:11:32 PM

Within a few minutes the jobs will complete and you can find them in your outputs folder.

Once the output files are in the output folder, you can open them to view the job results and confirm they ran normally.

Scroll all the way to the bottom of the file to confirm that the job finished successfully.


```

AND THIS OUR LIFE, EXEMPT FROM PUBLIC HAUNT,
FINDS TONGUES IN TREES, BOOKS IN THE RUNNING BROOKS,
SERMONS IN STONES, AND GOOD IN EVERYTHING.
I WOULD NOT CHANGE IT. -- W. SHAKESPEARE
AS YOU LIKE IT, ACT II, SCENE 1.
Job cpu time:      0 days  0 hours  3 minutes 20.6 seconds.
Elapsed time:      0 days  0 hours  0 minutes 14.1 seconds.
File lengths (MBytes):  RWF=   272 Int=    0 D2E=    0 Chk=    32 Scr=    32
Normal termination of Gaussian 16 at Tue Apr  9 15:12:39 2024.

```

```

Timings for individual modules:

Sum of individual times      ...      41.675 sec (=   0.695 min)
GTO integral calculation     ...      11.007 sec (=   0.183 min) 26.4 %
SCF iterations               ...      13.153 sec (=   0.219 min) 31.6 %
SCF Gradient evaluation      ...      10.427 sec (=   0.174 min) 25.0 %
Geometry relaxation          ...       0.933 sec (=   0.016 min)  2.2 %
Analytical frequency calculation ...    6.154 sec (=   0.103 min) 14.8 %

****ORCA TERMINATED NORMALLY****

TOTAL RUN TIME: 0 days 0 hours 0 minutes 50 seconds 10 msec

```

Download the output files to your computer.

Type	Name	Size	Modified at
	accl.log	182 KB	4/9/2024 3:12:39 PM

- View
- Edit
- Rename
- Download
- Delete

OnDemand version: 3.0.1

Once you have the output files downloaded, you can analyze them locally using Chimera X. This [link](#) provides step by step instruction on how to use Chimera X to analyze output files.

Notes


Typing `submit.sh -h` returns some options for submission script usage.

```
[brewrebe@dev-amd20 my_first_calcs]$ submit.sh -h
-p flag will ask for prompts for calculation parameters on each input
-c flag allows for specification of default number of cpus
-t flag allows for default specification of number of hours (4h or less is fastest)
Any files specified will be run. No arguments will run all in cwd)
[brewrebe@dev-amd20 my_first_calcs]$
```

The default is set at 4 hours (any time less than or equal to 4 hrs gives the job priority and it runs faster).

If you are running a more complicated job and need to change the default to run longer, type “submit.sh -t” and then the number of hours you want to edit the runtime to. As an example, I changed mine to 6 hours.

```
[brewrebe@dev-amd20 my_first_calcs]$ submit.sh -t 6
[brewrebe@dev-amd20 my_first_calcs]$
```



Now you can submit your job as you normally would, as directed previously in this document.