

Package ‘ralias’

September 23, 2013

Type Package

Title ralias: a micro-package containing aliases to common functions and utilities.

Version 0.0

Date 2013-09-23

Author Quentin Geissmann

Maintainer Quentin Geissmann <qgeissmann@gmail.com>

Description This packages makes the use of R even more straightforward by providing utility functions and aliases for usual tasks and commands.

License GPL (>=3.0)

Depends R (>= 2.15.0)

LazyLoad TRUE

Collate 'aliases.R' 'utils.R'

URL <https://github.com/qgeissmann/Ralias>

R topics documented:

a	2
ipkg	2
last	3
p	3
pwd	3
rmall	4
z	4
Index	5

a	<i>A pure alias of the core function ‘head’</i>
---	---

Description

A pure alias of the core function ‘head’

Usage

```
a(x, ...)
```

See Also

head [z](#)

ipkg	<i>A pure alias of the core function ‘install.packages’</i>
------	---

Description

A pure alias of the core function ‘install.packages’

Usage

```
ipkg(pkgs, lib, repos = getOption("repos"),
     contriburl = contrib.url(repos, type), method,
     available = NULL, destdir = NULL, dependencies = NA,
     type = getOption("pkgType"),
     configure.args = getOption("configure.args"),
     configure.vars = getOption("configure.vars"),
     clean = FALSE, Ncpus = getOption("Ncpus", 1L),
     verbose = getOption("verbose"), libs_only = FALSE,
     INSTALL_opts, quiet = FALSE, keep_outputs = FALSE, ...)
```

See Also

install.packages

last	<i>Gets the last element of a vector</i>
------	--

Description

A utility function getting the last element of a vector or list.

Usage

```
last(x)
```

Arguments

a vector (atomic or list)

Value

the last element of a container (e.g. vector or list)

Examples

```
last(1:30)
```

p	<i>A pure alias of the core function 'print'</i>
---	--

Description

A pure alias of the core function 'print'

Usage

```
p(x, ...)
```

See Also

print

pwd	<i>A pure alias of the core function 'getwd'</i>
-----	--

Description

This simply to make it less confusing for Unix/Linux users.

Usage

```
pwd()
```

See Also

getwd

rmall	<i>Gets the last element of a vector</i>
-------	--

Description

A utility function to delete all the object from the global environnement. This is equivalent to `rm(list=ls())`.

Usage

```
rmall()
```

Examples

```
a <- b <- c <- 1
ls()
rmall()
ls()
```

z	<i>A pure alias of the core function ‘tail’</i>
---	---

Description

A pure alias of the core function ‘tail’

Usage

```
z(x, ...)
```

See Also

tail [a](#)

Index

a, [2](#), [4](#)

ipkg, [2](#)

last, [3](#)

p, [3](#)

pwd, [3](#)

rmall, [4](#)

z, [2](#), [4](#)