```
                "userId": "11231313123",
                "countryCode": "HK",
                "relationshipType": "THIRD_PARTY",
                "firstName": "7201273012730",
                "lastName": "Sg"
            },
            {
                "entityType": "COMPANY",
                "type": "ORIGINATOR",
                "userId": "22112",
                "countryCode": "NG",
                "relationshipType": "SELF_OWNED",
                "legalName": "123",
                "registrationNumber": "23131231"
            }
        ]
    }
  ]
}
}
```


8.8 Payout Order API

8.8.1 Create Payout Order

Endpoint:

POST /payfi/v1/merchant-api/create-payout

Request Parameters:

Field	Req	Type	Description
requestId	Y	string	ExternalId of the order, needs unique
accountId	Y	string	Account Id of the merchant where the order will be created at
purpose	Y	enum	1 REFUND 2 GOODS_SERVICES 3 COMMISSION 4 ROYALTY_DIVIDENDS 5 LOAN_REPAY 6 TREASURY 7 RENT 8 OTHERS 9REJECT_RETURN
payCurrency	Y	enum	Currency of the funding used for the payout **Supported:** USDT,USDC The crypto-crypto payout scenario only supports trading pairs of the same currency
settleCurrency	Y	enum	Intended receipt currency **Currently Supported:** USDT, USDC,USD The crypto-crypto payout scenario only supports trading pairs of the same currency
payAmount	C	decimal string	Amount the merchant tends to pay. **Implied responsibility:** Recipient bears network fee,

leo.cao 2026-03-02 13:37 UTC

			paymode of order will be RECIPIENT_BEAR Note: Mutually exclusive with **receiveAmount**. Crypto coin: 3dp When the purpose is REJECT_RETURN, the precision will be consistent with the orig payment
receiveAmount	C	decimal string	**Amount the beneficiary is expected to receive.** **Implied responsibility:** Payer bears network fee, paymode of order will be PAYER_BEAR Mutually exclusive with payAmount . Crypto coin: 3dp Fiat coin: USD:2dp When the purpose is REJECT_RETURN, the precision will be consistent with the orig payment
timeUnit	C	String	time units， mandatory if payCurrency is different from settleCurrency (e.g.,M、S)
lockTime	C	string	Represented in minutes/seconds. mandatory if payCurrency is different from settleCurrency If timeUnit=S, lockTime limit 1~60 If timeUnit=M,lockTime limit 1~120
memo	N	string	Optional reference or description of the order, character limit: 512
partyDetails	C	Array of objects	The participant details arrays of the order, provide at least one originator AND one beneficiary. If it is not provided during payout creation, you need to provide it when payout is confirmed.
cryptoAddressInfo	C	Array of	Mandatory if settleCurrency = Crypto This must be provided during payout confirm if it has

		objects	not been provided during payout creation
fiatAccountInfo	C	object	Mandatory if settleCurrency = Fiat This must be provided during payout confirm if it has not been provided during payout creation
origPaymentId	C	string	Mandatory if return rejected payment
Params of cryptoAddress (objects of cryptoAddressInfo)			
address	Y	string	Destination address. NOTE: IF NOT PROVIDED, MUST PROVIDE IN CONFIRM STEP
memo	N	string	Memo/tag/destination tag if required by chain.
network	Y	enum	`TRC20`, `ERC20`, `SPL`, etc.
~~currency~~ supportCurrency	N	Arrays of string	The list of currencies the address will support. For example USDT, USDC
Params of fiatAccountInfo			
~~swift~~	~~N~~	~~Object~~	
~~Params of SWIFT~~			
network	Y	enum	SWIFT
bankAccountNumber	Y	string	Beneficiary account number Character limit 255 Must include: 1. Bank Account ~~+bic~~

leo.cao 2026-03-02 13:37 UTC

			Allowed： ^[a-zA-Z0-9]{1,255}$
accountHolderName	Y	string	Beneficiary account name (as registered with the bank) Character limit 255 Allowed:^[a-zA-Z /\\-?:().,'+]{1,255}$
bic	Y	string	i.e: Bank/Swift Code Allowed:^[A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3})?$
bankName	Y	string	Character limit 255 Name of Bank Allowed:^[a-zA-Z /\\-?:().,'+]{1,255}$
currency	Y	string	e.g. USD currency of the bank account
reference Message	N	String	Optional memo context for a transaction, which will be sent to the received bank Character limit: 100‘
bankAddress	Y	Object	Address of bank
bankAddress Description (Parameters of bankAddress)			
bankCity	Y	String	City of Bank Character limit: 255
bankCountry	Y	String	Country of bank ISO Alpha-2 country code (e.g. SG)
address	N	String	Detail address of Bank Character limit: 255
Individual Party Details (objects of partyDetails)			

leo.cao 2026-03-02 13:37 UTC

type	Y	string	Identifies whether the party detail information belongs to a BENEFICIARY or an ORIGINATOR. Possible values - `BENEFICIARY`, `ORIGINATOR` Must include at least One originator AND one beneficiary
entityType	Y	string	Identifies whether the party detail information belongs to an INDIVIDUAL or a COMPANY Possible values - `INDIVIDUAL`, `COMPANY`
userId	N	string	The uuid tied to this beneficiary or originator.
firstName	Y	string	First name of the individual (required for `INDIVIDUAL` entity type) Character limit: 255 **Allowed**: • Alphanumeric characters • Chinese characters
lastName	Y	string	Last name of the individual (required for `INDIVIDUAL` entity type) Character limit: 255 **Allowed**: • Alphanumeric characters • Chinese characters
dateOfBirth	N	string	Date of birth of the individual yyyy-MM-dd
relationshipType	Y	string	Type of the relationship between the BENEFICIARY/ORIGINATOR and the creator of the payment. Possible values - `SELF_OWNED`, `THIRD_PARTY`

leo.cao 2026-03-02 13:37 UTC

countryCode	Y	string	The ISO 3166-1-alpha-2 code of the country that the party resides in. **Unsupported country code:** BY,IR,MM,KP,UA,US,SY,RU,CN,SG
address	N	string	Address of the originator/beneficiary of this account. Please ensure the address is valid **Allowed:** • 255 max characters • Alphanumeric characters • Chinese characters • Unicode letters • Digits (0–9) • Spaces • Basic punctuation: . , ' – / # ( ) （ ） [ ]
Company Party Details (objects of partyDetails)			
type	Y	string	Identifies whether the party detail information belongs to a BENEFICIARY or an ORIGINATOR. Possible values - BENEFICIARY, ORIGINATOR Provide at least one originator AND one beneficiary
entityType	Y	string	Identifies whether the party detail information belongs to an INDIVIDUAL or a COMPANY Possible values - INDIVIDUAL, COMPANY
userId	N	string	The uuid tied to this beneficiary or originator.
legalName	Y	string	Name of the company (required for COMPANY entity type) Character limit: 255

leo.cao 2026-03-02 13:37 UTC

			Allowed: • Alphanumeric characters • Chinese characters
relationshipType	Y	string	Type of the relationship between the BENEFICIARY/ORIGINATOR and the creator of the payment. Possible values - `SELF_OWNED`, `THIRD_PARTY`
countryCode	Y	string	The ISO 3166-1-alpha-2 code of the country that the party resides in. Required only if requesterIpAddress is not provided. **Unsupported country code:** `BY`,`IR`,`MM`,`KP`,`UA`,`US`,`SY`,`RU`,`CN`,`SG`
registrationNumber	Y	string	Legal Entity identifier 255 character limit Alphanumerical Only Special characters not supported (ie: !@#$)
address	N	string	Address of the originator/beneficiary of this account. Please ensure the address is valid **Allowed:** • 255 max characters • Alphanumeric characters • Chinese characters • Unicode letters • Digits (`0–9`) • Spaces • Basic punctuation: `. , ' – / # ( ) ( ) [ ]`

Response Parameters:

Field	Req	Type	Description

requestId	Y	string	ExternalId of the order, needs unique.
orderId	Y	string	The unique id of the order.
accountId	Y	string	Account Id of the merchant where the order will be created at
channelId	N	string	The id of channel used for the order
orderTyp e	Y	enum	Type of the order *CRYPTO_TO_CRYPTO_PAYOUT: when payCurrency&settleCurrency of the payout order both crypto* *CRYPTO_TO_FIAT_PAYOUT: when payCurrency is crypto &settleCurrency is fiat of the payout order*
status	Y	enum	Status of the payout order CREATED,CONFIRMED,REVIEW,REVIEWED,PROCESSING,COMPLETED,FAILED,REVERSED,REJECTED
purpose	Y	enum	1 REFUND 2 GOODS_SERVICES 3 COMMISSION 4 ROYALTY_DIVIDENDS 5 LOAN_REPAY 6 TREASURY 7 RENT 8 OTHERS 9REJECT_RETURN

leo.cao 2026-03-02 13:37 UTC

payCurrency	Y	enum	Currency of the funding used for the payout **Supported:** USDT, USDC
settleCurrency	Y	enum	Intended receipt currency **Currently Supported:** USDT, USDC,USD
payMode	Y	enum	PAYER_BEAR,RECIPIENT_BEAR **Description:** PAYER_BEAR: Payer bear channel fee (payAmount is provided during order creation) RECIPIENT_BEAR: Recipient bear channel fee (settleAmount is provided during order creation) When orderType is *CRYPTO_TO_FIAT_PAYOUT, payMode is RECIPIENT_BEAR*
totalPayAmount	Y	decimal string	Total Amount **debited** from merchant. Include payAmount+real-time deduct or post paidplatform fee
payAmount	Y	decimal string	Amount the merchant tends to pay. When payAmount is provided, payAmount is used for conversion calculation. When receiveAmount is provided, payAmount is the result of conversion calculation.
settleAmount	Y	decimal string	Amount **credited** to beneficiary, including channel fees When payAmount is provided, settleAmount is the result of conversion calculation. When receiveAmount is provided, settleAmount is

leo.cao 2026-03-02 13:37 UTC

			used for conversion calculation.
receiveAmount	Y	decimal string	Amount the beneficiary is expected to receive, excluding channel fees
partyDetails	Y	Arrays.object	See per-method fields below.
~~cryptoMethod~~ cryptoAddressInfo	C	Array of objects	Mandatory if settleCurrency = Crypto
~~fiatMethod~~ fiatAccountInfo	C	object	Mandatory if settleCurrency = Fiat
createTime	Y	string	The time of create order
expireTime	Y	string	The times when this locked quote expires. You must create the transfer before this time.
updateTime	Y	string	The time when the record was last updated.
completeTime	C	string	The time when the order is complete
quoteDetails	C	object	Conversion details of the payment, not provided if no conversion involved
~~feeDetails~~	~~Y~~	~~object~~	~~Fee details of the payment~~
fees	Y	Arrays.object	Fee details of the order. If there is no charge, return an empty array

leo.cao 2026-03-02 13:37 UTC

~~channelFee~~	~~Y~~	~~object~~	~~Channel Fee details of the payment, depending on paymode, this fee is deducted either from payer or recipient~~
paymentList	C	Arrays.object	Payment details of the order
memo	N	string	Optional reference or description
origPaymentId	C	string	Mandatory if return rejected payment
Params of cryptoAddress (objects of cryptoAddressInfo)			
address	Y	string	Destination address. NOTE: IF NOT PROVIDED, MUST PROVIDE IN CONFIRM STEP
memo	N	string	Memo/tag/destination tag if required by chain.
network	Y	enum	`TRC20`, `ERC20`, `SPL`, etc.
supportCurrency	Y	Arrays of string	The list of currencies the address will support. For example USDT, USDC
Params of fiatAccountInfo			
network	Y	enum	SWIFT
bankAccountNumber	Y	string	Beneficiary account number Character limit 255 Must include: 1. Bank Account ~~+bic~~ Allowed： ^[a-zA-Z0-9]{1,255}$

leo.cao 2026-03-02 13:37 UTC

accountHolderName	Y	string	Beneficiary account name (as registered with the bank) Character limit 255 Allowed:^[a-zA-Z /\\-?:().,'+]{1,255}$
bic	Y	string	i.e: Bank/Swift Code Allowed:^[A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3})?$
bankName	Y	string	Character limit 255 Name of Bank Allowed:^[a-zA-Z /\\-?:().,'+]{1,255}$
currency	Y	string	e.g. USD currency of the bank account
reference Message	N	String	Optional memo context for a transaction, which will be sent to the received bank Character limit: 255
bankAddress	Y	Object	Address of bank
(Parameters of bankAddress)			**bankAddress Description**
bankCity	Y	String	City of Bank Character limit: 255
bankCountry	Y	String	Country of bank ISO Alpha-2 country code (e.g. SG) SAINT_PAY: BY,IR,MM,KP,UA,US,SY,RU,CN,SG MSB: BY,CU,IR,MM,KP,UA,US,SY,RU,CN,SG,VE,AF

leo.cao 2026-03-02 13:37 UTC

address	N	String	Detail address of Bank Character limit: 255
		Params of quoteDetails	
quoteId	Y	string	The id of quote
payCurrency	Y	string	*The source currency code, the currency you are paying.*
payAmount	Y	string	*The amount of the source currency.*
settleCurrency	Y	string	The target currency code . The currency you will receive.
settleAmount	Y	string	*The amount of the target currency you will receive*
rate	Y	string	The locked exchange rate.
		Params of fee (Objects of fees)	

feePurpose	Y	string	It is an enumeration:
			`PLAT_COIN_PAYOUT`,`PLAT_FIAT_PAYOUT`
			It means the handling fee charged by the platform during a payout
			`CHANNEL_COIN_PAYOUT`,`CHANNEL_FIAT_PAYOUT`
			It means the handling fee charged by the channel during a payout

amount	Y	string	Fee amount. USDT/C supports up to 6 decimal places; rounded up
currency	Y	string	Currency of the fee being charged
deductReal	Y	boolean	true: it means the fee deducted by real time false: it means the fee deducted by month

leo.cao 2026-03-02 13:37 UTC

Params of payment (Object of paymentList)			
paymentId	Y	string	The id of payment
paymentType	Y	string	`COIN_PAYOUT`, `FIAT_PAYOUT`
txId	N	string	The block chain transaction hash ID if it is a `COIN_PAYOUT`
status	Y	string	The status of payment.
payAmount	Y	string	The amount paid by the user. Note: The ERC20 protocol supports 6 decimal places for USDC/USDT.
payCurrency	N	string	The currency used by the platform for settling funds to the account (e.g., if the channel type is FIXED_NORMAL, the settlement currency is the same as the payment currency; for other channel types, it may be a different currency, such as USD)
extraBlockChainInfo	N	object	Other blockchain-related information. It is required when the status is 'PROCESSING' or any subsequent statuses.
ExtraBlockChainInfo Description			
blockNumber	N	INT	Block height. For example: 98716345
confirmNumber	N	INT	Number of block confirmations. For example: 4
totalConfirmNumbe	N	INT	The number of blocks we consider necessary for this transaction to be permanently confirmed. For

leo.cao 2026-03-02 13:37 UTC

r			example: 32
Individual Party Details (objects of partyDetails)			
type	Y	string	Identifies whether the party detail information belongs to a BENEFICIARY or an ORIGINATOR. Possible values - BENEFICIARY, ORIGINATOR Must include at least One originator AND one beneficiary
entityType	Y	string	Identifies whether the party detail information belongs to an INDIVIDUAL or a COMPANY Possible values - INDIVIDUAL, COMPANY
userId	N	string	The uuid tied to this beneficiary or originator.
firstName	Y	string	First name of the individual (required for INDIVIDUAL entity type) 255 char limit **Allowed**: • Alphanumeric characters • Chinese characters
lastName	Y	string	Last name of the individual (required for INDIVIDUAL entity type) 255 char limit **Allowed**: • Alphanumeric characters • Chinese characters
dateOfBirth	N	string	Date of birth of the individual

leo.cao 2026-03-02 13:37 UTC

relationshipType	Y	string	Type of the relationship between the BENEFICIARY/ORIGINATOR and the creator of the payment. Possible values - `SELF_OWNED`, `THIRD_PARTY`

countryCode	Y	string	The ISO 3166-1-alpha-2 code of the country that the party resides in.
			Unsupported country code:
			SAINT_PAY:
			`BY`,`IR`,`MM`,`KP`,`UA`,`US`,`SY`,`RU`,`CN`,`SG`
			MSB:
			`BY`,`CU`,`IR`,`MM`,`KP`,`UA`,`US`,`SY`,`RU`,`CN`,`SG`,`VE`,`AF`

Company Party Details (objects of partyDetails)			
type	Y	string	Identifies whether the party detail information belongs to a BENEFICIARY or an ORIGINATOR. Possible values - `BENEFICIARY`, `ORIGINATOR` Provide at least one originator AND one beneficiary
entityType	Y	string	Identifies whether the party detail information belongs to an INDIVIDUAL or a COMPANY Possible values - `INDIVIDUAL`, `COMPANY`
userId	N	string	The uuid tied to this beneficiary or originator.
legalName	Y	string	Name of the company (required for `COMPANY` entity type) 255 char limit **Allowed**: • Alphanumeric characters • Chinese characters

leo.cao 2026-03-02 13:37 UTC

relationshipType	Y	string	Type of the relationship between the BENEFICIARY/ORIGINATOR and the creator of the payment. Possible values - SELF_OWNED, THIRD_PARTY
countryCode	Y	string	The ISO 3166-1-alpha-2 code of the country that the party resides in. Required only if requesterIpAddress is not provided. **Unsupported country code:** SAINT_PAY: BY,IR,MM,KP,UA,US,SY,RU,CN,SG MSB: BY,CU,IR,MM,KP,UA,US,SY,RU,CN,SG,VE,AF
registrationNumber	Y	string	Legal Entity identifier 255 character limit Alphanumerical Only Special characters not supported (ie: !@#$)

Common Error Code:

See [5.2.2 Common error code]

Business Error Code:

Http Status Code	Response Code	Description	Solution
200	40000	Parameter error	Please modify the parameters as prompted and then resubmit.
200	40001	Duplicate Request (Idempotent Rejected)	Please try a new order with a new requestId. Otherwise, return the order corresponding to the current requestId.
200	40003	Insufficient balance	Insufficient balance

leo.cao 2026-03-02 13:37 UTC

200	50000	System error	Please try again later. Note: You must use the original requestID.
200	60001	Status error	Please check the account status.
200	60002	Account does not exist	Please check the accountId.

Request Example:

```JSON
{
    "requestId": "REQ_20251025_2100002",
    "accountId": 176490205360000,
    "beneficiaryType": "SELF_OWNED",
    "purpose": "OTHERS",
    "payCurrency": "USDC",
    "settleCurrency": "USDC",
    "payAmount": "10.131",
    "timeUnit": "M",
    "lockTime": "5",
    "memo":"test payout",
    "partyDetails": [
        {
            "type": "ORIGINATOR",
            "entityType": "COMPANY",
            "relationshipType": "SELF_OWNED",
            "legalName": "TrustPay",
            "countryCode": "HK",
            "registrationNumber": "1231231231003",
```

```
            "address": "123 Main St"
        },
        {
            "type": "BENEFICIARY",
            "entityType": "COMPANY",
            "relationshipType": "SELF_OWNED",
            "legalName": "TrustPay",
            "countryCode": "HK",
            "registrationNumber": "1231231231003",
            "address": "123 Main St"
        }
    ],
    "cryptoAddressInfo": [{
        "supportCurrency": ["USDC"],
        "address": "0x32539Cb22334c875f150D89Dfcb5CbBB99AD9E3a",
        "memo": "123456",
        "network": "ERC20"
    }]
}
```


Response Example:

leo.cao 12:37 UTC leo.cao 12:37 UTC


```JSON
{
    "code": "200",
    "msg": "OK",
    "data": {
        "requestId": "REQ_20251025_2100002",
        "orderId": "1mzo4xbfqoeb7-1764745536475",
        "accountId": "176490205360000",
```

```
    "orderType": "CRYPTO_TO_CRYPTO_PAYOUT",
    "status": "CREATED",
    "purpose": "OTHERS",
    "payCurrency": "USDC",
    "settleCurrency": "USDC",
    "payMode": "PAYER_BEAR",
    "payAmount": "10.131",
    "totalAmount": "13.131",
    "settleAmount": "10.131",
    "receiveAmount": "10.131",
    "partyDetails": [
      {
        "type": "ORIGINATOR",
        "entityType": "COMPANY",
        "address": "123 Main St",
        "relationshipType": "SELF_OWNED",
        "countryCode": "HK",
        "legalName": "TrustPay",
        "registrationNumber": "1231231231003"
      },
      {
        "type": "BENEFICIARY",
        "entityType": "COMPANY",
        "address": "123 Main St",
        "relationshipType": "SELF_OWNED",
        "countryCode": "HK",
        "legalName": "TrustPay",
        "registrationNumber": "1231231231003"
```

```
        }
    ],
    "cryptoAddressInfo": [
        {
            "address":
"0x32539Cb22334c875f150D89Dfcb5CbBB99AD9E3a",
            "memo": "123456",
            "network": "ERC20",
            "supportCurrency": [
                "USDC"
            ]
        }
    ],
    "fees": [
        {
            "feePurpose": "PLAT_COIN_PAYOUT",
            "amount": "0.50655",
            "currency": "USDC",
            "deductReal": false
        },
        {
            "feePurpose": "CHANNEL_COIN_PAYOUT",
            "amount": "3",
            "currency": "USDC",
            "deductReal": true
        }
    ],
    "createTime": "2025-12-03T07:05:36Z",
```

```
        "memo": "test payout"
    }
}
```

8.8.2 Confirm Order

Endpoint:

POST /payfi/v1/merchant-api/confirm-payout

Request Parameters:

Field	Req	Type	Description
orderId	Y	string	The id of the order
partyDetails	C	Arrays.object	The participant details arrays of the order, provide at least one originator AND one beneficiary. This must be provided if it has not been provided during payout creation If this is already provided during payout creation, providing this again will replace the previous entry
~~cryptoMethod~~ cryptoAddressInfo	C	Arrays.object	Mandatory if settleCurrency = Crypto This must be provided if it has not been provided during payout creation If this is already provided during payout creation, providing this again will replace the previous entry
~~fiatMethod~~ fiatAccountInfo	C	object	Mandatory if settleCurrency = Fiat This must be provided if it has not been provided during payout creation If this is already provided during payout creation, providing this again will replace the previous entry
Params of cryptoAddress (objects of cryptoAddressInfo)			
address	Y	string	Destination address. NOTE: IF NOT PROVIDED, MUST PROVIDE IN CONFIRM STEP

leo.cao 2026-03-02 13:37 UTC