

KORE POWER

Mark 1 Technical Datasheet

Document Number: KORE-M1-DAS-0002

Product Name: Mark 1 Energy Storage System



Copyright © KORE Power, Inc.

This document is the property of KORE Power, Inc., and this document and its contents are KORE Power's confidential and proprietary information. This document is for the internal use only of KORE Power and those individuals and entities that KORE Power has expressly authorized to receive and use this document. Do not copy, use, publish, distribute, or otherwise exploit this document or any of its contents without KORE Power's express written permission. All rights reserved.

The information set out herein is subject to change and may be altered without notice. Consult with KORE Power for the latest revision of this document.



Revision History

| Rev. | Description | Date | Prepared | Reviewed | Approved |
|------|--------------------------------|----------------|----------|----------|----------|
| Α | Approved for use | 9/13/2019 | D.K. | M.Z. | N.W. |
| В | Changed document format | 10/12/2019 | D.K. | M.Z. | N.W. |
| С | Information update | 6/1/2020 | D.K. | M.Z. | N.W. |
| D | Information update / add MsBMS | 1/12/2021 | M.Z. | B.B. | N.W. |
| Е | Add 9540A, fuse kAIC ratings, | 5/25/2021 M.Z. | B.B. | N.W. | |
| - | Updated Table 6 | | | | |
| F | Updated Table 7 & 8 | 6/16/2021 | B.B. | M.Z. | N.W. |
| G | Add KP-MC | 1/24/2022 | J.H. | M.Z. | B.B. |

Reference Documents

| Number | Title/Description |
|--------|-------------------|
| | |
| | |
| | |
| | |
| | |
| | |

KORE Power, Inc.

1875 N Lakewood Dr, Suite 200, Coeur d'Alene, ID 83814, USA



Table of Contents

| 1 | A | ACRONYMS AND ABBREVIATIONS | 6 |
|---|-----|-----------------------------------|----|
| 2 | C | CELL | 7 |
| 3 | В | BATTERY MODULE | 8 |
| 4 | R | RACK MANAGEMENT SYSTEM CONTROLLER | 10 |
| | 4.1 | RMSC MAIN COMPONENTS | 11 |
| | 4.2 | RMSC PROTECTION FUNCTIONS | 12 |
| | | BATTERY RACK | |
| | | AUXILIARY POWER SUPPLY | |
| | 5.2 | HEAT RELEASE ESTIMATES | 14 |
| 6 | K | OREPOINT MANAGEMENT CONTROLLER | 14 |
| 7 | S | SYSTEM TOPOLOGY | 16 |



List of Figures

| Figure 1. Battery Cell | 7 |
|--|----|
| Figure 2. Charge: 1C, CC&CV Mode; Discharge: 1C, CC Mode | 8 |
| Figure 3. Battery Module | 8 |
| Figure 4. Rack Management System Controller | 10 |
| Figure 5. RMSC Main Components | 11 |
| Figure 6. Battery Rack | 12 |
| Figure 7. KOREPoint Management Controller | 15 |
| Figure 8. Mark 1 System Topology | 16 |
| | |
| List of Tables | |
| Table 1. Acronyms and Abbreviations | 6 |
| Table 2. Battery Cell Specifications | 7 |
| Table 3. Battery Module Specifications | g |
| Table 4. RMSC Specifications | 10 |
| Table 5. RMSC Protection Functions | 12 |
| Table 6. Battery Rack Specifications | 13 |
| Table 7. Auxiliary Power Consumption | 13 |
| Table 8. Thermal Management Estimates | 14 |
| Table 9 KP-MC Specifications | 15 |



1 ACRONYMS AND ABBREVIATIONS

Table 1. Acronyms and Abbreviations

| Abbreviation | Meaning | |
|--------------|-----------------------------------|--|
| BMS | Battery Management System | |
| BOL | Beginning of Life | |
| CAN | Controller Area Network | |
| EMS | Energy Management System | |
| KP-MC | KOREPoint Management Controller | |
| MBMS | Module Battery Management System | |
| MsBMS | Master Battery Management System | |
| PCS | Power Conversion System | |
| PWM | Pulse-Width Modulation | |
| RBMS | Rack Battery Management System | |
| RMSC | Rack Management System Controller | |
| SOC | State of Charge | |
| SOH | State of Health | |



2 CELL

KORE Power cell specifically designed for energy storage.



Figure 1. Battery Cell

Table 2. Battery Cell Specifications

| Item | Specification | |
|--------------------------|---------------------------------------|--|
| Chemistry | NMC/G | |
| Dimensions (W x D x H) | 313 mm x 11.6 mm x 102 mm | |
| Weight | 0.80 ± 0.015 kg | |
| Capacity ¹ | 55 Ah @ 25°C, 1/3C | |
| Nominal Voltage | 3.73 V @ 25°C, 1/3C | |
| Voltage Range | 2.8 ~ 4.35 V | |
| Energy Density | 255 Wh/kg @ 25°C, 1/3C | |
| Cycle Life | 80% SOH @ 4000 Cycles est. | |
| Housing | Aluminum-Plastic Film / Opposing tabs | |
| Certification/Compliance | UL 1973, IEC 62619, UN 38.3, UL 9540A | |

¹Capacity varies with C rates






Figure 2. Charge: 1C, CC&CV Mode; Discharge: 1C, CC Mode

3 BATTERY MODULE

The battery module consists of 32 battery cells (2P16S) and a MBMS that:

- Communicates with the Rack BMS (RBMS)
- Provides operating information to the RBMS
- · Maintains cell voltage through passive cell balancing
- Monitors the module temperature and controls the cooling fan using PWM.




Figure 3. Battery Module



Table 3. Battery Module Specifications

| Item | | Specification | |
|--|--|------------------------|--|
| Discoursions (M.: D.: II) | 445 mm x 577 mm x 115 mm | | |
| Dimensions (W x D x H) | 483 mm x 577 mm x 115 mm with Mounting Bracket | | |
| Weight | | Approx. 41 kg | |
| Configuration | | 2P16S | |
| Capacity ¹ | | 110 Ah @ 25°C, 1/3C | |
| Nominal Voltage | | 59.6 V @ 25°C, 1/3C | |
| Voltage Range | | 44.9 V – 69.5 V | |
| Energy | | 6.51 kWh @ 25°C, 1/3C | |
| Operating Ambient Temperature Range ^{2,3} | | 0 ~ 40°C | |
| Recommended Operating Ambient Temperature ² | | 23 ± 4°C, Average 23°C | |
| Maximum Charge Power | | 6.5 kW @ 23 ± 4°C | |
| Maximum Discharge Power | 6.5 kW @ 23 ± 4°C | | |
| Maximum Charge Current | 30A @ 0 ~ 12°C Ambient | | |
| Maximum Griarge Gurrent | 100A @ 12 ~ 40°C Ambient | | |
| Maximum Discharge Current | 150A @ 0 ~ 35°C Ambient | | |
| Maximum Discharge Current | 100A @ 35 ~ 40°C Ambient | | |
| Operating Humidity | 5 ~ 85% RH (Non-Condensing) | | |
| Application Altitude | | ≤ 2000m | |
| IP Rating | | IP 20 | |
| Communication | CAN 2.0B | | |
| Cooling | Air-Cooled | | |
| Bus Bar Connections | M8 Nut | | |
| Storage and Transportation Temperature? | ~7 days | -20 ~ 55°C | |
| Storage and Transportation Temperature ³ | ~6 months | -20 ~ 45°C | |
| Storage and Transportation Humidity | 5 ~ 75% RH (Non-Condensing) | | |
| Certification/Compliance | UL 1973, IEC 62619, UN 38.3, UL 9540A | | |

¹Capacity varies with C rates

²Measured at fan cold air intake

³Low/high temperatures and long storage times will impact product life and performance



4 RACK MANAGEMENT SYSTEM CONTROLLER

The Rack Management System Controller (RMSC) provides electrical connections to a DC bus system and contains a RBMS that:

- Provides a communication interface for external controllers
- Collects battery system information and estimates battery system status
- · Monitors battery system operating status
- Protects the battery system from abuse conditions




Figure 4. Rack Management System Controller

Table 4. RMSC Specifications

| Item | Specification |
|--------------------------------|--|
| Dimensions (W x D x H) | 435 mm x 420 mm x 160 mm 483 mm x 420 mm x 160 mm with Mounting Bracket |
| Weight | Approx. 18 kg |
| Operating Voltage Range | 40 ~ 1500 V |
| Current Rating | 150 A |
| Auxiliary Power Voltage Source | 24 VDC |
| Operating Temperature Range | -5 ∼ 55°C |
| Operating Humidity | 5 ~ 85 % RH (Non-Condensing) |



| Application Altitude | ≤ 2000 m | |
|-------------------------------------|------------------------------|--|
| Communications | CAN 2.0B | |
| Cooling | Air-Cooled | |
| Fuse Rating ¹ | 160 A - 50 kAIC | |
| Main DC Terminals | M8 Bolt | |
| Low Voltage Terminals | M3 Screw | |
| Storage Temperature | -20 ~ 55 ℃ | |
| Storage and Transportation Humidity | 5 ~ 75 % RH (Non-Condensing) | |

¹250 kAIC option available, consult with KORE Power for availability

4.1 RMSC MAIN COMPONENTS

The RMSC consists of the following components:




Figure 5. RMSC Main Components



4.2 RMSC PROTECTION FUNCTIONS

Table 5. RMSC Protection Functions

| Function | Description |
|--|--|
| Over/Under Voltage | BMS protects the system from operating outside of cell/rack voltage rating |
| Over Current BMS protects the system from operating outside of charge/discharge current | |
| Over Temperature BMS protects the system from operating outside of operating temperature | |
| Short Circuit Fuse protects the system in the event of a short circuit | |
| Inrush Current | Pre-charge circuit minimizes inrush current |

5 BATTERY RACK

The Battery Rack consists of 17 battery modules and one RMSC, including all cables and connectors.




Figure 6. Battery Rack



Table 6. Battery Rack Specifications¹

| Item | Specific | cation |
|--|-------------------------------|-------------------------|
| Dimensions (W x D x H) 520 mm x 655 mm x 2260 mm | | nm x 2260 mm |
| Operating Ambient Temperature Range ² | 0 ~ 40°C | |
| Recommended Operating Ambient Temperature ² | 23 ± 4°C, Av | erage 23°C |
| Operating Humidity | 5 ~ 85 % RH (No | on-Condensing) |
| Application Altitude | ≤ 200 | 00m |
| Pollution Degree 2 | | |
| Communications | CAN 2.0B | |
| Certification/Compliance | IEEE 693³, UL 9540A³, UL 1973 | |
| Configuration | 17 modules + 1 RMSC | n modules + 1 RMSC |
| Nominal Voltage | 1014 Vdc @ 23 ± 4°C | 59.6*n Vdc @ 23 ± 4°C |
| Voltage Range | 763 ~ 1181 Vdc | 44.9*n ~ 69.5*n Vdc |
| Energy | 110.7 kWh @ 23 ± 4°C | 6.51*n kWh @ 23 ± 4°C |
| Maximum Charge Power | 110 kW @ 23 ± 4°C | 6.5*n kW @ 23 ± 4°C |
| Maximum Discharge Power | 110 kW | 6.5*n kW |
| Weight | Approx. 900 kg | Approx. 203 + (41*n) kg |

¹Performance may vary based on use conditions and application.

5.1 AUXILIARY POWER SUPPLY

Table 7. Auxiliary Power Consumption

| Input Voltage | | 24 VDC | |
|--------------------------|------|------------------------|--|
| Battery Module Power Fan | | 17W | |
| Consumption (Max) | MBMS | 2W | |
| RMSC Power Consumption | Fan | 4W | |
| (Max) | RBMS | 18W (40W inrush@100ms) | |

²Measured at fan cold air intake

³Only valid with 17 modules



5.2 HEAT RELEASE ESTIMATES

Table 8. Thermal Management Estimates1

| C Rate | Watts Per Module ² | Watts for 17 Modules ² |
|--------|-------------------------------|-----------------------------------|
| 1 | 151.17 | 2569.81 |
| 0.75 | 85.03 | 1445.59 |
| 0.5 | 37.79 | 642.51 |
| 0.25 | 9.45 | 160.69 |
| 0.1 | 1.52 | 25.76 |

¹Recommendations based on 23°C at fan cold air intake and BOL, may vary based on project, please contact KORE for more information.

6 KOREPOINT MANAGEMENT CONTROLLER

The KOREPoint Management Controller (KP-MC) is a Bank Level Controller for monitoring and controlling multiple battery racks that:

- Provides a SunSpec Modbus TCP interface for external communications and control
- Provides a CAN interface for internal communication with the battery racks
- Provides a web-based interface for troubleshooting and configuration
- Capable of storing up to 30 days of data from the battery racks
- 35mm DIN Rail mount on back of enclosure
- 4 status LEDs indicate Power, Run, Alarm and Fault

²Values are based on DC I²R and battery nominal rating.





Figure 7. KOREPoint Management Controller

Table 9. KP-MC Specifications

| Item | Specification | |
|--|----------------------------------|--|
| Dimensions (W x D x H) | 51 mm x 154 mm x 125 mm | |
| Weight | <1kg | |
| Operating Ambient Temperature Range | -40 ~ 85°C | |
| Operating Humidity | 5~75% RH (Non-condensing) | |
| Communications | Modbus TCP and CAN 2.0B | |
| SunSpec Models | 1, 64320, 802, 803, and 804 | |
| Auxiliary Power Voltage Source | 9-30VDC | |
| Maximum Power Consumption | 15 W | |
| Storage and Transportation Temperature | -40 ~ 85°C | |
| Storage and Transportation Humidity | 5~85% RH (Non-Condensing) | |
| Certification/Compliance | CE class A¹, FCC part 15 class A | |

¹ See KORE Power's Declaration of Conformity for more information

Note: The KP-MC has replaced the MsBMS



7 SYSTEM TOPOLOGY




Figure 8. Mark 1 System Topology



End of Document