

Insureflow

API Reference

Integration Guide for Insurance Companies & Brokers

Version 1.0 · Confidential

Overview

This document describes the Insureflow REST API for **Insurance Company Admins** and their **Broker Admins / Broker Staff**. It covers every endpoint your team will interact with — from onboarding and authentication through policyholder management, premium collection, and viewing commission configurations.

Endpoints reserved for the Insureflow platform operator (approval workflows, settlement retries, system metrics) are intentionally omitted from this guide.

Base URL

```
https://api.insureflow.tech/api/v1
```

All paths in this document are relative to the base URL above. Replace the host with the sandbox base URL during integration testing:

```
https://sandbox.api.insureflow.tech/api/v1
```

Authentication

All authenticated endpoints require a **Bearer token** obtained from POST /auth/login. Pass it in every request:

```
Authorization: Bearer <access_token>
```

Tokens expire after **60 minutes**. Re-authenticate to obtain a fresh token.

Money & Rate Conventions

All monetary amounts throughout the API are expressed as **integer kobo** (1 NGN = 100 kobo). Floats are never used for money. Example: ₦5,000 is sent and returned as 500000.

Commission rates are expressed as **integer basis points (bps)** (1 bps = 0.01%). Example: 0.5% = 50 bps.

Idempotency

Payment endpoints (POST /payments and POST /payments/bulk) require an Idempotency-Key header — a UUID v4 you generate per request. Replaying the same key returns the original response without creating a duplicate charge. Use a new key for every genuinely new payment attempt.

```
Idempotency-Key: 550e8400-e29b-41d4-a716-446655440000
```

Error Responses

All errors return JSON with a detail string:

```
{ "detail": "human-readable error message" }
```

Field	Type	Required	Description
-------	------	----------	-------------

400	<i>HTTP status</i>	No	Validation error — check the detail for the specific field or rule that failed.
401	<i>HTTP status</i>	No	Missing or expired Bearer token.
403	<i>HTTP status</i>	No	Authenticated but not permitted for this resource.
404	<i>HTTP status</i>	No	Resource not found, or not owned by your tenant.
409	<i>HTTP status</i>	No	Conflict — e.g. duplicate payment, broker has no active insurer assignment.
422	<i>HTTP status</i>	No	Business rule violation — e.g. installment not in a payable status.
502	<i>HTTP status</i>	No	Upstream payment gateway error (Squad). Retry after a short delay.

Rate Limiting

Payment endpoints are rate-limited per broker account (**60 requests/min**) and per IP address (**120 requests/min**). Exceeding either limit returns **HTTP 429**. These limits are designed to prevent runaway automation, not normal bulk workflows.

Roles & Permissions

Four roles govern access. This guide covers the bottom three:

Field	Type	Required	Description
Insurance Company Admin	<i>Role</i>	No	Full access to own company: set settlement account, manage broker commission rates, view all installments/reminders under the company.
Broker Admin	<i>Role</i>	No	Full broker access: create policyholders, policies, submit payments, manage broker staff.
Broker Staff	<i>Role</i>	No	Same as Broker Admin except cannot create or manage other staff accounts.

1. Authentication

Both Insurance Company Admins and Broker Admins/Staff use the same two endpoints to activate their account on first login and to obtain a JWT on subsequent logins.

POST

/auth/activate

Activate a new account

Called once after receiving an activation token. Sets the account password and marks the account active. The token is single-use and expires on first use.

Request body

Field	Type	Required	Description
token	string	Yes	The one-time activation token provided by Insureflow upon approval.
password	string	Yes	Chosen password. Min 8 characters. Must contain at least one uppercase letter and one digit.

Response

HTTP 204 No Content on success. No response body.

POST

/auth/login

Obtain a Bearer token

Standard OAuth2 password flow. Sends credentials as **application/x-www-form-urlencoded** (form data, not JSON).

Request form fields

Field	Type	Required	Description
username	string	Yes	The account email address.
password	string	Yes	The account password.

Response body

Field	Type	Description
access_token	string	JWT Bearer token. Valid for 60 minutes.
token_type	string	Always "bearer".

Note: login is blocked while the parent organisation (insurance company or broker) is in pending, rejected, or suspended status.

2. Insurance Company

These endpoints are used by the **Insurance Company Admin** role. Onboarding (POST) is unauthenticated — all other endpoints require a valid Insurance Company Admin Bearer token.

POST

/insurance-companies

Submit onboarding application

Registers a new insurance company with Insureflow. No authentication required. The company starts in pending status and must be approved by an Insureflow operator before the contact email's account is activated.

Request body

Field	Type	Required	Description
name	string	Yes	Legal name of the insurance company.
contact_email	string	Yes	Email address of the primary admin contact. An activation token will be sent to this address upon approval.

Response — HTTP 201

Field	Type	Description
id	UUID	Unique identifier for this insurance company. Store this — it is required in many subsequent calls.
name	string	Company name as registered.
contact_email	string	Admin contact email.
status	string	Onboarding status: pending approved rejected suspended.
rejection_reason	string	Populated if status is rejected. null otherwise.
settlement_bank_code	string	null until set via the settlement-account endpoint.
settlement_account_number	string	null until set via the settlement-account endpoint.
settlement_account_name	string	null until set via the settlement-account endpoint.
created_at	datetime	ISO 8601 UTC timestamp.

GET

/insurance-companies/{company_id}

Get company details

Returns the current state of the insurance company record. Only accessible to the Insurance Company Admin of that specific company.

Path parameters

Field	Type	Required	Description
-------	------	----------	-------------

company_id	UUID	Yes	The insurance company's UUID (from the onboarding response).
------------	------	-----	--

Response — HTTP 200

Same fields as the 201 response above.

POST `/insurance-companies/{company_id}/settlement-account` *Set settlement bank account*

Registers the GTBank account where Insureflow will transfer premium proceeds (net of commission) after each successful payment. Performs a live name-enquiry lookup against the Nigerian Interbank Settlement System (NIBSS) to verify the account before saving — the response includes the confirmed `settlement_account_name`.

This step is required for settlement payouts to fire. Without it, payments can still be collected but proceeds will not be transferred to the insurer until a settlement account is on file.

Request body

Field	Type	Required	Description
bank_code	string	Yes	6-digit NIP institution code for the destination bank. Examples: GTBank = 000013, Access Bank = 000014, Zenith Bank = 000015, First Bank = 000016, UBA = 000004. Note: this is NOT the 3-digit CBN code.
account_number	string	Yes	10-digit NUBAN account number at that bank.

Response — HTTP 200

Returns the updated insurance company object. `settlement_account_name` will be populated with the name returned by the live NIBSS lookup.

Important: the live NIBSS lookup is performed even in the sandbox environment. You must supply a real account number — dummy values will return HTTP 424.

3. Broker

Broker onboarding is initiated by the broker themselves (unauthenticated). The broker must be approved by Insureflow *and* assigned to your insurance company before their account can be used to create policyholders or collect payments. Staff management requires a Broker Admin token.

POST `/brokers`

Submit broker onboarding application

No authentication required. The broker starts in pending status.

Request body

Field	Type	Required	Description
name	string	Yes	Legal name of the broker organisation.
contact_email	string	Yes	Primary admin email. An activation token is sent here upon approval and insurer assignment.

Response — HTTP 201

Field	Type	Description
id	UUID	Broker UUID. Store this.
name	string	Broker name.
contact_email	string	Admin contact email.
status	string	pending approved rejected suspended.
rejection_reason	string	Populated if rejected. null otherwise.
created_at	datetime	ISO 8601 UTC.

GET `/brokers/{broker_id}`

Get broker details

Broker Admins and Staff can only retrieve their own broker record.

Path parameters

Field	Type	Required	Description
broker_id	UUID	Yes	The broker's UUID.

Response — HTTP 200

Same fields as the 201 response above.

POST `/brokers/{broker_id}/staff`

Create a broker staff account (Broker Admin only)

Creates an additional login account scoped to the same broker organisation, with the **Broker Staff** role (can create policyholders and collect payments but cannot manage other staff). Returns a single-use activation token.

Request body

Field	Type	Required	Description
email	<i>string</i>	Yes	Email address for the new staff account.

Response — HTTP 201

Field	Type	Description
activation_token	<i>string</i>	One-time token. Relay this to the new staff member — they call POST /auth/activate to set their password. The token is not stored and cannot be retrieved again.

4. Policyholders

Policyholders are the insured individuals whose premiums brokers collect. All policyholder endpoints require a **Broker Admin** or **Broker Staff** token. Policyholders are scoped to the broker's active insurance company assignment — the insurance company context is derived server-side from the token, never sent by the caller.

Note: the API path uses `/users` for policyholders for legacy compatibility reasons.

POST

/users

Create a policyholder

Registers a new policyholder in the system. At least `full_name` is required; the remaining fields are optional but recommended for reminder delivery and identity verification.

Request body

Field	Type	Required	Description
<code>full_name</code>	<i>string</i>	Yes	Full legal name of the policyholder.
<code>email</code>	<i>string</i>	No	Email address for payment reminders. Optional.
<code>phone_number</code>	<i>string</i>	No	Phone number in local format, e.g. 08012345678. Optional.
<code>identification_number</code>	<i>string</i>	No	Government ID number (NIN, passport, etc.). Stored encrypted at rest. Optional.

Response — HTTP 201

Field	Type	Description
<code>id</code>	<i>UUID</i>	Policyholder UUID. Required when creating a policy.
<code>broker_id</code>	<i>UUID</i>	The broker who created this record.
<code>insurance_company_id</code>	<i>UUID</i>	The insurance company this policyholder belongs to.
<code>full_name</code>	<i>string</i>	Full name as provided.
<code>email</code>	<i>string</i>	null if not provided.
<code>phone_number</code>	<i>string</i>	null if not provided.
<code>identification_number</code>	<i>string</i>	null if not provided. Masked in responses.
<code>created_at</code>	<i>datetime</i>	ISO 8601 UTC.

GET

/users/{policyholder_id}

Get a policyholder

Path parameters

Field	Type	Required	Description
-------	------	----------	-------------

policyholder_id	UUID	Yes	The policyholder's UUID.
-----------------	------	-----	--------------------------

Response — HTTP 200

Same fields as the 201 response above.

GET

/users

List policyholders

Returns all policyholders under the requesting broker. Insurance Company Admins can pass any broker_id under their company to view that broker's policyholders.

Query parameters

Field	Type	Required	Description
broker_id	UUID	Yes	Filter by broker. Broker roles can only query their own broker_id.

Response — HTTP 200

Array of policyholder objects.

5. Policies

A policy records the terms of a policyholder's cover: premium amount, payment frequency, and start date. Creating a policy automatically generates a rolling window of **12 upcoming installment rows** in due status — one per payment period. All policy endpoints require a **Broker** or **Insurance Company Admin** token.

POST `/policies`

Create a policy

Requires a Broker Admin or Broker Staff token.

Request body

Field	Type	Required	Description
policyholder_id	UUID	Yes	UUID of the policyholder this policy covers.
premium_amount_kobo	integer	Yes	Premium amount per payment period, in kobo . Must be greater than 0. Example: 5,000 = 500000.
premium_frequency	string	Yes	Payment schedule. One of: monthly quarterly annually .
start_date	date	Yes	Policy commencement date in ISO 8601 format (YYYY-MM-DD). The first installment due date is derived from this.
policy_type	string	No	Open string label for the type of cover. Defaults to GENERIC . Examples: LIFE , MOTOR , HEALTH — any string is accepted.

Response — HTTP 201

Field	Type	Description
id	UUID	Policy UUID. Required to list installments.
policyholder_id	UUID	The covered policyholder.
broker_id	UUID	The broker who created this policy.
insurance_company_id	UUID	The underwriting insurance company.
policy_type	string	Policy type label.
premium_amount_kobo	integer	Per-period premium amount in kobo.
premium_frequency	string	monthly quarterly annually.
start_date	date	Policy start date (YYYY-MM-DD).
status	string	active cancelled.
created_at	datetime	ISO 8601 UTC.

GET

/policies/{policy_id}*Get a policy*

Field	Type	Required	Description
policy_id	UUID	Yes	The policy UUID.

Response — HTTP 200

Same fields as the 201 response above.

GET

/policies*List policies for a policyholder*

Query parameters

Field	Type	Required	Description
user_id	UUID	Yes	The policyholder UUID to retrieve policies for.

Response — HTTP 200

Array of policy objects.

GET

/policies/{policy_id}/installments*List installments for a policy*

Returns all installment rows for the given policy, ordered by due_date ascending.

Path parameters

Field	Type	Required	Description
policy_id	UUID	Yes	The policy UUID.

Response — HTTP 200

Field	Type	Description
id	UUID	Installment UUID. Required when initiating a payment.
policy_id	UUID	The parent policy.
due_date	date	Date this installment is due (YYYY-MM-DD).
amount_kobo	integer	Amount due for this installment in kobo.
status	string	due overdue paid cancelled. Overdue is set automatically by a daily scheduled job when due_date has passed. Only due and overdue installments can be paid.
created_at	datetime	ISO 8601 UTC.

6. Installments

Cross-policy installment listing — useful for building a dashboard of all upcoming or overdue payments across every policy under a broker. For installments under a single known policy, use GET `/policies/{policy_id}/installments` instead.

GET

`/installments`

List installments

Results are automatically scoped to the caller's visibility: Broker roles see only their own broker's installments; Insurance Company Admins see all installments under their company.

Query parameters

Field	Type	Required	Description
status	string	No	Optional filter. One of: due overdue paid cancelled . Omit to return all statuses.

Response — HTTP 200

Array of installment objects. Same fields as listed in section 5 (GET `/policies/{policy_id}/installments`).

Installment statuses explained:

Field	Type	Required	Description
due	status	No	Payment is not yet past its due date. Payable.
overdue	status	No	Past due date and not yet paid. Still payable. Set automatically by a daily scheduled job.
paid	status	No	Successfully collected. Not payable again.
cancelled	status	No	Cancelled. Not payable.

7. Payments

Premium payments are initiated by **Broker Admins or Broker Staff**. Insureflow creates a **Squad Dynamic Virtual Account (DVA)** for each payment — a short-lived Nigerian bank account number scoped to the exact amount due. The policyholder (or broker on their behalf) transfers that exact amount into the virtual account before it expires.

Once the transfer is detected, Insureflow independently verifies it with the payment gateway and — on confirmation — marks the installment paid, posts the accounting entries, and triggers a real-time settlement payout to the insurance company's registered settlement account.

Key constraints:

- Only installments with status **due** or **overdue** can be paid.
- The broker must be actively assigned to the insurer that owns the policy.
- Both single and bulk endpoints are idempotent via the Idempotency-Key header.
- Rate limit: 60 requests/min per broker, 120/min per IP.

POST

/payments

Initiate a single payment

Creates a payment for one installment. Returns a virtual account number and bank that the payer must transfer the exact installment amount into before the VA expires (default expiry: **30 minutes**).

Required headers

Field	Type	Required	Description
Authorization	<i>string</i>	Yes	Bearer <broker_access_token>
Idempotency-Key	<i>UUID</i>	Yes	A UUID v4 you generate per payment attempt. Replaying the same key within the expiry window returns the original response without a new charge.

Request body

Field	Type	Required	Description
installment_id	<i>UUID</i>	Yes	UUID of the due or overdue installment to collect.

Response — HTTP 201

Field	Type	Description
id	<i>UUID</i>	Payment UUID. Use this to poll status.
installment_id	<i>UUID</i>	The installment being collected.
broker_id	<i>UUID</i>	The initiating broker.
insurance_company_id	<i>UUID</i>	The underwriting insurer.

amount_kobo	<i>integer</i>	Amount to transfer, in kobo. The payer MUST transfer exactly this amount.
status	<i>string</i>	initiated on creation. See status table below.
squad_transaction_ref	<i>string</i>	Insureflow's unique reference for this payment with the gateway.
squad_virtual_account_number	<i>string</i>	The Nigerian bank account number to transfer funds into.
squad_virtual_account_bank	<i>string</i>	The bank name for that account (e.g. GTBank).
va_expires_at	<i>datetime</i>	ISO 8601 UTC. The virtual account stops accepting transfers after this time.
failure_reason	<i>string</i>	null unless status is failed, mismatch, or expired.
created_at	<i>datetime</i>	ISO 8601 UTC.

Payment status values:

Field	Type	Required	Description
initiated	<i>status</i>	No	Virtual account created. Awaiting transfer from payer.
success	<i>status</i>	No	Transfer confirmed. Installment marked paid. Settlement payout triggered.
mismatch	<i>status</i>	No	Transfer received but amount did not match. Gateway will refund the payer.
expired	<i>status</i>	No	VA window elapsed before a transfer was received.
failed	<i>status</i>	No	Gateway or processing error. See failure_reason.

GET

/payments/{payment_id}

Get payment status

Poll this endpoint after presenting the virtual account to the payer. Status transitions from `initiated` to a terminal state once the transfer is processed (typically within seconds of the transfer being detected, plus a brief webhook processing delay).

Path parameters

Field	Type	Required	Description
payment_id	<i>UUID</i>	Yes	The payment UUID from the POST /payments response.

Response — HTTP 200

Same fields as the 201 response above.

8. Bulk Payments

Bulk payments allow a broker to collect multiple installments in a single action — one bank transfer covers all of them. Insureflow creates one virtual account for the combined total. On confirmation, every installment in the batch is marked paid, and exactly **one settlement payout** is sent to the insurer (never one per installment).

Maximum batch size: **500 installments** per request.

POST

/payments/bulk

Initiate a bulk payment

All installments must belong to the requesting broker and the same insurance company, and must be in due or over due status. If any single installment fails validation the **entire batch is rejected** before any charge is made.

Required headers

Field	Type	Required	Description
Authorization	string	Yes	Bearer <broker_access_token>
Idempotency-Key	UUID	Yes	UUID v4. Same semantics as single payments.

Request body

Field	Type	Required	Description
installment_ids	array[UUID]	Yes	List of installment UUIDs to collect. Min 1, max 500. All must be due/overdue and owned by the requesting broker.

Response — HTTP 201

Field	Type	Description
id	UUID	Payment batch UUID.
broker_id	UUID	The initiating broker.
insurance_company_id	UUID	The underwriting insurer.
total_amount_kobo	integer	Sum of all installment amounts in kobo. Transfer exactly this amount.
item_count	integer	Number of installments in this batch.
status	string	initiated success mismatch expired failed.
squad_transaction_ref	string	Unique gateway reference for this batch.
squad_virtual_account_number	string	Bank account to transfer the total into.
squad_virtual_account_bank	string	Bank name.

va_expires_at	<i>datetime</i>	Transfer deadline (ISO 8601 UTC). Default 30 minutes from creation.
failure_reason	<i>string</i>	null unless failed.
created_at	<i>datetime</i>	ISO 8601 UTC.
items	<i>array[object]</i>	Each item: {id, installment_id, amount_kobo}.

GET**/payments/bulk/{batch_id}***Get bulk payment status*

Path parameters

Field	Type	Required	Description
batch_id	<i>UUID</i>	Yes	The payment batch UUID.

Response — HTTP 200

Same fields as the 201 response above.

9. Reminders

Reminders notify a policyholder that an installment is due or overdue. They can be triggered by either **Insurance Company Admins** or **Broker Admins/Staff**. The installment must be in over due status before a reminder can be sent.

POST

/reminders

Send a payment reminder

Request body

Field	Type	Required	Description
installment_id	UUID	Yes	UUID of the overdue installment to send a reminder for.

Response — HTTP 201

Field	Type	Description
id	UUID	Reminder UUID.
installment_id	UUID	The installment this reminder is for.
broker_id	UUID	The broker associated with this installment's policy.
sent_by	UUID	UUID of the platform user who triggered this reminder.
channel	string	Delivery channel. Currently always email.
status	string	queued sent failed.
sent_at	datetime	Timestamp of delivery. null while queued.
created_at	datetime	ISO 8601 UTC.

GET

/reminders

List reminders

Query parameters

Field	Type	Required	Description
broker_id	UUID	Yes	Filter by broker. Broker roles can only query their own broker_id.

Response — HTTP 200

Array of reminder objects.

10. Commission Configurations

The Insureflow commission model is a three-way split of each premium: a portion goes to **GTBank** (payment processing), a portion to **Insureflow** (platform fee), and an optional portion to the **Broker** (set by the insurance company per broker). The remainder after these deductions is settled to the insurer.

All rates are in **basis points (bps)**. 1 bps = 0.01%. Example: 50 bps = 0.5%.

Insurance Company Admins can set per-broker commission rates for brokers assigned to their company. Global and platform-level rates are managed by Insureflow operators only and are not configurable here.

POST `/commission-configs`

Set Broker Commission Rate
(Insurance Company Admin)

Creates or updates the commission rate for a specific broker under your company. Rates are versioned — changing a rate closes the old record and inserts a new one. Historical payments always reflect the rate that was active at the time of collection; retroactive changes never occur.

Request body

Field	Type	Required	Description
scope	string	Yes	Must be "broker" for Insurance Company Admin calls.
broker_id	UUID	Yes	UUID of the broker to set this rate for. Must be actively assigned to your company.
gtbank_rate_bps	integer	Yes	GTBank processing fee in basis points. Range 0–10000. Consult Insureflow for the agreed platform default (currently 50 bps).
insureflow_rate_bps	integer	Yes	Insureflow platform fee in basis points. Range 0–10000. Consult Insureflow for the agreed platform default (currently 50 bps).
broker_rate_bps	integer	No	Broker commission in basis points. Range 0–10000. Optional — null means no broker commission. This amount is deducted from the insurer's settlement proceeds.

Example: to give a broker a 1% commission with standard platform rates:

```
{ "scope": "broker", "broker_id": "...", "gtbank_rate_bps": 50,
  "insureflow_rate_bps": 50, "broker_rate_bps": 100 }
```

With the above config on a ■10,000 (1,000,000 kobo) premium:

Field	Type	Required	Description
GTBank fee	50 bps	No	■50 (5,000 kobo)
Insureflow fee	50 bps	No	■50 (5,000 kobo)
Broker commission	100 bps	No	■100 (10,000 kobo)
Insurer receives	remainder	No	■9,800 (980,000 kobo)

Response — HTTP 201

Field	Type	Description
id	UUID	Commission config UUID.
scope	string	broker for insurer-set rates.
insurance_company_id	UUID	null for broker scope.
broker_id	UUID	The broker this rate applies to.
gtbank_rate_bps	integer	GTBank rate in basis points.
insureflow_rate_bps	integer	Insureflow rate in basis points.
broker_rate_bps	integer	Broker rate in basis points. null if not set.
effective_from	datetime	When this rate became active (ISO 8601 UTC).
effective_to	datetime	When this rate was superseded. null means currently active.
created_by	UUID	UUID of the admin who set this rate.

GET**/commission-configs***List commission configurations*

Insurance Company Admins see all configs for their company: global rates, company-level rates, and per-broker rates for their assigned brokers. Broker roles see global rates and their own broker-scoped rates only.

Response — HTTP 200

Array of commission config objects, ordered newest first.

11. Integration Flow

The sections below describe the recommended end-to-end integration sequence for both a new insurance company and a new broker.

A. Onboarding a new Insurance Company

Field	Type	Required	Description
1	Action	No	POST /insurance-companies — submit application. Receive company_id.
2	Action	No	Wait for Insureflow approval. Activation token delivered to contact_email.
3	Action	No	POST /auth/activate — set admin password using the token.
4	Action	No	POST /auth/login — obtain Bearer token (valid 60 min).
5	Action	No	POST /insurance-companies/{company_id}/settlement-account — register GTBank settlement account (6-digit NIP bank_code required).
6	Action	No	POST /commission-configs — optionally set broker commission rates once brokers are assigned.

B. Onboarding a Broker

Field	Type	Required	Description
1	Action	No	POST /brokers — broker submits application. Receive broker_id.
2	Action	No	Insureflow approves the broker and assigns them to your company. Activation token delivered to broker's contact_email.
3	Action	No	POST /auth/activate — broker sets their admin password.
4	Action	No	POST /auth/login — broker obtains Bearer token.
5	Action	No	Optionally: POST /brokers/{broker_id}/staff to provision additional staff logins.

C. Collecting a Premium (Single Payment)

Field	Type	Required	Description
1	Action	No	POST /users — broker creates policyholder record.
2	Action	No	POST /policies — broker creates policy. 12 installments auto-generated.

3	Action	No	GET /policies/{policy_id}/installments — retrieve installment list; pick the due installment_id.
4	Action	No	POST /payments — broker initiates payment. Response contains virtual_account_number, bank, amount_kobo, and va_expires_at.
5	Action	No	Present the virtual account details to the policyholder (or transfer on their behalf). The EXACT amount_kobo (converted to NGN) must be sent before va_expires_at.
6	Action	No	Poll GET /payments/{payment_id} until status transitions from initiated to success, mismatch, expired, or failed.
7	Action	No	On success: installment is marked paid. Settlement payout fires automatically to the insurer's registered account.

D. Collecting Multiple Premiums (Bulk Payment)

Field	Type	Required	Description
1	Action	No	Collect the installment_ids for all due/overdue installments to pay (max 500).
2	Action	No	POST /payments/bulk — one request, one virtual account returned with the combined total.
3	Action	No	Transfer the total_amount_kobo (as NGN) into the virtual account before va_expires_at.
4	Action	No	Poll GET /payments/bulk/{batch_id} for status. On success, all installments in the batch are marked paid and one settlement payout fires.

E. Handling Payment Failures

If a payment reaches mismatch status, the payer transferred an incorrect amount and the gateway will refund them. Initiate a new payment (new Idempotency-Key) for the correct amount.

If a payment reaches expired status, the virtual account window elapsed without a transfer. Initiate a new payment.

If a payment reaches failed status, check the failure_reason field. Gateway errors (HTTP 502 from our API) are transient — retry after a short delay with a new Idempotency-Key.

Appendix A — NIP Bank Codes (Common)

Use these 6-digit codes in the `bank_code` field of POST `/insurance-companies/{id}/settlement-account`. This is not an exhaustive list — contact Insureflow for the full table.

Field	Type	Required	Description
000013	<i>GTBank</i>	No	Guaranty Trust Bank Plc
000014	<i>Access Bank</i>	No	Access Bank Plc
000015	<i>Zenith Bank</i>	No	Zenith Bank Plc
000016	<i>First Bank</i>	No	First Bank of Nigeria Plc
000004	<i>UBA</i>	No	United Bank for Africa Plc
000008	<i>Fidelity Bank</i>	No	Fidelity Bank Plc
000010	<i>Ecobank</i>	No	Ecobank Nigeria Plc
000011	<i>Unity Bank</i>	No	Unity Bank Plc
000023	<i>Citibank</i>	No	Citibank Nigeria Ltd
000026	<i>Taj Bank</i>	No	Taj Bank Limited
000027	<i>Globus Bank</i>	No	Globus Bank Limited
090267	<i>Kuda Bank</i>	No	Kuda Microfinance Bank
000021	<i>Standard Chartered</i>	No	Standard Chartered Bank Nigeria

Appendix B — Quick Reference

Field	Type	Required	Description
POST <code>/auth/activate</code>	<i>No auth</i>	No	Activate account on first login
POST <code>/auth/login</code>	<i>No auth</i>	No	Obtain Bearer token
POST <code>/insurance-companies</code>	<i>No auth</i>	No	Submit insurer onboarding
GET <code>/insurance-companies/{id}</code>	<i>IC Admin</i>	No	Get company details

POST /insurance-companies/{id}/settlement-account	IC Admin	No	Register settlement bank account
POST /brokers	No auth	No	Submit broker onboarding
GET /brokers/{id}	Broker	No	Get broker details
POST /brokers/{id}/staff	Broker Admin	No	Create broker staff account
POST /users	Broker	No	Create policyholder
GET /users/{id}	Broker/IC	No	Get policyholder
GET /users	Broker/IC	No	List policyholders
POST /policies	Broker	No	Create policy (auto-generates installments)
GET /policies/{id}	Broker/IC	No	Get policy
GET /policies	Broker/IC	No	List policies for a policyholder
GET /policies/{id}/installments	Broker/IC	No	List installments for a policy
GET /installments	Broker/IC	No	List all installments (with optional status filter)
POST /payments	Broker	No	Initiate single payment — returns virtual account
GET /payments/{id}	Broker/IC	No	Get payment status
POST /payments/bulk	Broker	No	Initiate bulk payment (up to 500 installments)
GET /payments/bulk/{id}	Broker/IC	No	Get bulk payment batch status
POST /reminders	Broker/IC	No	Send overdue reminder
GET /reminders	Broker/IC	No	List reminders
POST /commission-configs	IC Admin	No	Set broker commission rate
GET /commission-configs	Broker/IC	No	List commission configurations