Analysis Report

Global dataset report

This report is the output of the Amazon SageMaker Clarify analysis. The report is split into following parts:


- 1. Analysis configuration
- 2. Pretraining bias metrics

Analysis Configuration

Bias analysis requires you to configure the outcome label column, the facet and optionally a group variable. Generating explanations requires you to configure the outcome label. You configured the analysis with the following variables. The complete analysis configuration is appended at the end.


Outcome label: You chose the column location in the input data as the outcome label. Bias metric computation requires designating the positive outcome. You chose location = CA as the positive outcome. location consisted of values ['CA', 'GB', 'US'].

The figure below shows the distribution of values of location .




Facet: You chose the column view_count in the input data as the facet. view_count varied between 0.00 and 150744261.00. Bias metrics were computed by comparing the inputs view_count > 1500000 with all other inputs.

The figure below shows the distribution of values of view_count .



Pre-training Bias Metrics

Pretraining bias metrics measure imbalances in facet value representation in the training data. Imbalances can be measured across different dimensions. For instance, you could focus imbalances within the inputs with positive observed label only. The figure below shows how different pretraining bias metrics focus on different dimensions. For a detailed description of these dimensions, see <u>Learn How Amazon SageMaker Clarify Helps Detect Bias</u>.




The metric values along with an informal description of what they mean are shown below. For mathematical formulas and examples, see the <u>Measure Pretraining Bias</u> section of the AWS documentation.


We computed the bias metrics for the label location using label value(s)/threshold location = CA for the following facets:

• Facet column: **view_count**The pie chart shows the distribution of facet column view_count in your data.

Distribution of facet view_count



The bar plot(s) below show the distribution of facet column view_count in your data.



Facet Value(s)/Threshold: view_count > 1500000

| Metric | Description | Value |
|---|--|--------|
| Class Imbalance (CI) | Measures the imbalance in the number of inputs with facet values Sex=0 and rest of the inputs. | 0.472 |
| <u>Difference in</u> <u>Proportions of Labels</u> (DPL) | Measures the imbalance of positive observed labels between facet values Sex=0 and rest of the inputs. | -0.197 |
| <u>Jensen-Shannon</u> <u>Divergence (JS)</u> | Measures how much the observed label distributions of facet values Sex=0 and rest of the inputs diverge from each other entropically. | 0.021 |
| <u>Kullback-Leibler</u> <u>Divergence (KL)</u> | Measures how much the observed label distributions of facet values Sex=0 and rest of the inputs diverge from each other entropically. | 0.081 |
| Kolmogorov-Smirnov (KS) | Measures maximum divergence between the observed label distributions for facet values $Sex=0$ and rest of the inputs in the dataset. | 0.197 |
| <u>Lp-norm (LP)</u> | Measures a p-norm difference between the observed label distributions associated with facet values $Sex=0$ rest of the inputs in the dataset. | 0.278 |
| Total Variation Distance (TVD) | Measures half of the L1-norm difference between the observed label distributions associated with facet values $Sex=0$ and rest of the inputs in the dataset. | 0.197 |

Appendix: Analysis Configuration Parameters

```
"dataset_type": "text/csv",
"headers": [
    "location",
    "title",
    "channelTitle",
    "tags",
    "view_count",
    "likes",
```

```
"dislikes",
     "comment_count",
    "comments_disabled",
    "ratings_disabled",
    "description_length",
     "timepublished",
     "trending_month",
     "trending_year",
    "category"
  ],
  "label": "location",
  "label_values_or_threshold": [
    "CA"
  ],
  "facet": [
    {
       "name_or_index": "view_count",
       "value_or_threshold": [
         1500000
    }
  ],
  "methods": {
    "report": {
       "name": "report",
       "title": "Analysis Report"
    "pre_training_bias": {
       "methods": [
         "CI",
         "DPL",
         "KL",
         "JS",
         "LP",
         "TVD",
         "KS"
       ]
    }
  }
}
```