

The queries are:

1) Find the addresses of all houses currently listed.

```
+-----+
| address |
+-----+
| 101 Maple St |
| 202 Pine St  |
| 303 Oak St   |
| 404 Elm St   |
+-----+
4 rows in set (0.002 sec)
```

2) Find the addresses and MLS numbers of all houses currently listed.

```
+-----+-----+
| address | mlsNumber |
+-----+-----+
| 101 Maple St | 101 |
| 202 Pine St  | 102 |
| 303 Oak St   | 103 |
| 404 Elm St   | 104 |
+-----+-----+
4 rows in set (0.001 sec)
```

3) Find the addresses of all 3-bedroom, 2-bathroom houses currently listed.

```
+-----+
| address |
+-----+
| 101 Maple St |
| 303 Oak St   |
+-----+
2 rows in set (0.001 sec)
```

4) Find the addresses and prices of all 3-bedroom, 2-bathroom houses with prices in the range \$100,000 to \$250,000, with the results shown in descending order of price.

```
+-----+-----+
| address | price |
+-----+-----+
| 101 Maple St | 180000 |
+-----+-----+
1 row in set (0.001 sec)
```

5) Find the addresses and prices of all business properties that are advertised as office space in descending order of price.

```
+-----+-----+
| address | price |
+-----+-----+
| 101 Business Rd | 500000 |
+-----+-----+
1 row in set (0.001 sec)
```

6) Find all the ids, names and phones of all agents, together with the names of their firms and the dates when they started.

```
+-----+-----+-----+-----+-----+
| agentId | agentName | phone | firmName | dateStarted |
+-----+-----+-----+-----+-----+
| 1 | Sarah Lee | 555-1234 | Elite Realty | 2022-01-15 |
| 2 | Mike Green | 555-5678 | Pinnacle Properties | 2021-06-10 |
| 3 | Sophia White | 555-9101 | Prime Realtors | 2020-11-20 |
| 4 | David Black | 555-1212 | Luxury Homes LLC | 2019-08-30 |
+-----+-----+-----+-----+-----+
4 rows in set (0.001 sec)
```

7) Find all the properties currently listed by agent with id "001" (or some other suitable id).

```
+-----+
| address |
+-----+
| 101 Maple St |
| 101 Business Rd |
+-----+
2 rows in set (0.002 sec)
```

8) Find all Agent.name-Buyer.name pairs where the buyer works with the agent, sorted alphabetically by Agent.name.

```
+-----+-----+
| agentName | buyerName |
+-----+-----+
| David Black | Chris Patel |
| Mike Green | Jane Roe |
| Sarah Lee | John Doe |
| Sarah Lee | Taylor Swift |
| Sophia White | Alex Kim |
+-----+-----+
5 rows in set (0.001 sec)
```

9) For each agent, find the total number of buyers currently working with that agent, i.e., the output should be Agent.id-count pairs.

```
+-----+-----+
| agentId | buyerCount |
+-----+-----+
|      1  |          2  |
|      2  |          1  |
|      3  |          1  |
|      4  |          1  |
+-----+-----+
4 rows in set (0.001 sec)
```

10) For some buyer that is interested in a house, where the buyer is identified by an id (e.g., "001"), find all houses that meet the buyer's preferences, with the results shown in descending order of price.

```
+-----+-----+
| address  | price  |
+-----+-----+
| 303 Oak St | 300000 |
+-----+-----+
1 row in set (0.001 sec)
```