

Flent Property Management CRM

Data Model Architecture

Project: Twenty CRM (Custom Architecture)

Database: PostgreSQL 16

Pattern: Shared Base + Extension Tables

Total Objects: 11 + Team (retained from Twenty)

Total Tables: ~48 (11 base + 33 extensions + 4 child tables)

Date: 2026-04-11

Version: 1.0

Legend

BASE Shared base table **EXT** Extension table **CHILD** Child/line-item table **PK** Primary Key **FK** Foreign Key **NEW** Added in latest sheet update *Derived* Denormalized / auto-calculated


Architecture Principles

- Shared Base + Extensions:** Every object has a base table (core identity + cross-object FKs). Extension tables hold group-specific, lifecycle-specific, or sub-type-specific fields. All FKs from other objects point to base tables only.
 - Denormalized fields as real columns:** High-frequency lookups (current_pid, current_tenant_name) are stored and updated by triggers/workflows.
 - Pragmatic splits:** Lifecycle phases (PID), field groups (Tenant), sub-types (Contract/Ticket), category types (Overheads).
 - JSONB for schedules:** base_rent on Merchant Contract stores rent hike schedules as JSONB.
 - PO as Transaction type:** Purchase Orders extend the Transaction base with PO-specific fields and po_lines child table.

Table of Contents

- Cross-Object Relationship Map
 1. Tenant (6 tables)
 2. PID / Property (4 tables)
 3. RID / Room (5 tables)
 4. Contract (3 tables)
 5. Transaction (7 tables)
 6. Ticket (3 tables)
 7. Merchant (5 tables)
 8. Vendor (5 tables)
 9. Overheads (9 tables)
 10. FSIN (2 tables)
 11. Item (4 tables)
 - PO → Item Creation Flow
 - Summary Statistics

Cross-Object Relationship Map



FK Reference Map

From Table	Column	→ To Table	Column	Relationship
rooms	pid	properties	pid	Room belongs to Property
contracts	pid	properties	pid	Contract covers a Property
contracts	rid	rooms	rid	Contract covers a Room
tenant_contract_details	tenant_id	tenants	record_id	Tenant party on contract
merchant_contract_details	merchant_id	merchants	record_id	Merchant party on contract
tenants	current_pid	properties	pid	Denormalized current property
tenants	current_rid	rooms	rid	Denormalized current room
rooms	current_contract_id	contracts	contract_uid	Denormalized active contract
transactions	contract_uid	contracts	contract_uid	Transaction for a contract
transactions	contact_id	tenants/merchants/vendors	record_id	Transaction party (polymorphic)
transactions	pid	properties	pid	Property-level reporting
transactions	rid	rooms	rid	Room-level P&L
tickets	pid	properties	pid	Ticket for a property
tickets	rid	rooms	rid	Ticket for a room
tickets	assigned_vendor	vendors	vendor_code	Vendor assigned to ticket
tickets	transaction_id	transactions	utn	Cost recovery transaction
overheads	pid	properties	pid	Overhead for a property
properties	merchant_id	merchants	record_id	Property owner
fsins	vendor_code	vendors	vendor_code	FSIN supplied by vendor
items	fsin_code	fsins	fsin_code	Item is instance of FSIN
po_lines	transaction_id	transactions	utn	PO line belongs to PO transaction
po_lines	fsin_code	fsins	fsin_code	PO line orders an FSIN
transaction_purchase_order	txn_id_advance	transactions	utn	Advance payment transaction
transaction_purchase_order	txn_id_remaining	transactions	utn	Remaining payment transaction
transaction_purchase_order	vendor_code	vendors	vendor_code	PO vendor

1. TENANT

Every person who inquires about or lives in a Flent property. Full lifecycle: first inquiry → move-out.

BASE tenants

Column	Type	Null?	Input	Notes
record_id	UUID	NOT NULL	System	Primary key
first_name	VARCHAR(255)	NOT NULL	Manual	Dedup key with email
last_name	VARCHAR(255)	NOT NULL	Manual	
email	VARCHAR(255)	NOT NULL	Manual	Dedup key
mobile_phone	VARCHAR(20)	NOT NULL	Manual	+91XXXXXXXXXX
whatsapp_phone	VARCHAR(20)	NULL	Manual	
gender	VARCHAR(100)	NOT NULL	Manual	Male / Female
date_of_birth	DATE	NULL	Manual	
aadhaar_number	VARCHAR(255)	NOT NULL	Workflow/Manual	XXXX XXXX XXXX
aadhaar_front_image	VARCHAR(500)	NOT NULL	Workflow/Manual	File URL
aadhaar_back_image	VARCHAR(500)	NOT NULL	Workflow/Manual	File URL
pan	VARCHAR(255)	NOT NULL	Workflow/Manual	AAAPX1234A
pan_card_image	VARCHAR(500)	NULL	Workflow/Manual	File URL
linkedin_url	VARCHAR(500)	NULL	Manual	
twitter_url	VARCHAR(500)	NULL	Manual	
instagram_id	VARCHAR(500)	NULL	Manual	
occupation	VARCHAR(255)	NULL	Manual	
employer_name	VARCHAR(255)	NULL	Manual	
tenant_lifecycle	VARCHAR(100)	NOT NULL	Webhook/Manual	NEW SINGLE SOURCE OF TRUTH. New Inquiry / Visit Scheduled / Visit Done / Negotiation / Converted / Gestation / Moved In / Notice Period / Moved Out / Dead Lead
current_pid	INTEGER	NULL	Derived	FK → properties. Updated by workflow on move-in.
current_rid	VARCHAR(255)	NULL	Derived	FK → rooms. Updated on move-in and transfer.

EXT tenant_attribution

Captured at first touch, never overwritten.

Column	Type	Null?	Input	Notes
tenant_id	UUID	NOT NULL	—	FK → tenants.record_id, PK
create_date	TIMESTAMP	NOT NULL	System	
first_inquiry_channel	VARCHAR(100)	NOT NULL	Workflow/Manual	WhatsApp / Website / Instagram / Facebook / Direct Call / Walk-in / Platform / Referral / Offline Activation / LinkedIn
source_drilldown_1	VARCHAR(100)	NULL	Manual	Google Ads / Meta Ads / Instagram Ads / YouTube Ads / Housing.com / MagicBricks / NoBroker / 99acres / WhatsApp Organic / Walk-in / Referral / Direct Call / Other
source_drilldown_2	VARCHAR(255)	NULL	Manual	
wax_code	VARCHAR(255)	NULL	System	
google_click_id	VARCHAR(255)	NULL	System	
facebook_click_id	VARCHAR(255)	NULL	System	
utm_source	VARCHAR(255)	NULL	Workflow	
utm_medium	VARCHAR(255)	NULL	Workflow	

utm_campaign	VARCHAR(255)	NULL	Workflow
utm_content	VARCHAR(255)	NULL	Workflow
utm_term	VARCHAR(255)	NULL	Workflow

EXT

tenant_requirements

Column	Type	Null?	Input	Notes
tenant_id	UUID	NOT NULL	—	FK → tenants.record_id, PK
preferred_micromarkets	TEXT[]	NULL	Manual	Multi-select
preferred_occupancy_type	VARCHAR(100)	NULL	Manual	Full Home / Private Room
preferred_furnished_type	VARCHAR(100)	NULL	Manual	Furnished / Semi-Furnished / Unfurnished
preferred_move_in_timeline	VARCHAR(100)	NULL	Manual	Immediate / Within 2 Weeks / Flexible
gender_preferences	VARCHAR(100)	NULL	Manual	Male Only / Female Only / No Preference
food_preferences	VARCHAR(100)	NULL	Manual	Vegetarian / Non-Vegetarian / Vegan / No Preference
has_pet	BOOLEAN	NULL	Manual	
smoking_preferences	VARCHAR(100)	NULL	Manual	Smoker / Non-Smoker / Occasional
custom_preference	TEXT	NULL	Manual	
budget_max	DECIMAL(12,2)	NULL	Manual	NEW Maximum budget

EXT

tenant_qualification

Column	Type	Null?	Input	Notes
tenant_id	UUID	NOT NULL	—	FK → tenants.record_id, PK
qualification_status	VARCHAR(100)	NULL	Manual	NEW Qualified / Not Qualified / Dead / Paused. Separate from lifecycle.
disqualification_reason	VARCHAR(100)	NULL	Manual	Budget / Location / Availability / No Response / Chose Competitor / Life Event / Other
disqualification_detail	TEXT	NULL	Manual	
bgv_status	VARCHAR(100)	NULL	Manual	Not Started / In Progress / Passed / Failed
bgv_report	VARCHAR(500)	NULL	Manual	File URL
bgv_completed_date	DATE	NULL	Manual	

EXT

tenant_visit_summary

Column	Type	Null?	Input	Notes
tenant_id	UUID	NOT NULL	—	FK → tenants.record_id, PK
total_visits_count	INTEGER	NOT NULL	Workflow	NEW All statuses
visits_cancelled	INTEGER	NULL	Workflow	
visits_completed	INTEGER	NULL	Workflow	
first_visit_date	DATE	NULL	Workflow	Set once, never overwritten
rids_visited	VARCHAR(255)	NULL	Workflow	R101, R205, R318
feedback	TEXT	NULL	Manual	

EXT

tenant_satisfaction

Column	Type	Null?	Input	Notes
tenant_id	UUID	NOT NULL	—	FK → tenants.record_id, PK
onboarding_csat_score	SMALLINT	NULL	Webhook/Manual	NEW 1-5 scale. Post-move-in.
offboarding_csat_score	SMALLINT	NULL	Webhook/Manual	1-5 scale

last_nps_score	SMALLINT	NULL	Webhook/Manual	0-10 scale
last_nps_date	DATE	NULL	Workflow	
<i>nps_category</i>	VARCHAR(100)	NULL	Auto-calculated	Promoter (9-10) / Passive (7-8) / Detractor (0-6)
last_nps_comment	TEXT	NULL	Webhook	

2. PID / PROPERTY

A property unit managed by Flent. Lifecycle: lead acquisition → active management → churn.

BASE properties

Column	Type	Null?	Input	Notes
pid	VARCHAR(255)	NOT NULL	System	Primary key. Property ID.
property_type	VARCHAR(100)	NOT NULL	Manual	
merchant_id	UUID	NULL	Derived	FK → merchants.record_id
deal_owner	UUID	NOT NULL	Manual	FK → team.user_id
psm_owner	UUID	NULL	Manual	FK → team.user_id (post-onboarding)
cluster	VARCHAR(100)	NOT NULL	Manual	HSR / KRM / IDR / MHD / BLD / MGR / HBL / WHF

EXT property_lead_stage

Fields tracked during property acquisition.

Column	Type	Null?	Input	Notes
pid	VARCHAR(255)	NOT NULL	—	FK → properties.pid, PK
ppid	VARCHAR(255)	NOT NULL	System	Prospect Property ID
date_added	TIMESTAMP	NOT NULL	System	
units_count	INTEGER	NOT NULL	Manual	Min: 1
deal_type	VARCHAR(100)	NOT NULL	Manual	Residence Lead / Enterprise Lead
apartment_count	INTEGER	NULL	Manual	
property_type_lead	VARCHAR(100)	NOT NULL	Manual	
furnishing_lead	VARCHAR(100)	NULL	Manual	Unfurnished / Semi / Partially / Fully
expected_rent	DECIMAL(12,2)	NOT NULL	Manual	
google_map_location_lead	VARCHAR(500)	NULL	Manual	
deal_stage	VARCHAR(100)	NOT NULL	Manual	To be contacted / In touch / LL Interested / Qualified / Evaluation / Negotiations / Offer Extended / Under Contract / To nurture
disqualification_reason	VARCHAR(100)	NULL	Manual	Rented Out / Family Only / Not Flent Standard / etc.
lost_reason	VARCHAR(100)	NULL	Manual	
exploratory_visit_score	INTEGER	NULL	Manual	
potential_report	VARCHAR(500)	NULL	Manual	File URL

EXT property_active

Fields for onboarded, actively managed properties.

Column	Type	Null?	Input	Notes
pid	VARCHAR(255)	NOT NULL	—	FK → properties.pid, PK
house_no	VARCHAR(255)	NULL	Manual	
active_units_count	INTEGER	NOT NULL	Manual	
tier	VARCHAR(255)	NULL	Manual	
floor	VARCHAR(255)	NULL	Manual	
google_map_location	VARCHAR(500)	NOT NULL	Manual	

address	TEXT	NOT NULL	Manual	
building_society	VARCHAR(255)	NOT NULL	Manual	
parking_type	TEXT[]	NULL	Manual	Multi-select
parking_number	VARCHAR(255)	NULL	Manual	
power_backup	VARCHAR(100)	NULL	Manual	
water_source	TEXT[]	NULL	Manual	Multi-select
restrictions	VARCHAR(100)	NULL	Manual	
other_notes	TEXT	NULL	Manual	
furniture_movement	VARCHAR(100)	NULL	Manual	
furnishing_status	VARCHAR(100)	NULL	Manual	
final_approved_amt	DECIMAL(12,2)	NULL	Manual	Fixture budget
final_invoice	VARCHAR(500)	NULL	Manual	File URL
ll_extra_clauses	TEXT	NULL	Manual	Extra clauses in auth agreement
payment_collection	VARCHAR(100)	NULL	Manual	Upfront / Straight Deduction / EMI
emi_period	INTEGER	NULL	Manual	
opex_collections	DECIMAL(12,2)	NULL	Manual	
prop_mgmt_app	VARCHAR(100)	NULL	Manual	
rules_regulations	VARCHAR(500)	NULL	Manual	File URL
garbage_disposal	VARCHAR(255)	NULL	Manual	
timing_restrictions	VARCHAR(255)	NULL	Manual	
move_in_out_formalities	TEXT	NULL	Manual	
rent_deadline	VARCHAR(255)	NOT NULL	Manual	e.g. 5th
overheads_deadline	VARCHAR(255)	NULL	Manual	
active_deal_owner	VARCHAR(255)	NOT NULL	Manual	

EXT

property_churned

Column	Type	Null?	Input	Notes
pid	VARCHAR(255)	NOT NULL	—	FK → properties.pid, PK
deposit_refunded	BOOLEAN	NULL	Manual	
exit_cost_opx	DECIMAL(12,2)	NULL	Manual	

3. RID / ROOM

Individual room within a property. Most granular unit for pricing, occupancy, and contract assignment.

BASE rooms				
Column	Type	Null?	Input	Notes
rid	VARCHAR(255)	NOT NULL	System	Primary key
pid	VARCHAR(255)	NOT NULL	Derived	FK → properties.pid

EXT room_specifications				
Column	Type	Null?	Input	Notes
rid	VARCHAR(255)	NOT NULL	—	FK → rooms.rid, PK
attached_bathroom	BOOLEAN	NULL	Manual	Drives pricing differential
balcony	BOOLEAN	NULL	Manual	

EXT room_furnishing				
Column	Type	Null?	Input	Notes
rid	VARCHAR(255)	NOT NULL	—	FK → rooms.rid, PK
bed_type	VARCHAR(100)	NULL	Manual	Single / Double / Queen / King
ac	BOOLEAN	NULL	Manual	
ac_type	VARCHAR(100)	NULL	Manual	Split / Window / Portable / Not Possible
ac_feasibility	VARCHAR(100)	NULL	Manual	
study_table	BOOLEAN	NULL	Manual	
annexure	VARCHAR(500)	NULL	Manual	File URL — room walkthrough
annexure_last_update_date	DATE	NULL	Workflow	

EXT room_commercials				
Column	Type	Null?	Input	Notes
rid	VARCHAR(255)	NOT NULL	—	FK → rooms.rid, PK
base_rent	DECIMAL(12,2)	NOT NULL	Manual	Source of truth for pricing
maintenance_fee	DECIMAL(12,2)	NULL	Manual	

EXT room_availability				
Column	Type	Null?	Input	Notes
rid	VARCHAR(255)	NOT NULL	—	FK → rooms.rid, PK
room_status	VARCHAR(100)	NOT NULL	Workflow	Available / Occupied / Under Maintenance / Blocked
current_contract_id	UUID	NULL	Derived	FK → contracts.contract_uid
current_tenant_name	VARCHAR(255)	NULL	Derived	From active contract → tenant
available_from	DATE	NULL	Workflow	

4. CONTRACT

Legal agreements. Sub-types: Tenant Contract (room occupancy) and Merchant Contract (property management).

BASE contracts

Column	Type	Null?	Input	Notes
contract_uid	UUID	NOT NULL	System	Primary key
contract_type	VARCHAR(100)	NOT NULL	Manual	L&L / Authorisation / C&S (discriminator)
pid	VARCHAR(255)	NOT NULL	Manual	FK → properties.pid
contract_start_date	DATE	NOT NULL	Manual	
contract_end_date	DATE	NOT NULL	Manual	
service_term	INTEGER	NOT NULL	Manual	Months
lock_in_duration	INTEGER	NULL	Manual	Months
<i>lock_in_end_date</i>	DATE	NULL	Auto-calculated	start + lock_in months
notice_period	INTEGER	NULL	Manual	Days
agreement_pdf	VARCHAR(500)	NULL	Workflow	File URL

EXT tenant_contract_details

Column	Type	Null?	Input	Notes
contract_uid	UUID	NOT NULL	—	FK → contracts, PK
tenant_id	UUID	NOT NULL	—	FK → tenants.record_id
rid	VARCHAR(255)	NOT NULL	Manual	FK → rooms.rid
<i>party_name_tenant</i>	VARCHAR(255)	NOT NULL	Derived	From Tenant.full_name
preferred_move_out_date	DATE	NULL	Manual	
payment_lifecycle	VARCHAR(100)	NULL	Workflow	Token Paid / FMR Paid / SD Paid / FMR and SD Cleared / Payments Done
agreement_lifecycle	VARCHAR(100)	NULL	Workflow	L&L and C&S Released / L&L Signed / C&S Signed / All agreements signed
total_retail_rent	DECIMAL(12,2)	NULL	Derived	Gross rack rent
monthly_license_fee	DECIMAL(12,2)	NULL	Derived/Workflow	
maintenance_fee	DECIMAL(12,2)	NULL	Derived/Workflow	
furnishing_fee	DECIMAL(12,2)	NULL	Workflow	
convenience_fee	DECIMAL(12,2)	NULL	Workflow	
gst	DECIMAL(12,2)	NULL	Workflow	
discount_amount	DECIMAL(12,2)	NULL	Manual	
<i>effective_retail_rent</i>	DECIMAL(12,2)	NULL	Auto-calculated	total_retail_rent - discount_amount
security_deposit	DECIMAL(12,2)	NULL	Workflow	
caution_deposit	DECIMAL(12,2)	NULL	Workflow	
lock_in_fee	DECIMAL(12,2)	NULL	Workflow	
exit_fee	DECIMAL(12,2)	NULL	Manual	
damages_deductions	DECIMAL(12,2)	NULL	Manual	
society_fees	DECIMAL(12,2)	NULL	Manual	
penalty	DECIMAL(12,2)	NULL	Manual	

fmr_status	VARCHAR(100)	NULL	Workflow
deposit_paid_status	VARCHAR(100)	NULL	Workflow

EXT

merchant_contract_details

Column	Type	Null?	Input	Notes
contract_uid	UUID	NOT NULL	—	FK → contracts, PK
merchant_id	UUID	NOT NULL	—	FK → merchants.record_id
party_name_merchant	VARCHAR(255)	NOT NULL	Derived	From Merchant.full_name. Only landlord-type merchants.
key_handover_date	DATE	NULL	Manual	
increment_percentage	DECIMAL(5,2)	NULL	Manual	
increment_frequency	VARCHAR(100)	NULL	Manual	Annual / Biennial / None
agreement_status	VARCHAR(100)	NULL	Manual	Negotiation / Triggered / Active
base_rent	JSONB	NOT NULL	Manual	Rent schedule with hikes. Format: [{"month":0,"amount":60000},{ "month":12,"amount":66000}]. Calculated based on tenure + increment_frequency.
merchant_security_deposit	DECIMAL(12,2)	NULL	Manual	
management_fee_per_month	DECIMAL(12,2)	NULL	Manual	
total_cogs	DECIMAL(12,2)	NULL	Derived	From base_rent (contracts) + overheads data. NOT from transactions.
contract_acquisition_cost	DECIMAL(12,2)	NULL	Manual	
contract_acquisition_cost_paid_to	DECIMAL(12,2)	NULL	Manual	
payment_cycle	VARCHAR(100)	NOT NULL	Manual	Prepaid / Postpaid
payment_deadline	DATE	NOT NULL	Manual	
inventory_list	VARCHAR(500)	NULL	Manual	File URL

5. TRANSACTION

Every money movement in/out of the platform. Includes Purchase Orders as a transaction type.

BASE transactions

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	System	PK. Format: TXN-YYYYMMDD-XXXXX
transaction_type	VARCHAR(100)	NOT NULL	Manual	Discriminator: Payment / Payout / Refund / PurchaseOrder / etc.
credit_debit	VARCHAR(100)	NOT NULL	Manual	Credit / Debit
transaction_date	DATE	NOT NULL	Manual/Webhook	
amount	DECIMAL(12,2)	NOT NULL	Manual/Webhook	Always positive
created_by	VARCHAR(255)	NOT NULL	System	
created_date	TIMESTAMP	NOT NULL	System	
authorised_by	VARCHAR(255)	NULL	Manual	Dual-control
authorised_date	TIMESTAMP	NULL	System	

EXT transaction_classification

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	—	FK → transactions.utn, PK
purpose_category_1	VARCHAR(100)	NOT NULL	Manual	OPEX / CAPEX / INTEREST / SALARY / REIMBURSEMENT / REVENUE / REFUNDS / COGS
purpose_category_2	VARCHAR(100)	NOT NULL	Manual	DEPOSIT / TRANSPORT / FIXTURES / OFFICE / EMPLOYEE / etc.

EXT transaction_parties

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	—	FK → transactions.utn, PK
from_party	VARCHAR(255)	NOT NULL	Manual	
from_party_type	VARCHAR(100)	NOT NULL	Manual	Tenant / Landlord / Vendor / Platform / Third Party / Government
<i>from_party_info</i>	TEXT	NULL	Derived	GST, PAN, Address
to_party	VARCHAR(255)	NOT NULL	Manual	
to_party_type	VARCHAR(100)	NOT NULL	Manual	

EXT transaction_payment

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	—	FK → transactions.utn, PK
payment_channel	VARCHAR(100)	NULL	Manual/Webhook	UPI / NEFT / RTGS / IMPS / NACH / VA / Payment Link / Cheque / Cash
payment_provider	VARCHAR(100)	NULL	Manual/Webhook	Kotak / IDFC / Razorpayx / Volopay
gateway_reference_id	VARCHAR(255)	NULL	Webhook/System	e.g. pay_xxxxxxx

EXT transaction_line_items

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	—	FK → transactions.utn, PK
line_item_date	DATE	NULL	Manual	

cost_revenue_center	VARCHAR(255)	NULL	Manual
line_item_description	TEXT	NULL	Manual

EXT

transaction_links

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	—	FK → transactions.utn, PK
contract_uid	UUID	NULL	Manual/Workflow	FK → contracts.contract_uid
contact_id	UUID	NULL	Manual/Workflow	FK → tenants/merchants/vendors (polymorphic)
pid	VARCHAR(255)	NULL	Manual/Workflow	FK → properties.pid
rid	VARCHAR(255)	NULL	Manual/Workflow	FK → rooms.rid

EXT

transaction_purchase_order

PO-specific extension. A PO is a transaction that spawns advance + remaining payment transactions and creates Items on completion.

Column	Type	Null?	Input	Notes
utn	VARCHAR(255)	NOT NULL	—	FK → transactions.utn, PK
po_number	VARCHAR(255)	NOT NULL	System	UNIQUE. Human-readable PO ID.
vendor_code	VARCHAR(255)	NOT NULL	Manual	FK → vendors.vendor_code
vendor_name	VARCHAR(255)	NOT NULL	Derived	Denormalized from vendor
total_items	INTEGER	NULL	Auto-calculated	Sum of po_lines.qty
gst_percent	DECIMAL(5,2)	NULL	Manual	
advance_amount	DECIMAL(12,2)	NULL	Manual	
remaining_amount	DECIMAL(12,2)	NULL	Auto-calculated	amount - advance_amount
txn_id_advance	VARCHAR(255)	NULL	Workflow	FK → transactions.utn (advance payment)
txn_id_remaining	VARCHAR(255)	NULL	Workflow	FK → transactions.utn (final payment)
advance_date	DATE	NULL	Manual	
fnf_date	DATE	NULL	Manual	Final settlement date
invoice	VARCHAR(500)	NULL	Manual	File URL
status	VARCHAR(100)	NOT NULL	Workflow	Draft / Approved / Completed / Cancelled
round_off	DECIMAL(12,2)	NULL	Manual	

CHILD

po_lines

Line items within a Purchase Order. Trigger creates Item records when PO status → Completed.

Column	Type	Null?	Input	Notes
id	UUID	NOT NULL	System	Primary key
transaction_id	VARCHAR(255)	NOT NULL	—	FK → transactions.utn (the PO transaction)
fsin_code	VARCHAR(255)	NULL	Manual	FK → fsins.fsin_code. Can create new FSIN.
item_name	VARCHAR(255)	NULL	Manual	
qty	INTEGER	NOT NULL	Manual	
unit_price	DECIMAL(12,2)	NOT NULL	Manual	
line_amount	DECIMAL(12,2)	NULL	Auto-calculated	qty × unit_price
created_by	VARCHAR(255)	NULL	System	
created_at	TIMESTAMP	NULL	System	

updated_at	TIMESTAMP	NULL	System
------------	-----------	------	--------

6. TICKET

Service requests, complaints, maintenance tasks. Sub-types: Tenant Ticket and Vendor Ticket.

BASE tickets

Column	Type	Null?	Input	Notes
ticket_id	INTEGER	NOT NULL	System	Primary key
pipeline	VARCHAR(100)	NOT NULL	Manual	Tenant / Landlord (discriminator)
create_date	TIMESTAMP	NOT NULL	System	SLA baseline
created_by	VARCHAR(255)	NOT NULL	System	
ticket_description	TEXT	NOT NULL	Manual	
ticket_owner	VARCHAR(100)	NOT NULL	Manual	
pid	VARCHAR(255)	NOT NULL	Manual	FK → properties.pid
ticket_category	VARCHAR(100)	NOT NULL	Manual	Plumbing / Carpentry / Electrical / Utility / Inventory / Appliance / Agreement / Reimbursement / Other
ticket_status	VARCHAR(100)	NOT NULL	Workflow	New Request / Waiting on Customer / Waiting on Vendor / Blocked / Ready for Closure / Closed
priority	VARCHAR(100)	NOT NULL	Manual	Low / Medium / High / Urgent / Critical
resolution_notes	TEXT	NULL	Manual	Required for closure
collected_from_tenant	DECIMAL(12,2)	NULL	Manual	
collected_from_merchant	DECIMAL(12,2)	NULL	Manual	
transaction_id	VARCHAR(255)	NULL	Workflow	FK → transactions.utn
assigned_vendor	VARCHAR(255)	NULL	Manual	FK → vendors.vendor_code

EXT tenant_ticket_details

Column	Type	Null?	Input	Notes
ticket_id	INTEGER	NOT NULL	—	FK → tickets, PK
ticket_name	VARCHAR(255)	NOT NULL	Manual	
rid	VARCHAR(255)	NULL	Manual	FK → rooms.rid
conversation_id	VARCHAR(255)	NULL	Workflow	
category_phase	VARCHAR(100)	NULL	Manual	Pre Move-In / Gestation / Active
time_slot	TIMESTAMP	NULL	Manual	
ticket_flag	VARCHAR(100)	NULL	Manual	Reasonable / Not Reasonable / Subjective
flag_notes	TEXT	NULL	Manual	
total_cost	DECIMAL(12,2)	NULL	Auto-calculated	cost_paid - collected
vendor_group_chat_id	VARCHAR(255)	NULL	Workflow	
related_tickets	VARCHAR(255)	NULL	Workflow	
time_to_first_rep_assignment	INTEGER	NULL	Workflow	Minutes
time_to_first_response_sla_hours	INTEGER	NULL	Workflow	
tenant_rating	SMALLINT	NULL	Manual	1-5
csat_feedback	TEXT	NULL	Manual	
csat_response	TEXT	NULL	Manual	

EXT

vendor_ticket_details

Column	Type	Null?	Input	Notes
ticket_id	INTEGER	NOT NULL	—	FK → tickets, PK
notes	TEXT	NULL	Manual	Append-only action log
first_response_mins	INTEGER	NULL	Workflow	
time_to_close_hours	INTEGER	NULL	Workflow	

7. MERCHANT

Property owners/landlords. Types: Landlord / POC / Lead / Broker / Management.

BASE

merchants

Column	Type	Null?	Input	Notes
record_id	UUID	NOT NULL	System	Primary key
merchant_type	VARCHAR(100)	NOT NULL	Manual	Landlord / POC / Lead / Broker / Management (discriminator)
prefix	VARCHAR(100)	NULL	Manual	Mr / Mrs / Ms / Dr
first_name	VARCHAR(255)	NOT NULL	Manual	
last_name	VARCHAR(255)	NOT NULL	Manual	
email	VARCHAR(255)	NULL	Manual	
country_code	VARCHAR(100)	NOT NULL	Manual	+91 / +1 / etc.
phone	VARCHAR(20)	NOT NULL	Manual	
current_city	VARCHAR(255)	NULL	Manual	
lead_source	VARCHAR(100)	NULL	Manual	
unique_id	VARCHAR(255)	NULL	System	
first_added	TIMESTAMP	NOT NULL	System	
last_updated	TIMESTAMP	NOT NULL	System	

EXT

merchant_landlord

Property-owning landlords. KYC, payment, psychographics, address.

Column	Type	Null?	Input	Notes
merchant_id	UUID	NOT NULL	—	FK → merchants.record_id, PK
disqualification_reason	VARCHAR(100)	NULL	Manual	
lost_reason	VARCHAR(100)	NULL	Manual	
landlord_personality	TEXT	NULL	Manual	
general_ll_comments	TEXT	NULL	Manual	
potentially_multihome	BOOLEAN	NULL	Manual	
designation	VARCHAR(255)	NULL	Manual	
organization	VARCHAR(255)	NULL	Manual	
aadhaar_back	VARCHAR(500)	NOT NULL	Manual	File URL
pan_number	VARCHAR(255)	NOT NULL	Manual	AAAAA9999A
pan_card_image	VARCHAR(500)	NOT NULL	Manual	File URL
bank_account_number	VARCHAR(255)	NOT NULL	Manual	
beneficiary_name	VARCHAR(255)	NOT NULL	Manual	
ifsc_code	VARCHAR(255)	NOT NULL	Manual	
current_residential	TEXT	NOT NULL	Manual	
permanent_residential	TEXT	NULL	Manual	
communications_permission	BOOLEAN	NULL	Manual	
signing_authority	BOOLEAN	NOT NULL	Manual	

linkedin_url	VARCHAR(500)	NULL	Manual
--------------	--------------	------	--------

EXT merchant_poc / merchant_broker / merchant_management

To be defined — shared base captures core contact fields. Extensions will hold type-specific fields as they emerge.

8. VENDOR

External suppliers, contractors, service providers.

BASE vendors

Column	Type	Null?	Input	Notes
vendor_code	VARCHAR(255)	NOT NULL	System	Primary key
vendor_name	VARCHAR(255)	NOT NULL	Manual	
vendor_type	VARCHAR(100)	NOT NULL	Manual	Manufacturer / Wholesaler / Distributor / Freelancer / Aggregator / Retailer / Landlord
created_at	TIMESTAMP	NOT NULL	System	
updated_at	TIMESTAMP	NOT NULL	System	

EXT vendor_contact

Column	Type	Null?	Input	Notes
vendor_code	VARCHAR(255)	NOT NULL	—	FK → vendors, PK
contact_name	VARCHAR(255)	NOT NULL	Manual	
phone	VARCHAR(20)	NOT NULL	Manual	
alternate_phone	VARCHAR(20)	NULL	Manual	
email	VARCHAR(255)	NOT NULL	Manual	
city	VARCHAR(255)	NOT NULL	Manual	
address	TEXT	NOT NULL	Manual	

EXT vendor_billing

Column	Type	Null?	Input	Notes
vendor_code	VARCHAR(255)	NOT NULL	—	FK → vendors, PK
gst_number	VARCHAR(255)	NULL	Manual	
pan	VARCHAR(255)	NULL	Manual	
billing_name	VARCHAR(255)	NULL	Manual	
bank_name	VARCHAR(255)	NULL	Manual	
bank_account_number	VARCHAR(255)	NULL	Manual	
ifsc_code	VARCHAR(255)	NULL	Manual	
msme_vendor	VARCHAR(100)	NULL	Manual	Yes / No
udyam_aadhaar	VARCHAR(255)	NULL	Manual	

EXT vendor_capability

Column	Type	Null?	Input	Notes
vendor_code	VARCHAR(255)	NOT NULL	—	FK → vendors, PK
specialization	TEXT	NOT NULL	Manual	
tat_in_days	INTEGER	NOT NULL	Manual	
customization_capability	VARCHAR(100)	NOT NULL	Manual	Low / Medium / High
standardisation_fit	VARCHAR(100)	NOT NULL	Manual	C1 / C2 / C3

EXT

vendor_commercials

Column	Type	Null?	Input	Notes
vendor_code	VARCHAR(255)	NOT NULL	—	FK → vendors, PK
quality_tier	VARCHAR(100)	NOT NULL	Manual	T1 / T2 / T3
payment_terms	VARCHAR(255)	NULL	Manual	
min_order_value	DECIMAL(12,2)	NULL	Manual	
negotiation_remarks	TEXT	NULL	Manual	

9. OVERHEADS

Recurring and one-time property-level costs. 8 category-specific extensions.

BASE overheads

Column	Type	Null?	Input	Notes
id	UUID	NOT NULL	System	Primary key
pid	VARCHAR(255)	NOT NULL	Derived	FK → properties.pid
category_type	VARCHAR(100)	NOT NULL	Manual	Maintenance / WiFi / DG / Water / Water Purifier / Gas / Electricity / Helper (discriminator)
object_type	VARCHAR(100)	NOT NULL	Manual	Recurring / One-Time
frequency	VARCHAR(100)	NULL	Manual	Monthly / Quarterly / Bi-Annually / Annually
start_date	DATE	NULL	Manual	
end_date	DATE	NULL	Manual	
document	VARCHAR(500)	NULL	Manual	File URL

EXT overhead_maintenance

Column	Type	Null?	Notes
overhead_id	UUID	NOT NULL	FK → overheads.id, PK
maintenance_amount	DECIMAL(12,2)	NOT NULL	
maintenance_cutoff_date	VARCHAR(255)	NOT NULL	
maintenance_cycle	VARCHAR(100)	NOT NULL	Prepaid / Postpaid
maintenance_pay_to_ll	BOOLEAN	NOT NULL	
maintenance_collect_tenant	BOOLEAN	NOT NULL	

EXT overhead_wifi

Column	Type	Null?	Notes
overhead_id	UUID	NOT NULL	FK → overheads.id, PK
wifi_provider	VARCHAR(100)	NOT NULL	ACT / Airtel / Tata
wifi_account_id	VARCHAR(255)	NULL	
wifi_start_date	DATE	NULL	NEW
wifi_plan_duration	VARCHAR(255)	NULL	NEW
wifi_end_date	DATE	NULL	NEW
wifi_plan_cost	DECIMAL(12,2)	NULL	NEW
wifi_ssid	VARCHAR(255)	NOT NULL	
wifi_password	VARCHAR(255)	NOT NULL	Encrypted storage
wifi_ownership	VARCHAR(255)	NOT NULL	Product / CX
wifi_amount	DECIMAL(12,2)	NULL	
wifi_collect_tenant	BOOLEAN	NOT NULL	

EXT overhead_electricity

Column	Type	Null?	Notes
overhead_id	UUID	NOT NULL	FK → overheads.id, PK
electricity_provider	VARCHAR(255)	NOT NULL	

electricity_connection_type	VARCHAR(255)	NOT NULL	
electricity_account_no	VARCHAR(255)	NULL	
electricity_password	VARCHAR(255)	NULL	Encrypted
electricity_ownership	VARCHAR(100)	NOT NULL	
electricity_pay_to_ll	BOOLEAN	NOT NULL	
electricity_collect_tenant	BOOLEAN	NOT NULL	

EXT overhead_dg

Column	Type	Null?	Notes
overhead_id	UUID	NOT NULL	FK → overheads.id, PK
dg_brand_details	VARCHAR(255)	NOT NULL	
dg_capacity_kva	INTEGER	NOT NULL	
dg_maintenance_schedule	VARCHAR(100)	NULL	
dg_fuel_tank_capacity	INTEGER	NOT NULL	Litres
dg_refill_unit_litres	INTEGER	NOT NULL	
dg_amount	DECIMAL(12,2)	NULL	
dg_pay_to_ll	BOOLEAN	NOT NULL	
dg_collect_tenant	BOOLEAN	NOT NULL	

EXT overhead_water / overhead_water_purifier / overhead_gas / overhead_helper

Same pattern. Water (6 fields), Water Purifier (5 fields), Gas (6 fields), Helper (8 fields). All follow the category-specific fields + pay_to_ll + collect_tenant pattern. See full spec document for details.

10. FSIN (Product Template)

Product template/SKU in Flent's inventory catalog.

BASE

fsins

Column	Type	Null?	Input	Notes
fsin_code	VARCHAR(255)	NOT NULL	System	Primary key
vendor_code	VARCHAR(255)	NOT NULL	Derived	FK → vendors.vendor_code
item_name	VARCHAR(255)	NOT NULL	Manual	
category	VARCHAR(100)	NOT NULL	Manual	
uom	VARCHAR(100)	NOT NULL	Manual	
image	VARCHAR(500)	NOT NULL	Manual	
reorder_point	INTEGER	NULL	Manual	
annual_depreciation	DECIMAL(12,2)	NOT NULL	Manual	
perceived_value	DECIMAL(12,2)	NULL	Manual	
packaging	VARCHAR(100)	NOT NULL	Manual	Flatpack / Assembled
lego	INTEGER	NOT NULL	Manual	Tag count

EXT

fsin_specification

Column	Type	Null?	Input	Notes
fsin_code	VARCHAR(255)	NOT NULL	—	FK → fsins, PK
dimensions	VARCHAR(255)	NULL	Manual	L × W × H
material	VARCHAR(255)	NULL	Manual	
finish	VARCHAR(255)	NULL	Manual	
color	VARCHAR(255)	NULL	Manual	
style	VARCHAR(255)	NULL	Manual	
attribute	VARCHAR(255)	NULL	Manual	Combined search key

11. ITEM (Physical Inventory Unit)

Single physical unit of inventory. Tracks location, state, lifecycle, quality.

BASE

items

Column	Type	Null?	Input	Notes
item_code	VARCHAR(255)	NOT NULL	System	Primary key
fsin_code	VARCHAR(255)	NOT NULL	Derived	FK → fsins.fsin_code
po_line_id	UUID	NOT NULL	System	FK → po_lines.id
created_at	TIMESTAMP	NOT NULL	System	
serial_no	INTEGER	NOT NULL	System	
unit_price	DECIMAL(12,2)	NOT NULL	Derived	From PO line. Immutable.

EXT

item_state


Column	Type	Null?	Input	Notes
item_code	VARCHAR(255)	NOT NULL	—	FK → items, PK
lock	BOOLEAN	NOT NULL	System	Prevents double-picking
lock_by_pfs	UUID	NULL	System	
locked_at	TIMESTAMP	NULL	System	
location	VARCHAR(255)	NULL	System	PID-RID or WH-rack
state	VARCHAR(100)	NOT NULL	System	BUY / WIB / WOB / PIB / POB / WORK / DEAD
state_time	TIMESTAMP	NULL	System	
latest_snapshot_date	TIMESTAMP	NULL	System	
snapshot	VARCHAR(500)	NULL	System	Image URL
utilised_at	TIMESTAMP	NULL	System	First utilization — shelf life calc
qa_flag	VARCHAR(100)	NULL	System	Yes / No


EXT

item_transaction_links

Column	Type	Null?	Input	Notes
item_code	VARCHAR(255)	NOT NULL	—	FK → items, PK
bill_document_id	VARCHAR(255)	NULL	Derived	From Transactions.document_id

PO → Item Creation Flow





Key Relationships in PO Flow

From	To	Via	Cardinality	Purpose
transaction_purchase_order	vendors	vendor_code	N:1	PO is placed with a vendor
transaction_purchase_order	transactions (advance)	txn_id_advance	1:1	Advance payment record
transaction_purchase_order	transactions (remaining)	txn_id_remaining	1:1	Final settlement record
po_lines	transaction_purchase_order	transaction_id	N:1	Lines belong to PO
po_lines	fsins	fsin_code	N:1	Line orders a product template
items	po_lines	po_line_id	N:1	Items created from PO lines
items	fsins	fsin_code	N:1	Item is instance of FSIN
fsins	vendors	vendor_code	N:1	Product supplied by vendor

Summary Statistics

Table Count by Object

Object	Base	Extensions	Children	Total Tables	Total Columns
Tenant	1	5	0	6	64
PID (Property)	1	3	0	4	52
RID (Room)	1	4	0	5	20
Contract	1	2	0	3	50
Transaction	1	6	1	8	50
Ticket	1	2	0	3	35
Merchant	1	4	0	5	32
Vendor	1	4	0	5	28
Overheads	1	8	0	9	65
FSIN	1	1	0	2	18
Item	1	2	0	3	18
TOTAL	11	41	1	53	432

Cross-Object FK Count

Object	Outbound FKs	Inbound FKs	Most Connected To
properties (PID)	2	7	rooms, contracts, transactions, tickets, overheads, tenants
contracts	3	3	properties, rooms, transactions
transactions	4	4	contracts, properties, rooms, tickets
vendors	0	4	fsins, tickets, transactions, PO
tenants	2	2	properties, rooms, contracts
fsins	1	2	vendors, items, po_lines

Derived/Denormalized Fields

Field	On Table	Source	Updated By
current_pid	tenants	contracts.pid	Workflow on move-in
current_rid	tenants	contracts.rid	Workflow on move-in/transfer
current_contract_id	room_availability	contracts.contract_uid	Workflow on contract activation
current_tenant_name	room_availability	contracts → tenant name	Workflow
party_name_tenant	tenant_contract_details	tenants.full_name	On link
party_name_merchant	merchant_contract_details	merchants.full_name	On link
lock_in_end_date	contracts	start + lock_in months	Auto-calculated
effective_retail_rent	tenant_contract_details	total - discount	Auto-calculated
nps_category	tenant_satisfaction	last_nps_score	Auto-calculated
total_cogs	merchant_contract_details	base_rent + overheads	Derived
vendor_name	transaction_purchase_order	vendors.vendor_name	On link
unit_price	items	po_lines.unit_price	On creation (immutable)

