The Big List of GitHub Search Operators

Operator	Use for	Example
archived:		
archived:false	Issues & Pull requests	**archived:false GNOME** matches issues and pull requests that contain the word "GNOME" in unarchived repositories you have access to.
archived:false	Repositories	**archived:false GNOME** matches repositories that are not archived and contain the word "GNOME."
archived:true	Issues & Pull requests	**archived:true GNOME** matches issues and pull requests that contain the word "GNOME" in archived repositories you have access to.
archived:true	Repositories	**archived:true GNOME** matches repositories that are archived and contain the word "GNOME."
asignee:		
assignee:USERNAME	Issues & Pull requests	**assignee:vmg repo:libgit2/libgit2** matches issues and pull requests in libgit2's project libgit2 that are assigned to @vmg.
author-date:		
author-date:YYYY-MM-DD	Commits	**author-date:<2016-01-01** matches commits authored before 2016-01-01.
author-email:		
author-email:EMAIL	Commits	**author-email:chris@github.com** matches commits authored by chris@github.com.
author-name:		
author-name:NAME	Commits	**author-name:wanstrath** matches commits with "wanstrath" in the author name.
author:		
author:app/USERNAME	Issues & Pull requests	**author:app/robot** matches issues created by the integration account named "robot."
author:USERNAME	Commits	**author:defunkt** matches commits authored by @defunkt.
author:USERNAME	Issues & Pull requests	**cool author:gjtorikian** matches issues and pull requests with the word "cool" that were created by @gjtorikian. **bootstrap in:body author:mdo** matches issues written by @mdo that contain the word "bootstrap" in the body.
base:		
base:BASE_BRANCH	Issues & Pull requests	**base:gh-pages** matches pull requests that are being merged into the gh-pages branch.
closed:		
closed:YYYY-MM-DD	Issues & Pull requests	**language:swift closed:>2014-06-11** matches issues and pull requests in Swift that were closed after June 11, 2014.
comment:		
commenter:USERNAME	Issues & Pull requests	**github commenter:defunkt org:github** matches issues in repositories owned by GitHub, that contain the word "github," and have a comment by @defunkt.
comments:n	Issues & Pull requests	**state:closed comments:>100** matches closed issues with more than 100 comments. **comments:500..1000** matches issues with comments ranging from 500 to 1,000.

Susanna Frazier   me@ohsusannamarie.com   ohsusannamarie.com

Sofia Broberger   me@sofiabroberger.se   sofiabroberger.se

The Big List of GitHub Search Operators

committer-date:		
committer-date:YYYY-MM-DD	Commits	**committer-date:>2016-01-01** matches commits committed after 2016-01-01.
committer-email:		
committer-email:EMAIL	Commits	**committer-email:chris@github.com** matches commits committed by chris@github.com.
committer-name:		
committer-name:NAME	Commits	**committer-name:wanstrath** matches commits with "wanstrath" in the committer name.
committer:		
committer:USERNAME	Commits	**committer:defunkt** matches commits committed by @defunkt.
created:		
created:YYYY-MM-DD	Issues & Pull requests	**language:c# created:<2011-01-01 state:open** matches open issues that were created before 2011 in repositories written in C#.
created:YYYY-MM-DD	Repositories	**webos created:<2011-01-01** matches repositories with the word "webos" that were created before 2011.
created:YYYY-MM-DD	Users	**created:<2011-01-01** matches users that joined before 2011. **created:>=2013-05-11** matches users that joined at or after May 11th, 2013. **created:2013-03-06 location:london** matches users that joined on March 6th, 2013, who list their location as London. **created:2010-01-01..2011-01-01 john in:login** matches users that joined between 2010 and 2011 with the word "john" in their username.
extension:		
extension:EXTENSION	Code	**form path:cgi-bin extension:pm** matches code with the word "form," under cgi-bin , with the .pm file extension.
extension:EXTENSION	Code	**icon size:>200000 extension:css** matches files larger than 200 KB that end in .css and have the word "icon."
filename:		
filename:FILENAME	Code	**filename:linguist** matches files named "linguist." **filename:.vimrc commands** matches .vimrcfiles with the word "commands." **filename:test_helper path:test language:ruby** matches Ruby files named test_helper within the test directory.
followers:		
followers:n	Users	**followers:>=1000** matches users with 1,000 or more followers. **sparkle followers:1..10** matches users with between 1 and 10 followers, with the word "sparkle" in their name.

Susanna Frazier   me@ohsusannamarie.com   ohsusannamarie.com

Sofia Broberger   me@sofiabroberger.se   sofiabroberger.se

The Big List of GitHub Search Operators

fork:		
fork:only	Code	**github fork:only** matches all fork repositories containing the word "github." **forks:>500 fork:only** matches repositories with more than 500 forks, and only returns those that are forks.
fork:only	Repositories	**github fork:only** matches all fork repositories containing the word "github." **forks:>500 fork:only** matches repositories with more than 500 forks, and only returns those that are forks.
fork:true	Code	**github fork:true** matches all repositories containing the word "github," including forks. **android language:java fork:true** matches code with the word "android" that's written in Java, in both forks and regular repositories.
fork:true	Repositories	**android language:java fork:true** matches code with the word "android" that's written in Java, in both forks and regular repositories.
fork:true	Repositories	**github fork:true** matches all repositories containing the word "github," including forks.
forks:n	Repositories	**forks:5** matches repositories with only five forks. **forks:>=205** matches repositories with at least 205 forks. **forks:<90** matches repositories with fewer than 90 forks. **forks:10..20** matches repositories with 10 to 20 forks.
good-first-issues:		
good-first-issues:>n	Repositories	**good-first-issues:>2 javascript** matches repositories with more than two issues labeled good-first-issue and that contain the word "javascript."
hash:		
hash:HASH	Commits	**hash:124a9a0ee1d8f1e15e833aff432fbb3b02632105** matches commits with the hash 124a9a0ee1d8f1e15e833aff432fbb3b02632105.
head:		
head:HEAD_BRANCH	Issues & Pull requests	**head:change is:closed is:unmerged** matches pull requests opened from branch names containing the word "change" that are closed.
help-wanted-issues:		
help-wanted-issues:>n	Repositories	**help-wanted-issues:>4 react** matches repositories with more than four issues labeled help-wanted and that contain the word "React."
in:		
in:body	Issues & Pull requests	**data in:body closed:<2012-10-01** matches issues and pull requests with the word "data" in the body that were closed before October 2012.
in:body	Issues & Pull requests	**error in:title,body** matches issues with "error" in their title or body.

Susanna Frazier   me@ohsusannamarie.com   ohsusannamarie.com

Sofia Broberger   me@sofiabroberger.se   sofiabroberger.se

The Big List of GitHub Search Operators

in:body	Wikis	**installation in:body** matches wiki pages with the word "installation" in their main body text.
in:comments	Issues & Pull requests	**shipit in:comments** matches issues mentioning "shipit" in their comments.
in:description	Repositories	**jquery in:name,description** matches repositories with "jquery" in their name or description.
in:email	Users	**data in:email** matches users with the word "data" in their email.
in:file	Code	**octocat in:file** matches code where "octocat" appears in the file contents.
in:fullname	Users	**bolton in:fullname** matches users whose real name contains the word "bolton."
in:login	Users	**kenya in:login** matches users with the word "kenya" in their username.
in:name	Repositories	**jquery in:name** matches repositories with "jquery" in their name.
in:path	Code	**octocat in:path** matches code where "octocat" appears in the file path. **octocat in:file,path** matches code where "octocat" appears in the file contents or the file path.
in:readme	Repositories	**jquery in:readme** matches repositories mentioning "jquery" in their README file. **octocat in:readme** matches repositories mentioning ""octocat"" in their README file.
in:title	Issues & Pull requests	**fast in:title language:ruby merged:>=2014-05-01** matches pull requests in Ruby with the word "fast" in the title that were merged after May 2014.
in:title	Issues & Pull requests	**warning in:title** matches issues with "warning" in their title.
in:title	Wikis	**usage in:title** matches wiki page titles with the word "usage."
involves:		
involves:USERNAME	Issues & Pull requests	**involves:defunkt involves:jlord** matches issues either @defunkt or @jlord are involved in. **NOT bootstrap in:body involves:mdo** matches issues @mdo is involved in that do not contain the word "bootstrap" in the body.
is:		
is:closed	Issues & Pull requests	**android is:closed** matches closed issues and pull requests with the word "android."
is:curated	Topics	**is:curated javascript** matches topics that are curated and contain the word "javascript."
is:draft	Issues & Pull requests	**is:draft** matches draft pull requests.
is:featured	Topics	**is:featured javascript** matches topics that are featured on https://github.com/topics/ and contain the word "javascript."
is:issue	Issues & Pull requests	**is:issue label:bug is:closed** matches closed issues with the label "bug."
is:locked	Issues & Pull requests	**code of conduct is:locked is:issue archived:false** matches issues or pull requests with the words "code of conduct" that have a locked conversation in a repository that is not archived.

The Big List of GitHub Search Operators

is:merged	Issues & Pull requests	**bugfix is:pr is:merged** matches merged pull requests with the word "bugfix."
is:not-curated	Topics	**is:not-curated javascript** matches topics that don't have extra information, such as a description or logo, and contain the word "javascript."
is:not-featured	Topics	**is:not-featured javascript** matches topics that aren't featured on https://github.com/topics/and contain the word "javascript."
is:open	Issues & Pull requests	**performance is:open is:issue** matches open issues with the word "performance."
is:pr	Issues & Pull requests	**event is:pr** matches pull requests with the word "event."
is:private	Commits	**is:private** matches private commits
is:private	Issues & Pull requests	**is:private cupcake** matches issues and pull requests that contain the word "cupcake" in private repositories you have access to.
is:private	Repositories	**is:private pages** matches private repositories you have access to and that contain the word "pages."
is:public	Commits	**is:public** matches public commits.
is:public	Issues & Pull requests	**is:public** matches issues and pull requests in all public repositories.
is:public	Repositories	**is:public org:github** matches repositories owned by GitHub that are public.
is:unlocked	Issues & Pull requests	**code of conduct is:unlocked is:issue archived:false** matches issues or pull requests with the words "code of conduct" that have an unlocked conversation in a repository that is not archived.
is:unmerged	Issues & Pull requests	**error is:unmerged** matches closed issues and pull requests with the word "error."
label:		
label:LABEL	Issues & Pull requests	**label:"help wanted" language:ruby** matches issues with the label "help wanted" that are in Ruby repositories. **broken in:body -label:bug label:priority** matches issues with the word "broken" in the body, that lack the label "bug", but do have the label "priority." **label:bug label:resolved** matches issues with the labels "bug" and "resolved."
language:		
language:LANGUAGE	Code	**element language:xml size:100** matches code with the word "element" that's marked as being XML and has exactly 100 bytes. **display language:scss** matches code with the word "display," that's marked as being SCSS. **org:mozilla language:markdown** matches code from all @mozilla's repositories that's marked as Markdown.
language:LANGUAGE	Issues & Pull requests	**language:ruby state:open** matches open issues that are in Ruby repositories.
language:LANGUAGE	Repositories	**rails language:javascript** matches repositories with the word "rails" that are written in JavaScript.

The Big List of GitHub Search Operators

language:LANGUAGE	Users	**language:javascript location:russia** matches users in Russia with a majority of their repositories written in JavaScript. **jenny language:javascript in:fullname** matches users with JavaScript repositories whose full name contains the word "jenny."
license:		
license:LICENSE_KEYWORD	Repositories	**license:apache-2.0** matches repositories that are licensed under Apache License 2.0.
location:		
location:LOCATION	Users	**repos:1 location:iceland** matches users with exactly one repository that live in Iceland.
mentions:		
mentions:USERNAME	Issues & Pull requests	**resque mentions:defunkt** matches issues with the word "resque" that mention @defunkt.
merge:		
merge:false	Commits	**merge:false** matches non-merge commits
merge:true	Commits	**merge:true** matches merge commits.
merged:		
merged:YYYY-MM-DD	Issues & Pull requests	**language:javascript merged:<2011-01-01** matches pull requests in JavaScript repositories that were merged before 2011.
milestone:		
milestone:MILESTONE	Issues & Pull requests	**milestone:"overhaul"** matches issues that are in a milestone named "overhaul." **milestone:"bug fix"** matches issues that are in a milestone named "bug fix."
mirror:		
mirror:false	Repositories	**mirror:false GNOME** matches repositories that are not mirrors and contain the word "GNOME."
mirror:true	Repositories	**mirror:true GNOME** matches repositories that are mirrors and contain the word "GNOME."
no:		
no:assignee	Issues & Pull requests	**important no:assignee language:java type:issue** matches issues not associated with an assignee, containing the word "important," and in Java repositories.
no:label	Issues & Pull requests	**priority no:label** matches issues and pull requests with the word "priority" that also don't have any labels.
no:milestone	Issues & Pull requests	**sprint no:milestone type:issue** matches issues not associated with a milestone containing the word "sprint."
no:project	Issues & Pull requests	**build no:project** matches issues not associated with a project board, containing the word "build."
org:		
org:ORGNAME	Code	**org:github extension:js** matches code from GitHub that ends in .js .
org:ORGNAME	Commits	**test org:github** matches commit messages with the word "test" in repositories owned by @github.

The Big List of GitHub Search Operators

org:ORGNAME	Issues & Pull requests	**org:github** matches issues in repositories owned by the GitHub organization.
org:ORGNAME	Repositories	**org:github** matches repositories from GitHub.
org:ORGNAME	Wikis	**org:github** matches wikis in repositories owned by the GitHub organization.
parent:		
parent:HASH	Commits	**parent:124a9a0ee1d8f1e15e833aff432fbb3b02632105** matches children of commits with the hash 124a9a0ee1d8f1e15e833aff432fbb3b02632105
path:		
path:/	Code	**octocat filename:readme path:/** matches readme files with the word "octocat" that are located at the root level of a repository.
path:DIRECTORY	Code	**form path:cgi-bin language:perl** matches Perl files with the word "form" in a cgi-bindirectory, or in any of its subdirectories.
path:PATH/TO/DIRECTORY	Code	**console path:app/public language:javascript** matches JavaScript files with the word "console" in an app/public directory, or in any of its subdirectories (even if they reside inapp/public/js/form-validators).
project:		
project:PROJECT_BOARD	Issues & Pull requests	**project:github/57** matches issues owned by GitHub that are associated with the organization's project board 57.
project:REPOSITORY/PROJECT_BOARD	Issues & Pull requests	**project:github/linguist/1** matches issues that are associated with project board 1 in @github's linguist repository.
pushed:		
pushed:YYYY-MM-DD	Repositories	**css pushed:>2013-02-01** matches repositories with the word "css" that were pushed to after January 2013. **case pushed:>=2013-03-06 fork:only** matches repositories with the word "case" that were pushed to on or after March 6th, 2013, and that are forks.
repo:		
repo:USERNAME/REPO	Commits	**language repo:defunkt/gibberish** matches commit messages with the word "language" in @defunkt's "gibberish" repository.
repo:USERNAME/REPOSITORY	Code	**repo:mozilla/shumway extension:as** matches code from @mozilla's shumway project that ends in .as .
repo:USERNAME/REPOSITORY	Issues & Pull requests	**repo:mozilla/shumway created:<2012-03-01** matches issues from @mozilla's shumway project that were created before March 2012.
repo:USERNAME/REPOSITORY	Wikis	**repo:defunkt/gibberish** matches wiki pages from @defunkt's "gibberish" repository.
repos:		
repos:n	Users	**repos:>9000** matches users whose repository count is over 9,000. **bert repos:10..30** matches users with the word "bert" in their username or real name who own 10 to 30 repositories.
review-requested:		
review-requested:USERNAME	Issues & Pull requests	**type:pr review-requested:benbalter** matches pull requests where a specific person is requested for review. Requested reviewers are no longer listed in the search results after they review a pull request. If the requested person is on a team that is requested for review, then review requests for that team will also appear in the search results.
review:		

review:approved	Issues & Pull requests	**type:pr review:approved** matches pull requests that a reviewer has approved.
review:changes_requested	Issues & Pull requests	**type:pr review:changes_requested** matches pull requests in which a reviewer has asked for changes.
review:none	Issues & Pull requests	**type:pr review:none** matches pull requests that have not been reviewed.
review:required	Issues & Pull requests	**type:pr review:required** matches pull requests that require a review before they can be merged.
reviewed-by:		
reviewed-by:USERNAME	Issues & Pull requests	**type:pr reviewed-by:gjtorikian** matches pull requests reviewed by a particular person.
SHA		
SHA	Issues & Pull requests	**e1109ab** matches pull requests with a commit SHA that starts with e1109ab. **0eff326d6213c is:merged** matches merged pull requests with a commit SHA that starts with 0eff326d6213c.
size:		
size:n	Code	**function size:>10000 language:python** matches code with the word "function," written in Python, in files that are larger than 10 KB.
size:n	Repositories	**size:1000** matches repositories that are 1 MB exactly. **size:>=30000** matches repositories that are at least 30 MB. **size:<50** matches repositories that are smaller than 50 KB. **size:50..120** matches repositories that are between 50 KB and 120 KB. **size:>=30000** matches repositories that are at least 30 MB. **size:<50** matches repositories that are smaller than 50 KB. **size:50..120** matches repositories that are between 50 KB and 120 KB.
stars:		
stars:n	Repositories	**stars:500** matches repositories with exactly 500 stars. **stars:10..20** matches repositories 10 to 20 stars, that are smaller than 1000 KB. **stars:>=500 fork:true language:php** matches repositories with the at least 500 stars, including forked ones, that are written in PHP.
state:		
state:closed	Issues & Pull requests	**design state:closed in:body** matches closed issues with the word "design" in the body.
state:open	Issues & Pull requests	**libraries state:open mentions:vmg** matches open issues that mention @vmg with the word "libraries."
status:		

The Big List of GitHub Search Operators

status:failure	Issues & Pull requests	**created:2015-05-01..2015-05-30 status:failure** matches pull requests opened on May 2015 with a failed status.
status:pending	Issues & Pull requests	**language:go status:pending** matches pull requests opened into Go repositories where the status is pending.
status:success	Issues & Pull requests	**is:open status:success finally in:body** matches open pull requests with the word "finally" in the body with a successful status.
team-review-requested:		
team-review-requested:TEAMNAME	Issues & Pull requests	**type:pr review-requested:atom/design** matches pull requests that have review requests from the team atom/design. Requested reviewers are no longer listed in the search results after they review a pull request.
team:		
team:ORGNAME/TEAMNAME	Issues & Pull requests	**team:jekyll/owners** matches issues where the @jekyll/owners team is mentioned. **team:myorg/ops is:open is:pr** matches open pull requests where the @myorg/ops team is mentioned.
topic:		
topic:TOPIC	Repositories	**topic:jekyll** matches repositories that have been classified with the topic "jekyll."
tree:		
tree:HASH	Commits	**tree:99ca967** matches commits that refer to the tree hash 99ca967
type:		
type:issue	Issues & Pull requests	**github commenter:defunkt type:issue** matches issues that contain the word "github," and have a comment by @defunkt.
type:org	Users	**data in:email type:org** matches organizations with the word "data" in their email.
type:pr	Issues & Pull requests	**cat type:pr** matches pull requests with the word "cat."
type:user	Users	**mike in:name created:<2011-01-01 type:user** matches personal accounts named "mike" that were created before 2011.
updated:		
updated:YYYY-MM-DD	Issues & Pull requests	**weird in:body updated:>=2013-02-01** matches issues with the word "weird" in the body that were updated after February 2013.
updated:YYYY-MM-DD	Wikis	**usage updated:>2016-01-01** matches wiki pages with the word "usage" that were last updated after 2016-01-01.
user:		
user:USERNAME	Code	**user:defunkt extension:rb** matches code from @defunkt that ends in .rb .
user:USERNAME	Commits	**gibberish user:defunkt** matches commit messages with the word "gibberish" in repositories owned by @defunkt.
user:USERNAME	Issues & Pull requests	**user:defunkt ubuntu** matches issues with the word "ubuntu" from repositories owned by @defunkt.
user:USERNAME	Repositories	**user:defunkt forks:>100** matches repositories from @defunkt that have more than 100 forks.
user:USERNAME	Wikis	**user:defunkt** matches wiki pages from repositories owned by @defunkt.

Susanna Frazier   me@ohsusannamarie.com   ohsusannamarie.com

Sofia Broberger   me@sofiabroberger.se   sofiabroberger.se