

*For More Than 75 Years*



# Wholesale Pricelist

Effective July 2018

*Samples Available Upon Request*

TEL (323) 759-9156    TOLL FREE: (855) 759-5900    FAX (323) 758-4071

1258 WEST 58TH STREET • LOS ANGELES, CALIFORNIA 90037

[WWW.FOSTERPLANINGMILL.COM](http://WWW.FOSTERPLANINGMILL.COM)

# BASSWOOD

| Moulding<br>Number | 1 - 99<br>Lin Ft | 100 - 499<br>Lin Ft | 500 - 999<br>Lin Ft | Miter<br>Cut | Moulding<br>Number | 1 - 99<br>Lin Ft | 100 - 499<br>Lin Ft | 500 - 999<br>Lin Ft | Miter<br>Cut | Moulding<br>Number | 1 - 99<br>Lin Ft | 100 - 499<br>Lin Ft | 500 - 999<br>Lin Ft | Miter<br>Cut |
|--------------------|------------------|---------------------|---------------------|--------------|--------------------|------------------|---------------------|---------------------|--------------|--------------------|------------------|---------------------|---------------------|--------------|
| 11                 | 5.18             | 4.25                | 3.54                | 7.77         | 606-3"             | 3.76             | 3.08                | 2.58                | 5.64         | 720                | 1.82             | 1.49                | 1.24                | 2.73         |
| 23                 | 3.85             | 3.16                | 2.63                | 5.78         | 606-3-1/2"         | 4.11             | 3.36                | 2.81                | 6.17         | 722                | 3.85             | 3.16                | 2.63                | 5.78         |
| 43                 | 5.37             | 4.40                | 3.67                | 8.06         | 606-4"             | 4.50             | 3.69                | 3.07                | 6.75         | 723                | 4.07             | 3.33                | 2.78                | 6.11         |
| 44                 | 8.33             | 7.18                | 5.98                | 12.50        | 606-4-1/2"         | 4.98             | 4.08                | 3.40                | 7.47         | 724                | 4.68             | 3.84                | 3.20                | 7.02         |
| 46                 | 3.85             | 3.16                | 2.63                | 5.78         | 606-5-1/2"         | 5.87             | 4.81                | 4.02                | 8.81         | 725                | 4.15             | 3.40                | 2.83                | 6.23         |
| 52                 | 4.19             | 3.43                | 2.87                | 6.29         | 608                | 5.34             | 4.39                | 3.65                | 8.01         | 726                | 2.81             | 2.30                | 1.91                | 4.22         |
| 66                 | 3.20             | 2.62                | 2.19                | 4.80         | 611                | 3.78             | 3.10                | 2.58                | 5.67         | 727                | 3.11             | 2.56                | 2.13                | 4.67         |
| 95                 | 7.92             | 6.77                | 5.64                | 11.88        | 612                | 2.08             | 1.70                | 1.42                | 3.12         | 728                | 2.78             | 2.28                | 1.90                | 4.17         |
| 95 Sugar Pine      | 9.87             | 8.72                | 7.27                | 14.81        | 616                | 3.05             | 2.50                | 2.08                | 4.58         | 729                | 3.28             | 2.69                | 2.21                | 4.92         |
| 120                | 4.89             | 4.00                | 3.34                | 7.34         | 618                | 8.76             | 7.61                | 6.34                | 13.14        | 730                | 3.39             | 2.78                | 2.32                | 5.09         |
| 137                | 6.46             | 5.31                | 4.42                | 9.69         | 619                | 4.22             | 3.46                | 2.89                | 6.33         | 731                | 2.59             | 2.12                | 1.76                | 3.89         |
| 143                | 3.66             | 3.00                | 2.50                | 5.49         | 621                | 4.40             | 3.61                | 3.01                | 6.60         | 732                | 2.65             | 2.18                | 1.81                | 3.98         |
| 143 - Tall         | 5.26             | 4.32                | 3.59                | 7.89         | 622                | 3.02             | 2.47                | 2.05                | 4.53         | 733-1-1/2"         | 2.78             | 2.28                | 1.90                | 4.17         |
| 150                | 3.08             | 2.53                | 2.10                | 4.62         | 625                | 2.08             | 1.70                | 1.42                | 3.12         | 733-2"             | 3.06             | 2.51                | 2.09                | 4.59         |
| 152                | 3.57             | 2.93                | 2.44                | 5.36         | 632                | 2.81             | 2.30                | 1.91                | 4.22         | 733-2-1/2"         | 3.39             | 2.78                | 2.32                | 5.09         |
| 161                | 3.08             | 2.53                | 2.1                 | 4.62         | 635                | 3.78             | 3.10                | 2.58                | 5.67         | 734                | 3.39             | 2.78                | 2.32                | 5.09         |
| 172                | 3.85             | 3.15                | 2.63                | 5.78         | 636                | 5.23             | 4.29                | 3.57                | 7.85         | 735                | 3.37             | 2.76                | 2.30                | 5.06         |
| 172 - Lg.          | 5.23             | 4.29                | 3.57                | 7.85         | 638                | 2.08             | 1.70                | 1.42                | 3.12         | 736                | 2.83             | 2.31                | 1.93                | 4.25         |
| 174                | 3.42             | 2.80                | 2.34                | 5.13         | 639                | 5.47             | 4.48                | 3.73                | 8.21         | 737                | 3.66             | 3.00                | 2.50                | 5.49         |
| 175                | 2.69             | 2.21                | 1.84                | 4.04         | 642                | 1.73             | 1.42                | 1.19                | 2.60         | 738                | 4.35             | 3.57                | 2.97                | 6.53         |
| 178                | 2.81             | 2.30                | 1.91                | 4.22         | 644                | 2.54             | 2.08                | 1.74                | 3.81         | 739                | 4.93             | 4.05                | 3.37                | 7.40         |
| 179                | 3.06             | 2.51                | 2.09                | 4.59         | 645                | 3.39             | 2.78                | 2.32                | 5.09         | 740                | 2.24             | 1.84                | 1.53                | 3.36         |
| 180                | 2.62             | 2.15                | 1.79                | 3.93         | 646                | 1.89             | 1.54                | 1.29                | 2.84         | 741                | 2.27             | 1.85                | 1.55                | 3.41         |
| 181 - Liner        | 3.24             | 2.65                | 2.20                | 4.86         | 647                | 4.93             | 4.04                | 3.37                | 7.40         | 742-3/8"           | 2.54             | 2.08                | 1.74                | 3.81         |
| 181 - Stem         | 2.83             | 2.31                | 1.93                | 4.25         | 648                | 1.73             | 1.42                | 1.19                | 2.60         | 742-1/2"           | 2.94             | 2.41                | 2.01                | 4.41         |
| 220                | 2.50             | 2.05                | 1.71                | 3.75         | 649                | 4.63             | 3.81                | 3.17                | 6.95         | 742-5/8"           | 2.97             | 2.43                | 2.03                | 4.46         |
| 230                | 2.93             | 2.40                | 2.00                | 4.40         | 652                | 4.54             | 3.72                | 3.10                | 6.81         | 742-B              | 1.62             | 1.32                | 1.10                | 2.43         |
| 231                | 1.89             | 1.54                | 1.29                | 2.84         | 653                | 2.81             | 2.30                | 1.91                | 4.22         | 743                | 6.22             | 5.10                | 4.25                | 9.33         |
| 246                | 2.52             | 2.06                | 1.73                | 3.78         | 654                | 2.08             | 1.70                | 1.43                | 3.12         | 744                | 3.66             | 3.00                | 2.50                | 5.49         |
| 254                | 2.08             | 1.70                | 1.42                | 3.12         | 654-3/4"           | 1.89             | 1.54                | 1.29                | 2.84         | 745                | 4.16             | 3.41                | 2.84                | 6.24         |
| 255                | 2.60             | 2.14                | 1.78                | 3.9          | 657                | 3.83             | 3.14                | 2.62                | 5.75         | 750                | 5.34             | 4.39                | 3.65                | 8.01         |
| 256                | 1.82             | 1.49                | 1.24                | 2.73         | 660                | 4.62             | 3.79                | 3.16                | 6.93         | 755                | 3.85             | 3.15                | 2.63                | 5.78         |
| 257                | 1.82             | 1.49                | 1.24                | 2.73         | 663                | 5.43             | 4.45                | 3.70                | 8.15         | 756                | 5.46             | 4.47                | 3.74                | 8.19         |
| 258                | 1.73             | 1.42                | 1.19                | 2.60         | 666                | 2.59             | 2.12                | 1.76                | 3.89         | 757-A (Scoop)      | 6.46             | 5.31                | 4.42                | 9.69         |
| 259                | 1.73             | 1.42                | 1.19                | 2.60         | 668                | 1.73             | 1.42                | 1.19                | 2.60         | 757-B (Cap)        | 4.05             | 3.33                | 2.77                | 6.08         |
| 260                | 1.64             | 1.34                | 1.12                | 2.46         | 669                | 1.73             | 1.42                | 1.19                | 2.60         | 758                | 6.70             | 5.55                | 4.63                | 10.05        |
| 261                | 1.73             | 1.42                | 1.19                | 2.60         | 670                | 5.30             | 4.35                | 3.62                | 7.95         | 759                | 4.77             | 3.91                | 3.27                | 7.16         |
| 265                | 1.64             | 1.34                | 1.12                | 2.46         | 673                | 2.08             | 1.70                | 1.42                | 3.12         | 760                | 4.99             | 4.09                | 3.41                | 7.49         |
| 266                | 1.73             | 1.42                | 1.19                | 2.60         | 675                | 3.06             | 2.51                | 2.09                | 4.59         | 761                | 7.02             | 5.87                | 4.89                | 10.53        |
| 268                | 1.82             | 1.49                | 1.24                | 2.73         | 676                | 3.11             | 2.56                | 2.13                | 4.67         | 762                | 6.91             | 5.76                | 4.80                | 10.37        |
| 286                | 1.82             | 1.49                | 1.24                | 2.73         | 677-1/2"           | 1.73             | 1.42                | 1.19                | 2.60         | 763                | 4.91             | 4.02                | 3.35                | 7.37         |
| 297                | 2.08             | 1.70                | 1.42                | 3.12         | 677-3/4"           | 1.89             | 1.54                | 1.29                | 2.84         | 764                | 6.23             | 5.11                | 4.25                | 9.35         |
| 297 - 2"           | 3.08             | 2.53                | 2.10                | 4.62         | 677-1"             | 2.08             | 1.70                | 1.43                | 3.12         | 765-1"             | 2.83             | 2.32                | 1.93                | 4.25         |
| 297 - A            | 2.81             | 2.30                | 1.91                | 4.22         | 677-1-1/2"         | 2.83             | 2.31                | 1.93                | 4.25         | 765-1-1/4"         | 3.07             | 2.52                | 2.09                | 4.61         |
| 297 - B            | 2.54             | 2.08                | 1.73                | 3.81         | 678                | 7.13             | 5.98                | 4.98                | 10.70        | 766                | 4.17             | 3.42                | 2.85                | 6.26         |
| 312                | 1.73             | 1.42                | 1.19                | 2.60         | 680                | 4.57             | 3.75                | 3.12                | 6.86         | 767                | 5.42             | 4.44                | 3.69                | 8.13         |
| 344                | 5.29             | 4.34                | 3.61                | 7.94         | 681                | 3.85             | 3.16                | 2.63                | 5.78         | 768                | 3.85             | 3.15                | 2.63                | 5.78         |
| 352                | 2.08             | 1.70                | 1.42                | 3.12         | 682                | 2.56             | 2.10                | 1.75                | 3.84         | 769                | 4.15             | 3.40                | 2.84                | 6.23         |
| 355                | 1.82             | 1.49                | 1.24                | 2.73         | 682-3"             | 3.83             | 3.14                | 2.61                | 5.75         | 770                | 5.23             | 4.29                | 3.57                | 7.85         |
| 358                | 7.79             | 6.64                | 5.54                | 11.69        | 683                | 2.98             | 2.44                | 2.04                | 4.47         | 801                | 2.83             | 2.31                | 1.93                | 4.25         |
| 380                | 3.35             | 2.75                | 2.29                | 5.03         | 685                | 6.97             | 5.82                | 4.85                | 10.46        | 802                | 3.32             | 2.73                | 2.28                | 4.98         |
| 384                | 2.60             | 2.14                | 1.78                | 3.90         | 690                | 4.52             | 3.70                | 3.09                | 6.78         | 803                | 3.24             | 2.66                | 2.21                | 4.86         |
| 397                | 3.37             | 2.76                | 2.30                | 5.06         | 690 - Lg.          | 9.68             | 8.53                | 7.11                | 14.52        | 804                | 4.14             | 3.39                | 2.83                | 6.21         |
| 421                | 4.11             | 3.37                | 2.81                | 6.17         | 692                | 2.86             | 2.35                | 1.95                | 4.29         | 805-3/4"           | 1.82             | 1.48                | 1.24                | 2.73         |
| 422                | 2.54             | 2.08                | 1.73                | 3.81         | 693                | 2.13             | 1.74                | 1.45                | 3.20         | 805-1"             | 2.08             | 1.70                | 1.43                | 3.12         |
| 422 - Sm.          | 1.73             | 1.42                | 1.19                | 2.60         | 694                | 2.10             | 1.72                | 1.44                | 3.15         | 805-1-1/4"         | 2.54             | 2.08                | 1.74                | 3.81         |
| 438                | 2.83             | 2.31                | 1.93                | 4.25         | 695                | 2.59             | 2.12                | 1.76                | 3.89         | 806                | 2.42             | 1.98                | 1.64                | 3.63         |
| 468                | 4.23             | 3.47                | 2.90                | 6.35         | 700                | 1.93             | 1.59                | 1.32                | 2.90         | 808                | 3.86             | 3.17                | 2.64                | 5.79         |
| 500                | 2.84             | 2.33                | 1.94                | 4.26         | 700 - Thin         | 2.13             | 1.74                | 1.45                | 3.20         | 810                | 4.77             | 3.91                | 3.25                | 7.16         |
| 502                | 2.59             | 2.12                | 1.76                | 3.89         | 701-2"             | 3.06             | 2.51                | 2.09                | 4.59         | 811                | 5.34             | 4.37                | 3.65                | 8.01         |
| 525                | 5.70             | 4.68                | 3.89                | 8.55         | 701-2-1/2"         | 3.37             | 2.76                | 2.30                | 5.06         | 812                | 5.43             | 4.45                | 3.70                | 8.15         |
| 527                | 6.95             | 5.80                | 4.83                | 10.43        | 701-3"             | 3.81             | 3.12                | 2.60                | 5.72         | 813                | 3.37             | 2.76                | 2.30                | 5.06         |
| 528                | 2.08             | 1.70                | 1.42                | 3.12         | 701-3-3/4"         | 4.40             | 3.61                | 3.01                | 6.60         | 814                | 3.37             | 2.76                | 2.30                | 5.06         |
| 530                | 1.14             | 0.93                | 0.78                | 1.71         | 702                | 3.02             | 2.47                | 2.06                | 4.53         | 815                | 3.37             | 2.76                | 2.30                | 5.06         |
| 535                | 1.82             | 1.49                | 1.24                | 2.73         | 703                | 1.82             | 1.49                | 1.24                | 2.73         | 816                | 3.37             | 2.76                | 2.30                | 5.06         |
| 543                | 2.50             | 2.05                | 1.71                | 3.75         | 704                | 1.73             | 1.42                | 1.19                | 2.60         | 829                | 2.76             | 2.27                | 1.89                | 4.14         |
| 564                | 3.76             | 3.08                | 2.58                | 5.64         | 706                | 2.91             | 2.38                | 1.99                | 4.37         | 3/4" Duck          | 1.89             | 1.54                | 1.29                | 2.84         |
| 576                | 6.43             | 5.28                | 4.39                | 9.65         | 707-1"             | 2.08             | 1.70                | 1.42                | 3.12         | 1-1/2" Duck        | 2.93             | 2.40                | 2.00                | 4.40         |
| 579                | 2.74             | 2.25                | 1.88                | 4.11         | 707-1-1/2"         | 2.81             | 2.30                | 1.91                | 4.22         | Fillet #1 (Bead)   | 1.23             | 1.00                | 0.84                | 1.85         |
| 581                | 1.89             | 1.54                | 1.29                | 2.84         | 708                | 1.97             | 1.61                | 1.35                | 2.96         | Fillet #2 (Scoop)  | 1.23             | 1.00                | 0.84                | 1.85         |
| 587                | 3.39             | 2.78                | 2.32                | 5.09         | 709                | 5.44             | 4.46                | 3.71                | 8.16         | Kaiser             | 2.98             | 2.44                | 2.04                | 4.47         |
| 588                | 1.82             | 1.49                | 1.24                | 2.73         | 710 - Lg.          | 5.53             | 4.53                | 3.77                | 8.30         | Small Spacer       | 1.62             | 1.32                | 1.10                | 2.43         |
| 589                | 4.65             | 3.81                | 3.18                | 6.98         | 710 - Sm.          | 4.05             | 3.33                | 2.77                | 6.08         | Large Spacer       | 1.84             | 1.51                | 1.25                | 2.76         |
| 592                | 3.85             | 3.16                | 2.63                | 5.78         | 711 - Lg.          | 6.50             | 5.35                | 4.45                | 9.75         | 1 x 2 S4S          | 2.30             | 1.89                | 1.56                | 3.45         |
| 593                | 2.38             | 1.95                | 1.63                | 3.57         | 711 - Sm.          | 4.65             | 3.81                | 3.18                | 6.98         | 1-1/4" Wedge       | 0.98             | 0.79                | 0.67                | 1.47         |
| 594                | 3.35             | 2.75                | 2.29                | 5.03         | 712                | 4.78             | 3.92                | 3.26                | 7.17         | 1-3/4" Wedge       | 1.01             | 0.84                | 0.69                | 1.52         |
| 595                | 3.22             | 2.63                | 2.20                | 4.83         | 713                | 3.88             | 3.18                | 2.65                | 5.82         | 2" Wedge           | 1.07             | 0.89                | 0.74                | 1.61         |
| 597                | 3.05             | 2.50                | 2.08                | 4.58         | 714                | 3.61             | 2.95                | 2.47                | 5.42         | 2" Barstock        | 1.44             | 1.17                | 0.98                | 2.16         |
| 599                | 2.83             | 2.31                | 1.93                | 4.25         | 715                | 2.78             | 2.27                | 1.89                | 4.17         | 3" Barstock        | 2.99             | 2.45                | 2.04                | 4.49         |
| 603                | 4.76             | 3.91                | 3.25                | 7.14         | 716                | 2.98             | 2.44                | 2.04                | 4.47         | Dual-Size Barstock | 2.98             | 2.44                | 2.04                | 4.47         |
| 606-2"             | 3.11             | 2.56                | 2.13                | 4.67         | 717                | 1.82             | 1.49                | 1.24                | 2.73         | 1-3/4" Barcap      | 2.84             | 2.33                | 1.94                | 4.26         |
| 606-2-1/2"         | 3.42             | 2.80                | 2.34                | 5.13         | 719                | 2.78             | 2.28                | 1.90                | 4.17         |                    |                  |                     |                     |              |

## DECORATIVE HARDWOODS

| Moulding<br>Number | 1 - 99<br>Lin Ft | 100 - 499<br>Lin Ft | 500 - 999<br>Lin Ft | Miter<br>Cut | Moulding<br>Number | 1 - 99<br>Lin Ft | 100 - 499<br>Lin Ft | 500 - 999<br>Lin Ft | Miter<br>Cut | Moulding<br>Number | 1 - 99<br>Lin Ft | 100 - 499<br>Lin Ft | 500 - 999<br>Lin Ft | Miter<br>Cut |
|--------------------|------------------|---------------------|---------------------|--------------|--------------------|------------------|---------------------|---------------------|--------------|--------------------|------------------|---------------------|---------------------|--------------|
| WHITE MAPLE        |                  |                     |                     |              | OAK                |                  |                     |                     |              | WALNUT             |                  |                     |                     |              |
| 178                | 3.89             | 3.19                | 2.66                | 5.84         | 254                | 2.56             | 2.10                | 1.75                | 3.84         | 254                | 3.22             | 2.63                | 2.20                | 4.83         |
| 254                | 3.13             | 2.57                | 2.14                | 4.70         | 255                | 3.32             | 2.73                | 2.28                | 4.98         | 255                | 4.14             | 3.39                | 2.83                | 6.21         |
| 256                | 2.67             | 2.19                | 1.83                | 4.01         | 256                | 2.19             | 1.80                | 1.50                | 3.29         | 256                | 2.81             | 2.30                | 1.91                | 4.22         |
| 258                | 2.47             | 2.02                | 1.69                | 3.71         | 257                | 2.19             | 1.80                | 1.50                | 3.29         | 258                | 2.59             | 2.12                | 1.76                | 3.89         |
| 422                | 3.69             | 3.02                | 2.52                | 5.54         | 258                | 2.08             | 1.70                | 1.43                | 3.12         | 260                | 2.38             | 1.95                | 1.63                | 3.57         |
| 422-Small          | 2.56             | 2.10                | 1.75                | 3.84         | 259                | 2.08             | 1.70                | 1.43                | 3.12         | 422                | 3.96             | 3.25                | 2.71                | 5.94         |
| 530                | 1.69             | 1.38                | 1.15                | 2.54         | 422                | 3.22             | 2.63                | 2.20                | 4.83         | 422-Small          | 2.67             | 2.19                | 1.83                | 4.01         |
| 599                | 3.89             | 3.19                | 2.66                | 5.84         | 422-Small          | 2.47             | 2.02                | 1.69                | 3.71         | 530                | 1.77             | 1.45                | 1.21                | 2.66         |
| 606--2"            | 4.51             | 3.69                | 3.08                | 6.77         | 530                | 1.38             | 1.13                | 0.94                | 2.07         | 599                | 4.46             | 3.66                | 3.05                | 6.69         |
| 606--3"            | 6.26             | 5.13                | 4.27                | 9.39         | 593                | 2.83             | 2.31                | 1.93                | 4.25         | 606--2"            | 5.36             | 4.39                | 3.67                | 8.04         |
| 675                | 4.37             | 3.58                | 2.98                | 6.56         | 606--2"            | 4.08             | 3.35                | 2.78                | 6.12         | 606--3"            | 7.49             | 6.34                | 5.28                | 11.24        |
| 682                | 4.14             | 3.39                | 2.83                | 6.21         | 616                | 3.83             | 3.14                | 2.62                | 5.75         | 616                | 5.01             | 4.11                | 3.43                | 7.52         |
| 682--3"            | 6.31             | 5.17                | 4.31                | 9.47         | 622                | 3.90             | 3.20                | 2.67                | 5.85         | 675                | 5.28             | 4.33                | 3.60                | 7.92         |
| 700                | 3.01             | 2.47                | 2.06                | 4.52         | 625                | 2.56             | 2.10                | 1.75                | 3.84         | 676                | 5.36             | 4.39                | 3.67                | 8.04         |
| 700-Thin           | 3.48             | 2.85                | 2.38                | 5.22         | 675                | 3.94             | 3.23                | 2.70                | 5.91         | 682                | 4.58             | 3.75                | 3.13                | 6.87         |
| 702                | 4.34             | 3.56                | 2.96                | 6.51         | 676                | 4.00             | 3.28                | 2.72                | 6.00         | 682--3"            | 7.45             | 6.30                | 5.24                | 11.18        |
| 708                | 2.66             | 2.18                | 1.82                | 3.99         | 677--3/4"          | 2.35             | 1.92                | 1.60                | 3.53         | 700                | 3.65             | 2.99                | 2.50                | 5.48         |
| 715                | 3.88             | 3.18                | 2.65                | 5.82         | 677--1"            | 2.56             | 2.10                | 1.74                | 3.84         | 700-Thin           | 3.70             | 3.04                | 2.53                | 5.55         |
| 719                | 3.86             | 3.17                | 2.64                | 5.79         | 677--1-1/2"        | 3.58             | 2.94                | 2.45                | 5.37         | 708                | 2.84             | 2.33                | 1.94                | 4.26         |
| 728                | 3.85             | 3.16                | 2.63                | 5.78         | 682                | 3.65             | 2.99                | 2.49                | 5.48         | 715                | 4.44             | 3.65                | 3.04                | 6.66         |
| 735                | 5.50             | 4.51                | 3.76                | 8.25         | 682--3"            | 5.47             | 4.49                | 3.74                | 8.21         | 719                | 4.42             | 3.63                | 3.03                | 6.63         |
| 740                | 3.98             | 3.27                | 2.71                | 5.97         | 700                | 2.45             | 2.01                | 1.68                | 3.68         | 735                | 6.79             | 5.64                | 4.70                | 10.19        |
| 741                | 4.00             | 3.28                | 2.74                | 6.00         | 702                | 3.91             | 3.21                | 2.67                | 5.87         | 740                | 4.54             | 3.72                | 3.10                | 6.81         |
| 742--3/8"          | 4.90             | 4.01                | 3.35                | 7.35         | 708                | 2.47             | 2.02                | 1.69                | 3.71         | 741                | 4.57             | 3.74                | 3.12                | 6.86         |
| 742--1/2"          | 5.22             | 4.28                | 3.56                | 7.83         | 726                | 3.58             | 2.94                | 2.45                | 5.37         | 742--3/8"          | 6.01             | 4.93                | 4.10                | 9.02         |
| 742--5/8"          | 5.23             | 4.29                | 3.58                | 7.85         | 3/4" Duck          | 2.19             | 1.80                | 1.50                | 3.29         | 742--1/2"          | 6.39             | 5.24                | 4.37                | 9.59         |
| 742-B              | 2.65             | 2.17                | 1.81                | 3.98         | 1-1/2" Duck        | 3.78             | 3.10                | 2.59                | 5.67         | 742--5/8"          | 6.41             | 5.26                | 4.39                | 9.62         |
| 768                | 5.24             | 4.30                | 3.58                | 7.86         |                    |                  |                     |                     |              | 742-B              | 3.01             | 2.47                | 2.06                | 4.52         |
| 769                | 6.73             | 5.58                | 4.65                | 10.10        |                    |                  |                     |                     |              | 768                | 6.49             | 5.34                | 4.45                | 9.74         |
| 770                | 8.67             | 7.52                | 6.27                | 13.01        |                    |                  |                     |                     |              | 769                | 7.58             | 6.43                | 5.36                | 11.37        |
| 801                | 3.76             | 3.08                | 2.58                | 5.64         | 530                | 1.60             | 1.31                | 1.09                | 2.40         | 801                | 4.08             | 3.35                | 2.78                | 6.12         |
| 806                | 3.40             | 2.79                | 2.32                | 5.10         | 700                | 2.69             | 2.21                | 1.84                | 4.04         | 806                | 4.04             | 3.32                | 2.76                | 6.06         |
| Kaiser             | 4.21             | 3.45                | 2.88                | 6.32         |                    |                  |                     |                     |              | 1-1/2" Duck        | 4.90             | 4.01                | 3.35                | 7.35         |
|                    |                  |                     |                     |              |                    |                  |                     |                     |              | Kaiser             | 5.01             | 4.10                | 3.43                | 7.52         |
| ASH                |                  |                     |                     |              | PURPLEHEART        |                  |                     |                     |              | EURO BEECH         |                  |                     |                     |              |
| 530                | 1.38             | 1.13                | 0.94                | 2.07         | 530                | 1.51             | 1.24                | 1.04                | 2.27         | 530                | 1.38             | 1.13                | 0.94                | 2.07         |
| 599                | 3.37             | 2.76                | 2.30                | 5.06         | 700                | 3.93             | 3.22                | 2.68                | 5.90         | 606--2"            | 4.16             | 3.40                | 2.84                | 6.24         |
| 675                | 3.81             | 3.12                | 2.60                | 5.72         |                    |                  |                     |                     |              | 682                | 3.90             | 3.20                | 2.67                | 5.85         |
| 682                | 3.65             | 2.99                | 2.49                | 5.48         |                    |                  |                     |                     |              | 700                | 2.76             | 2.27                | 1.89                | 4.14         |
| 700                | 2.45             | 2.01                | 1.68                | 3.68         |                    |                  |                     |                     |              | 740                | 3.40             | 2.78                | 2.32                | 5.10         |
| 728                | 3.32             | 2.73                | 2.28                | 4.98         |                    |                  |                     |                     |              | 741                | 3.42             | 2.81                | 2.34                | 5.13         |
| 731                | 3.08             | 2.53                | 2.10                | 4.62         |                    |                  |                     |                     |              |                    |                  |                     |                     |              |
| Kaiser             | 3.68             | 3.01                | 2.51                | 5.52         |                    |                  |                     |                     |              |                    |                  |                     |                     |              |
| PADAUK             |                  |                     |                     |              | CHERRY             |                  |                     |                     |              |                    |                  |                     |                     |              |
| 530                | 1.53             | 1.25                | 1.05                | 2.30         | 530                | 1.94             | 1.60                | 1.33                | 2.91         |                    |                  |                     |                     |              |
| 700                | 4.69             | 3.84                | 3.20                | 7.04         | 700                | 4.05             | 3.33                | 2.77                | 6.08         |                    |                  |                     |                     |              |
|                    |                  |                     |                     |              | 741                | 5.37             | 4.40                | 3.67                | 8.06         |                    |                  |                     |                     |              |

## Discounts and Special Pricing

1. Prices shown are discounted by quantity ordered of each separate profile:  
1 - 99 feet, 100 - 499 feet, 500 - 999 feet.
2. For larger quantities of a single profile:  
1000 - 1999 feet: deduct 10% per foot from the 500-foot price (rounded to the nearest penny).  
2000 - 2999 feet: deduct 15% per foot from the 500-foot price (rounded to the nearest penny).  
3000 feet and over: deduct 20% per foot from the 500-foot price (rounded to the nearest penny).  
Please call for a quote on larger single-profile quantities.
3. Discounts on assorted bundles of stock patterns:  
(applies only to those patterns ordered in quantities of less than 500 feet each)  
500 - 999 lineal feet: deduct 3%  
1000 lineal feet or more: deduct 6%
4. "Single Profile" and "Assorted Bundle" discounts cannot be combined.
5. "Special Handling" requests carry an additional 35% charge.

Prices Subject To Change Without Notice




## CANVAS STRETCHER BARS

(Each bar set comes with appropriate stretcher keys)

### 2" REGULAR BARS

| Bar Size     | 1 - 49       | 50 Or More Bars |
|--------------|--------------|-----------------|
|              | of Same Size | of Same Size    |
| 9" to 12"    | 1.38 per bar | 1.09 per bar    |
| 13" to 18"   | 1.98         | 1.69            |
| 19" to 24"   | 2.61         | 2.32            |
| 25" to 30"   | 3.29         | 3.00            |
| 31" to 36"   | 3.98         | 3.69            |
| 37" to 42"   | 4.70         | 4.41            |
| 43" to 50"   | 5.75         | 5.46            |
| 51" to 60"   | 7.25         | 6.96            |
| 61" to 70"   | 9.22         | 8.93            |
| 71" to 80"   | 11.99        | 11.70           |
| 81" to 90"   | 15.66        | 15.37           |
| 91" to 100"  | 20.27        | 19.98           |
| 101" to 110" | 26.45        | 26.16           |
| 111" to 120" | 35.20        | 34.91           |

Fractional inches for 2" Bars = \$0.10 extra  
 Individual 2" Bar Sets = \$3.00 extra per set  
 Crossbars are priced the same as the bar sizes listed above  
 (Note: 2" crossbars do NOT have keys)  
 Each crossbar joint -- \$4.00 extra  
 Keys \$9.20 per 500 pieces




**2" Regular Bar**  
 3/4" x 1-11/16"

### 3" LARGE BARS

|              |              |
|--------------|--------------|
| Up to 30"    | 6.61 per bar |
| 31" to 40"   | 9.78         |
| 41" to 50"   | 13.54        |
| 51" to 60"   | 17.64        |
| 61" to 70"   | 22.28        |
| 71" to 80"   | 27.42        |
| 81" to 90"   | 33.06        |
| 91" to 100"  | 39.39        |
| 101" to 110" | 46.61        |
| 111" to 120" | 54.27        |
| 121" to 130" | 62.13        |
| 131" to 140" | 70.21        |
| 141" to 150" | 78.96        |
| 151" to 160" | 88.14        |
| 161" to 170" | 98.00        |
| 171" to 180" | 109.30       |

Crossbars are priced the same as the bar sizes listed above  
 Each crossbar joint -- \$4.00 extra  
 Keys \$9.75 per 500 pieces




**3" Large Bar**  
 1-1/16" x 2-3/8"

### 3" LARGE BARS WITH 1-3/4" CAP

|              |               |
|--------------|---------------|
| Up to 30"    | 22.37 per bar |
| 31" to 40"   | 31.02         |
| 41" to 50"   | 40.34         |
| 51" to 60"   | 50.09         |
| 61" to 70"   | 60.40         |
| 71" to 80"   | 71.22         |
| 81" to 90"   | 82.50         |
| 91" to 100"  | 94.24         |
| 101" to 110" | 106.84        |
| 111" to 120" | 119.98        |
| 121" to 130" | 133.88        |
| 131" to 140" | 148.38        |
| 141" to 150" | 163.68        |
| 151" to 160" | 179.61        |
| 161" to 170" | 196.37        |
| 171" to 180" | 214.65        |

Crossbars are priced as 3" Large Crossbars  
 Keys \$9.75 per 500 pieces



**3" Bar with 1-3/4" Cap**  
 1-3/4" x 2-7/8"