



PRICE LIST

Eco Friendly

EFFECTIVE
March 16, 2020

ORDER DESK

7:00 AM TO 5:00 PM PACIFIC TIME

PHONE: (800) 262-4174

FAX: (888) 894-2151 OR (310) 835-5321

ORDER ON LINE: www.studiomoulding.com

STUDIO MOULDING

Studio Moulding is a designer and distributor of quality mouldings and frames to the Picture Frame Industry. Most of our products are sourced from a factory which practice sustainable harvesting of forests. The factory is FSC (Forest Stewardship Council) and COC (Chain Of Custody) certified company. (Certificate on file). Studio is an ECO FRIENDLY company that strives to help preserve our sensitive environment. Studio's exciting collections of moulding designs is a living, ever changing display to meet your every need, from classic to exciting contemporary. We feel certain that you will be delighted with the exquisite quality of design and craftsmanship in these mouldings. Our 5 distribution centers, with the full line of moulding, are open for your convenience from Monday through Friday, 8 a.m. to 5 p.m. Order desk/Customer Service is open Monday through Friday, 7:00 am to 5:00 pm, Pacific Time.

CUSTOMER QUALIFICATIONS

Studio Moulding Inc. is a wholesale distributor "to the trade only", and it reserves the right to determine the qualifications of a customer to purchase its products. A customer must be in the art and framing business or allied industry and must provide evidence of its legitimacy by way of an appropriate Business License and a Resale Number.

TERMS AND CREDIT - 2%-10 days Net 30



- Credit can be established by completing our credit application, listing three trade references and your bank. Allow two weeks for processing. Open account terms are 2%-10 days, Net 30 based on invoice date. Orders will not be shipped to accounts with past due balances. Checks returned to Studio Moulding for NSF will be charged an additional \$33 processing fee, and \$4 redeposit fee. These charges are bank initiated charges and may change at any time.
- The freight company's C.O.D. charges will be added to all C.O.D. shipments.
- For special orders Studio Moulding requires a signed Purchase Order and a 50% non-refundable deposit at the time the order is placed.
- Visa, Master Card, Discover and American Express cards are acceptable.



ORDERING INFORMATION

PHONE ORDERS - 1-800-262-4174

- Order desk is open from 7:00 a.m. to 5:00 p.m., Pacific Standard Time, Monday through Friday.
- When ordering, please provide your customer number, name of business, and your shipping address. Length / Chop / Straight Cut orders received before 11:00 a.m., based on your local time, will be shipped the same day, high volume orders are exceptions.
- Orders received after 11:00 a.m. will be sent out the following day. Join orders require a minimum of 3 working days for shipment.
- Add-ons on any order will be accepted until 12:00 noon, based on customer's local time. After 12:00 noon add-ons will be processed as new orders and shipped the following day.
- When placing length orders please state the minimum acceptable moulding length you require. We will ship the closest available length(s) of moulding without shipping less than your order.

FAX ORDERS - 1-888-894-2151

- Fax your orders to 1-888-894-2151 or 1-310-835-5321.
- A customer service representative will call you within one hour to confirm the receipt of your fax order. If you do not receive confirmation within one hour please call 1-800-262-4174 to confirm receipt of your order.

ON LINE ORDERS - www.studiomoulding.com

- Orders can now be placed via the Studio web site at www.studiomoulding.com. Click on Place an Order and follow the instructions. Customers are required to have a current Account number and a password. Customers will receive an immediate confirmation of receipt of order by e-mail. Call customer service if you need assistance with your password.

HANDLING CHARGES

- A handling charge of \$4.50 will be added to all orders with invoice values \$35 or less (after discount).

LENGTH

- The minimum order must be full stick, which may vary in length (7 to 10 ft.).
- For UPS shipment, length must be cut 5 ft. or less to avoid extra handling charge of \$15.50.

DISCOUNTS

- 100 – 199 ft assorted receives a 20% discount; 200 ft or more will receive 30% discount.
- For larger quantities please check our Box program price, or you may call your Regional Sales manager or Customer Service at 1-800-262-4174.
- For discontinued or close out mouldings please check our website at www.studiomoulding.com
- Freight orders with invoice amounts greater than \$100 will receive a 5% freight allowance, with a minimum charge of \$7.50/package.

BOX PROGRAM

- All box pricing in the price list are for Full Boxes.

DISCOUNTS

- 1 – 2 Boxes.....Box price as shown on price list.
- 3 – 4 Boxes.....2.5% additional discount off the Box price.
- 5 and More.....5% additional discount off Box price.
- Box discounts also apply to assorted Full Boxes.
- The box quantities listed are an average and box quantities do vary. When ordering Boxes, please indicate the approximate footage needed. Studio will attempt to ship the closest quantities available. Customers will be notified in the event that box quantities requested are drastically different.
- We offer 5% freight allowance with a minimum charge of \$7.50/package for shipping. With these deeply discounted Box prices, freight allowance will remain at 5% regardless of the shipping origin from our distribution centers.

STRAIGHT CUT SERVICE

- The straight cut service provides pre-inspected and pre-cut length, which you would then chop to your specification.
- Place your order based on the frame size.
- Studio will calculate the Straight Cut size for you based on the size of the frame, plus a 1" allowance on each side.

DISCOUNTS FOR ANY ASSORTMENT

- 5 to 9 is 5% discount, 10 to 24 is 10% discount, 25 to 49 receive 20% discount.
- Orders of \$85 or more will be charged \$7.50/package UPS GROUND delivery (Continental U.S. only).
- Outside of the Continental U.S. an order of \$100 or more will receive a 10% freight allowance with a minimum charge of \$7.50/package.

CHOP SERVICE


- All chops will have a standard 1/8-inch allowance (1/16 inch on each side) unless we are directed otherwise. Minimum chop size is 5" per side, with a minimum charge based upon 3 ft.

DISCOUNTS FOR ANY ASSORTMENT

- 5 to 9 frames is 5% discount, 10 to 24 frames is 10% discount, 25 to 49 frames receive 20% discount and 50 or more require special quotation.
- Please call your Regional Sales manager for special quotation or call customer service at 1-800-262-4174.
- Orders of \$85 or more will be charged \$7.50/ package UPS GROUND delivery (Continental U.S. only).
- Outside of the Continental U.S. an order of \$100 or more will receive a 10% freight allowance with a minimum charge of \$7.50/package.


ROUTING SERVICE (Wedges)

- Studio offers a routing service whereby your chops are routed and specially designed plastic inserts are provided to join the frames.
\$5.00 per frame (1 wedge each corner)
\$8.00 per frame (2 or more wedges each corner)



CUTTING INSTRUCTIONS

- Please let us know the size with the following measurement:
- Since fillet and floater require precision measurement it is advisable to order straight cut which you can then trim to your exact size at the time of fitting. This will also help you gain some savings.



JOIN SERVICE

- The service of joining frames is available. Depending on the quantities ordered, joined frames require a minimum of 3 full working days of shipment.

DISCOUNTS FOR ANY ASSORTMENT

- 5 to 9 frames is 5% discount, 10 to 24 frames is 10% discount, 25 to 49 frames receive 20% discount and 50 or more require special quotation.
- Orders of \$85 or more will be charged \$7.50/package UPS Ground delivery (Continental U.S. only).
- Outside of the Continental U.S. an order of \$100 or more will receive a 10% freight allowance with a minimum charge of \$7.50/package.

BACK ORDERS

In case Studio is out of stock at your local warehouse then we will give you the option to ship the products from the nearest alternative distribution center with appropriate shipping charges. In the event that the product is not available nationwide, then the product will be put on BACK ORDER, and once the product is available you will be notified and shipment arrangement will be made at that time.

SHIPPING INFORMATION

All shipping charges are based on prices given by UPS and other freight companies. Studio Moulding subsidizes these charges for customers by giving **5%** freight allowance based on volume or type of purchases. Studio Moulding carries most of the freight burden to encourage customers to buy mouldings.

CHOP / JOIN / STRAIGHT CUT ORDERS

- \$7.50/package UPS Ground delivery charge (Continental U.S. only) on orders of \$85 or more, does NOT include Orange, Blue, Red, Saturday delivery, oversize charges, and extra handling charges or COD charges, or inside delivery charges.
 - Outside of the Continental U.S. an order of \$100 or more will receive a 10% freight allowance with a minimum charge of \$7.50/package.
 - UPS charges an additional handling fee of \$15.50. on packages that are greater than 5 ft.
- NOTE:** Chops, Straight Cut and Join orders combined with any length order will be treated as length orders, and **ONLY** receive a 5% freight allowance with a minimum charge of \$7.50/package.

LENGTH ORDERS

- Orders with invoice amounts greater than \$100 will receive a 5% freight allowance, with a minimum charge of \$7.50/package. Freight allowance does not include inside delivery charges. (i. e. when driver carries the freight into your facility). Because of the deeper discounts Close Out items will not receive freight allowance.
- We only charge \$7.50/package UPS Ground for orders greater than \$100 when cut below 5 ft in length.
- UPS charges an additional handling fee of \$15.50 on packages that are greater than 5 ft.

WILL CALL

Studio requires a minimum of 3 hours on will call orders. If you plan to pick up merchandise at one of our 5 distribution centers, please let us know three hours before your arrival time to avoid waiting. Pick up of large or special orders should be scheduled at the time the order is placed. When making payments for pick-up orders only Checks or Credit Cards will be accepted. Please ask for receipt/invoice with all your orders.

RETURN POLICIES

UPON RECEIPTS OF GOODS

- Inspect contents immediately. Notify Studio Moulding within 5 days of receipt with any errors or damages. Studio will replace the product and issue Call Tags to pick up and return the moulding to the issuing distribution center. Our liability is limited to the repair by us or replacement of any unsatisfactory goods.
- Replacement product will be invoiced and credit will be issued once the returned product has been received at the distribution center. The original invoice must be paid in full.
- All replacements and returns must be made within 30 days of receipt of merchandise. No returns will be accepted after 30 days.
- If any length moulding has defects DO NOT cut the moulding. Return the full stick for replacement. Studio is only responsible for crediting the defective goods. Any lengths that have been cut or altered cannot be returned for credit.
- Chops, Straight Cuts and Joined frames that have evidence that they have been joined or fitted will not be credited.
- Please inspect and verify all chops, straight cuts & join product received for flaws, accuracy of dimensions and correct item number. Call Studio if there are any problems and we will replace the product.
- We request that ALL returned merchandise be adequately packed so that they will not be further damaged on their return trip. NO returns will be accepted that have been improperly packaged.
- Studio Moulding must authorize ALL returns, please call Customer Service (1-800-262-4174) option # 2 and Studio will authorize a freight pick-up or Call Tag Request.

DAMAGED SHIPMENT BY CARRIER

If your shipment arrives and the packaging has obvious damage:

- Refuse delivery and notify Studio immediately. We will replace the products.
- Accept delivery but note on the Bill of Lading that the box is damaged. Keep box for inspection. Upon inspection if you find that some of the goods were damaged notify Studio and we will arrange for pick up and credit. We will require a copy of the delivery receipt in order for us to place a damaged goods claims from the freight carrier.

CANCELLATION OF ORDERS

- Length orders: Studio Moulding will charge 25% restocking fee on returned merchandise. Customer is responsible for any freight charges of returned products.
- Chops, straight cuts, joins orders are final.
- ALL purchase of special sale merchandise, close outs or discontinued are final.

Prices



ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
100	1.41	2.18	2.96	4.23	N/A	N/A	J-1A	240-134	3.33	4.80	6.26	8.02	1.83	228	A-31A
110	1.41	2.18	2.96	4.23	N/A	N/A	J-1A	241-120	4.11	5.73	7.36	9.39	2.26	228	A-31A
130	1.41	2.18	2.96	4.23	N/A	N/A	J-1A	241-128	4.11	5.73	7.36	9.39	2.26	228	A-31A
1420	6.47	8.35	10.23	12.56	3.56	95	A-55	241-134	4.11	5.73	7.36	9.39	2.26	228	A-31A
1520	4.86	6.58	8.30	10.43	2.68	140	A-55	24101	2.93	4.29	5.64	7.31	1.61	380	L-5
1620	3.51	5.02	6.53	8.41	1.93	180	A-55	24160	3.02	4.41	5.79	7.53	1.66	380	L-5
170	1.41	2.18	2.96	4.23	N/A	N/A	J-1A	242-120	4.36	6.03	7.70	9.75	2.39	190	A-31A
1720	2.48	3.69	4.90	6.48	1.37	320	A-55	242-128	4.36	6.03	7.70	9.75	2.39	190	A-31A
1820	2.32	3.48	4.63	6.20	1.28	240	A-55	242-134	4.36	6.03	7.70	9.75	2.39	190	A-31A
200	1.41	2.18	2.96	4.23	N/A	N/A	J-1A	24301	5.55	7.31	9.06	11.28	3.06	104	H-3
20101	4.58	6.28	7.98	10.09	2.52	152	L-1	24401	5.26	7.01	8.75	10.96	2.90	114	H-3
20103	4.77	6.48	8.20	10.32	2.63	152	L-1	24501	3.69	5.23	6.78	8.68	2.03	160	H-3
20108	5.36	7.10	8.85	11.06	2.95	152	L-1	24601	2.89	4.23	5.58	7.25	1.59	247	H-3
20109	5.36	7.10	8.85	11.06	2.95	152	L-1	24610	3.39	4.87	6.35	8.12	1.87	247	G-73
20140	5.66	7.41	9.17	11.40	3.11	152	L-1	24620	3.39	4.87	6.35	8.12	1.87	247	G-71
20150	5.66	7.41	9.17	11.40	3.11	152	L-1	24630	3.39	4.87	6.35	8.12	1.87	247	G-67A
20160	4.61	6.31	8.01	10.12	2.53	152	L-1	24650	3.39	4.87	6.35	8.12	1.87	247	G-75
210	1.41	2.18	2.96	4.23	N/A	N/A	J-1A	24660	2.93	4.29	5.64	7.31	1.61	247	H-33
21501	2.25	3.38	4.51	6.07	1.24	342	H-25A	24690	3.39	4.87	6.35	8.12	1.87	247	G-77
21601	3.50	5.00	6.51	8.28	1.92	209	H-25A	24701	2.98	4.35	5.72	7.40	1.64	209	H-3
21701	2.18	3.28	4.39	5.94	1.20	342	H-25A	24710	3.85	5.44	7.02	8.92	2.12	209	G-73
21760	2.25	3.38	4.51	6.07	1.24	342	H-33	24720	3.85	5.44	7.02	8.92	2.12	209	G-71
21801	3.21	4.65	6.09	7.84	1.76	247	H-25A	24730	3.85	5.44	7.02	8.92	2.12	209	G-67A
22001	1.91	2.90	3.90	5.27	1.05	380	H-25A	24740	3.85	5.44	7.02	8.92	2.12	209	G-67A
22101	2.27	3.40	4.54	6.10	1.25	285	H-7	24750	3.85	5.44	7.02	8.92	2.12	209	G-75
22160	2.35	3.52	4.68	6.25	1.29	285	H-31A	24760	3.12	4.53	5.94	7.68	1.72	209	H-33
22201	2.33	3.49	4.64	6.21	1.28	285	H-7	24790	3.85	5.44	7.02	8.92	2.12	209	G-77
22260	2.41	3.60	4.78	6.36	1.33	285	H-31A	24801	2.19	3.30	4.41	5.97	1.21	342	H-27
22301	2.26	3.39	4.52	6.08	1.24	285	H-7	24901	3.73	5.29	6.84	8.74	2.05	228	H-27
22401	1.55	2.39	3.23	4.57	0.85	494	H-7	24960	3.81	5.39	6.97	8.87	2.10	228	H-31A
22460	1.63	2.50	3.38	4.72	0.89	494	H-31A	25001	5.28	7.03	8.77	10.98	2.91	123	H-27
22501	4.58	6.28	7.98	10.09	2.52	133	H-7	25101	3.51	5.02	6.53	8.41	1.93	228	H-27
23101	1.70	2.60	3.51	4.86	0.93	418	H-11	2511	2.58	3.83	5.08	6.73	1.42	342	H-21
23201	1.56	2.41	3.25	4.59	0.86	456	H-9	25110	4.42	6.10	7.77	9.82	2.44	228	L-5
23301	3.73	5.29	6.84	8.74	2.05	152	H-9	2512	2.58	3.83	5.08	6.73	1.42	342	H-21
23501	1.26	1.96	2.66	3.92	0.69	570	H-25A	25120	4.42	6.10	7.77	9.82	2.44	228	L-5
23601	3.54	5.06	6.58	8.46	1.94	209	H-9	25130	4.42	6.10	7.77	9.82	2.44	228	L-5
23701	2.98	4.35	5.72	7.40	1.64	228	H-11	25140	4.42	6.10	7.77	9.82	2.44	228	L-5
23901	2.49	3.70	4.92	6.50	1.37	323	H-13	25150	4.42	6.10	7.77	9.82	2.44	228	G-75
23910	3.06	4.45	5.84	7.58	1.68	323	G-73	25160	3.56	5.08	6.61	8.49	1.96	228	H-33
23920	3.06	4.45	5.84	7.58	1.68	323	G-71	25190	4.42	6.10	7.77	9.82	2.44	228	G-77
23930	3.06	4.45	5.84	7.58	1.68	323	G-71	25201	2.93	4.29	5.64	7.31	1.61	285	L-3
23950	3.06	4.45	5.84	7.58	1.68	323	G-75	25220	2.92	4.27	5.63	7.30	1.61	285	L-3
23960	2.56	3.80	5.04	6.68	1.41	323	H-31A	25230	3.48	4.98	6.48	8.25	1.91	285	L-3
23990	3.06	4.45	5.84	7.58	1.68	323	G-77	25240	3.48	4.98	6.48	8.25	1.91	285	L-3
240-120	3.33	4.80	6.26	8.02	1.83	228	A-31A	25260	2.92	4.27	5.63	7.30	1.61	285	L-3
240-128	3.33	4.80	6.26	8.02	1.83	228	A-31A	25301	2.52	3.74	4.97	6.61	1.39	228	H-5

ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
25401	3.97	5.57	7.18	9.09	2.18	199	H-5	26971	1.82	2.78	3.73	5.10	1.00	475	H-35
25501	3.91	5.50	7.10	9.01	2.15	171	H-5	26990	1.97	2.99	4.01	5.39	1.08	551	G-77
25801	1.71	2.62	3.53	4.88	0.95	380	H-9	270	1.41	2.18	2.96	4.23	N/A	N/A	J-1A
26001	2.48	3.69	4.90	6.48	1.37	323	H-13	27001	1.83	2.79	3.75	5.12	1.01	399	H-13
26101	1.68	2.57	3.47	4.82	0.92	380	H-5	27060	1.84	2.80	3.76	5.13	1.01	399	H-33
2611	4.18	5.82	7.47	9.50	2.30	152	H-21	27235	2.56	3.80	5.04	6.68	1.41	380	H-29
26110	2.30	3.45	4.59	6.16	1.27	380	G-73	27245	2.56	3.80	5.04	6.68	1.41	380	H-29
2612	4.18	5.82	7.47	9.50	2.30	152	H-21	27255	2.56	3.80	5.04	6.68	1.41	380	H-29
26120	2.30	3.44	4.59	6.16	1.27	304	G-71	27265	2.56	3.80	5.04	6.68	1.41	380	H-29
26130	2.30	3.44	4.59	6.16	1.27	304	G-67A	27401	2.38	3.56	4.73	6.31	1.31	304	H-15
26140	2.30	3.44	4.59	6.16	1.27	304	G-67A	27460	2.47	3.68	4.89	6.47	1.36	304	H-31A
26150	2.30	3.44	4.59	6.16	1.27	380	G-75	27501	2.99	4.36	5.73	7.41	1.65	190	H-5
26160	1.78	2.72	3.66	5.02	0.98	380	H-33	27510	3.71	5.27	6.82	8.72	2.04	190	G-73
26190	2.30	3.44	4.59	6.16	1.27	304	G-77	27520	3.71	5.27	6.82	8.72	2.04	190	G-71
26201	2.47	3.68	4.89	6.47	1.36	247	H-5	27530	3.71	5.27	6.82	8.72	2.04	190	G-67A
26260	2.54	3.77	5.01	6.65	1.40	247	H-33	27550	3.71	5.27	6.82	8.72	2.04	190	G-75
26401	3.71	5.26	6.81	8.71	2.04	161	H-9	27560	3.16	4.58	6.01	7.75	1.74	190	H-33
26501	1.27	1.98	2.68	3.94	0.70	646	H-11	27590	3.71	5.27	6.82	8.72	2.04	190	G-77
26701	1.50	2.32	3.13	4.47	0.83	399	H-11	27601	3.70	5.25	6.80	8.70	2.04	152	H-15
26710	1.95	2.97	3.98	5.36	1.07	399	G-73	27660	3.83	5.41	7.00	8.90	2.11	152	H-31A
26720	1.95	2.97	3.98	5.36	1.07	399	G-71	277-120	2.80	4.12	5.44	7.10	1.54	285	A-17
26730	1.95	2.97	3.98	5.36	1.07	399	G-71	277-124	2.80	4.12	5.44	7.10	1.54	265	A-17
26750	1.95	2.97	3.98	5.36	1.07	399	G-75	277-125	2.80	4.12	5.44	7.10	1.54	265	A-17
26760	1.58	2.43	3.28	4.63	0.87	399	H-31A	277-128	2.80	4.12	5.44	7.10	1.54	265	A-17
26790	1.95	2.97	3.98	5.36	1.07	399	G-77	277-129	2.80	4.12	5.44	7.10	1.54	265	A-17
26801	4.61	6.31	8.01	10.12	2.53	199	H-9	277-134	2.80	4.12	5.44	7.10	1.54	265	A-17
26901	1.33	2.06	2.79	4.06	0.73	551	H-5	277-145	2.80	4.12	5.44	7.10	1.54	265	A-17
26910	1.97	2.99	4.01	5.39	1.08	551	G-73	277-158	2.80	4.12	5.44	7.10	1.54	265	A-17
26920	1.97	2.99	4.01	5.39	1.08	551	G-71	277-159	2.80	4.12	5.44	7.10	1.54	265	A-17
26930	1.97	2.99	4.01	5.39	1.08	551	G-67A	27701	1.62	2.49	3.36	4.70	0.89	475	H-5
26950	1.97	2.99	4.01	5.39	1.08	551	G-75	27710	2.26	3.39	4.52	6.08	1.24	380	G-73
26951	1.82	2.78	3.73	5.10	1.00	475	H-35	27720	2.26	3.39	4.52	6.08	1.24	380	G-71
26954	1.82	2.78	3.73	5.10	1.00	475	H-35	27730	2.26	3.39	4.52	6.08	1.24	380	G-67A
26955	1.82	2.78	3.73	5.10	1.00	475	H-35	27740	2.26	3.39	4.52	6.08	1.24	380	G-67A
26956	1.82	2.78	3.73	5.10	1.00	475	H-35	27750	2.26	3.39	4.52	6.08	1.24	380	G-75
26957	1.82	2.78	3.73	5.10	1.00	475	H-35	27760	1.74	2.66	3.59	4.95	0.96	475	H-33
26958	1.82	2.78	3.73	5.10	1.00	475	H-35	27790	2.26	3.39	4.52	6.08	1.24	380	G-77
26959	1.82	2.78	3.73	5.10	1.00	475	H-35	27801	4.58	6.28	7.98	10.09	2.52	133	H-11
26960	1.40	2.17	2.94	4.21	0.77	551	H-33	27810	5.26	7.01	8.75	10.96	2.90	133	G-73
26961	1.82	2.78	3.73	5.10	1.00	475	H-35	27820	5.26	7.01	8.75	10.96	2.90	133	G-71
26963	1.82	2.78	3.73	5.10	1.00	475	H-35	27830	5.26	7.01	8.75	10.96	2.90	133	G-67A
26964	1.82	2.78	3.73	5.10	1.00	475	H-35	27850	5.26	7.01	8.75	10.96	2.90	133	G-75
26965	1.82	2.78	3.73	5.10	1.00	475	H-35	27860	4.70	6.41	8.12	10.24	2.59	133	H-33
26966	1.82	2.78	3.73	5.10	1.00	475	H-35	27890	5.26	7.01	8.75	10.96	2.90	133	G-77
26967	1.82	2.78	3.73	5.10	1.00	475	H-35	27901	3.84	5.43	7.01	8.91	2.11	228	H-15
26968	1.82	2.78	3.73	5.10	1.00	475	H-35	27960	3.96	5.56	7.17	9.08	2.17	228	H-31A
26970	1.82	2.78	3.73	5.10	1.00	475	H-35	28103	2.75	4.05	5.36	7.02	1.51	228	H-17

ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
28104	2.75	4.05	5.36	7.02	1.51	228	H-17	30425	3.22	4.66	6.10	7.85	1.77	230	A-65
28105	2.75	4.05	5.36	7.02	1.51	228	H-17	30428	3.22	4.66	6.10	7.85	1.77	230	A-65
28203	4.37	6.04	7.71	9.76	2.40	152	H-17	30429	3.22	4.66	6.10	7.85	1.77	230	A-65
28204	4.37	6.04	7.71	9.76	2.40	152	H-17	3045	1.63	2.50	3.38	4.72	0.89	475	A-43
28205	4.37	6.04	7.71	9.76	2.40	152	H-17	30459	3.22	4.66	6.10	7.85	1.77	230	A-65
28235	2.84	4.16	5.49	7.15	1.56	285	H-29	30520	4.76	6.47	8.19	10.31	2.61	230	A-71
28245	2.84	4.16	5.49	7.15	1.56	285	H-29	30524	4.76	6.47	8.19	10.31	2.61	230	A-71
28255	2.84	4.16	5.49	7.15	1.56	285	H-29	30525	4.76	6.47	8.19	10.31	2.61	230	A-71
28265	2.84	4.16	5.49	7.15	1.56	285	H-29	30528	4.76	6.47	8.19	10.31	2.61	230	A-71
28303	6.28	8.12	9.96	12.27	3.45	114	H-17	30529	4.76	6.47	8.19	10.31	2.61	230	A-71
28304	6.28	8.12	9.96	12.27	3.45	114	H-17	30559	4.76	6.47	8.19	10.31	2.61	230	A-71
28305	6.28	8.12	9.96	12.27	3.45	114	H-17	3058	1.63	2.50	3.38	4.72	0.89	475	A-43
28701	2.70	3.99	5.27	6.93	1.48	266	H-13	3059	1.63	2.50	3.38	4.72	0.89	475	A-43
28901	3.16	4.58	6.01	7.75	1.74	285	H-13	30620	5.38	7.13	8.88	11.10	2.96	160	A-71
28960	3.21	4.65	6.09	7.84	1.76	285	H-33	30624	5.38	7.13	8.88	11.10	2.96	160	A-71
29201	3.31	4.77	6.23	7.99	1.82	209	H-13	30625	5.38	7.13	8.88	11.10	2.96	160	A-71
30040	2.85	4.18	5.51	7.18	1.56	285	A-23	30628	5.38	7.13	8.88	11.10	2.96	160	A-71
30045	2.97	4.34	5.71	7.39	1.64	285	A-23	30629	5.38	7.13	8.88	11.10	2.96	160	A-71
30050	2.57	3.82	5.06	6.70	1.42	285	A-23	30659	5.38	7.13	8.88	11.10	2.96	160	A-71
30055	2.71	4.00	5.28	6.94	1.49	285	A-23	31040	3.36	4.83	6.30	8.06	1.78	285	A-23
30075	2.85	4.18	5.51	7.18	1.56	285	A-23	31045	3.39	4.87	6.35	8.12	1.80	285	A-23
30120	2.06	3.11	4.17	5.72	1.13	350	A-63	31050	3.01	4.39	5.77	7.51	1.60	285	A-23
30124	2.06	3.11	4.17	5.72	1.13	350	A-63	31055	3.38	4.86	6.33	8.10	1.79	285	A-23
30125	2.06	3.11	4.17	5.72	1.13	350	A-63	31065	3.41	4.90	6.39	8.15	1.83	285	A-23
30128	2.06	3.11	4.17	5.72	1.13	350	A-63	31075	3.41	4.90	6.39	8.15	1.83	285	A-23
30129	2.06	3.11	4.17	5.72	1.13	350	A-63	3120	4.23	5.88	7.53	9.56	2.33	171	A-41
30159	2.06	3.11	4.17	5.72	1.13	350	A-63	3124	4.23	5.88	7.53	9.56	2.33	171	A-41
3020	1.63	2.50	3.38	4.72	0.89	475	A-43	3125	4.23	5.88	7.53	9.56	2.33	171	A-41
30220	4.18	5.82	7.47	9.50	2.30	212	A-63	3128	4.23	5.88	7.53	9.56	2.33	171	A-41
30224	4.18	5.82	7.47	9.50	2.30	212	A-63	3129	4.23	5.88	7.53	9.56	2.33	171	A-41
30225	4.18	5.82	7.47	9.50	2.30	212	A-63	3134	4.23	5.88	7.53	9.56	2.33	171	A-41
30228	4.18	5.82	7.47	9.50	2.30	212	A-63	3145	4.23	5.88	7.53	9.56	2.33	171	A-41
30229	4.18	5.82	7.47	9.50	2.30	212	A-63	321-124	2.85	4.18	5.51	7.18	1.56	228	A-5
3024	1.63	2.50	3.38	4.72	0.89	475	A-43	321-125	2.85	4.18	5.51	7.18	1.56	228	A-5
3025	1.63	2.50	3.38	4.72	0.89	475	A-43	321-128	2.85	4.18	5.51	7.18	1.56	228	A-5
30259	4.18	5.82	7.47	9.50	2.30	212	A-63	321-134	2.85	4.18	5.51	7.18	1.56	228	A-5
3028	1.63	2.50	3.38	4.72	0.89	475	A-43	321-145	2.85	4.18	5.51	7.18	1.56	228	A-5
3029	1.63	2.50	3.38	4.72	0.89	475	A-43	322-124	3.07	4.46	5.85	7.59	1.69	228	A-5
30320	3.22	4.66	6.10	7.85	1.77	260	A-65	322-125	3.07	4.46	5.85	7.59	1.69	228	A-5
30324	3.22	4.66	6.10	7.85	1.77	260	A-65	322-128	3.07	4.46	5.85	7.59	1.69	228	A-5
30325	3.22	4.66	6.10	7.85	1.77	260	A-65	322-134	3.07	4.46	5.85	7.59	1.69	228	A-5
30328	3.22	4.66	6.10	7.85	1.77	260	A-65	322-145	3.07	4.46	5.85	7.59	1.69	228	A-5
30329	3.22	4.66	6.10	7.85	1.77	260	A-65	3220	2.78	4.09	5.41	7.07	1.53	285	A-41
3034	1.63	2.50	3.38	4.72	0.89	475	A-43	3224	2.78	4.09	5.41	7.07	1.53	285	A-41
30359	3.22	4.66	6.10	7.85	1.77	260	A-65	3225	2.78	4.09	5.41	7.07	1.53	285	A-41
30420	3.22	4.66	6.10	7.85	1.77	230	A-65	3228	2.78	4.09	5.41	7.07	1.53	285	A-41
30424	3.22	4.66	6.10	7.85	1.77	230	A-65	3229	2.78	4.09	5.41	7.07	1.53	285	A-41

ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
323-124	3.97	5.57	7.18	9.09	2.18	190	A-5	362-129	4.02	5.64	7.25	9.27	2.22	210	A-27
323-125	3.97	5.57	7.18	9.09	2.18	190	A-5	362-134	4.02	5.64	7.25	9.27	2.22	210	A-27
323-128	3.97	5.57	7.18	9.09	2.18	190	A-5	362-145	4.02	5.64	7.25	9.27	2.22	210	A-27
323-134	3.97	5.57	7.18	9.09	2.18	190	A-5	362-159	4.02	5.64	7.25	9.27	2.22	210	A-27
323-145	3.97	5.57	7.18	9.09	2.18	190	A-5	36220	4.34	6.00	7.67	9.71	2.38	150	A-21
3234	2.78	4.09	5.41	7.07	1.53	285	A-41	36224	4.34	6.00	7.67	9.71	2.38	150	A-21
3245	2.78	4.09	5.41	7.07	1.53	285	A-41	36227	4.34	6.00	7.67	9.71	2.38	150	A-21
3320	2.42	3.61	4.79	6.37	1.33	285	A-43	36245	4.34	6.00	7.67	9.71	2.38	150	A-21
3324	2.42	3.61	4.79	6.37	1.33	285	A-43	36258	4.34	6.00	7.67	9.71	2.38	150	A-21
3325	2.42	3.61	4.79	6.37	1.33	285	A-43	36320	2.96	4.33	5.69	7.37	1.63	250	A-19
3328	2.42	3.61	4.79	6.37	1.33	285	A-43	36324	2.96	4.33	5.69	7.37	1.63	250	A-19
3329	2.42	3.61	4.79	6.37	1.33	285	A-43	36327	2.96	4.33	5.69	7.37	1.63	250	A-19
3334	2.42	3.61	4.79	6.37	1.33	285	A-43	36345	2.96	4.33	5.69	7.37	1.63	250	A-19
3345	2.42	3.61	4.79	6.37	1.33	285	A-43	36358	2.96	4.33	5.69	7.37	1.63	250	A-19
3358	2.42	3.61	4.79	6.37	1.33	285	A-43	365	1.51	2.33	3.15	4.49	N/A	N/A	J-1A
3359	2.42	3.61	4.79	6.37	1.33	285	A-43	36620	4.19	5.83	7.48	9.51	2.30	200	A-19
340-129	3.84	5.43	7.01	8.91	2.11	228	L-5	36624	4.19	5.83	7.48	9.51	2.30	200	A-19
340-159	3.37	4.85	6.32	8.09	1.86	228	L-5	36627	4.19	5.83	7.48	9.51	2.30	200	A-19
34120	2.87	4.20	5.54	7.21	1.58	216	L-5	36645	4.19	5.83	7.48	9.51	2.30	200	A-19
34125	2.87	4.20	5.54	7.21	1.58	216	L-5	36658	4.19	5.83	7.48	9.51	2.30	200	A-19
34128	2.87	4.20	5.54	7.21	1.58	216	L-5	36720	3.29	4.75	6.20	7.98	1.81	260	A-19A
34129	2.87	4.20	5.54	7.21	1.58	216	L-5	36724	3.29	4.75	6.20	7.98	1.81	260	A-19A
34159	2.87	4.20	5.54	7.21	1.58	216	L-5	36727	3.29	4.75	6.20	7.98	1.81	260	A-19A
35120	4.29	5.95	7.61	9.65	2.36	155	L-3	36745	3.29	4.75	6.20	7.98	1.81	260	A-19A
35125	4.29	5.95	7.61	9.65	2.36	155	L-3	36758	3.29	4.75	6.20	7.98	1.81	260	A-19A
35128	4.29	5.95	7.61	9.65	2.36	155	L-3	368	1.51	2.33	3.15	4.49	N/A	N/A	J-1A
35129	4.29	5.95	7.61	9.65	2.36	155	L-3	36820	4.76	6.48	8.19	10.31	2.62	214	A-19A
35159	4.29	5.95	7.61	9.65	2.36	155	L-3	36824	4.76	6.48	8.19	10.31	2.62	214	A-19A
359-159	4.81	6.53	8.25	10.38	2.65	162	N/A	36827	4.76	6.48	8.19	10.31	2.62	214	A-19A
361-120	2.68	3.96	5.23	6.89	1.47	284	A-27	36845	4.76	6.48	8.19	10.31	2.62	214	A-19A
361-124	2.68	3.96	5.23	6.89	1.47	284	A-27	36858	4.76	6.48	8.19	10.31	2.62	214	A-19A
361-125	2.68	3.96	5.23	6.89	1.47	284	A-27	369-120	1.84	2.80	3.76	5.13	1.01	420	A-15A
361-128	2.68	3.96	5.23	6.89	1.47	284	A-27	369-124	1.84	2.80	3.76	5.13	1.01	420	A-15A
361-129	2.68	3.96	5.23	6.89	1.47	284	A-27	369-125	1.84	2.80	3.76	5.13	1.01	420	A-15A
361-135	2.68	3.96	5.23	6.89	1.47	284	A-27	369-128	1.84	2.80	3.76	5.13	1.01	420	A-15A
361-142	2.68	3.96	5.23	6.89	1.47	284	A-27	369-129	1.84	2.80	3.76	5.13	1.01	420	A-15A
361-145	2.68	3.96	5.23	6.89	1.47	284	A-27	369-134	1.84	2.80	3.76	5.13	1.01	420	A-15A
361-159	2.68	3.96	5.23	6.89	1.47	284	A-27	369-145	1.84	2.80	3.76	5.13	1.01	420	A-15A
36120	2.91	4.26	5.61	7.28	1.60	260	A-21	369-158	1.84	2.80	3.76	5.13	1.01	420	A-15A
36124	2.91	4.26	5.61	7.28	1.60	260	A-21	369-159	1.84	2.80	3.76	5.13	1.01	420	A-15A
36127	2.91	4.26	5.61	7.28	1.60	260	A-21	370-120	2.72	4.01	5.30	6.96	1.49	240	A-15A
36145	2.91	4.26	5.61	7.28	1.60	260	A-21	370-124	2.72	4.01	5.30	6.96	1.49	240	A-15A
36158	2.91	4.26	5.61	7.28	1.60	260	A-21	370-125	2.72	4.01	5.30	6.96	1.49	240	A-15A
362-120	4.02	5.64	7.25	9.27	2.22	210	A-27	370-128	2.72	4.01	5.30	6.96	1.49	240	A-15A
362-124	4.02	5.64	7.25	9.27	2.22	210	A-27	370-134	2.72	4.01	5.30	6.96	1.49	240	A-15A
362-125	4.02	5.64	7.25	9.27	2.22	210	A-27	370-159	2.72	4.01	5.30	6.96	1.49	240	A-15A
362-128	4.02	5.64	7.25	9.27	2.22	210	A-27	393-159	1.85	2.82	3.78	5.15	1.02	380	H-25A

Prices



ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
394-159	2.61	3.87	5.13	6.78	1.44	285	H-25A	41803	2.84	4.16	5.49	7.15	1.56	260	G-45
40140	2.97	4.34	5.71	7.39	1.64	285	G-31A	4185	3.35	4.82	6.29	8.05	1.84	234	G-7
40150	2.97	4.34	5.71	7.39	1.64	285	G-31A	4220	4.11	5.73	7.36	9.39	2.26	228	A-69A
40160	2.97	4.34	5.71	7.39	1.64	285	G-31A	4224	4.11	5.73	7.36	9.39	2.26	228	A-69A
40240	4.54	6.23	7.92	10.02	2.50	209	G-31A	4228	4.11	5.73	7.36	9.39	2.26	228	A-69A
40250	4.54	6.23	7.92	10.02	2.50	209	G-31A	4234	4.11	5.73	7.36	9.39	2.26	228	A-69A
40260	4.54	6.23	7.92	10.02	2.50	209	G-31A	43021	3.30	4.75	6.21	7.97	1.82	209	G-37A
403-002	2.06	3.11	4.17	5.72	1.13	342	H-1	43039	3.81	5.39	6.97	8.87	2.10	171	G-37A
405-002	2.63	3.88	5.14	6.79	1.45	304	H-1	43121	3.66	5.21	6.75	8.64	2.02	190	G-37A
4065	3.35	4.82	6.29	8.05	1.84	279	G-7	43139	3.95	5.55	7.15	9.06	2.17	237	G-37A
4075	3.35	4.82	6.29	8.05	1.84	279	G-7	4320	5.61	7.36	9.12	11.34	3.09	142	A-69A
40812	3.96	5.56	7.17	9.08	2.17	185	G-51A	43221	4.50	6.19	7.88	9.99	2.48	142	G-37A
40814	3.96	5.56	7.17	9.08	2.17	185	G-51A	43239	5.19	6.93	8.68	10.88	2.86	152	G-37A
40822	3.96	5.56	7.17	9.08	2.17	185	G-51A	4324	5.61	7.36	9.12	11.34	3.09	142	A-69A
40824	3.96	5.56	7.17	9.08	2.17	185	G-51A	4328	5.61	7.36	9.12	11.34	3.09	142	A-69A
4085	3.35	4.82	6.29	8.05	1.84	279	G-7	4334	5.61	7.36	9.12	11.34	3.09	142	A-69A
40912	2.84	4.16	5.49	7.15	1.56	265	G-51A	44140	4.39	6.07	7.74	9.79	2.42	237	G-3
40914	2.84	4.16	5.49	7.15	1.56	265	G-51A	44150	4.39	6.07	7.74	9.79	2.42	237	G-3
40922	2.84	4.16	5.49	7.15	1.56	265	G-51A	44240	5.92	7.69	9.46	11.70	3.26	161	G-3
40924	2.84	4.16	5.49	7.15	1.56	265	G-51A	44250	5.92	7.69	9.46	11.70	3.26	161	G-3
41012	2.93	4.29	5.64	7.31	1.61	320	G-51A	44708	3.64	5.18	6.72	8.61	2.01	171	G-23
41014	2.93	4.29	5.64	7.31	1.61	320	G-51A	44709	3.64	5.18	6.72	8.61	2.01	171	G-23
41022	2.93	4.29	5.64	7.31	1.61	320	G-51A	44722	2.94	4.30	5.66	7.34	1.62	228	G-19A
41024	2.93	4.29	5.64	7.31	1.61	320	G-51A	44732	2.94	4.30	5.66	7.34	1.62	228	G-19A
4120	2.80	4.12	5.44	7.10	1.54	266	A-69A	44822	7.28	9.33	11.39	13.84	4.00	95	G-19A
41212	4.99	6.72	8.46	10.59	2.74	190	G-17	44832	7.28	9.33	11.39	13.84	4.00	95	G-19A
41213	4.99	6.72	8.46	10.59	2.74	190	G-17	4520	2.57	3.82	5.06	6.70	1.42	342	A-67
41214	4.99	6.72	8.46	10.59	2.74	190	G-17	4524	2.57	3.82	5.06	6.70	1.42	342	A-67
4124	2.80	4.12	5.44	7.10	1.54	266	A-69A	4528	2.57	3.82	5.06	6.70	1.42	342	A-67
4128	2.80	4.12	5.44	7.10	1.54	266	A-69A	4534	2.57	3.82	5.06	6.70	1.42	342	A-67
41312	6.85	8.81	10.77	13.13	3.77	140	G-17	4545	2.57	3.82	5.06	6.70	1.42	342	A-67
41313	6.85	8.81	10.77	13.13	3.77	140	G-17	45622	3.64	5.18	6.72	8.61	2.01	285	G-5
41314	6.85	8.81	10.77	13.13	3.77	140	G-17	45632	3.64	5.18	6.72	8.61	2.01	285	G-5
4134	2.80	4.12	5.44	7.10	1.54	266	A-69A	45722	4.70	6.41	8.12	10.24	2.58	228	G-5
41481	3.42	4.91	6.41	8.17	1.88	280	G-33	45732	4.70	6.41	8.12	10.24	2.58	228	G-5
41491	3.42	4.91	6.41	8.17	1.88	280	G-33	45822	5.65	7.40	9.16	11.38	3.11	161	G-5
41581	3.66	5.21	6.75	8.64	2.02	212	G-33	45832	5.65	7.40	9.16	11.38	3.11	161	G-5
41591	3.66	5.21	6.75	8.64	2.02	212	G-33	45929	3.60	5.13	6.66	8.55	1.98	190	G-1A
4165	3.35	4.82	6.29	8.05	1.84	234	G-7	45939	3.60	5.13	6.66	8.55	1.98	190	G-1A
41681	4.89	6.62	8.34	10.47	2.69	190	G-33	46029	3.05	4.43	5.82	7.56	1.68	380	G-1A
41691	4.89	6.62	8.34	10.47	2.69	190	G-33	46039	3.05	4.43	5.82	7.56	1.68	380	G-1A
41701	3.98	5.59	7.20	9.11	2.18	160	G-45	46108	2.39	3.57	4.75	6.33	1.32	304	G-23
41702	3.98	5.59	7.20	9.11	2.18	160	G-45	46109	2.39	3.57	4.75	6.33	1.32	304	G-23
41703	3.98	5.59	7.20	9.11	2.18	160	G-45	4620	3.56	5.08	6.61	8.49	1.95	285	A-67
4175	3.35	4.82	6.29	8.05	1.84	234	G-7	4624	3.56	5.08	6.61	8.49	1.95	285	A-67
41801	2.84	4.16	5.49	7.15	1.56	260	G-45	4628	3.56	5.08	6.61	8.49	1.95	285	A-67
41802	2.84	4.16	5.49	7.15	1.56	260	G-45	4634	3.56	5.08	6.61	8.49	1.95	285	A-67

ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
46425	3.17	4.59	6.02	7.76	1.74	285	N/A	5320	4.21	5.86	7.51	9.54	2.32	190	A-53
4645	3.56	5.08	6.61	8.49	1.95	285	A-67	5401	4.01	5.63	7.24	9.26	2.21	228	G-65
4720	5.99	7.76	9.53	11.77	3.30	114	A-59	5402	4.01	5.63	7.24	9.26	2.21	228	G-65
47239	3.20	4.64	6.07	7.82	1.76	304	G-35A	54020	4.87	6.60	8.32	10.45	2.68	160	E-21
4728	5.99	7.76	9.53	11.77	3.30	114	A-59	54024	4.87	6.60	8.32	10.45	2.68	160	E-21
4734	5.99	7.76	9.53	11.77	3.30	114	A-59	54025	4.87	6.60	8.32	10.45	2.68	160	E-21
47439	6.74	8.68	10.63	12.98	3.71	114	G-35A	54040	4.87	6.60	8.32	10.45	2.68	160	E-21
4745	5.99	7.76	9.53	11.77	3.30	114	A-59	54045	4.87	6.60	8.32	10.45	2.68	160	E-21
47508	3.77	5.34	6.91	8.80	2.07	152	G-23	5420	3.28	4.73	6.18	7.94	1.81	180	A-53
47509	3.77	5.34	6.91	8.80	2.07	152	G-23	54703	3.45	4.95	6.45	8.21	1.90	209	K-1
47708	2.26	3.39	4.52	6.08	1.24	380	G-23	54720	4.94	6.66	8.39	10.53	2.72	160	E-19
47709	2.26	3.39	4.52	6.08	1.24	380	G-23	54724	4.94	6.66	8.39	10.53	2.72	160	E-19
4820	4.56	6.25	7.95	10.06	2.51	199	A-61	54725	4.94	6.66	8.39	10.53	2.72	160	E-19
4828	4.56	6.25	7.95	10.06	2.51	199	A-61	54740	4.94	6.66	8.39	10.53	2.72	160	E-19
4834	4.56	6.25	7.95	10.06	2.51	199	A-61	54745	4.94	6.66	8.39	10.53	2.72	160	E-19
4845	4.56	6.25	7.95	10.06	2.51	199	A-61	5520	4.16	5.80	7.44	9.47	2.29	200	A-53
49140	5.92	7.69	9.46	11.70	3.26	161	G-15	56020	4.06	5.69	7.31	9.34	2.24	270	E-23
49150	5.92	7.69	9.46	11.70	3.26	161	G-15	56023	4.06	5.69	7.31	9.34	2.24	270	E-23
4920	3.41	4.90	6.39	8.15	1.88	199	A-61	56025	4.06	5.69	7.31	9.34	2.24	270	E-23
49240	4.39	6.07	7.74	9.79	2.42	228	G-15	56040	4.06	5.69	7.31	9.34	2.24	270	E-23
49250	4.39	6.07	7.74	9.79	2.42	228	G-15	56045	4.06	5.69	7.31	9.34	2.24	270	E-23
4928	3.41	4.90	6.39	8.15	1.88	199	A-61	56103	2.17	3.27	4.37	5.92	1.19	304	K-1
4934	3.41	4.90	6.39	8.15	1.88	199	A-61	5620	4.40	6.08	7.75	9.80	2.42	190	A-21A
4945	3.41	4.90	6.39	8.15	1.88	199	A-61	5624	4.40	6.08	7.75	9.80	2.42	190	A-21A
5020	2.92	4.27	5.63	7.30	1.61	240	A-53	5628	4.40	6.08	7.75	9.80	2.42	190	A-21A
51020	3.01	4.39	5.77	7.51	1.66	355	E-17	56303	2.98	4.35	5.72	7.40	1.64	285	K-1
51024	3.01	4.39	5.77	7.51	1.66	355	E-17	5634	4.40	6.08	7.75	9.80	2.42	190	A-21A
51025	3.01	4.39	5.77	7.51	1.66	355	E-17	57020	5.08	6.82	8.56	10.75	2.79	159	E-23
51040	3.01	4.39	5.77	7.51	1.66	355	E-17	57023	5.08	6.82	8.56	10.75	2.79	159	E-23
51045	3.01	4.39	5.77	7.51	1.66	355	E-17	57025	5.08	6.82	8.56	10.75	2.79	159	E-23
5120	4.01	5.63	7.24	9.26	2.21	240	A-53	57040	5.08	6.82	8.56	10.75	2.79	159	E-23
5201	2.50	3.72	4.94	6.58	1.38	380	G-65	57045	5.08	6.82	8.56	10.75	2.79	159	E-23
5202	2.50	3.72	4.94	6.58	1.38	380	G-65	5720	6.52	8.41	10.30	12.64	3.59	114	A-21A
52020	4.39	6.07	7.74	9.79	2.42	210	E-17	5724	6.52	8.41	10.30	12.64	3.59	114	A-21A
52024	4.39	6.07	7.74	9.79	2.42	210	E-17	5728	6.52	8.41	10.30	12.64	3.59	114	A-21A
52025	4.39	6.07	7.74	9.79	2.42	210	E-17	5734	6.52	8.41	10.30	12.64	3.59	114	A-21A
52040	4.39	6.07	7.74	9.79	2.42	210	E-17	57503	3.63	5.17	6.71	8.60	2.00	190	K-1
52045	4.39	6.07	7.74	9.79	2.42	210	E-17	57703	2.03	3.07	4.11	5.65	1.12	380	K-1
5220	4.87	6.60	8.32	10.45	2.68	150	A-53	57803	5.06	6.80	8.54	10.73	2.78	133	K-1
5301	3.28	4.73	6.18	7.94	1.81	256	G-65	58020	9.94	12.58	15.22	17.96	5.47	106	E-25
5302	3.28	4.73	6.18	7.94	1.81	256	G-65	58023	9.94	12.58	15.22	17.96	5.47	106	E-25
53020	9.12	11.54	13.96	16.64	5.02	100	E-15	58025	9.94	12.58	15.22	17.96	5.47	106	E-25
53024	9.12	11.54	13.96	16.64	5.02	100	E-15	58040	9.94	12.58	15.22	17.96	5.47	106	E-25
53025	9.12	11.54	13.96	16.64	5.02	100	E-15	58045	9.94	12.58	15.22	17.96	5.47	106	E-25
53040	9.12	11.54	13.96	16.64	5.02	100	E-15	60020	2.50	3.72	4.94	6.58	1.38	380	B-5
53045	9.12	11.54	13.96	16.64	5.02	100	E-15	60026	2.50	3.72	4.94	6.58	1.38	380	B-5
53103	2.35	3.52	4.68	6.25	1.29	437	K-1	60045	2.50	3.72	4.94	6.58	1.38	380	B-5

Prices



ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#	ITEM#	Length	St Cut	Chop	Join	Box Prc	Box Qty	Cat Pg#
60058	2.50	3.72	4.94	6.58	1.38	380	B-5	71602	2.29	3.43	4.57	6.14	1.26	380	D-1
61020	3.49	4.99	6.50	8.27	1.92	228	B-5	717	2.34	3.50	4.66	6.23	1.29	285	H-1
61026	3.49	4.99	6.50	8.27	1.92	228	B-5	71702	3.58	5.11	6.63	8.51	1.97	180	D-1
61045	3.49	4.99	6.50	8.27	1.92	228	B-5	718	2.03	3.07	4.11	5.65	1.12	380	H-1
61058	3.49	4.99	6.50	8.27	1.92	228	B-5	71802	3.19	4.62	6.05	7.80	1.75	300	D-1
61105	4.13	5.76	7.40	9.42	2.27	190	B-1	72302	3.34	4.81	6.28	8.04	1.84	228	D-1
61205	4.96	6.69	8.42	10.55	2.73	152	B-1	72402	5.42	7.17	8.93	11.14	2.98	200	D-1
61305	7.15	9.18	11.21	13.64	3.94	85	B-1	72850	4.54	6.23	7.92	10.02	2.50	140	D-5A
6201	3.37	4.85	6.32	8.09	1.86	270	B-3	73102	3.58	5.11	6.63	8.51	1.97	300	D-3
6202	3.37	4.85	6.32	8.09	1.86	270	B-3	73202	3.81	5.39	6.97	8.87	2.10	240	D-3
6203	3.37	4.85	6.32	8.09	1.86	270	B-3	73502	2.10	3.17	4.24	5.79	1.16	480	D-3
6204	3.37	4.85	6.32	8.09	1.86	270	B-3	74502	5.26	7.01	8.75	10.96	2.90	150	D-3
62320	3.69	5.23	6.78	8.68	2.03	209	G-29	74650	4.06	5.69	7.31	9.34	2.24	171	D-5A
62330	3.69	5.23	6.78	8.68	2.03	209	G-29	74702	5.24	6.99	8.74	10.95	2.88	170	D-3
62340	3.69	5.23	6.78	8.68	2.03	209	G-29	74750	4.22	5.87	7.52	9.55	2.32	171	D-5A
62350	3.69	5.23	6.78	8.68	2.03	209	G-29	76102	2.84	4.16	5.49	7.15	1.56	240	D-3
6301	3.37	4.85	6.32	8.09	1.86	234	B-3	76150	2.76	4.06	5.37	7.03	1.52	304	D-5A
6302	3.37	4.85	6.32	8.09	1.86	234	B-3	77502	4.86	6.58	8.30	10.43	2.68	150	D-3
6303	3.37	4.85	6.32	8.09	1.86	234	B-3	77550	4.22	5.87	7.52	9.55	2.32	152	D-5A
6304	3.37	4.85	6.32	8.09	1.86	234	B-3	77702	2.80	4.12	5.44	7.10	1.54	380	D-3
63320	4.01	5.63	7.24	9.26	2.21	152	G-29	77750	2.58	3.83	5.08	6.73	1.42	380	D-5A
63330	4.01	5.63	7.24	9.26	2.21	152	G-29	77850	5.43	7.18	8.94	11.15	2.98	133	D-5A
63340	4.01	5.63	7.24	9.26	2.21	152	G-29	80041	3.76	5.33	6.90	8.79	2.07	228	G-17
63350	4.01	5.63	7.24	9.26	2.21	152	G-29	80104	4.73	6.44	8.15	10.27	2.60	260	E-31A
64010	2.75	4.05	5.36	7.02	1.51	240	A-1	80141	5.40	7.15	8.90	11.12	2.97	190	G-17
64020	2.75	4.05	5.36	7.02	1.51	240	A-1	80204	3.64	5.18	6.72	8.61	2.01	210	E-31A
64030	2.75	4.05	5.36	7.02	1.51	240	A-1	80304	2.93	4.29	5.64	7.31	1.61	300	E-31A
65010	2.71	4.00	5.28	6.94	1.49	380	A-1	84104	3.03	4.42	5.80	7.54	1.67	216	L-5
65020	2.71	4.00	5.28	6.94	1.49	380	A-1	85104	4.56	6.25	7.95	10.06	2.51	162	L-5
65030	2.71	4.00	5.28	6.94	1.49	380	A-1	F020	1.70	2.60	3.51	4.86	N/A	N/A	J-1A
66010	4.11	5.73	7.36	9.39	2.26	220	A-1	F024	1.70	2.60	3.51	4.86	N/A	N/A	J-1A
66020	4.11	5.73	7.36	9.39	2.26	220	A-1	F025	1.70	2.60	3.51	4.86	N/A	N/A	J-1A
66030	4.11	5.73	7.36	9.39	2.26	220	A-1	F040	1.70	2.60	3.51	4.86	N/A	N/A	J-1A
67024	2.99	4.36	5.73	7.41	1.64	190	A-73	F045	1.70	2.60	3.51	4.86	N/A	N/A	J-1A
67028	2.99	4.36	5.73	7.41	1.64	190	A-73	F1020	1.46	2.25	3.05	4.33	N/A	N/A	J-1A
67045	2.99	4.36	5.73	7.41	1.64	190	A-73	F1024	1.46	2.25	3.05	4.33	N/A	N/A	J-1A
67058	2.99	4.36	5.73	7.41	1.64	190	A-73	F1028	1.46	2.25	3.05	4.33	N/A	N/A	J-1A
67124	5.03	6.76	8.50	10.69	2.77	98	A-73	F1034	1.46	2.25	3.05	4.33	N/A	N/A	J-1A
67128	5.03	6.76	8.50	10.69	2.77	98	A-73	F1045	1.46	2.25	3.05	4.33	N/A	N/A	J-1A
67145	5.03	6.76	8.50	10.69	2.77	98	A-73	F120	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
67158	5.03	6.76	8.50	10.69	2.77	98	A-73	F124	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
712	1.06	1.66	2.26	3.50	0.59	475	H-1	F125	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
714	1.43	2.21	3.00	4.27	0.79	532	H-1	F128	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
71402	2.12	3.20	4.27	5.83	1.17	500	D-1	F134	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
715	1.35	2.10	2.85	4.11	0.75	475	H-1	F145	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
71502	2.17	3.27	4.37	5.92	1.19	450	D-1	F159	1.43	2.21	3.00	4.27	N/A	N/A	J-1A
716	1.42	2.20	2.98	4.25	0.78	494	H-1	F20	1.44	2.22	3.01	4.28	N/A	N/A	J-1A

US\$/FT Order: (800) 262-4174 Fax: (888) 894-2151 www.studiomoulding.com March 2020 — X-12

This Footage Chart will give you the approximate cost of each chop: however, actual billing will be calculated by computer. Minimum charge based upon 3 feet.

United Inches	Size	1/2	3/4	1	1 1/2	2	2 1/2	3	3 1/2	4
12	5 x 7	2.4	2.6	2.8	3.0	3.4	3.7	4.0	4.4	4.7
16	7 x 9	3.0	3.2	3.4	3.7	4.0	4.4	4.7	5.0	5.4
18	8 x 10	3.4	3.6	3.8	4.0	4.4	4.7	5.0	5.4	5.7
20	9 x 11	3.7	3.9	4.1	4.4	4.7	5.0	5.4	5.7	6.0
22	10 x 12	4.0	4.2	4.4	4.7	5.0	5.4	5.7	6.0	6.4
25	11 x 14	4.5	4.7	5.0	5.3	5.6	6.0	6.2	6.5	6.9
27	12 x 15	4.8	5.0	5.2	5.5	5.8	6.2	6.5	6.8	7.2
28	12 x 16	5.0	5.2	5.4	5.7	6.0	6.4	6.7	7.0	7.4
32	14 x 18	5.7	5.9	6.1	6.4	6.7	7.0	7.4	7.7	8.0
34	16 x 18	6.0	6.2	6.4	6.7	7.0	7.4	7.7	8.0	8.4
36	16 x 20	6.4	6.6	6.8	7.0	7.4	7.7	8.0	8.4	8.7
38	17 x 21	6.7	6.9	7.1	7.4	7.7	8.0	8.4	8.7	9.0
40	18 x 22	7.0	7.2	7.4	7.7	8.0	8.4	8.7	9.0	9.4
42	20 x 22	7.4	7.6	7.8	8.0	8.4	8.7	9.0	9.4	9.7
44	20 x 24	7.7	7.9	8.1	8.4	8.7	9.0	9.4	9.7	10.0
46	20 x 26	8.0	8.2	8.4	8.7	9.0	9.4	9.7	10.0	10.4
48	22 x 26	8.4	8.6	8.8	9.0	9.4	9.7	10.0	10.4	10.7
50	22 x 28	8.7	8.9	9.1	9.4	9.7	10.0	10.4	10.7	11.0
52	24 x 28	9.0	9.2	9.4	9.7	10.0	10.4	10.7	11.0	11.4
54	24 x 30	9.4	9.6	9.8	10.0	10.4	10.7	11.0	11.4	11.7
55	25 x 30	9.5	9.7	9.8	10.2	10.5	10.8	11.2	11.5	11.8
56	24 x 32	9.7	9.9	10.1	10.4	10.7	11.0	11.4	11.7	12.0
58	26 x 32	10.0	10.2	10.4	10.7	11.0	11.4	11.7	12.0	12.4
60	24 x 36	10.4	10.6	10.8	11.0	11.4	11.7	12.0	12.4	12.7
62	26 x 36	10.7	10.9	11.1	11.4	11.7	12.0	12.4	12.7	13.0
64	26 x 36	11.0	11.2	11.4	11.7	12.0	12.4	12.7	13.0	13.4
66	30 x 36	11.4	11.6	11.8	12.0	12.4	12.7	13.0	13.4	13.7
68	32 x 36	11.7	11.9	12.1	12.4	12.7	13.0	13.4	13.7	14.0
70	30 x 40	12.0	12.2	12.4	12.7	13.0	13.4	13.7	14.0	14.4
72	32 x 40	12.4	12.6	12.8	13.0	13.4	13.7	14.0	14.4	14.7
74	34 x 40	12.7	12.9	13.1	13.4	13.7	14.0	14.4	14.7	15.0
76	32 x 44	13.0	13.2	13.4	13.7	14.0	14.4	14.7	15.0	15.4
78	34 x 44	13.4	13.6	13.8	14.0	14.4	14.7	15.0	15.4	15.7
80	36 x 44	13.7	13.9	14.1	14.4	14.7	15.0	15.4	15.7	16.0
82	36 x 46	14.0	14.2	14.4	14.7	15.0	15.4	15.7	16.0	16.4
84	36 x 48	14.4	14.6	14.8	15.0	15.4	15.7	16.0	16.4	16.7
86	36 x 50	14.7	14.9	15.1	15.4	15.7	16.0	16.4	16.7	17.0
88	36 x 52	15.0	15.2	15.4	15.7	16.0	16.4	16.7	17.0	17.4
90	40 x 50	15.4	15.6	15.8	16.0	16.4	16.7	17.0	17.4	17.7
92	42 x 50	15.7	15.9	16.1	16.4	16.7	17.0	17.4	17.7	18.0
94	44 x 50	16.0	16.2	16.4	16.7	17.0	17.4	17.7	18.0	18.4
96	44 x 52	16.4	16.6	16.8	17.0	17.4	17.7	18.0	18.4	18.7
98	40 x 58	16.7	16.9	17.1	17.4	17.7	18.0	18.4	18.7	19.0
100	40 x 60	17.0	17.2	17.4	17.7	18.0	18.4	18.7	19.0	19.4
102	42 x 60	17.4	17.6	17.8	18.0	18.4	18.7	19.0	19.4	19.7
104	44 x 60	17.7	17.9	18.1	18.4	18.7	19.0	19.4	19.7	20.0
106	46 x 60	18.0	18.2	18.4	18.7	19.0	19.4	19.7	20.0	20.4
108	48 x 60	18.4	18.6	18.8	19.0	19.4	19.7	20.0	20.4	20.7
110	50 x 600	18.7	18.9	19.1	19.4	19.7	20.0	20.4	20.7	30.0

Size: Column for standard size frames.

United inches: Column for odd size frames.

Example: 18 x 22 frame has 40 united inches. If moulding is 1" wide, the footage required would be 7.4 feet.



Eco Friendly

■ **LOS ANGELES**

1315 E. Watson Center Road
Carson, CA 90745

■ **DALLAS**

918 Ave. N.
Grand Prairie, TX 75050

■ **ATLANTA**

1035 Fred Drive
Morrow, GA 30260

■ **NEW JERSEY**

100 Newfield Ave.
Edison, NJ 08837

■ **ILLINOIS**

2650 Colt Road
Springfield, IL 62707