

# Lecture Notes in Measure Theory

Ashish Kujur

June 2022

## Introduction

This is a set of lecture notes which I took for reviewing stuff that I typed after taking class from Professor *insert name here*. All the typos and errors are of mine. I like to take notes in  $\text{\LaTeX}$  as it motivates me to drag my ass to class. The pictures that make here will be hand drawn and I will appreciate it if someone who is knowledgeable in Tikz will help me digitizing my rough hand-drawn pictures.

## Contents

<b>1</b>	<b>Lecture 1 - 9th August 2022 - Basic Definitions</b>	<b>1</b>
1.1	Algebras and Sigma-algebras . . . . .	1
1.2	Measures . . . . .	2
<b>2</b>	<b>Lecture 2</b>	<b>2</b>
2.1	Lebesgue Integral . . . . .	2

## 1 Lecture 1 - 9th August 2022 - Basic Definitions

### 1.1 Algebras and Sigma-algebras

**Definition 1.1.1** (Algebra). Let  $X$  be any arbitrary set. A collection  $\mathcal{A} \subseteq \mathcal{P}(X)$  is called an algebra if

1.  $X \in \mathcal{A}$
2.  $\forall A \in \mathcal{A}, X \setminus A \in \mathcal{A}$
3.  $\forall \mathcal{F} \subseteq \mathcal{A} (\mathcal{F} \text{ finite} \Rightarrow \bigcup \mathcal{F} \in \mathcal{A})$
4.  $\forall \mathcal{F} \subseteq \mathcal{A} (\mathcal{F} \text{ finite} \Rightarrow \bigcap \mathcal{F} \in \mathcal{A})$

**Definition 1.1.2** ( $\sigma$  -Algebra). Let  $X$  be any arbitrary set. A collection  $\mathcal{A} \subseteq \mathcal{P}(X)$  is called an algebra if

1.  $X \in \mathcal{A}$
2.  $\forall A \in \mathcal{A}, X \setminus A \in \mathcal{A}$
3.  $\forall \{A_i\}_{i \in \mathbb{N}} \subseteq \mathcal{A}, \bigcup_{i \in \mathbb{N}} A_i \in \mathcal{A}$
4.  $\forall \{A_i\}_{i \in \mathbb{N}} \subseteq \mathcal{A}, (\mathcal{F} \text{ finite} \Rightarrow \bigcap_{i \in \mathbb{N}} A_i \in \mathcal{A})$

**Example 1.1.3** (Some families of sets that are algebras or  $\sigma$ -algebras, and some that are not). Here's a list of examples:

1. Let  $X$  be any set. Let  $\mathcal{A} = \mathcal{P}(X)$ . Then  $\mathcal{A}$  is a  $\sigma$ -algebra on  $X$ .
2. Let  $X$  be any set. Let  $\mathcal{A}$  be the collection of all subsets  $A$  of  $X$  such that  $A$  or  $A^c$  is countable. Then  $\mathcal{A}$  is  $\sigma$ -algebra.

**Proposition 1.1.4.** *Let  $X$  be any set. The intersection of an arbitrary nonempty collection of  $\sigma$ -algebras on  $X$  is a  $\sigma$ -algebra on  $X$ .*

## 1.2 Measures

**Example 1.2.1.**  $\triangle!$  This is just a warning!

## 2 Lecture 2

### 2.1 Lebesgue Integral