

JOSHUA ADJEI  
98082028  
COHORT C

create database elitevideo\_db;  
Query OK, 1 row affected (0.02 sec)

#### Question 1

CREATE TABLE MEMBERSHIP (Mem\_Num INT PRIMARY KEY AUTO\_INCREMENT, Mem\_Fname VARCHAR(50) NOT NULL, Mem\_Lname VARCHAR(50) NOT NULL, Mem\_Street VARCHAR(100) NOT NULL, Mem\_City VARCHAR(50) NOT NULL, Mem\_State VARCHAR(4) NOT NULL, Mem\_Zip VARCHAR(5) NOT NULL, Mem\_Balance INT NOT NULL);  
Query OK, 0 rows affected, 2 warnings (0.06 sec)

DESCRIBE MEMBERSHIP;

| Field       | Type         | Null | Key | Default | Extra          |
|-------------|--------------|------|-----|---------|----------------|
| Mem_Num     | int          | NO   | PRI | NULL    | auto_increment |
| Mem_Fname   | varchar(50)  | NO   |     | NULL    |                |
| Mem_Lname   | varchar(50)  | NO   |     | NULL    |                |
| Mem_Street  | varchar(100) | NO   |     | NULL    |                |
| Mem_City    | varchar(50)  | NO   |     | NULL    |                |
| Mem_State   | varchar(4)   | NO   |     | NULL    |                |
| Mem_Zip     | varchar(5)   | NO   |     | NULL    |                |
| Mem_Balance | int          | NO   |     | NULL    |                |

8 rows in set (0.10 sec)

CREATE TABLE RENTAL (Rent\_Num INT PRIMARY KEY AUTO\_INCREMENT, Rent\_Date DATE, Mem\_Num INT NOT NULL, FOREIGN KEY (Mem\_Num) REFERENCES membership (Mem\_Num));  
Query OK, 0 rows affected (0.03 sec)

DESCRIBE RENTAL;

| Field     | Type | Null | Key | Default | Extra          |
|-----------|------|------|-----|---------|----------------|
| Rent_Num  | int  | NO   | PRI | NULL    | auto_increment |
| Rent_Date | date | YES  |     | NULL    |                |
| Mem_Num   | int  | NO   | MUL | NULL    |                |

3 rows in set (0.05 sec)

CREATE TABLE PRICE (Price\_Code INT PRIMARY KEY AUTO\_INCREMENT, Price\_Description VARCHAR(20) NOT NULL, Price\_Rentfee DECIMAL(5, 1) NOT NULL, Price\_Dailylatefee DECIMAL(5, 1));  
Query OK, 0 rows affected (0.01 sec)

DESCRIBE PRICE;

| Field              | Type         | Null | Key | Default | Extra          |
|--------------------|--------------|------|-----|---------|----------------|
| Price_Code         | int          | NO   | PRI | NULL    | auto_increment |
| Price_Description  | varchar(20)  | NO   |     | NULL    |                |
| Price_Rentfee      | decimal(5,1) | NO   |     | NULL    |                |
| Price_Dailylatefee | decimal(5,1) | YES  |     | NULL    |                |

4 rows in set (0.00 sec)

CREATE TABLE MOVIE (Movie\_Num INT PRIMARY KEY, Movie\_Title VARCHAR(100) NOT NULL, Movie\_Year VARCHAR(4) NOT NULL, Movie\_Cost DECIMAL(5, 2) NOT NULL, Movie\_Genre VARCHAR(20) NOT NULL, Price\_Code INT, FOREIGN KEY (Price\_Code)

```
REFERENCES PRICE (Price_Code));
Query OK, 0 rows affected (0.03 sec)
```

```
DESCRIBE MOVIE;
```

| Field       | Type         | Null | Key | Default | Extra |
|-------------|--------------|------|-----|---------|-------|
| Movie_Num   | int          | NO   | PRI | NULL    |       |
| Movie_Title | varchar(100) | NO   |     | NULL    |       |
| Movie_Year  | varchar(4)   | NO   |     | NULL    |       |
| Movie_Cost  | decimal(5,2) | NO   |     | NULL    |       |
| Movie_Genre | varchar(20)  | NO   |     | NULL    |       |
| Price_Code  | int          | YES  | MUL | NULL    |       |

6 rows in set (0.03 sec)

```
CREATE TABLE VIDEO (Vid_Num INT PRIMARY KEY, Vid_Indate DATE, Movie_Num INT NOT
NULL, FOREIGN KEY (Movie_Num) REFERENCES movie (Movie_Num));
Query OK, 0 rows affected (0.03 sec)
```

```
DESCRIBE VIDEO;
```

| Field      | Type | Null | Key | Default | Extra |
|------------|------|------|-----|---------|-------|
| Vid_Num    | int  | NO   | PRI | NULL    |       |
| Vid_Indate | date | YES  |     | NULL    |       |
| Movie_Num  | int  | NO   | MUL | NULL    |       |

3 rows in set (0.01 sec)

```
CREATE TABLE DETAILRENTAL (Rent_Num INT NOT NULL, Vid_Num INT NOT NULL,
Detail_Fee DECIMAL(5, 1) NOT NULL, Detail_Duedate DATE, Detail_Returndate DATE,
Detail_Dailylatefee DECIMAL(5, 1), PRIMARY KEY (Rent_Num, Vid_Num), FOREIGN KEY
(Rent_Num) REFERENCES rental (Rent_Num), FOREIGN KEY (Vid_Num) REFERENCES VIDEO
(Vid_Num))
Query OK, 0 rows affected (0.06 sec)
```

```
DESCRIBE DETAILRENTAL;
```

| Field               | Type         | Null | Key | Default | Extra |
|---------------------|--------------|------|-----|---------|-------|
| Rent_Num            | int          | NO   | PRI | NULL    |       |
| Vid_Num             | int          | NO   | PRI | NULL    |       |
| Detail_Fee          | decimal(5,1) | NO   |     | NULL    |       |
| Detail_Duedate      | date         | YES  |     | NULL    |       |
| Detail_Returndate   | date         | YES  |     | NULL    |       |
| Detail_Dailylatefee | decimal(5,1) | YES  |     | NULL    |       |

6 rows in set (0.01 sec)

## Question 2

```
INSERT INTO MEMBERSHIP (Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City,
Mem_State, Mem_Zip, Mem_Balance) VALUES (102, 'Tami', 'Dawson', '2632 Takli
Circle', 'Norene', 'TN', '37136', 11);
Query OK, 1 row affected (0.02 sec)
```

```
INSERT INTO MEMBERSHIP (Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City,
Mem_State, Mem_Zip, Mem_Balance) VALUES (103, 'Curt', 'Knight', '4025 Cornell
Court', 'Flatgap', 'KY', '41219', 6);
Query OK, 1 row affected (0.00 sec)
```

```
INSERT INTO MEMBERSHIP (Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City,
```

```

Mem_State, Mem_Zip, Mem_Balance)
VALUES
(104, 'Jamal', 'Melendez', '788 East 145th Avenue', 'Quebeck', 'TN', '38579',
0),
(105, 'Iva', 'Mcclain', '6045 Musket Ball Circle', 'Summit', 'KY', '42783', 15),
(106, 'Miranda', 'Parks', '4469 Maxwell Place', 'Germantown', 'TN', '38183', 0),
(107, 'Rosario', 'Elliott', '7578 Danner Avenue', 'Columbia', 'TN', '38402', 5),
(108, 'Mattie', 'Guy', '4390 Evergreen Street', 'Lily', 'KY', '40740', 0),
(109, 'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville', 'TN', '37745', 10),
(110, 'Lewis', 'Rosales', '4524 Southwind Circle', 'Counce', 'TN', '38326', 0),
(111, 'Stacy', 'Mann', '2789 East Cook Avenue', 'Murfreesboro', 'TN', '37132',
8),
(112, 'Luis', 'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN', '37754', 3),
(113, 'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', '38076', 0);
Query OK, 10 rows affected (0.03 sec)
Records: 10 Duplicates: 0 Warnings: 0

```

```

SELECT * FROM MEMBERSHIP;

```

```

+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
| Mem_Num | Mem_Fname | Mem_Lname | Mem_Street | Mem_City |
Mem_State | Mem_Zip | Mem_Balance |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
|      102 | Tami      | Dawson    | 2632 Takli Circle | Norene    | TN
| 37136    |           | 11 |           |           |
|      103 | Curt      | Knight    | 4025 Cornell Court | Flatgap   | KY
| 41219    |           | 6 |           |           |
|      104 | Jamal     | Melendez  | 788 East 145th Avenue | Quebeck   | TN
| 38579    |           | 0 |           |           |
|      105 | Iva       | Mcclain   | 6045 Musket Ball Circle | Summit    | KY
| 42783    |           | 15 |           |           |
|      106 | Miranda   | Parks     | 4469 Maxwell Place | Germantown | TN
| 38183    |           | 0 |           |           |
|      107 | Rosario   | Elliott    | 7578 Danner Avenue | Columbia   | TN
| 38402    |           | 5 |           |           |
|      108 | Mattie    | Guy       | 4390 Evergreen Street | Lily       | KY
| 40740    |           | 0 |           |           |
|      109 | Clint     | Ochoa     | 1711 Elm Street    | Greeneville | TN
| 37745    |           | 10 |           |           |
|      110 | Lewis     | Rosales   | 4524 Southwind Circle | Counce     | TN
| 38326    |           | 0 |           |           |
|      111 | Stacy     | Mann      | 2789 East Cook Avenue | Murfreesboro | TN
| 37132    |           | 8 |           |           |
|      112 | Luis      | Trujillo  | 7267 Melvin Avenue | Heiskell   | TN
| 37754    |           | 3 |           |           |
|      113 | Minnie    | Gonzales  | 6430 Vasili Drive   | Williston  | TN
| 38076    |           | 0 |           |           |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+

```

```

INSERT INTO RENTAL (Rent_Num, Rent_Date, Mem_Num)

```

```

VALUES
(1001, '2016-03-01', 103),
(1002, '2016-03-01', 105),
(1003, '2016-03-02', 102),
(1004, '2016-03-02', 110),
(1005, '2016-03-02', 111),
(1006, '2016-03-02', 107),
(1007, '2016-03-02', 104),
(1008, '2016-03-03', 105),
(1009, '2016-03-03', 111);
Query OK, 9 rows affected (0.03 sec)

```

Records: 9 Duplicates: 0 Warnings: 0

SELECT \* FROM RENTAL;

| Rent_Num | Rent_Date  | Mem_Num |
|----------|------------|---------|
| 1001     | 2016-03-01 | 103     |
| 1002     | 2016-03-01 | 105     |
| 1003     | 2016-03-02 | 102     |
| 1004     | 2016-03-02 | 110     |
| 1005     | 2016-03-02 | 111     |
| 1006     | 2016-03-02 | 107     |
| 1007     | 2016-03-02 | 104     |
| 1008     | 2016-03-03 | 105     |
| 1009     | 2016-03-03 | 111     |

9 rows in set (0.01 sec)

INSERT INTO PRICE (Price\_Code, Price\_Description, Price\_Rentfee,  
Price\_Dailylatefee)  
VALUES

(1, 'Standard', 2.0, 1.0),  
(2, 'New Release', 3.5, 3.0),  
(3, 'Discount', 1.5, 1.0),  
(4, 'Weekly Special', 1.0, 0.5);

Query OK, 4 rows affected (0.03 sec)

Records: 4 Duplicates: 0 Warnings: 0

SELECT \* FROM PRICE;

| Price_Code | Price_Description | Price_Rentfee | Price_Dailylatefee |
|------------|-------------------|---------------|--------------------|
| 1          | Standard          | 2.0           | 1.0                |
| 2          | New Release       | 3.5           | 3.0                |
| 3          | Discount          | 1.5           | 1.0                |
| 4          | Weekly Special    | 1.0           | 0.5                |

4 rows in set (0.00 sec)

INSERT INTO MOVIE (Movie\_Num, Movie\_Title, Movie\_Year, Movie\_Cost, Movie\_Genre)  
VALUES

(1234, 'The Cesar Family Christmas', '2014', 39.95, 'FAMILY', 2),  
(1235, 'Smokey Mountain Wildlife', '2011', 59.95, 'ACTION', 1),  
(1236, 'Richard Goodhope', '2015', 59.95, 'DRAMA', 2),  
(1237, 'Beatnik Fever', '2014', 29.95, 'COMEDY', 2),  
(1238, 'Constant Companion', '2015', 89.95, 'DRAMA'),  
(1239, 'Where Hope Dies', '2005', 25.49, 'DRAMA', 3),  
(1245, 'Time to Burn', '2012', 45.49, 'ACTION', 1),  
(1246, 'What He Doesn't Know', '2013', 58.29, 'COMEDY', 1);

Query OK, 8 rows affected (0.03 sec)

Records: 8 Duplicates: 0 Warnings: 0

SELECT \* FROM MOVIE;

| Movie_Num | Movie_Title                | Movie_Year | Movie_Cost | Movie_Genre |
|-----------|----------------------------|------------|------------|-------------|
| 1234      | The Cesar Family Christmas | 2014       | 39.95      | FAMILY      |
| 2         |                            |            |            |             |
| 1235      | Smokey Mountain Wildlife   | 2011       | 59.95      | ACTION      |

|      |      |                      |      |       |        |
|------|------|----------------------|------|-------|--------|
| 1    | 1236 | Richard Goodhope     | 2015 | 59.95 | DRAMA  |
| 2    | 1237 | Beatnik Fever        | 2014 | 29.95 | COMEDY |
| 2    | 1238 | Constant Companion   | 2015 | 89.95 | DRAMA  |
| NULL | 1239 | Where Hope Dies      | 2005 | 25.49 | DRAMA  |
| 3    | 1245 | Time to Burn         | 2012 | 45.49 | ACTION |
| 1    | 1246 | What He Doesn't Know | 2013 | 58.29 | COMEDY |
| 1    |      |                      |      |       |        |

8 rows in set (0.00 sec)

```
INSERT INTO VIDEO (Vid_Num, Vid_Indate, Movie_Num)
VALUES
```

```
(54321, '2015-06-18', 1234),
(54324, '2015-06-18', 1234),
(54325, '2015-06-18', 1234),
(34341, '2014-01-22', 1235),
(34342, '2014-01-22', 1235),
(34366, '2016-03-02', 1236),
(34367, '2016-03-02', 1236),
(34368, '2016-03-02', 1236),
(34369, '2016-03-02', 1236),
(44392, '2015-10-21', 1237),
(44397, '2015-10-21', 1237),
(59237, '2016-02-14', 1237),
(61388, '2014-01-25', 1239),
(61353, '2013-01-28', 1245),
(61354, '2013-01-28', 1245);
```

Query OK, 15 rows affected (0.09 sec)

Records: 15 Duplicates: 0 Warnings: 0

```
SELECT * FROM VIDEO;
```

| Vid_Num | Vid_Indate | Movie_Num |
|---------|------------|-----------|
| 34341   | 2014-01-22 | 1235      |
| 34342   | 2014-01-22 | 1235      |
| 34366   | 2016-03-02 | 1236      |
| 34367   | 2016-03-02 | 1236      |
| 34368   | 2016-03-02 | 1236      |
| 34369   | 2016-03-02 | 1236      |
| 44392   | 2015-10-21 | 1237      |
| 44397   | 2015-10-21 | 1237      |
| 54321   | 2015-06-18 | 1234      |
| 54324   | 2015-06-18 | 1234      |
| 54325   | 2015-06-18 | 1234      |
| 59237   | 2016-02-14 | 1237      |
| 61353   | 2013-01-28 | 1245      |
| 61354   | 2013-01-28 | 1245      |
| 61388   | 2014-01-25 | 1239      |

15 rows in set (0.02 sec)

```
INSERT INTO DETAILRENTAL
```

```
(Rent_Num, Vid_Num, Detail_Fee, Detail_Duedate, Detail_Returndate,
Detail_Dailyatefee)
```

VALUES

```
(1001, 34342, 2.0, '2016-03-04', '2016-03-02', NULL),
(1001, 61353, 2.0, '2016-03-04', '2016-03-03', 1.0),
(1002, 59237, 3.5, '2016-03-04', '2016-03-04', 3.0),
(1003, 54325, 3.5, '2016-03-04', '2016-03-09', 3.0),
(1003, 61369, 2.0, '2016-03-06', '2016-03-09', 1.0),
(1003, 61388, 0.0, '2016-03-06', '2016-03-09', 1.0),
(1004, 44392, 3.5, '2016-03-05', '2016-03-07', 3.0),
(1004, 34367, 3.5, '2016-03-05', '2016-03-07', 3.0),
(1004, 34341, 2.0, '2016-03-07', '2016-03-07', 1.0),
(1005, 34342, 2.0, '2016-03-07', '2016-03-05', 1.0),
(1005, 44397, 3.5, '2016-03-05', '2016-03-05', 3.0),
(1006, 34366, 3.5, '2016-03-05', '2016-03-04', 3.0),
(1006, 61367, 2.0, '2016-03-07', NULL, 1.0),
(1007, 34368, 3.5, '2016-03-05', NULL, 3.0),
(1008, 34369, 3.5, '2016-03-05', '2016-03-05', 3.0),
(1009, 54324, 3.5, '2016-03-05', NULL, 3.0),
(1001, 34366, 3.5, '2016-03-04', '2016-03-02', 3.0);
```

Query OK, 17 rows affected (0.01 sec)

Records: 17 Duplicates: 0 Warnings: 0

SELECT \* FROM DETAILRENTAL;

```
+-----+-----+-----+-----+-----+
+-----+
| Rent_Num | Vid_Num | Detail_Fee | Detail_Duedate | Detail_Returndate |
Detail_Dailylatefee |
+-----+-----+-----+-----+-----+
+-----+
|      1001 |      34342 |          2.0 | 2016-03-04      | 2016-03-02        |
NULL |
|      1001 |      34366 |          3.5 | 2016-03-04      | 2016-03-02        |
3.0 |
|      1001 |      61353 |          2.0 | 2016-03-04      | 2016-03-03        |
1.0 |
|      1002 |      59237 |          3.5 | 2016-03-04      | 2016-03-04        |
3.0 |
|      1003 |      34369 |          2.0 | 2016-03-06      | 2016-03-09        |
1.0 |
|      1003 |      54325 |          3.5 | 2016-03-04      | 2016-03-09        |
3.0 |
|      1003 |      61388 |          0.0 | 2016-03-06      | 2016-03-09        |
1.0 |
|      1004 |      34341 |          2.0 | 2016-03-07      | 2016-03-07        |
1.0 |
|      1004 |      34367 |          3.5 | 2016-03-05      | 2016-03-07        |
3.0 |
|      1004 |      44392 |          3.5 | 2016-03-05      | 2016-03-07        |
3.0 |
|      1005 |      34342 |          2.0 | 2016-03-07      | 2016-03-05        |
1.0 |
|      1005 |      44397 |          3.5 | 2016-03-05      | 2016-03-05        |
3.0 |
|      1006 |      34366 |          3.5 | 2016-03-05      | 2016-03-04        |
3.0 |
|      1006 |      61354 |          2.0 | 2016-03-07      | NULL              |
1.0 |
|      1007 |      34368 |          3.5 | 2016-03-05      | NULL              |
3.0 |
|      1008 |      34369 |          3.5 | 2016-03-05      | 2016-03-05        |
3.0 |
|      1009 |      54324 |          3.5 | 2016-03-05      | NULL              |
3.0 |
+-----+-----+-----+-----+-----+
+-----+
```

17 rows in set (0.00 sec)

### Question 3

Before the update:

```
SELECT * FROM MOVIE WHERE Movie_Num = 1245;
```

```
+-----+-----+-----+-----+-----+-----+
+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+
|      1245 | Time to Burn | 2012      |      45.49 | ACTION      |           1 |
+-----+-----+-----+-----+-----+-----+
+
1 row in set (0.02 sec)
```

```
UPDATE MOVIE SET Movie_Year = 2010 WHERE Movie_Num = 1245;
```

Query OK, 1 row affected (0.04 sec)

Rows matched: 1 Changed: 1 Warnings: 0

After the update:

```
SELECT * FROM MOVIE WHERE Movie_Num = 1245;
```

```
+-----+-----+-----+-----+-----+-----+
+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+
|      1245 | Time to Burn | 2010      |      45.49 | ACTION      |           1 |
+-----+-----+-----+-----+-----+-----+
+
1 row in set (0.00 sec)
```

### Question 4

Before the update:

```
SELECT * FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

```
+-----+-----+-----+-----+-----+-----+
+-----+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+-----+
|      1235 | Smokey Mountain Wildlife | 2011      |      59.95 | ACTION      |           1 |
1 |
|      1245 | Time to Burn | 2010      |      45.49 | ACTION      |           1 |
1 |
+-----+-----+-----+-----+-----+-----+
+-----+
2 rows in set (0.01 sec)
```

```
UPDATE MOVIE SET Price_Code = 3 WHERE Movie_Genre = 'ACTION';
```

Query OK, 2 rows affected (0.04 sec)

Rows matched: 2 Changed: 2 Warnings: 0

```
SELECT * FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

```

+-----+-----+-----+-----+-----+
+-----+
| Movie_Num | Movie_Title          | Movie_Year | Movie_Cost | Movie_Genre |
Price_Code |
+-----+-----+-----+-----+-----+
+-----+
|      1235 | Smokey Mountain Wildlife | 2011      |      59.95 | ACTION      |
3 |
|      1245 | Time to Burn           | 2010      |      45.49 | ACTION      |
3 |
+-----+-----+-----+-----+-----+
+-----+
2 rows in set (0.00 sec)

```

#### Question 5

Before the update:

```

SELECT * FROM PRICE;
+-----+-----+-----+-----+
| Price_Code | Price_Description | Price_Rentfee | Price_DailyLatefee |
+-----+-----+-----+-----+
|          1 | Standard          |          2.0 |          1.0 |
|          2 | New Release       |          3.5 |          3.0 |
|          3 | Discount          |          1.5 |          1.0 |
|          4 | Weekly Special    |          1.0 |          0.5 |
+-----+-----+-----+-----+
4 rows in set (0.01 sec)

```

```

UPDATE PRICE SET Price_Rentfee = Price_Rentfee + 0.50;
Query OK, 4 rows affected (0.01 sec)
Rows matched: 4  Changed: 4  Warnings: 0

```

After the update:

```

SELECT * FROM PRICE;
+-----+-----+-----+-----+
| Price_Code | Price_Description | Price_Rentfee | Price_DailyLatefee |
+-----+-----+-----+-----+
|          1 | Standard          |          2.5 |          1.0 |
|          2 | New Release       |          4.0 |          3.0 |
|          3 | Discount          |          2.0 |          1.0 |
|          4 | Weekly Special    |          1.5 |          0.5 |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)

```

#### Question 6

```

SELECT Movie_Title, Movie_Year, Movie_Genre FROM MOVIE;
+-----+-----+-----+
| Movie_Title          | Movie_Year | Movie_Genre |
+-----+-----+-----+
| The Cesar Family Christmas | 2014      | FAMILY      |
| Smokey Mountain Wildlife   | 2011      | ACTION      |
| Richard Goodhope          | 2015      | DRAMA       |
| Beatnik Fever              | 2014      | COMEDY      |
| Constant Companion         | 2015      | DRAMA       |
| Where Hope Dies            | 2005      | DRAMA       |
| Time to Burn               | 2010      | ACTION      |
| What He Doesn't Know       | 2013      | COMEDY      |
+-----+-----+-----+
8 rows in set (0.03 sec)

```



### Question 7

```
SELECT Movie_Year, Movie_Title, Movie_Cost FROM MOVIE ORDER BY Movie_Year DESC;
```

| Movie_Year | Movie_Title                | Movie_Cost |
|------------|----------------------------|------------|
| 2015       | Richard Goodhope           | 59.95      |
| 2015       | Constant Companion         | 89.95      |
| 2014       | The Cesar Family Christmas | 39.95      |
| 2014       | Beatnik Fever              | 29.95      |
| 2013       | What He Doesn't Know       | 58.29      |
| 2011       | Smokey Mountain Wildlife   | 59.95      |
| 2010       | Time to Burn               | 45.49      |
| 2005       | Where Hope Dies            | 25.49      |

8 rows in set (0.01 sec)

### Question 8

```
SELECT Movie_Title, Movie_Year, Movie_Genre FROM MOVIE ORDER BY Movie_Genre ASC, Movie_Year DESC;
```

| Movie_Title                | Movie_Year | Movie_Genre |
|----------------------------|------------|-------------|
| Smokey Mountain Wildlife   | 2011       | ACTION      |
| Time to Burn               | 2010       | ACTION      |
| Beatnik Fever              | 2014       | COMEDY      |
| What He Doesn't Know       | 2013       | COMEDY      |
| Richard Goodhope           | 2015       | DRAMA       |
| Constant Companion         | 2015       | DRAMA       |
| Where Hope Dies            | 2005       | DRAMA       |
| The Cesar Family Christmas | 2014       | FAMILY      |

8 rows in set (0.04 sec)

### Question 9

```
SELECT Movie_Num, Movie_Title, Price_Code FROM MOVIE WHERE Movie_Title LIKE 'R%';
```

| Movie_Num | Movie_Title      | Price_Code |
|-----------|------------------|------------|
| 1236      | Richard Goodhope | 2          |

1 row in set (0.02 sec)

### Question 10

```
SELECT Movie_Title, Movie_Year, Movie_Cost FROM MOVIE WHERE Movie_Title LIKE '%hope%' ORDER BY Movie_Title ASC;
```

| Movie_Title      | Movie_Year | Movie_Cost |
|------------------|------------|------------|
| Richard Goodhope | 2015       | 59.95      |
| Where Hope Dies  | 2005       | 25.49      |

2 rows in set (0.01 sec)

#### Question 11

```
SELECT Movie_Title, Movie_Year, Movie_Genre FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

| Movie_Title              | Movie_Year | Movie_Genre |
|--------------------------|------------|-------------|
| Smokey Mountain Wildlife | 2011       | ACTION      |
| Time to Burn             | 2010       | ACTION      |

2 rows in set (0.04 sec)

#### Question 12

```
SELECT Movie_Num, Movie_Title, Movie_Cost FROM MOVIE WHERE Movie_Cost > 40;
```

| Movie_Num | Movie_Title              | Movie_Cost |
|-----------|--------------------------|------------|
| 1235      | Smokey Mountain Wildlife | 59.95      |
| 1236      | Richard Goodhope         | 59.95      |
| 1238      | Constant Companion       | 89.95      |
| 1245      | Time to Burn             | 45.49      |
| 1246      | What He Doesn't Know     | 58.29      |

5 rows in set (0.01 sec)

#### Question 13

```
SELECT Movie_Num, Movie_Title, Movie_Cost, Movie_Genre FROM MOVIE WHERE (Movie_Genre = 'ACTION' OR Movie_Genre = 'COMEDY') AND Movie_Cost < 50 ORDER BY Movie_Genre ASC;
```

| Movie_Num | Movie_Title   | Movie_Cost | Movie_Genre |
|-----------|---------------|------------|-------------|
| 1245      | Time to Burn  | 45.49      | ACTION      |
| 1237      | Beatnik Fever | 29.95      | COMEDY      |

2 rows in set (0.14 sec)

#### Question 14

```
SELECT Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_State, Mem_Balance FROM MEMBERSHIP WHERE Mem_State IN ('TN') AND Mem_Balance < 5 AND Mem_Street LIKE '%Avenue';
```

| Mem_Num | Mem_Fname | Mem_Lname | Mem_Street            | Mem_State | Mem_Balance |
|---------|-----------|-----------|-----------------------|-----------|-------------|
| 104     | Jamal     | Melendez  | 788 East 145th Avenue | TN        | 0           |
| 112     | Luis      | Trujillo  | 7267 Melvin Avenue    | TN        | 3           |

2 rows in set (0.00 sec)

#### Question 15

```
SELECT Movie_Genre, COUNT(Movie_Num) AS `Number of Movies` FROM MOVIE GROUP BY
Movie_Genre ORDER BY Movie_Genre;
```

| Movie_Genre | Number of Movies |
|-------------|------------------|
| ACTION      | 2                |
| COMEDY      | 2                |
| DRAMA       | 3                |
| FAMILY      | 1                |

4 rows in set (0.01 sec)

#### Question 16

```
SELECT ROUND(AVG(Movie_Cost), 2) AS `Average Movie Cost` FROM MOVIE;
```

| Average Movie Cost |
|--------------------|
| 51.13              |

1 row in set (0.00 sec)

#### Question 17

```
SELECT Movie_Genre, ROUND(AVG(Movie_Cost), 2) AS `Average Cost` FROM MOVIE GROUP
BY Movie_Genre ORDER BY Movie_Genre;
```

| Movie_Genre | Average Cost |
|-------------|--------------|
| ACTION      | 52.72        |
| COMEDY      | 44.12        |
| DRAMA       | 58.46        |
| FAMILY      | 39.95        |

4 rows in set (0.00 sec)

#### Question 18

```
SELECT m.Movie_Title, m.Movie_Genre, p.Price_Description, p.Price_Rentfee FROM
MOVIE AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code;
```

| Movie_Title                | Movie_Genre | Price_Description | Price_Rentfee |
|----------------------------|-------------|-------------------|---------------|
| What He Doesn't Know       | COMEDY      | Standard          | 2.5           |
| The Cesar Family Christmas | FAMILY      | New Release       | 4.0           |
| Richard Goodhope           | DRAMA       | New Release       | 4.0           |
| Beatnik Fever              | COMEDY      | New Release       | 4.0           |
| Smokey Mountain Wildlife   | ACTION      | Discount          | 2.0           |
| Where Hope Dies            | DRAMA       | Discount          | 2.0           |
| Time to Burn               | ACTION      | Discount          | 2.0           |

7 rows in set (0.00 sec)

#### Question 19

```
SELECT m.Movie_Genre, ROUND(AVG(p.Price_Rentfee), 2) AS `Average Rental Fee`
FROM Movie AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code GROUP BY
m.Movie_Genre ORDER BY m.Movie_Genre ASC;
```

| Movie_Genre | Average Rental Fee |
|-------------|--------------------|
|-------------|--------------------|

|        |      |
|--------|------|
| ACTION | 2.00 |
| COMEDY | 3.25 |
| DRAMA  | 3.00 |
| FAMILY | 4.00 |

4 rows in set (0.03 sec)

#### Question 20

```
SELECT m.Movie_Title, ROUND((m.Movie_Cost / p.Price_Rentfee), 2) AS `Breakeven
Rentals` FROM Movie AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code;
```

| Movie_Title                | Breakeven Rentals |
|----------------------------|-------------------|
| What He Doesn't Know       | 23.32             |
| The Cesar Family Christmas | 9.99              |
| Richard Goodhope           | 14.99             |
| Beatnik Fever              | 7.49              |
| Smokey Mountain Wildlife   | 29.98             |
| Where Hope Dies            | 12.75             |
| Time to Burn               | 22.75             |

7 rows in set (0.01 sec)

#### Question 21

```
SELECT Movie_Title, Movie_Year FROM MOVIE WHERE Price_Code IS NOT NULL;
```

| Movie_Title                | Movie_Year |
|----------------------------|------------|
| What He Doesn't Know       | 2013       |
| The Cesar Family Christmas | 2014       |
| Richard Goodhope           | 2015       |
| Beatnik Fever              | 2014       |
| Smokey Mountain Wildlife   | 2011       |
| Where Hope Dies            | 2005       |
| Time to Burn               | 2010       |

7 rows in set (0.00 sec)

#### Question 22

```
SELECT Movie_Title, Movie_Genre, Movie_Cost FROM MOVIE WHERE Movie_Cost BETWEEN
44.99 AND 49.99;
```

| Movie_Title  | Movie_Genre | Movie_Cost |
|--------------|-------------|------------|
| Time to Burn | ACTION      | 45.49      |

1 row in set (0.01 sec)

#### Question 23

```
SELECT m.Movie_Title, p.Price_Description, p.Price_Rentfee, m.Movie_Genre FROM
MOVIE AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code WHERE
m.Movie_Genre IN ('FAMILY', 'COMEDY', 'DRAMA');
```

| Movie_Title | Price_Description | Price_Rentfee | Movie_Genre |
|-------------|-------------------|---------------|-------------|
|-------------|-------------------|---------------|-------------|

|                            |             |     |        |
|----------------------------|-------------|-----|--------|
| The Cesar Family Christmas | New Release | 4.0 | FAMILY |
| Richard Goodhope           | New Release | 4.0 | DRAMA  |
| Beatnik Fever              | New Release | 4.0 | COMEDY |
| Where Hope Dies            | Discount    | 2.0 | DRAMA  |
| What He Doesn't Know       | Standard    | 2.5 | COMEDY |

5 rows in set (0.00 sec)

#### Question 24

```
SELECT DISTINCT m.Mem_Num, m.Mem_Fname, m.Mem_Lname, m.Mem_Balance FROM
MEMBERSHIP AS m INNER JOIN RENTAL AS r ON m.Mem_Num = r.Mem_Num;
```

| Mem_Num | Mem_Fname | Mem_Lname | Mem_Balance |
|---------|-----------|-----------|-------------|
| 102     | Tami      | Dawson    | 11          |
| 103     | Curt      | Knight    | 6           |
| 104     | Jamal     | Melendez  | 0           |
| 105     | Iva       | Mcclain   | 15          |
| 107     | Rosario   | Elliott   | 5           |
| 110     | Lewis     | Rosales   | 0           |
| 111     | Stacy     | Mann      | 8           |

7 rows in set (0.00 sec)

#### Question 25

```
SELECT MIN(Mem_Balance) AS `Minimum Balance`, MAX(Mem_Balance) AS `Maximum
Balance`, ROUND(AVG(Mem_Balance), 2) AS `Average Balance` FROM MEMBERSHIP WHERE
Mem_Num IN (SELECT DISTINCT Mem_Num FROM RENTAL);
```

| Minimum Balance | Maximum Balance | Average Balance |
|-----------------|-----------------|-----------------|
| 0               | 15              | 6.43            |

1 row in set (0.00 sec)

#### Question 26

```
SELECT r.Rent_Num, r.Rent_Date, d.Vid_Num, m.Movie_Title, d.Detail_Duedate,
d.Detail_Returndate FROM RENTAL AS r INNER JOIN DETAILRENTAL AS d ON r.Rent_Num
= d.Rent_Num INNER JOIN VIDEO AS v ON d.Vid_Num = v.Vid_Num INNER JOIN MOVIE AS
m ON v.Movie_Num = m.Movie_Num WHERE d.Detail_Returndate > d.Detail_Duedate
ORDER BY r.Rent_Num ASC, m.Movie_Title ASC;
```

| Rent_Num | Rent_Date  | Vid_Num | Movie_Title                | Detail_Duedate | Detail_Returndate |
|----------|------------|---------|----------------------------|----------------|-------------------|
| 1003     | 2016-03-02 | 34369   | Richard Goodhope           | 2016-03-06     | 2016-03-09        |
| 1003     | 2016-03-02 | 54325   | The Cesar Family Christmas | 2016-03-04     | 2016-03-09        |
| 1003     | 2016-03-02 | 61388   | Where Hope Dies            | 2016-03-06     | 2016-03-09        |
| 1004     | 2016-03-02 | 44392   | Beatnik Fever              | 2016-03-05     | 2016-03-07        |
| 1004     | 2016-03-02 | 34367   | Richard Goodhope           | 2016-03-05     | 2016-03-07        |

+-----+  
5 rows in set (0.03 sec)

#### Question 27

```
SELECT r.Rent_Num, r.Rent_Date, m.Movie_Title, d.Detail_Fee FROM RENTAL AS r
INNER JOIN DETAILRENTAL AS d ON r.Rent_Num = d.Rent_Num INNER JOIN VIDEO AS v ON
d.Vid_Num = v.Vid_Num INNER JOIN MOVIE AS m ON v.Movie_Num = m.Movie_Num WHERE
d.Detail_Returndate <= d.Detail_Duedate;
```

| Rent_Num | Rent_Date  | Movie_Title              | Detail_Fee |
|----------|------------|--------------------------|------------|
| 1001     | 2016-03-01 | Smokey Mountain Wildlife | 2.0        |
| 1001     | 2016-03-01 | Richard Goodhope         | 3.5        |
| 1001     | 2016-03-01 | Time to Burn             | 2.0        |
| 1002     | 2016-03-01 | Beatnik Fever            | 3.5        |
| 1004     | 2016-03-02 | Smokey Mountain Wildlife | 2.0        |
| 1005     | 2016-03-02 | Smokey Mountain Wildlife | 2.0        |
| 1005     | 2016-03-02 | Beatnik Fever            | 3.5        |
| 1006     | 2016-03-02 | Richard Goodhope         | 3.5        |
| 1008     | 2016-03-03 | Richard Goodhope         | 3.5        |

9 rows in set (0.00 sec)

#### Question 28

```
SELECT m.Movie_Num, m.Movie_Genre, ROUND(g.Avg_Cost, 2) AS `Average Cost`,
m.Movie_Cost, ROUND(((m.Movie_Cost - g.Avg_Cost) / g.Avg_Cost) * 100, 2) AS
`Percent Difference` FROM MOVIE AS m JOIN (SELECT Movie_Genre, AVG(Movie_Cost)
AS Avg_Cost FROM MOVIE GROUP BY Movie_Genre) g ON m.Movie_Genre = g.Movie_Genre;
```

| Movie_Num | Movie_Genre | Average Cost | Movie_Cost | Percent Difference |
|-----------|-------------|--------------|------------|--------------------|
| 1234      | FAMILY      | 39.95        | 39.95      | 0.00               |
| 1235      | ACTION      | 52.72        | 59.95      | 13.71              |
| 1236      | DRAMA       | 58.46        | 59.95      | 2.54               |
| 1237      | COMEDY      | 44.12        | 29.95      | -32.12             |
| 1238      | DRAMA       | 58.46        | 89.95      | 53.86              |
| 1239      | DRAMA       | 58.46        | 25.49      | -56.40             |
| 1245      | ACTION      | 52.72        | 45.49      | -13.71             |
| 1246      | COMEDY      | 44.12        | 58.29      | 32.12              |

8 rows in set (0.00 sec)