

```
create database elitevideo_db;
Query OK, 1 row affected (0.02 sec)
```

Question 1

```
CREATE TABLE MEMBERSHIP (Mem_Num INT PRIMARY KEY AUTO_INCREMENT, Mem_Fname
VARCHAR(50) NOT NULL, Mem_Lname VARCHAR(50) NOT NULL, Mem_Street VARCHAR(100)
NOT NULL, Mem_City VARCHAR(50) NOT NULL, Mem_State VARCHAR(4) NOT NULL, Mem_Zip
VARCHAR(5) NOT NULL, Mem_Balance INT NOT NULL);
Query OK, 0 rows affected, 2 warnings (0.06 sec)
```

```
DESCRIBE MEMBERSHIP;
```

Field	Type	Null	Key	Default	Extra
Mem_Num	int	NO	PRI	NULL	auto_increment
Mem_Fname	varchar(50)	NO		NULL	
Mem_Lname	varchar(50)	NO		NULL	
Mem_Street	varchar(100)	NO		NULL	
Mem_City	varchar(50)	NO		NULL	
Mem_State	varchar(4)	NO		NULL	
Mem_Zip	varchar(5)	NO		NULL	
Mem_Balance	int	NO		NULL	

8 rows in set (0.10 sec)

```
CREATE TABLE RENTAL (Rent_Num INT PRIMARY KEY AUTO_INCREMENT, Rent_Date DATE,
Mem_Num INT NOT NULL, FOREIGN KEY (Mem_Num) REFERENCES membership (Mem_Num));
Query OK, 0 rows affected (0.03 sec)
```

```
DESCRIBE RENTAL;
```

Field	Type	Null	Key	Default	Extra
Rent_Num	int	NO	PRI	NULL	auto_increment
Rent_Date	date	YES		NULL	
Mem_Num	int	NO	MUL	NULL	

3 rows in set (0.05 sec)

```
CREATE TABLE PRICE (Price_Code INT PRIMARY KEY AUTO_INCREMENT, Price_Description
VARCHAR(20) NOT NULL, Price_Rentfee DECIMAL(5, 1) NOT NULL, Price_Dailylatefee
DECIMAL(5, 1));
Query OK, 0 rows affected (0.01 sec)
```

```
DESCRIBE PRICE;
```

Field	Type	Null	Key	Default	Extra
Price_Code	int	NO	PRI	NULL	auto_increment
Price_Description	varchar(20)	NO		NULL	
Price_Rentfee	decimal(5,1)	NO		NULL	
Price_Dailylatefee	decimal(5,1)	YES		NULL	

4 rows in set (0.00 sec)

```
CREATE TABLE MOVIE (Movie_Num INT PRIMARY KEY, Movie_Title VARCHAR(100) NOT
NULL, Movie_Year VARCHAR(4) NOT NULL, Movie_Cost DECIMAL(5, 2) NOT NULL,
Movie_Genre VARCHAR(20) NOT NULL, Price_Code INT, FOREIGN KEY (Price_Code)
REFERENCES PRICE (Price_Code));
Query OK, 0 rows affected (0.03 sec)
```

```
DESCRIBE MOVIE;
```

Field	Type	Null	Key	Default	Extra
Movie_Num	int	NO	PRI	NULL	
Movie_Title	varchar(100)	NO		NULL	
Movie_Year	varchar(4)	NO		NULL	
Movie_Cost	decimal(5,2)	NO		NULL	
Movie_Genre	varchar(20)	NO		NULL	
Price_Code	int	YES	MUL	NULL	

6 rows in set (0.03 sec)

```
CREATE TABLE VIDEO (Vid_Num INT PRIMARY KEY, Vid_Indate DATE, Movie_Num INT NOT NULL, FOREIGN KEY (Movie_Num) REFERENCES movie (Movie_Num));
Query OK, 0 rows affected (0.03 sec)
```

DESCRIBE VIDEO;

Field	Type	Null	Key	Default	Extra
Vid_Num	int	NO	PRI	NULL	
Vid_Indate	date	YES		NULL	
Movie_Num	int	NO	MUL	NULL	

3 rows in set (0.01 sec)

```
CREATE TABLE DETAILRENTAL (Rent_Num INT NOT NULL, Vid_Num INT NOT NULL, Detail_Fee DECIMAL(5, 1) NOT NULL, Detail_Duedate DATE, Detail_Returndate DATE, Detail_Dailylatefee DECIMAL(5, 1), PRIMARY KEY (Rent_Num, Vid_Num), FOREIGN KEY (Rent_Num) REFERENCES rental (Rent_Num), FOREIGN KEY (Vid_Num) REFERENCES VIDEO (Vid_Num));
Query OK, 0 rows affected (0.06 sec)
```

DESCRIBE DETAILRENTAL;

Field	Type	Null	Key	Default	Extra
Rent_Num	int	NO	PRI	NULL	
Vid_Num	int	NO	PRI	NULL	
Detail_Fee	decimal(5,1)	NO		NULL	
Detail_Duedate	date	YES		NULL	
Detail_Returndate	date	YES		NULL	
Detail_Dailylatefee	decimal(5,1)	YES		NULL	

6 rows in set (0.01 sec)

Question 2

```
INSERT INTO MEMBERSHIP (Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City, Mem_State, Mem_Zip, Mem_Balance) VALUES (102, 'Tami', 'Dawson', '2632 Takli Circle', 'Norene', 'TN', '37136', 11);
Query OK, 1 row affected (0.02 sec)
```

```
INSERT INTO MEMBERSHIP (Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City, Mem_State, Mem_Zip, Mem_Balance) VALUES (103, 'Curt', 'Knight', '4025 Cornell Court', 'Flatgap', 'KY', '41219', 6);
Query OK, 1 row affected (0.00 sec)
```

```
INSERT INTO MEMBERSHIP (Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_City, Mem_State, Mem_Zip, Mem_Balance)
VALUES
(104, 'Jamal', 'Melendez', '788 East 145th Avenue', 'Quebeck', 'TN', '38579', 0),
```

```

(105, 'Iva', 'Mcclain', '6045 Musket Ball Circle', 'Summit', 'KY', '42783', 15),
(106, 'Miranda', 'Parks', '4469 Maxwell Place', 'Germantown', 'TN', '38183', 0),
(107, 'Rosario', 'Elliott', '7578 Danner Avenue', 'Columbia', 'TN', '38402', 5),
(108, 'Mattie', 'Guy', '4390 Evergreen Street', 'Lily', 'KY', '40740', 0),
(109, 'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville', 'TN', '37745', 10),
(110, 'Lewis', 'Rosales', '4524 Southwind Circle', 'Counce', 'TN', '38326', 0),
(111, 'Stacy', 'Mann', '2789 East Cook Avenue', 'Murfreesboro', 'TN', '37132',
8),
(112, 'Luis', 'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN', '37754', 3),
(113, 'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', '38076', 0);
Query OK, 10 rows affected (0.03 sec)
Records: 10 Duplicates: 0 Warnings: 0

```

```
SELECT * FROM MEMBERSHIP;
```

```

+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
| Mem_Num | Mem_Fname | Mem_Lname | Mem_Street | Mem_City | Mem_State |
| Mem_State | Mem_Zip | Mem_Balance |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
| 102 | Tami | Dawson | 2632 Takli Circle | Norene | TN |
| 37136 | 11 |
| 103 | Curt | Knight | 4025 Cornell Court | Flatgap | KY |
| 41219 | 6 |
| 104 | Jamal | Melendez | 788 East 145th Avenue | Quebeck | TN |
| 38579 | 0 |
| 105 | Iva | Mcclain | 6045 Musket Ball Circle | Summit | KY |
| 42783 | 15 |
| 106 | Miranda | Parks | 4469 Maxwell Place | Germantown | TN |
| 38183 | 0 |
| 107 | Rosario | Elliott | 7578 Danner Avenue | Columbia | TN |
| 38402 | 5 |
| 108 | Mattie | Guy | 4390 Evergreen Street | Lily | KY |
| 40740 | 0 |
| 109 | Clint | Ochoa | 1711 Elm Street | Greeneville | TN |
| 37745 | 10 |
| 110 | Lewis | Rosales | 4524 Southwind Circle | Counce | TN |
| 38326 | 0 |
| 111 | Stacy | Mann | 2789 East Cook Avenue | Murfreesboro | TN |
| 37132 | 8 |
| 112 | Luis | Trujillo | 7267 Melvin Avenue | Heiskell | TN |
| 37754 | 3 |
| 113 | Minnie | Gonzales | 6430 Vasili Drive | Williston | TN |
| 38076 | 0 |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+

```

```
INSERT INTO RENTAL (Rent_Num, Rent_Date, Mem_Num)
VALUES
```

```

(1001, '2016-03-01', 103),
(1002, '2016-03-01', 105),
(1003, '2016-03-02', 102),
(1004, '2016-03-02', 110),
(1005, '2016-03-02', 111),
(1006, '2016-03-02', 107),
(1007, '2016-03-02', 104),
(1008, '2016-03-03', 105),
(1009, '2016-03-03', 111);
Query OK, 9 rows affected (0.03 sec)
Records: 9 Duplicates: 0 Warnings: 0

```

```
SELECT * FROM RENTAL;
```

```
+-----+-----+-----+-----+
```

Rent_Num	Rent_Date	Mem_Num
1001	2016-03-01	103
1002	2016-03-01	105
1003	2016-03-02	102
1004	2016-03-02	110
1005	2016-03-02	111
1006	2016-03-02	107
1007	2016-03-02	104
1008	2016-03-03	105
1009	2016-03-03	111

9 rows in set (0.01 sec)

```

INSERT INTO PRICE (Price_Code, Price_Description, Price_Rentfee,
Price_Dailylatefee)
VALUES
(1, 'Standard', 2.0, 1.0),
(2, 'New Release', 3.5, 3.0),
(3, 'Discount', 1.5, 1.0),
(4, 'Weekly Special', 1.0, 0.5);
Query OK, 4 rows affected (0.03 sec)
Records: 4  Duplicates: 0  Warnings: 0

```

```

SELECT * FROM PRICE;

```

Price_Code	Price_Description	Price_Rentfee	Price_Dailylatefee
1	Standard	2.0	1.0
2	New Release	3.5	3.0
3	Discount	1.5	1.0
4	Weekly Special	1.0	0.5

4 rows in set (0.00 sec)

```

INSERT INTO MOVIE (Movie_Num, Movie_Title, Movie_Year, Movie_Cost, Movie_Genre)
VALUES
(1234, 'The Cesar Family Christmas', '2014', 39.95, 'FAMILY', 2),
(1235, 'Smokey Mountain Wildlife', '2011', 59.95, 'ACTION', 1),
(1236, 'Richard Goodhope', '2015', 59.95, 'DRAMA', 2),
(1237, 'Beatnik Fever', '2014', 29.95, 'COMEDY', 2),
(1238, 'Constant Companion', '2015', 89.95, 'DRAMA'),
(1239, 'Where Hope Dies', '2005', 25.49, 'DRAMA', 3),
(1245, 'Time to Burn', '2012', 45.49, 'ACTION', 1),
(1246, 'What He Doesn't Know', '2013', 58.29, 'COMEDY', 1);
Query OK, 8 rows affected (0.03 sec)
Records: 8  Duplicates: 0  Warnings: 0

```

```

SELECT * FROM MOVIE;

```

Movie_Num	Movie_Title	Movie_Year	Movie_Cost	Movie_Genre
1234	The Cesar Family Christmas	2014	39.95	FAMILY
1235	Smokey Mountain Wildlife	2011	59.95	ACTION
1236	Richard Goodhope	2015	59.95	DRAMA
1237	Beatnik Fever	2014	29.95	COMEDY

2	1238	Constant Companion	2015	89.95	DRAMA
NULL	1239	Where Hope Dies	2005	25.49	DRAMA
3	1245	Time to Burn	2012	45.49	ACTION
1	1246	What He Doesn't Know	2013	58.29	COMEDY
1					

8 rows in set (0.00 sec)

```
INSERT INTO VIDEO (Vid_Num, Vid_Indate, Movie_Num)
VALUES
```

```
(54321, '2015-06-18', 1234),
(54324, '2015-06-18', 1234),
(54325, '2015-06-18', 1234),
(34341, '2014-01-22', 1235),
(34342, '2014-01-22', 1235),
(34366, '2016-03-02', 1236),
(34367, '2016-03-02', 1236),
(34368, '2016-03-02', 1236),
(34369, '2016-03-02', 1236),
(44392, '2015-10-21', 1237),
(44397, '2015-10-21', 1237),
(59237, '2016-02-14', 1237),
(61388, '2014-01-25', 1239),
(61353, '2013-01-28', 1245),
(61354, '2013-01-28', 1245);
```

Query OK, 15 rows affected (0.09 sec)
Records: 15 Duplicates: 0 Warnings: 0

```
SELECT * FROM VIDEO;
```

Vid_Num	Vid_Indate	Movie_Num
34341	2014-01-22	1235
34342	2014-01-22	1235
34366	2016-03-02	1236
34367	2016-03-02	1236
34368	2016-03-02	1236
34369	2016-03-02	1236
44392	2015-10-21	1237
44397	2015-10-21	1237
54321	2015-06-18	1234
54324	2015-06-18	1234
54325	2015-06-18	1234
59237	2016-02-14	1237
61353	2013-01-28	1245
61354	2013-01-28	1245
61388	2014-01-25	1239

15 rows in set (0.02 sec)

```
INSERT INTO DETAILRENTAL
```

```
(Rent_Num, Vid_Num, Detail_Fee, Detail_Duedate, Detail_Returndate,
Detail_Dailylatefee)
```

```
VALUES
```

```
(1001, 34342, 2.0, '2016-03-04', '2016-03-02', NULL),
(1001, 61353, 2.0, '2016-03-04', '2016-03-03', 1.0),
(1002, 59237, 3.5, '2016-03-04', '2016-03-04', 3.0),
```

```

(1003, 54325, 3.5, '2016-03-04', '2016-03-09', 3.0),
(1003, 61369, 2.0, '2016-03-06', '2016-03-09', 1.0),
(1003, 61388, 0.0, '2016-03-06', '2016-03-09', 1.0),
(1004, 44392, 3.5, '2016-03-05', '2016-03-07', 3.0),
(1004, 34367, 3.5, '2016-03-05', '2016-03-07', 3.0),
(1004, 34341, 2.0, '2016-03-07', '2016-03-07', 1.0),
(1005, 34342, 2.0, '2016-03-07', '2016-03-05', 1.0),
(1005, 44397, 3.5, '2016-03-05', '2016-03-05', 3.0),
(1006, 34366, 3.5, '2016-03-05', '2016-03-04', 3.0),
(1006, 61367, 2.0, '2016-03-07', NULL, 1.0),
(1007, 34368, 3.5, '2016-03-05', NULL, 3.0),
(1008, 34369, 3.5, '2016-03-05', '2016-03-05', 3.0),
(1009, 54324, 3.5, '2016-03-05', NULL, 3.0),
(1001, 34366, 3.5, '2016-03-04', '2016-03-02', 3.0);
Query OK, 17 rows affected (0.01 sec)
Records: 17 Duplicates: 0 Warnings: 0

```

```
SELECT * FROM DETAILRENTAL;
```

```

+-----+-----+-----+-----+-----+-----+
+-----+
| Rent_Num | Vid_Num | Detail_Fee | Detail_Duedate | Detail_Returndate |
Detail_DailyLatefee |
+-----+-----+-----+-----+-----+-----+
+-----+
|      1001 |      34342 |          2.0 | 2016-03-04      | 2016-03-02        |
NULL |
|      1001 |      34366 |          3.5 | 2016-03-04      | 2016-03-02        |
3.0 |
|      1001 |      61353 |          2.0 | 2016-03-04      | 2016-03-03        |
1.0 |
|      1002 |      59237 |          3.5 | 2016-03-04      | 2016-03-04        |
3.0 |
|      1003 |      34369 |          2.0 | 2016-03-06      | 2016-03-09        |
1.0 |
|      1003 |      54325 |          3.5 | 2016-03-04      | 2016-03-09        |
3.0 |
|      1003 |      61388 |          0.0 | 2016-03-06      | 2016-03-09        |
1.0 |
|      1004 |      34341 |          2.0 | 2016-03-07      | 2016-03-07        |
1.0 |
|      1004 |      34367 |          3.5 | 2016-03-05      | 2016-03-07        |
3.0 |
|      1004 |      44392 |          3.5 | 2016-03-05      | 2016-03-07        |
3.0 |
|      1005 |      34342 |          2.0 | 2016-03-07      | 2016-03-05        |
1.0 |
|      1005 |      44397 |          3.5 | 2016-03-05      | 2016-03-05        |
3.0 |
|      1006 |      34366 |          3.5 | 2016-03-05      | 2016-03-04        |
3.0 |
|      1006 |      61354 |          2.0 | 2016-03-07      | NULL              |
1.0 |
|      1007 |      34368 |          3.5 | 2016-03-05      | NULL              |
3.0 |
|      1008 |      34369 |          3.5 | 2016-03-05      | 2016-03-05        |
3.0 |
|      1009 |      54324 |          3.5 | 2016-03-05      | NULL              |
3.0 |
+-----+-----+-----+-----+-----+-----+
+-----+
17 rows in set (0.00 sec)

```

Question 3

Before the update:

```
SELECT * FROM MOVIE WHERE Movie_Num = 1245;
```

```
+-----+-----+-----+-----+-----+-----+
+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+
|      1245 | Time to Burn | 2012      |      45.49 | ACTION      |           1 |
+-----+-----+-----+-----+-----+-----+
+
1 row in set (0.02 sec)
```

```
UPDATE MOVIE SET Movie_Year = 2010 WHERE Movie_Num = 1245;
```

```
Query OK, 1 row affected (0.04 sec)
```

```
Rows matched: 1  Changed: 1  Warnings: 0
```

After the update:

```
SELECT * FROM MOVIE WHERE Movie_Num = 1245;
```

```
+-----+-----+-----+-----+-----+-----+
+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+
|      1245 | Time to Burn | 2010      |      45.49 | ACTION      |           1 |
+-----+-----+-----+-----+-----+-----+
+
1 row in set (0.00 sec)
```

Question 4

Before the update:

```
SELECT * FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

```
+-----+-----+-----+-----+-----+-----+
+-----+
+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+-----+
+
|      1235 | Smokey Mountain Wildlife | 2011      |      59.95 | ACTION      |           1 |
1 |
|      1245 | Time to Burn | 2010      |      45.49 | ACTION      |           1 |
1 |
+-----+-----+-----+-----+-----+-----+
+-----+
2 rows in set (0.01 sec)
```

```
UPDATE MOVIE SET Price_Code = 3 WHERE Movie_Genre = 'ACTION';
```

```
Query OK, 2 rows affected (0.04 sec)
```

```
Rows matched: 2  Changed: 2  Warnings: 0
```

```
SELECT * FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

```
+-----+-----+-----+-----+-----+-----+
+-----+
+
| Movie_Num | Movie_Title | Movie_Year | Movie_Cost | Movie_Genre | Price_Code |
+-----+-----+-----+-----+-----+-----+
+-----+
+
|      1235 | Smokey Mountain Wildlife | 2011      |      59.95 | ACTION      |           3 |
1 |
|      1245 | Time to Burn | 2010      |      45.49 | ACTION      |           3 |
1 |
+-----+-----+-----+-----+-----+-----+
+-----+
```

```

+-----+-----+-----+-----+-----+
+-----+
|      1235 | Smokey Mountain Wildlife | 2011      |      59.95 | ACTION      |
3 |
|      1245 | Time to Burn              | 2010      |      45.49 | ACTION      |
3 |
+-----+-----+-----+-----+-----+
+-----+
2 rows in set (0.00 sec)

```

Question 5

Before the update:

```

SELECT * FROM PRICE;
+-----+-----+-----+-----+-----+
| Price_Code | Price_Description | Price_Rentfee | Price_Dailylatefee |
+-----+-----+-----+-----+-----+
|          1 | Standard         |          2.0 |          1.0 |
|          2 | New Release      |          3.5 |          3.0 |
|          3 | Discount         |          1.5 |          1.0 |
|          4 | Weekly Special   |          1.0 |          0.5 |
+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)

```

```

UPDATE PRICE SET Price_Rentfee = Price_Rentfee + 0.50;
Query OK, 4 rows affected (0.01 sec)
Rows matched: 4  Changed: 4  Warnings: 0

```

After the update:

```

SELECT * FROM PRICE;
+-----+-----+-----+-----+-----+
| Price_Code | Price_Description | Price_Rentfee | Price_Dailylatefee |
+-----+-----+-----+-----+-----+
|          1 | Standard         |          2.5 |          1.0 |
|          2 | New Release      |          4.0 |          3.0 |
|          3 | Discount         |          2.0 |          1.0 |
|          4 | Weekly Special   |          1.5 |          0.5 |
+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

```

Question 6

```

SELECT Movie_Title, Movie_Year, Movie_Genre FROM MOVIE;
+-----+-----+-----+-----+-----+
| Movie_Title          | Movie_Year | Movie_Genre |
+-----+-----+-----+-----+-----+
| The Cesar Family Christmas | 2014      | FAMILY      |
| Smokey Mountain Wildlife  | 2011      | ACTION      |
| Richard Goodhope         | 2015      | DRAMA       |
| Beatnik Fever            | 2014      | COMEDY      |
| Constant Companion        | 2015      | DRAMA       |
| Where Hope Dies          | 2005      | DRAMA       |
| Time to Burn             | 2010      | ACTION      |
| What He Doesn't Know     | 2013      | COMEDY      |
+-----+-----+-----+-----+-----+
8 rows in set (0.03 sec)

```

Question 7


```
SELECT Movie_Year, Movie_Title, Movie_Cost FROM MOVIE ORDER BY Movie_Year DESC;
```

Movie_Year	Movie_Title	Movie_Cost
2015	Richard Goodhope	59.95
2015	Constant Companion	89.95
2014	The Cesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.01 sec)

Question 8

```
SELECT Movie_Title, Movie_Year, Movie_Genre FROM MOVIE ORDER BY Movie_Genre ASC, Movie_Year DESC;
```

Movie_Title	Movie_Year	Movie_Genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Cesar Family Christmas	2014	FAMILY

8 rows in set (0.04 sec)

Question 9

```
SELECT Movie_Num, Movie_Title, Price_Code FROM MOVIE WHERE Movie_Title LIKE 'R%';
```

Movie_Num	Movie_Title	Price_Code
1236	Richard Goodhope	2

1 row in set (0.02 sec)

Question 10

```
SELECT Movie_Title, Movie_Year, Movie_Cost FROM MOVIE WHERE Movie_Title LIKE '%hope%' ORDER BY Movie_Title ASC;
```

Movie_Title	Movie_Year	Movie_Cost
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

2 rows in set (0.01 sec)

Question 11

```
SELECT Movie_Title, Movie_Year, Movie_Genre FROM MOVIE WHERE Movie_Genre = 'ACTION';
```

```

+-----+-----+-----+
| Movie_Title | Movie_Year | Movie_Genre |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION |
| Time to Burn | 2010 | ACTION |
+-----+-----+-----+
2 rows in set (0.04 sec)

```

Question 12

```

SELECT Movie_Num, Movie_Title, Movie_Cost FROM MOVIE WHERE Movie_Cost > 40;
+-----+-----+-----+
| Movie_Num | Movie_Title | Movie_Cost |
+-----+-----+-----+
| 1235 | Smokey Mountain Wildlife | 59.95 |
| 1236 | Richard Goodhope | 59.95 |
| 1238 | Constant Companion | 89.95 |
| 1245 | Time to Burn | 45.49 |
| 1246 | What He Doesn't Know | 58.29 |
+-----+-----+-----+
5 rows in set (0.01 sec)

```

Question 13

```

SELECT Movie_Num, Movie_Title, Movie_Cost, Movie_Genre FROM MOVIE WHERE
(Movie_Genre = 'ACTION' OR Movie_Genre = 'COMEDY') AND Movie_Cost < 50 ORDER BY
Movie_Genre ASC;
+-----+-----+-----+-----+
| Movie_Num | Movie_Title | Movie_Cost | Movie_Genre |
+-----+-----+-----+-----+
| 1245 | Time to Burn | 45.49 | ACTION |
| 1237 | Beatnik Fever | 29.95 | COMEDY |
+-----+-----+-----+-----+
2 rows in set (0.14 sec)

```

Question 14

```

SELECT Mem_Num, Mem_Fname, Mem_Lname, Mem_Street, Mem_State, Mem_Balance FROM
MEMBERSHIP WHERE Mem_State IN ('TN') AND Mem_Balance < 5 AND Mem_Street LIKE
'%Avenue';
+-----+-----+-----+-----+-----+
| Mem_Num | Mem_Fname | Mem_Lname | Mem_Street | Mem_State |
| Mem_Balance |
+-----+-----+-----+-----+-----+
| 104 | Jamal | Melendez | 788 East 145th Avenue | TN |
0 |
| 112 | Luis | Trujillo | 7267 Melvin Avenue | TN |
3 |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

```

Question 15

```

SELECT Movie_Genre, COUNT(Movie_Num) AS `Number of Movies` FROM MOVIE GROUP BY
Movie_Genre ORDER BY Movie_Genre;
+-----+-----+
| Movie_Genre | Number of Movies |
+-----+-----+

```

```

+-----+-----+
| ACTION |          2 |
| COMEDY |          2 |
| DRAMA  |          3 |
| FAMILY |          1 |
+-----+-----+
4 rows in set (0.01 sec)

```

Question 16

```

SELECT ROUND(AVG(Movie_Cost), 2) AS `Average Movie Cost` FROM MOVIE;
+-----+
| Average Movie Cost |
+-----+
|          51.13 |
+-----+
1 row in set (0.00 sec)

```

Question 17

```

SELECT Movie_Genre, ROUND(AVG(Movie_Cost), 2) AS `Average Cost` FROM MOVIE GROUP
BY Movie_Genre ORDER BY Movie_Genre;
+-----+-----+
| Movie_Genre | Average Cost |
+-----+-----+
| ACTION      |          52.72 |
| COMEDY      |          44.12 |
| DRAMA       |          58.46 |
| FAMILY      |          39.95 |
+-----+-----+
4 rows in set (0.00 sec)

```

Question 18

```

SELECT m.Movie_Title, m.Movie_Genre, p.Price_Description, p.Price_Rentfee FROM
MOVIE AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code;
+-----+-----+-----+-----+
| Movie_Title | Movie_Genre | Price_Description | Price_Rentfee |
+-----+-----+-----+-----+
| What He Doesn't Know | COMEDY | Standard | 2.5 |
| The Cesar Family Christmas | FAMILY | New Release | 4.0 |
| Richard Goodhope | DRAMA | New Release | 4.0 |
| Beatnik Fever | COMEDY | New Release | 4.0 |
| Smokey Mountain Wildlife | ACTION | Discount | 2.0 |
| Where Hope Dies | DRAMA | Discount | 2.0 |
| Time to Burn | ACTION | Discount | 2.0 |
+-----+-----+-----+-----+
7 rows in set (0.00 sec)

```

Question 19

```

SELECT m.Movie_Genre, ROUND(AVG(p.Price_Rentfee), 2) AS `Average Rental Fee`
FROM Movie AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code GROUP BY
m.Movie_Genre ORDER BY m.Movie_Genre ASC;
+-----+-----+
| Movie_Genre | Average Rental Fee |
+-----+-----+
| ACTION      |          2.00 |
| COMEDY      |          3.25 |
| DRAMA       |          3.00 |

```

```
| FAMILY | 4.00 |
+-----+
4 rows in set (0.03 sec)
```

Question 20

```
SELECT m.Movie_Title, ROUND((m.Movie_Cost / p.Price_Rentfee), 2) AS `Breakeven
Rentals` FROM Movie AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code;
```

```
+-----+-----+
| Movie_Title | Breakeven Rentals |
+-----+-----+
| What He Doesn't Know | 23.32 |
| The Cesar Family Christmas | 9.99 |
| Richard Goodhope | 14.99 |
| Beatnik Fever | 7.49 |
| Smokey Mountain Wildlife | 29.98 |
| Where Hope Dies | 12.75 |
| Time to Burn | 22.75 |
+-----+-----+
7 rows in set (0.01 sec)
```

Question 21

```
SELECT Movie_Title, Movie_Year FROM MOVIE WHERE Price_Code IS NOT NULL;
```

```
+-----+-----+
| Movie_Title | Movie_Year |
+-----+-----+
| What He Doesn't Know | 2013 |
| The Cesar Family Christmas | 2014 |
| Richard Goodhope | 2015 |
| Beatnik Fever | 2014 |
| Smokey Mountain Wildlife | 2011 |
| Where Hope Dies | 2005 |
| Time to Burn | 2010 |
+-----+-----+
7 rows in set (0.00 sec)
```

Question 22

```
SELECT Movie_Title, Movie_Genre, Movie_Cost FROM MOVIE WHERE Movie_Cost BETWEEN
44.99 AND 49.99;
```

```
+-----+-----+-----+
| Movie_Title | Movie_Genre | Movie_Cost |
+-----+-----+-----+
| Time to Burn | ACTION | 45.49 |
+-----+-----+-----+
1 row in set (0.01 sec)
```

Question 23

```
SELECT m.Movie_Title, p.Price_Description, p.Price_Rentfee, m.Movie_Genre FROM
MOVIE AS m INNER JOIN PRICE AS p ON m.Price_Code = p.Price_Code WHERE
m.Movie_Genre IN ('FAMILY', 'COMEDY', 'DRAMA');
```

```
+-----+-----+-----+-----+
| Movie_Title | Price_Description | Price_Rentfee | Movie_Genre |
+-----+-----+-----+-----+
| The Cesar Family Christmas | New Release | 4.0 | FAMILY |
| Richard Goodhope | New Release | 4.0 | DRAMA |
| Beatnik Fever | New Release | 4.0 | COMEDY |
| Where Hope Dies | Discount | 2.0 | DRAMA |
+-----+-----+-----+-----+
```

What He Doesn't Know	Standard	2.5	COMEDY
----------------------	----------	-----	--------

5 rows in set (0.00 sec)

Question 24

```
SELECT DISTINCT m.Mem_Num, m.Mem_Fname, m.Mem_Lname, m.Mem_Balance FROM
MEMBERSHIP AS m INNER JOIN RENTAL AS r ON m.Mem_Num = r.Mem_Num;
```

Mem_Num	Mem_Fname	Mem_Lname	Mem_Balance
102	Tami	Dawson	11
103	Curt	Knight	6
104	Jamal	Melendez	0
105	Iva	Mcclain	15
107	Rosario	Elliott	5
110	Lewis	Rosales	0
111	Stacy	Mann	8

7 rows in set (0.00 sec)

Question 25

```
SELECT MIN(Mem_Balance) AS `Minimum Balance`, MAX(Mem_Balance) AS `Maximum
Balance`, ROUND(AVG(Mem_Balance), 2) AS `Average Balance` FROM MEMBERSHIP WHERE
Mem_Num IN (SELECT DISTINCT Mem_Num FROM RENTAL);
```

Minimum Balance	Maximum Balance	Average Balance
0	15	6.43

1 row in set (0.00 sec)

Question 26

```
SELECT r.Rent_Num, r.Rent_Date, d.Vid_Num, m.Movie_Title, d.Detail_Duedate,
d.Detail_Returndate FROM RENTAL AS r INNER JOIN DETAILRENTAL AS d ON r.Rent_Num
= d.Rent_Num INNER JOIN VIDEO AS v ON d.Vid_Num = v.Vid_Num INNER JOIN MOVIE AS
m ON v.Movie_Num = m.Movie_Num WHERE d.Detail_Returndate > d.Detail_Duedate
ORDER BY r.Rent_Num ASC, m.Movie_Title ASC;
```

Rent_Num	Rent_Date	Vid_Num	Movie_Title	Detail_Duedate	Detail_Returndate
1003	2016-03-02	34369	Richard Goodhope	2016-03-06	2016-03-09
1003	2016-03-02	54325	The Cesar Family Christmas	2016-03-04	2016-03-09
1003	2016-03-02	61388	Where Hope Dies	2016-03-06	2016-03-09
1004	2016-03-02	44392	Beatnik Fever	2016-03-05	2016-03-07
1004	2016-03-02	34367	Richard Goodhope	2016-03-05	2016-03-07

5 rows in set (0.03 sec)

Question 27

```
SELECT r.Rent_Num, r.Rent_Date, m.Movie_Title, d.Detail_Fee FROM RENTAL AS r
INNER JOIN DETAILRENTAL AS d ON r.Rent_Num = d.Rent_Num INNER JOIN VIDEO AS v ON
d.Vid_Num = v.Vid_Num INNER JOIN MOVIE AS m ON v.Movie_Num = m.Movie_Num WHERE
d.Detail_Returndate <= d.Detail_Duedate;
```

Rent_Num	Rent_Date	Movie_Title	Detail_Fee
1001	2016-03-01	Smokey Mountain Wildlife	2.0
1001	2016-03-01	Richard Goodhope	3.5
1001	2016-03-01	Time to Burn	2.0
1002	2016-03-01	Beatnik Fever	3.5
1004	2016-03-02	Smokey Mountain Wildlife	2.0
1005	2016-03-02	Smokey Mountain Wildlife	2.0
1005	2016-03-02	Beatnik Fever	3.5
1006	2016-03-02	Richard Goodhope	3.5
1008	2016-03-03	Richard Goodhope	3.5

9 rows in set (0.00 sec)

Question 28

```
SELECT m.Movie_Num, m.Movie_Genre, ROUND(g.Avg_Cost, 2) AS `Average Cost`,
m.Movie_Cost, ROUND(((m.Movie_Cost - g.Avg_Cost) / g.Avg_Cost) * 100, 2) AS
`Percent Difference` FROM MOVIE AS m JOIN (SELECT Movie_Genre, AVG(Movie_Cost)
AS Avg_Cost FROM MOVIE GROUP BY Movie_Genre) g ON m.Movie_Genre = g.Movie_Genre;
```

Movie_Num	Movie_Genre	Average Cost	Movie_Cost	Percent Difference
1234	FAMILY	39.95	39.95	0.00
1235	ACTION	52.72	59.95	13.71
1236	DRAMA	58.46	59.95	2.54
1237	COMEDY	44.12	29.95	-32.12
1238	DRAMA	58.46	89.95	53.86
1239	DRAMA	58.46	25.49	-56.40
1245	ACTION	52.72	45.49	-13.71
1246	COMEDY	44.12	58.29	32.12

8 rows in set (0.00 sec)