

# T5ynth macOS Installation

Short guide for the current unsigned macOS build with the usual Gatekeeper override step.

The screenshots show the real installation flow on a Mac with a German user interface.

Unfortunately I only had German screenshots available for this documentation pass, but the sequence is identical on English-language systems.

Tip: the recommended default model, Stable Audio 3, installs login-free with no HuggingFace account – see Appendix C. Steps 11–15 instead show the manual installation of Stable Audio Open Small.

## Quick summary

- Open the .pkg
- If blocked: Privacy & Security > Open Anyway
- Click through the installer normally
- Launch T5ynth.app from /Applications

## Step 1: Open the package

If macOS blocks the package the first time, that is expected for this current build.



## Step 2: Open Privacy & Security

In System Settings > Privacy & Security, scroll down and click “Open Anyway” for T5ynth.

„T5ynth-mac...2-test.pkg“ wurde blockiert, um deinen Mac zu schützen.

Dennoch öffnen

Apple konnte nicht überprüfen, ob „T5ynth-mac...2-test.pkg“ frei von Schadsoftware ist, die deinen Mac beschädigen oder deine Privatsphäre verletzen kann.


## Step 3: Confirm opening

Confirm the security prompt once more with "Open Anyway".



## Step 4: The installer starts normally

After that, the normal macOS installer opens.



# Step 5: License page

Continue to the license page.



## Softwarelizenzvertrag

- Einführung
- **Lizenz**
- Zielvolume auswählen
- Installationstyp
- Installation
- Zusammenfassung

T5ynth — Text-to-Sound Synthesizer  
Copyright (C) 2024-2026 Prof. Dr. Benjamin Jörisen / AI4ArtsEd  
(UCDCAE AI Lab)  
<https://github.com/joeriben/t5ynth>

T5ynth is a novel synthesizer concept that navigates the T5 text embedding space of a diffusion audio model, enabling direct sonic exploration of semantic dimensions. Conceived and developed by Prof. Dr. Benjamin Jörisen as part of the AI4ArtsEd project at the UCDCAE AI Lab.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

Drucken ...

Sichern ...

Zurück

Fortfahren

## Step 6: Accept the license

Without “Accept”, the installation cannot continue.

**Um mit der Installation der Software fortzufahren, musst du den Softwarelizenzvertrag akzeptieren.**

Klicke auf „Akzeptieren“, um mit der Installation fortzufahren.

Klicke auf „Ablehnen“, um die Installation abubrechen und zu beenden.


Lizenz lesen

Ablehnen

Akzeptieren

## Step 7: Choose the install target


In the standard case, choose installation for all users of this computer.






## Step 8: Start the installation

Click “Installieren” to begin the standard installation on the system volume.




## Step 9: Confirm with password or Touch ID

macOS asks for administrator permission for the actual installation.




## Step 10: Installation complete

Once this dialog appears, T5ynth.app is correctly installed in /Applications.




## Step 11: Open T5ynth and check the model state

In the Model Manager, Stable Audio Open Small is initially still not installed.




## Step 12: Allow access to Downloads

If Auto-Scan should look for the model files in Downloads, allow access to that folder.




## Step 13: Import the model files

T5ynth copies the model files from Downloads into its internal model directory.




## Step 14: Backend starts

After the copy step, T5ynth briefly shows the transition state “Backend: Starting...”.



## Step 15: Model is ready

Once “Installed” and “Backend: Connected” appear, T5ynth is ready to use.





## Appendix C: Loading Stable Audio 3 (recommended, login-free)

Stable Audio 3 is T5ynth's current default model (version 2.1.0) and installs login-free – with no HuggingFace account and no token. There are two variants: Small Music for instrumental music and Small SFX for sound effects; both share one architecture and one t5gemma text encoder.

Unlike Stable Audio Open, T5ynth fetches the weights directly from the openly accessible Comfy-Org repository. Before downloading, T5ynth shows two licenses that both must be accepted: the Stability AI Community License for the audio model and the Google Gemma Terms of Use plus Prohibited Use Policy for the t5gemma encoder.

- Select “Stable Audio 3 Small Music” or “Small SFX” in the Model Manager.
- Accept both licenses with “Accept & Download”; the download starts.
- Fetches ~2.3 GB model + ~1.2 GB t5gemma encoder (shared by both).
- Status switches to “Installed”, then “Backend: Connected”.

### Note

Stable Audio 3 reads up to 256 tokens per prompt. T5ynth automatically prepends the modality prefix “TrackType: Music, ...” (or “TrackType: SFX, ...”) to every prompt – you do not type it yourself.

Structured prompts such as “Genre: ambient, Instruments: synth pad, Moods: warm” match SA3's training distribution especially well; plain descriptions work too.

## Appendix B: Loading Stable Audio Open 1.0

Stable Audio Open 1.0 is available in T5ynth as an additional model path, but it is not currently downloaded directly inside the app.

The recommended workflow is the same manual HuggingFace flow as for Stable Audio Open Small, but with the repository “stabilityai/stable-audio-open-1.0”.


- Select “Stable Audio Open 1.0” in the Model Manager.
- Use “Open Model Page” to open the HuggingFace repository page.
- Accept the license there and download the required model files.
- Place the files in a local folder and then let T5ynth find them via “Browse...” or “Auto-Scan”.
- Once T5ynth sees the model, the status should switch to “Installed” and then to “Backend: Connected”

### Note

Stable Audio Open 1.0 is much larger than Stable Audio Open Small. For first tests on a new Mac, Stable Audio Open Small is usually the more practical starting point.


## Appendix A1: Select AudioLDM2

In the Model Manager, choose AudioLDM2. Unlike Stable Audio Open Small, T5ynth can download this model directly from HuggingFace.



## Appendix A2: Confirm the license

Before downloading, T5ynth shows the AudioLDM2 license terms. Click “Accept & Download” to continue.



## Appendix A3: Download in progress

While the download is running, T5ynth shows the current file name and progress.

▼

● Loop

Model Manager

AudioLDM2

▼

▼

audioldm2: Not installed

Backend: Connected

Auto-Scan

Browse...

Open Model Page

Download from HuggingFace

Downloading: language\_model/model.safetensors (3/26)


**AUDIOLDM2**  
Academic latent-diffusion text-to-audio model published by CVSSP / University of Surrey and collaborators (Liu et al., 2023), released as an open research artefact for studying generalised audio, music and speech generation from text. Ungated on HuggingFace and the only engine T5ynth can install directly. Click 'Download from HuggingFace' above and wait for the download to finish.

Source: <https://huggingface.co/cvssp/audioldm2>  
Target: /Users/vera/Library/T5ynth/models/audioldm2

License: CC BY-NC-SA 4.0 -- non-commercial use only, no revenue threshold, no exceptions.

## Appendix A4: Backend starts

After the download, the model is activated automatically and T5ynth briefly shows “Backend: Starting...”.



## Appendix A5: AudioLDM2 is ready

Once “Installed” and “Backend: Connected” appear, AudioLDM2 is ready to use.

