T5ynth macOS Installation

Short guide for the current unsigned macOS build with the usual Gatekeeper override step.

The screenshots show the real installation flow on a Mac with a German user interface.

Unfortunately I only had German screenshots available for this documentation pass, but the sequence is identical on English-language systems.

Quick summary

- Open the .pkg
- If blocked: Privacy & Security > Open Anyway
- Click through the installer normally
- Launch T5ynth.app from /Applications

Step 1: Open the package

If macOS blocks the package the first time, that is expected for this current build.

Step 2: Open Privacy & Security

In System Settings > Privacy & Security, scroll down and click “Open Anyway” for T5ynth.

Step 3: Confirm opening

Confirm the security prompt once more with “Open Anyway”.

Step 4: The installer starts normally

After that, the normal macOS installer opens.



Step 5: License page

Continue to the license page.



Step 6: Accept the license

Without “Accept”, the installation cannot continue.



Step 7: Choose the install target

In the standard case, choose installation for all users of this computer.



Step 8: Start the installation

Click “Installieren” to begin the standard installation on the system volume.



Step 9: Confirm with password or Touch ID

macOS asks for administrator permission for the actual installation.



Step 10: Installation complete

Once this dialog appears, T5ynth.app is correctly installed in /Applications.



Step 11: Open T5ynth and check the model state

In the Model Manager, Stable Audio Open Small is initially still not installed.



Step 12: Allow access to Downloads

If Auto-Scan should look for the model files in Downloads, allow access to that folder.



Step 13: Import the model files

T5ynth copies the model files from Downloads into its internal model directory.



Step 14: Backend starts

After the copy step, T5ynth briefly shows the transition state “Backend: Starting...”.



Step 15: Model is ready

Once “Installed” and “Backend: Connected” appear, T5ynth is ready to use.



Appendix B: Loading Stable Audio Open 1.0

Stable Audio Open 1.0 is available in T5ynth as an additional model path, but it is not currently downloaded directly inside the app.

The recommended workflow is the same manual HuggingFace flow as for Stable Audio Open Small, but with the repository “stabilityai/stable-audio-open-1.0”.

- Select “Stable Audio Open 1.0” in the Model Manager.
- Use “Open Model Page” to open the HuggingFace repository page.
- Accept the license there and download the required model files.
- Place the files in a local folder and then let T5ynth find them via “Browse...” or “Auto-Scan”.
- Once T5ynth sees the model, the status should switch to “Installed” and then to “Backend: Connected”

Note

Stable Audio Open 1.0 is much larger than Stable Audio Open Small. For first tests on a new Mac, Stable Audio Open Small is usually the more practical starting point.

Appendix A1: Select AudioLDM2

In the Model Manager, choose AudioLDM2. Unlike Stable Audio Open Small, T5ynth can download this model directly from HuggingFace.



Appendix A2: Confirm the license

Before downloading, T5ynth shows the AudioLDM2 license terms. Click “Accept & Download” to continue.



Appendix A3: Download in progress

While the download is running, T5ynth shows the current file name and progress.



Appendix A4: Backend starts

After the download, the model is activated automatically and T5ynth briefly shows “Backend: Starting...”.



Appendix A5: AudioLDM2 is ready

Once “Installed” and “Backend: Connected” appear, AudioLDM2 is ready to use.