



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

(Click on the tabs above for more information on each topic. Some tabs also have tabbed subtopics.)

Welcome to the JASA-EL Journal Style

Welcome to the use of the JASA-EL.cls file. We've made the process of preparing your article for submission to JASA-EL as simple as possible, and hope you'll enjoy the process.

Tech Support

If you need help after you read this documentation, you may send an email to Liz Bury at

lbury@acousticalsociety.org.

If possible please send a small file demonstrating the problem.

Files in this package, and what they do

JASA-EL.cls	Document class file
JASA-EL-template.tex	Template file, for authors to copy and rename when making their own article
JASA-EL-Sample.tex/.pdf	Sample file in .tex and .pdf form
TrackChangesSamp .tex/.pdf/.bbl	Track Changes sample file
JASA-EL-sample.bbl	Used in sample files
sampfig.pdf, .jpg, .eps	Illustration files for JASA-EL-sample file
JASAuthyear2.bst	For making bibliography with BibTeX
JASAnum2.bst	
JASA-ReferenceStyles.pdf	JASA specifications for correct form in bibliography entries
bibsamp1.tex/.pdf	Sample BibTeX bibliography in author-year style
bibsamp2.tex/.pdf	Sample BibTeX bibliography in numerical style
sampbib.bib	Sample bibliography database use in JASA-EL-Sample, and in bibsamp1 and bibsamp2.
JASA-EL-Docs	JASA-EL Documentation
readme.txt	List of files and their uses

You'll find many examples of commands in use in JASA-EL-sample.tex/.pdf.

Looking at these files might be a good place to start when using the JASA-EL package.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

[Packages, JASA-EL-Template](#) [JASA-EL Author Format Options](#) [JASA-EL Reference Style Options](#) [Title Page](#)

Packages included

These packages are included in JASA-EL, for your information:

```
\usepackage{endnotes}% if authoryear option is used
\usepackage{graphicx}% Include figure files
\usepackage{dcolumn}% Align table columns on decimal point
\usepackage{bm}% bold math
\usepackage{amsmath,amsfonts}% popular packages from the American Mathematical Society
\usepackage{latexsym}% latex symbols
\usepackage{lineno}% for line numbers
\usepackage{array}% for tables
\usepackage{ulem}% for underlining
\usepackage{xcolor}% for color declarations
\usepackage{hyperref}% for hypertext linking
```

In addition, JASA-EL is built on a base of RevTeX4-1.cls, a complex package in itself, and several additional modifying packages.

>> *There is always a possibility for package clashes so do not add any more `\usepackage{ }`s than necessary.*<<

Using the Template file

After you've had a look at JASA-EL-sample.tex/.pdf the easiest way to start your article is to copy and rename the template file, **JASA-EL-Template.tex**, and use it to start your own article.

You'll find some examples of the commands you can enter on the titlepage, and reminders about where to position Acknowledgments, and Bibliography. This should make it easy to format your JASA-EL article.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

[Packages, JASA-EL-Template](#) [JASA-EL Author Format Options](#) [JASA-EL Reference Style Options](#) [Title Page](#)

Numbered Lines

Line numbers are the default in this style. If you'd like to turn off numbered lines, use the option `turnofflinenumbers`: `\documentclass[turnofflinenumbers]{JASA-EL}`

JASA-EL Author Format Options

The Default Author Format Option

The `authaffil` option will make affiliation(s) immediately follow the author(s). Otherwise authors are grouped, and affiliations are stacked underneath all the authors.

`\documentclass{JASA-EL}`:

The default option produces all authors, all affiliations, then all email addresses, for example:

```
author one, author two, author three, author four, author five
```

```
affiliation, affiliation, affiliation
```

```
email for author one, email for author two, email for author three,  
email for author four, email for author five
```

Author Affiliation Option

`\documentclass[authaffil]{JASA-EL}`

The `authaffil` option will produce all email addresses for previously mentioned authors immediately after affiliation; ie,

```
author one, author two, author three
```

```
affiliation
```

```
email for author one, email for author two, email for author three
```

```
author four
```

```
affiliation
```

```
email for author four
```

```
author five
```

```
affiliation
```

```
email for author five
```



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome | Getting Started | Figures | Tables | Track Changes | Ending Article | Bibliography | Using BibTeX | Final Advice

Packages, JASA-EL-Template | JASA-EL Author Format Options | JASA-EL Reference Style Options | Title Page

JASA-EL Reference Options

There are two reference choices: Author-Year style, and Numerical style. The default is Author-Year style: `\documentclass{JASA-EL}`. It will produce end notes before the bibliography, and follow with an unnumbered bibliography:

¹See Supplementary materials at [URL will be inserted by AIP] for [give a brief description of the material].

²Here is the second footnote. It will appear before the beginning of the bibliography in Author-Year style (default) or it will be interleaved with other references when using the NumberedRefs option.

³Here is a third footnote.

Christian, R. S., Davies, R. E., Tubis, A. B., and Anderson, C. A. (1984). "Effects of air loading on tympani membrane vibrations," J. Acoust. Soc. Am. **76**, 1336–1345.

DISPERSE (2001). "A system for generating dispersion curves," User's Manual Version 2.0.16d, doi: [10.1177/1045389X16667559](https://doi.org/10.1177/1045389X16667559).

Hollman, J. P. (1997). *Heat Transfer*, 8th ed. (McGraw-Hill, New York), p. 55.

Tolstoy, A. (2010). "Using low frequencies for geoacoustic inversion," in *Theoretical and Computational Acoustics 2010*, Dresden, Germany,(in press).

The NumberedRefs option produces numbered bibliography and citations, with end notes interspersed with bib entries:

`\documentclass[NumberedRefs]{JASA-EL}`

¹See Supplementary materials at [URL will be inserted by AIP] for [give a brief description of the material].

²J. P. Hollman, *Heat Transfer*, 8th ed. (McGraw-Hill, New York, 1997), p. 55.

³Here is the second footnote. It will appear before the beginning of the bibliography in Author-Year style (default) or it will be interleaved with other references when using the NumberedRefs option.

⁴Here is a third footnote.

⁵R. S. Christian, R. E. Davies, A. B. Tubis, and C. A. Anderson, "Effects of air loading on tympani membrane vibrations," J. Acoust. Soc. Am. **76**, 1336–1345 (1984).

⁶A. Tolstoy, "Using low frequencies for geoacoustic inversion," in *Theoretical and Computational Acoustics 2010*, Dresden, Germany,(in press).

⁷DISPERSE, "A system for generating dispersion curves," User's Manual Version 2.0.16d (2001), doi: [10.1177/1045389X16667559](https://doi.org/10.1177/1045389X16667559).



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#)
[Getting Started](#)
[Figures](#)
[Tables](#)
[Track Changes](#)
[Ending Article](#)
[Bibliography](#)
[Using BibTeX](#)
[Final Advice](#)

[Packages, JASA-EL-Template](#)
[JASA-EL Author Format Options](#)
[JASA-EL Reference Style Options](#)
[Title Page](#)

Title Page Commands

Information about selected commands:

`\title[<running head on every page except title page>]{<Title at top of Article>}`, ie,
`\title[JASA-EL/Sample JASA-EL Article]{Sample JASA-EL Article}`
 will use the square bracket argument on the top right hand side of the pages.

`\author{}`, `\email{}`, `\affiliation{}` are self explanatory

For alternate affiliation, use `\altaffiliation{}`:

`\altaffiliation{Also at: Another University, City, State, Zipcode, Country}`

If needed, enter this command immediately after the appropriate `\affiliation{}` command.

`\correspondingauthor` is necessary. The corresponding author declaration will appear at the bottom of the title page.

`\copyrightyear{}`

The default is the current year. If you want to use a year other than the current one, use `\copyrightyear{<year>}`.

`\copyrightinfo{}`

Default is: Acoustical Society of America, but you can use `\copyrightinfo{<another name>}` to change to another name.

Sample title page

```

\title[JASA-EL/Sample JASA-EL Article]{Sample JASA-EL Article}
\author{Author One}
\email{author.one@someplace.edu}
\author{Author Two}
\email{author.two@someplace.edu}
\author{Author Three}
\email{author.three@someplace.edu}
\correspondingauthor
\affiliation{Department1, University1, City, State, ZipCode, Country}
\author{Author Four}
\email{author.four@someplace.edu}
\affiliation{Department3, University3, City, State, ZipCode, Country}
\altaffiliation{Also at: Another University, City, State, ZipCode, Country}
  
```

The way the title page will be formatted depends on whether the default author format is used,

`(\documentclass{JASA-EL})`,

or the Author-Affil style

`(\documentclass[author-affil]{JASA-EL})`.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#)[Getting Started](#)[Figures](#)[Tables](#)[Track Changes](#)[Ending Article](#)[Bibliography](#)[Using BibTeX](#)[Final Advice](#)[Standard Figure Environment](#)[New Figure Positioning Commands](#)

Standard figure environment

```
\begin{figure}[ht]
\begin{center}
\includegraphics[width = 3in]{figsamp}
\caption{\label{fig:FIG1}{Caption here.}}
\end{center}
\end{figure}
```

Note: The only figure formats allowed are the following: .pdf, .ps, .eps, or .jpg.

Figure files must be named in this fashion: Figure#.xxx, where # is the figure number and xxx is the file format (Figure1.pdf, Figure2.jpg, Figure3a.ps, Figure3b.ps, etc).



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome Getting Started **Figures** Tables Track Changes Ending Article Bibliography Using BibTeX Final Advice

Standard Figure Environment **New Figure Positioning Commands**

New Figure Commands

See *JASA-EL-Sample.tex/.pdf* for many examples of using the `\figline{}` and `\fig{}` commands, new for this style. Please also keep in mind that if your article is accepted for publication, the publisher will determine its final layout.

`\figline{}` will center one or more figures on one line.

Variations on the fig command:

```
\fig{<name of file>}{<width>}{<letter to put underneath>}
\leftfig{<name of file>}{<width>}{<letter to put underneath>}
\rightfig{<name of file>}{<width>}{<letter to put underneath>}
\boxedfig{<name of file>}{<width>}{<letter to put underneath>}
\rotatefig{<degrees of rotation>}{<name of file>}{<width>}
{<letter to put underneath>}
```

Example of Figline with Narrow Caption:

```
\figline{\fig{figsamp}{.7\textwidth}}{ }
\narrowcaption{.2\textwidth}{Here is a narrow caption.}}.
```

Figcolumn for stacking figures:

```
\figcolumn{\fig{figsamp}{.2\textwidth}}{(A)}{\fig{figsamp}{.2\textwidth}}{(B)}
\fig{figsamp}{.2\textwidth}}{(C)}}}
```



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

[Standard Tables](#) [Plain Table](#) [Decimal Columns](#)

Standard tables

Tables are made in the standard way, with the exception that `tabular` should be preceded with `\begin{ruledtabular}`, and followed with `\end{ruledtabular}`. This will give us double lines at the top and bottom of the table. Try to avoid using vertical lines unless absolutely necessary.

```
\begin{table}[ht]
\caption{Here is the caption for a table.}
\centering
\begin{ruledtabular}
\begin{tabular}{cccc}
one&two&three&four\\
\hline
C&D&E&F\\
\end{tabular}
\end{ruledtabular}
\end{table}
```

`\begin{table}... \end{table}` is for single column tables;
`\begin{table*}... \end{table*}` is for double column tables.

Table notes

Footnotes in a table are labeled a, b, c, etc. They can be specified by using the L^AT_EX `\footnotemark[]` and `\footnotetext[]` commands.

The footnotes for a table are typeset at the bottom of the table, rather than at the bottom of the page or at the end of the references. The arguments for `\footnotemark[]` and `\footnotetext[]` should be numbers 1, 2, ... The journal style will convert these to letters.

This system allows multiple entries to refer to the same footnote.

```
...
In& 0.460\footnotemark[1] & 18.40 & 3.500 &Ba\footnotemark[1]
& 0.960 & 2.460 & 3.780 \\
\end{tabular}
\end{ruledtabular}
\footnotetext[1]{Here's the first.}
\end{table}
```




How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

[Standard Tables](#) [Plain Table](#) [Decimal Columns](#)

Plain Tables: When NOT to use ‘ruledtabular’

There are a number of cases where it would be better not to use the ‘ruledtabular’ command, basically whenever your table uses complex content and commands.

One instance is when you want to use the multicolumn command in your table. You’ll find that ‘ruledtabular’ will cause bad formatting. In that case, don’t use ruledtabular.

Instead put in `\hline\hline` at the top and bottom of the table.

```
\begin{table}[ht]
\caption{A table made without ‘ruledtabular’ needs to have two hlines
added to the top and bottom of the table.}
\vskip3pt
\begin{tabular}{ccccccc}
\hline\hline
& $\rho_c$ (\AA) & $\rho_0$ (\AA) & $\kappa_r$ & $\rho_c$ (\AA) & $\rho_0$ (\AA) & $\kappa_r$ \\
\hline
Cu & 0.800 & 14.10 & 2.550 & Sn & \footnotemark[1] & \\
& 0.680 & 1.870 & 3.700 & \& 0.990 & 15.90 & 2.710 & Pb & \footnotemark[2] \\
& 0.450 & 1.930 & 3.760 & \& 1.150 & 15.90 & 2.710 & Ca & \footnotemark[3] \\
& 0.750 & 2.170 & 3.560 & \& \hline\hline
\end{tabular}
\footnotetext[1]{This is the first table note.}
\footnotetext[2]{This is the second table note.}
\footnotetext[3]{This is the third table note.}
\end{table}
```



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome Getting Started Figures **Tables** Track Changes Ending Article Bibliography Using BibTeX Final Advice

Standard Tables Plain Table **Decimal Columns**

Using dcolumn

The dcolumn macro set is used to line up decimal numbers on their decimal point within a table.

`\usepackage{dcolumn}` is included in JASA-EL.cls so you don't need to add it explicitly.

For detailed information:

<http://anorien.csc.warwick.ac.uk/mirrors/CTAN/macros/latex/required/tools/dcolumn.pdf>

A gentler introduction may be found in this informative and well illustrated article:

<https://www.tug.org/pracjourn/2007-1/mori/mori.pdf>

starting on page 20. (You may want to look at more examples in this quite comprehensive article on making tables in L^AT_EX.)

An example using dcolumn:

```
\begin{ruledtabular}
\begin{tabular}{cD {,}{.}{5.4}}
Expression & \multicolumn {1}{c}{ Value }\\
\hline
 $\pi$  & 3,1416 & \\
 $\pi^{\pi}$  & 36,46 & \\
 $\pi^{\pi^{\pi}}$  & 80662,7 & \\
\end{tabular}
\end{ruledtabular}
```

See complete dcolumn example in JASA-EL-sample.tex/.pdf.



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome Getting Started Figures Tables **Track Changes** Ending Article Bibliography Using BibTeX Final Advice

Track Changes:

When the 'trackchanges' option is used, revisions made to the text may be tracked using the following:

To add words, `\added{<word added>}`

To delete words, `\deleted{<word deleted>}`

To replace words, `\replace{<word to be replaced>}{<replacement word>}`

To explain why change was made: `\explain{<explanation>}`; This will put a comment into the right margin.

An optional argument may be used to send date/time/initials etc. to the list of changes: ie,

`\added[date/time etc.]{<word added>}`

List of Changes

At the end of the document a list of changes, with the page and line number of changes, will appear if you are using 'preprint' style with the trackchanges option.

Sample

1 The (Added: current) abstract should be a single-paragraph of less than 250 words, or
 2 for Geophysical Research Letters, less than 150 words. A (Added: really!) good abstract sets
 3 the (Deleted: general) question or topic that you are studying for the general reader, provides
 4 background on the specific question or problem, briefly describes key data or analyses, and
 5 describes the key results and (Replaced: certainties with uncertainties). (Deleted: In other
 6 words, probabilistic biases, which can be reduced by statistical post-processing methods;
 7 decrease over time.)

← Redundant sentence, better without it

List of Changes

Added: current, on page 1, line 1.

Added: really!, on page 1, line 2.

Deleted: general, on page 1, line 3.

Replaced: certainties with uncertainties, on page 1, line 5.

Deleted: In other words, probabilistic biases, which can be reduced by statistical post-processing methods, decrease over time., on page 1, line 7.

In final version

When the trackchanges option is not used, `\listofchanges` will not produce anything,

`\added{<word or words>}` word will be printed,

`\deleted{<word or words>}` will not be printed,

`\replaced{<delete this word>}{<replace with this word>}` will print only the replacement word.

In the final version, `\explain{<text>}` will not print anything.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) **[Ending Article](#)** [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

End of Article

The article follows this order:

- ... Body of Paper
- Conclusions
- Acknowledgments
- References

Conclusion and Acknowledgments (are straightforward)

```
\section{Conclusion}
And in conclusion ...
```

```
\begin{acknowledgment}
This research was supported by ...
\end{acknowledgment}
```

or

```
\begin{acknowledgments}
This research was supported by ...
\end{acknowledgments}
```

Appendices

Appendices are not allowed in JASA-EL articles.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

Footnotes

Footnotes are actually formatted as endnotes. The contents of the footnote will appear at the beginning of the bibliography by default; interleaved with other references if NumberedRefs option has been used. You must run BibTeX on your file to get the footnotes to format correctly: LaTeX filename, BibTeX filename, LaTeX Filename.

Making the Bibliography

A resource for making your bibliography entries correctly is included in this package: JASA-ReferenceStyles.pdf. It is important for you to consult this set of examples showing the correct form for bibliography entries.

The files

bibsamp1.tex/.pdf and bibsamp2.tex/.pdf

show examples of output made with BibTeX; and sampbib.bib

for an example of how to make your .bib database entries.

Typed in bibliography

It is possible to type in your own bibliography, but it will be a lot easier to make your bibliography using BibTeX.

Nevertheless, if you really want to type in your own bibliography...

There are two different styles of bibliography entries possible: author-year and numbered. Author-year is the default.

Author year entries need to have an argument in square brackets following `\bibitem`:

```
\bibitem[(what will print)]
```

```
{<label>}...<body of bibitem>
```

Bibitems done in the numbered style need only one argument after `\bibitem`:

```
\bibitem{<label>}...<body of bibitem>.
```

Making citations

You should use `\citep{}` for your citations. `\citep{booksamp2}` for example, will produce (Anderson, 1983)

Numbered bibliography

When you have used `\documentclass[NumberedRefs]{JASA-EL}` you will produce numbered references.

Entering the bibitem for a numbered bibliography is almost the same except that you don't need to follow `\bibitem` with an argument in square brackets.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [Using BibTeX](#) [Final Advice](#)

[Making the .Bib Database](#) [Steps in using BibTeX](#)

Using BibTeX Recommended

You are highly recommended to use BibTeX to produce your bibliography: it will be both easier and less error prone.

There are two possible bibliography styles: the default, author-year, and the optional style, NumberedRefs, which you would call using

```
\documentclass[NumberedRefs]{JASA-EL}
```

Every `\cite{}` or `\citep{}` will produce a citation and an entry in the bibliography. Each cite must have a matching entry in the .bib database file.

Starting Point: Make the .bib file

Be sure to examine JASA-ReferenceStyles.pdf.

It is important for you to consult this set of examples showing the correct form for bibliography entries.

In the JASA-EL package, sample bibliography files using BibTeX are:

bibsamp1.tex/.pdf for author-year formatting, the default;

and bibsamp2.tex/.pdf, for numerical formatting.

You are advised to look through sampbib.bib, the database file used to produce the example files above. It may help you when you are having trouble getting the database to produce entries that match the specifications in JASA-ReferenceStyles.pdf.

Notice that there is a new field: computercode, seen here as it appears in sampbib.bib:

```
@computercode{sampcode,  
key={WAON, 2008},  
language={WAON},  
title={Version 3.1 User's Manual},  
publisher={Cybernet Systems Co., Ltd},  
year={2008}}
```

There is also a url field. Examples of these fields are shown in sampbib.bib.



How to Prepare L^AT_EX Articles using JASA-EL.cls

[Welcome](#)[Getting Started](#)[Figures](#)[Tables](#)[Track Changes](#)[Ending Article](#)[Bibliography](#)[Using BibTeX](#)[Final Advice](#)[Making the .Bib Database](#)[Steps in using BibTeX](#)

BibTeX steps

Follow these steps

1. Type in `\bibliography{<name of your .bib file>}`.
2. Enter `\citep{}` or `\cite{}` format in your .tex file. The cite label must come from your .bib database file.
Run LaTeX on your LaTeX file.
3. Run BibTeX on your LaTeX file.
4. Open the new .bbl file and copy all the contents into your LaTeX file at the end of your article.
5. Comment out the `\bibliography{<name of your .bib file>}`:
(`%\bibliography{<name of your .bib file>}`)
6. Run LaTeX on your .tex file several more times to produce the citations as well as the bibliography.

(For instance, if your file is called myarticle.tex, BibTeX will produce a file called myarticle.bbl. You should copy the entire contents of myarticle.bbl and drop it into the end of your myarticle.tex file.)

You'll notice that the footnotes will format correctly when you have copied the .bbl file into your .tex file: above the bibliography when using the default author-year style; interleaved when using the NumberedRefs bibliography style.



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome Getting Started Figures Tables Track Changes Ending Article Bibliography Using BibTeX Final Advice

Final Advice Google Scholar Multimedia/Supplementary Material

Some final advice

- All section heads should capitalize only the first word, and proper names.
- Figures should be named using this scheme:
Figure1.pdf, Figure1.eps, Figure2.jpg, Figure3a.ps, Figure3b.ps, etc.

Word count:

It may be helpful to use a word counter for the abstract and for the main body of the manuscript. This can be done by either

- 1) For Mac users, TeXShop (at least version 3.26) has a line, word and character count under **Edit>Statistics**. No guarantee that it will be 100% accurate.
- 2) If you use the online tool ShareLatex, you will find it has a built in word counter:
<https://www.sharelatex.com/blog/2015/09/15/word-count.html>.

Use TIPA for phonetics characters?

One could add `\usepackage{TIPA}` for help in getting phonetics characters. An article explaining TIPA is found here:
<https://www.tug.org/TUGboat/tb17-2/tb51rei.pdf>

TIPA is a LaTeX package that provides a set of ASCII shortcuts for getting non-ASCII IPA characters into LaTeX documents. It exists because the programs 'latex' and 'pdflatex' cannot operate on documents that have non-ASCII characters in them. The problem was solved long ago by the introduction of the programs 'xetex' and 'xelatex', which can handle the full range of Unicode character codepoints in source documents.

We suggest using XeLaTeX, which is supported by JASA-EL's online submission system, if your article contains non-ASCII characters. If authors do not wish to use XeLaTeX, non-ASCII characters can be included using the standard LaTeX codes (e.g., `\beta`, `\sigma`, etc.) or an appropriate LaTeX package (e.g., the TIPA package for the International Phonetic Alphabet). For questions about this, please contact Liz Bury at lbury@acousticalsociety.org for advice on article submission.

More info here: <https://tex.stackexchange.com/questions/36542/how-to-use-phonetic-ipa-characters-in-latex>

The article concludes:

"The TIPA method allows for a faster input method at the expense of less readable source."

For more information, please see the following from the Editorial Manager LaTeX guide
(<http://www.editorialmanager.de/pdf/latex/ARIES-LaTeX-Journal-resources-2017.pdf>)



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome Getting Started Figures Tables Track Changes Ending Article Bibliography Using BibTeX Final Advice

Final Advice Google Scholar Multimedia/Supplementary Material

Using Google Scholar

A very useful link to a You-Tube presentation on how to make Google Scholar BibTeX entries:

https://www.youtube.com/watch?v=SsJSR2b4_qc.

Step by Step instructions for Making a Bib file using Google Scholar

First you must log into your gmail account. (If you don't have one, you can sign up easily, for free). Then go to <https://scholar.google.com>. Once there, click on the 'settings' icon at the top of the page. Go to the bottom of the page, and at the 'Bibliography manager' heading click on 'show links to import citations into BibTeX'.

Then, choose a title, for a journal article or book. At the bottom of the resulting entry, you'll see 'Import into Bibtex'. Click this, and a bibtex entry will appear on a new page.

You can copy this entry and drop it into a .bib file on your computer, for example, google.bib. Repeat this procedure for as many entries as you'd like.

After citing the entries you want to appear in your bibliography, you can type in `\bibliography{google}`, run LaTeX on your file, run BibTeX using the same file name, and run LaTeX several more times, and voilà! there will be your bibliography.

A word of caution: If this seems too good to be true, there is a reason. Sometimes there are mistakes in the translation from the .bib file to the .bbl file, the output of using BibTeX.

For instance, in my experimentation, many words were made lowercase that should not have been; and there terms that could well have been abbreviated that weren't. However, you can edit the .bbl file, and probably will still have saved yourself some trouble over typing in the .bib entry from scratch.



How to Prepare L^AT_EX Articles using JASA-EL.cls

Welcome Getting Started Figures Tables Track Changes Ending Article Bibliography Using BibTeX Final Advice

Final Advice Google Scholar Multimedia/Supplementary Material

Example of multimedia entry

Please note that this is for multimedia intended to appear inline within the published article.

Here is what a multimedia entry will look like:

```
\multimedia{http://dx.doi.org/10.1121/1.4947423.1}
{Corresponding pulse-compressed echo envelopes
and video recordings from a fluttering luna moth.
Echoes from the wings and body of the moth generally dominate the
acoustic returns, which vary greatly over consecutive ensonifications
across the wingbeat cycle. File of type ``mp4`` (15.3
MB)}\label{mmtest1}
```

Here we try cross referencing the multimedia entry: The multimedia
above is Mm.~\ref{mmtest1}.

Supplementary material for publication

Any archival supplemental materials to be published with the manuscript (eg., supplementary figures) should be cited in-text and a footnote provided.

An example of reference to supplementary material:

```
The sound files and videos for this and other figures
are included as supplementary materials\footnote{See
Supplementary materials at [URL will be inserted by AIP]
for [give a brief description of the material]}.
```

The contents of the footnote above will appear at the beginning of the bibliography when the ‘author-year’ documentclass option is used; interleaved with other references otherwise.

File naming conventions

- Supplementary Figure or Text files should be named: SuppPub#.xxx, where # is a number and xxx is the file format extension (SuppPub1.docx, SuppPub2.jpg, etc)
- Supplementary Multimedia files: SuppPubmmm#.xxx, where # is a number and xxx is the file format extension (SuppPubmmm1.mp3, SuppPubmmm2.gif, etc)
- Multimedia files must be named accordingly: MM#.xxx, where # is the number and xxx is the file format extension (MM1.wav, MM2.avi, etc).