

Joblogic API — list/search returns 0 for Jobs / Visits / Invoices

Tenant 38a05a51-8e8d-4073-9fbb-9863fd935329 · Source IP (whitelisted) 8.228.52.239 · Captured 2026-07-04 ·
Auth: POST identityservice.joblogic.com/connect/token (client_credentials, scope JL.Api) → 200, Bearer token.
Every call below sends that token with Content-Type: application/json.

Issue: Job/getall, Invoice/getall and Visit/GetAll (without a JobId) return **TotalCount 0** for every input — yet the same records are fully readable individually (Job/GetById, Visit/GetAll *with* a JobId), and the identical list pattern returns data for other resources (Customer 43, Quote 3041). Looks like list/search access isn't enabled for these resources on our API client.

WORKS Customer / GetAll — control

REQUEST — POST /API/V1/CUSTOMER/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5 }
```

RESPONSE

```
{ "TotalCount": 43, "Items_count": 5,  
  "first_item_sample": { "Id": 6059289, "Name": "Arebyte Gallery", "Active": true } }
```

WORKS Quote / GetAll — control

REQUEST — POST /API/V1/QUOTE/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5 }
```

RESPONSE

```
{ "TotalCount": 3041, "Items_count": 5,  
  "first_item_sample": { "QuoteNumber": "UP03209", "CustomerName": "WeWork Ltd" } }
```

RETURNS 0 Job / getall — no filter

REQUEST — POST /API/V1/JOB/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5 }
```

RESPONSE

```
{ "TotalCount": 0, "PageIndex": 1, "Items_count": 0 }
```

RETURNS 0 Job / getall — full date window (covers known job's DateLogged 2026-06-02)

REQUEST — POST /API/V1/JOB/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5,
  "StartDate": "2024-07-31T00:00:00Z", "EndDate": "2026-07-04T23:59:59Z" }
```

RESPONSE

```
{ "TotalCount": 0, "PageIndex": 1, "Items_count": 0 }
```

RETURNS 0 Job / getall — SearchTerm = exact known job number

REQUEST — POST /API/V1/JOB/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5, "SearchTerm": "PROJ0001624" }
```

RESPONSE

```
{ "TotalCount": 0, "PageIndex": 1, "Items_count": 0 }
```

WORKS Job / GetById — the SAME job is readable

REQUEST — GET /API/V1/JOB/GETBYID?ID=31855808&TENANTID=38A05A51-...

(no body)

RESPONSE

```
{ "IntId": 31855808, "JobNumber": "PROJ0001624", "Status": "Allocated",
  "JobType": "Project", "DateLogged": "2026-06-02T14:03:00", "DateComplete": "2026-06-
07T12:24:00" }
```

WORKS Visit / GetAll WITH JobId — that job's visits are readable

REQUEST — POST /API/V1/VISIT/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5, "JobId": "31855808" }
```

RESPONSE

```
{ "TotalCount": 3, "Items_count": 3,
  "first_item_sample": { "JobNumber": "PROJ0001624", "EngineerStringId": "E000069" } }
```

RETURNS 0 Visit / GetAll — without a JobId

REQUEST — POST /API/V1/VISIT/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5 }
```

RESPONSE

```
{ "TotalCount": 0, "PageIndex": 1, "Items_count": 0 }
```

RETURNS 0 Invoice / getall — full date window

REQUEST — POST /API/V1/INVOICE/GETALL

```
{ "TenantId": "38a05a51-...", "PageIndex": 1, "PageSize": 5,  
  "StartDate": "2024-07-31T00:00:00Z", "EndDate": "2026-07-04T23:59:59Z" }
```

RESPONSE

```
{ "TotalCount": 0, "PageIndex": 1, "Items_count": 0 }
```

Ruled out on Job/getall: no filter; StartDate/EndDate at every window size (1 day → 2 years); SearchTerm = exact job number; StatusIds; CustomerId; SiteId; IncludeInactive — all TotalCount 0. PageSize valid (5–50); token valid; other endpoints return data on the same token & IP.