





Google Chrome





Google Chrome





Google Chrome





Google Chrome






Google Chrome





















Safari






Google Chrome





Google Chrome









Artboard Presets: Custom Name: Artboard 1 X: 1184 px Y: 40 px W: 864 px H: 1064 px Artboards: 1 Essentials

layer-01.svg\* @ 25% (RGB/Preview)

The image shows the Adobe Illustrator interface. The central workspace displays two objects: a detailed drawing of a light rail train car labeled "01 - Artboard 1" and a simple graphic of a white keyboard with black keys. The keyboard is positioned above the train. The left side of the screen features the standard Photoshop-style toolbar with various selection and drawing tools. The right side contains the Adobe Creative Cloud library and the Properties panel, which is currently showing CSS properties like "css:20" and "css:161". The bottom of the screen shows the Mac OS X dock with icons for various applications.

M GA FEWD12 | VOIME - Veh × GA Gallery × Churburger | Burgers by Co × view-source:complimentstothechef.co/t × Joe A

file:///Users/joeasimpsonjr/Desktop/GA-FEWD12/joesimpsonjr.github.io/NEO.htm

Apps General Assembly WordPress Theme Bl WordPress Links Volunteer Antelope Valley Line Stories | The Moth VOIME Embedded image pe Other Bookmarks

**M Metro**

Developer Tools - file:///Users/joeasimpsonjr/Desktop/GA-FEWD12/joesimpsonjr.github.io/NEO.htm

Elements Network Sources Timeline Profiles Resources » 1 ➔ ⚙️

<!DOCTYPE html>  
▼ <html lang="en">  
  ► <head>...</head>  
  ▼ <body class="movement">  
    ► <nav id="menu" class="clearfix relative">...</nav>  
    ▼ <section class="vehicle-container">  
      ► <div class="vehicle">  
        ► <div id="layer-01" class="pullDown">  
          ► <p>...</p>  
          </div>  
        ► <div id="layer-02" class="pullDown">...</div>  
        ► <div id="layer-03" class="pullDown">...</div>  
        ► <div id="layer-04" class="pullDown">...</div>  
        ► <div id="layer-05" class="pullDown">...</div>  
      </div>  
    </section>  
  </body>  
</html>

Styles Computed Event Listeners »

element.style {  
}

#layer-01 { style.css:46  
  background-image: url("../images/layer-01.svg");  
  background-repeat: no-repeat;  
  height: 730px;  
  left: 120px;  
  top: -15px;  
  z-index: 100;  
}

.vehicle-container .vehicle div style.css:91  
{  
  position: absolute;  
  display: block;  
  width: 100%;  
  -webkit-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97);  
  -moz-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97);  
  -o-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97);  
  -ms-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97);  
  transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97);  
}

.pullDown { animation.css:925  
  animation name: pullDown;  
  -webkit-animation-name: pullDown;  
  animation duration: 1.1s;  
  -webkit-animation-duration: 1.1s;  
  animation timing function: ease out;  
  -webkit-animation-timing-function: ease-out;  
  transform origin: 50% 0%;  
  -ms-transform origin: 50% 0%;  
  -webkit-transform-origin: 50% 0%;  
}

div { user agent stylesheet  
  display: block;

... section div div#layer-01.pullDown

Find in Styles

Console Search Emulation Rendering

M GA FEWD12 | VOIME - Veh × GA Gallery × Churburger | Burgers by Co × view-source:complimentstothechef.co/t × Joe A

file:///Users/joeasimpsonjr/Desktop/GA-FEWD12/joesimpsonjr.github.io/NEO.htm

Apps General Assembly WordPress Theme Bl WordPress Links Volunteer Antelope Valley Line Stories | The Moth VOIME Embedded image pe Other Bookmarks

**M Metro**

Developer Tools - file:///Users/joeasimpsonjr/Desktop/GA-FEWD12/joesimpsonjr.github.io/NEO.htm

Elements Network Sources Timeline Profiles Resources

<!DOCTYPE html>

<html lang="en">

<head>...</head>

<body class="movement">

<nav id="menu" class="clearfix relative">...</nav>

<section class="vehicle-container">

<div class="vehicle">

<div id="layer-01" class="pullDown">

<p>...</p>

</div>

<div id="layer-02" class="pullDown">...

<div id="layer-03" class="pullDown">...

<div id="layer-04" class="pullDown">...

<div id="layer-05" class="pullDown">...

</div>

</section>

</body>

</html>

Styles Computed Event Listeners

element.style { }

#layer-02 { style.css:55 background-image: url("../images/layer-02.svg"); background-repeat: no-repeat; height: 700px; left: 290px; top: 0px; z-index: 80; }

.vehicle-container .vehicle div style.css:91 { position: absolute; display: block; width: 100%; -webkit-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); -moz-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); -o-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); -ms-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); }

.pullDown { animation.css:925 animation name: pullDown; -webkit-animation-name: pullDown; animation duration: 1.1s; -webkit-animation-duration: 1.1s; animation timing function: ease out; -webkit-animation-timing-function: ease-out; transform origin: 50% 0%; -ms-transform origin: 50% 0%; -webkit-transform-origin: 50% 0%; }

div { user agent stylesheet display: block; }

... section div div#layer-02.pullDown

Find in Styles

Console Search Emulation Rendering

The screenshot shows a 3D model of a light rail train car, specifically a Siemens S700 model, displayed in a web browser. The train is silver with "Metro Rail" and "7208" printed on the side. It's shown from a three-quarter front angle, slightly elevated. The background is a simple gray gradient. On the right side of the screen, the browser's developer tools are open, specifically the Elements and Styles panels. The Elements panel shows the HTML structure of the page, including the train model. The Styles panel displays the CSS rules applied to the elements, particularly focusing on the "layer-03" class which defines the background image and position of the train's body. The developer tools interface includes tabs for Network, Sources, Timeline, Profiles, Resources, and a search bar at the bottom.

```
<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body class="movement">
    <nav id="menu" class="clearfix relative">...</nav>
    <section class="vehicle-container">
      <div class="vehicle">
        <div id="layer-01" class="pullDown">
          <p>...</p>
        </div>
        <div id="layer-02" class="pullDown">...</div>
        <div id="layer-03" class="pullDown">...</div>
        <div id="layer-04" class="pullDown">...</div>
        <div id="layer-05" class="pullDown">...</div>
      </div>
    </section>
  </body>
</html>
```

Developer Tools - file:///Users/joeasimpsonjr/Desktop/GA-FEWD12/joesimpsonjr.github.io/NEO.htm

Elements Network Sources Timeline Profiles Resources

Styles Computed Event Listeners

element.style { }

#layer-03 { style.css:64

✓ background-image: url("../images/layer-03.svg");

✓ background-repeat: no-repeat;

✓ height: 720px;

✓ left: 200px;

✓ top: -100px;

✓ z-index: 60;

.vehicle-container .vehicle div style.css:91

{ position: absolute; display: block; width: 100%; -webkit-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); -moz-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); -o-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); -ms-transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); transition: all 1s cubic-bezier(0, 0.91, 0.22, 0.97); }

.pullDown { animation.css:925

⚠ animation name: pullDown; -webkit-animation-name: pullDown;

⚠ animation duration: 1.1s; -webkit-animation-duration: 1.1s;

⚠ animation timing function: ease out; -webkit-animation-timing-function: ease-out;

transform origin: 50% 0%; -ms-transform origin: 50% 0%; -webkit-transform-origin: 50% 0%; }

div { user agent stylesheet display: block; }

