

# Cucumber Report

16-Feb-2025, 10:43:34 pm

Start : Feb 16, 10:43:04.621 pm

End : Feb 16, 10:43:33.125 pm

Duration : 28.504 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify an End To End scenario</u>	28.504 s	1	0	1	0	15	3	1	11

#	Feature Name	Scenario Name
1	<u>Verify an End To End scenario</u>	<u>Verify if user can book a bike</u>

<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@web	1	0	1	0	1	0	1	0
@android	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Verify an End To End scenario</u>	1	0	1	0	28.504 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify an End To End scenario</u>	<u>Verify if user can book a bike</u>	15	3	1	11	28.501 s

## Verify an End To End scenario

<b>FAILED</b>	<b>DURATION - 28.504 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 3 Fail - 1 Skip - 11	
/ 10:43:04.621 pm // 10:43:33.125 pm /					

## Verify if user can book a bike

<div><div>FAILED</div><div>DURATION - 28.501 s</div></div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 11</div>	
/ 10:43:04.624 pm // 10:43:33.125 pm /				
Verify an End To End scenario				
@web @android				

#	Step / Hook Details	Status	Duration
1	Given user opens website or application	PASSED	6.042 s
2	When user enters the location as "booking.city"	PASSED	1.834 s
3	Then verify user is on the home page	PASSED	0.134 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	FAILED	15.403 s
	<p>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bf951ec4b8b97ac691acc4d99df70c0e, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.98, chrome: {chromedriverVersion: 133.0.6943.98 (da53563ceb66..., userDataDir: C:\Users\291495\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52924}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52924/devtoo..., se:cdpVersion: 133.0.6943.98, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bf951ec4b8b97ac691acc4d99df70c0e</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:629)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.automation.pages.web.WebHomePage.setDateAndTime(WebHomePage.java:74) at com.automation.pages.web.WebHomePage.enterDateAndTime(WebHomePage.java:69) at com.automation.steps.HomeSteps.userEntersPickUpAndDropOffDateAndTimeAs(HomeSteps.java:34) at ?.user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time", "dropOff.date", "dropOff.time"(file:///C:/Users/291495/Desktop/RoyalBrothersAutomationFrameWork/src/test/resources/features/SearchAndBookingFlow.feature:10) Caused by: java.io.UncheckedIOException: java.net.SocketException: Connection reset at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:96) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.automation.pages.web.WebHomePage.setDateAndTime(WebHomePage.java:74) at com.automation.pages.web.WebHomePage.enterDateAndTime(WebHomePage.java:69) at com.automation.steps.HomeSteps.userEntersPickUpAndDropOffDateAndTimeAs(HomeSteps.java:34) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.net.SocketException: Connection reset at java.base/sun.nio.ch.SocketChannelImpl.throwConnectionReset(SocketChannelImpl.java:401) at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:434) at io.netty.buffer.PooledByteBuf.setBytes(PooledByteBuf.java:254) at io.netty.buffer.AbstractByteBuf.writeBytes(AbstractByteBuf.java:1132) at io.netty.channel.socket.nio.NioSocketChannel.doReadBytes(NioSocketChannel.java:357) </pre>		

#	Step / Hook Details	Status	Duration
	at io.netty.channel.nio.AbstractNioByteChannel\$NioByteUnsafe.read(AbstractNioByteChannel.java:151) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:788) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583) * Not displayable characters are replaced by '?'.		
5	And clicks the search button	SKIPPED	0.004 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.002 s
7	When user clicks the pickup location of the first available bike	SKIPPED	0.000 s
8	And selects the first available location	SKIPPED	0.002 s
9	And click book now	SKIPPED	0.002 s
10	Then verify user is on login page	SKIPPED	0.003 s
11	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.000 s
12	Then verify the otp page is displayed	SKIPPED	0.000 s
13	When user enters the otp and clicks submit	SKIPPED	0.002 s
14	Then verify the summary page is displayed	SKIPPED	0.000 s
15	And verify the details displayed	SKIPPED	0.001 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.013 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bf951ec4b8b97ac691acc4d99df70c0e, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.98, chrome: {chromedriverVersion: 133.0.6943.98 (da53563ceb66..., userDataDir: C:\Users\291495\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52924}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52924/devtoo..., se:cdpVersion: 133.0.6943.98, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bf951ec4b8b97ac691acc4d99df70c0e at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:629) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.automation.utils.DriverManager.takeScreenshotAsBase64(DriverManager.java:47) at com.automation.steps.Hooks.cleanUp(Hooks.java:21)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: getsockopt: localhost[0:0:0:0:0:0:1]:49146  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48)  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:96)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)  at com.automation.utils.DriverManager.takeScreenshotAsBase64(DriverManager.java:47)  at com.automation.steps.Hooks.cleanUp(Hooks.java:21)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  at io.cucumber.core.runner.TestStep.run(TestStep.java:53)  at io.cucumber.core.runner.TestCase.run(TestCase.java:90)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)  at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)  at org.junit.runners.ParentRunner.run(ParentRunner.java:363)</p>		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)  at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)  at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)  at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)  at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)  at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)  at org.junit.runners.ParentRunner.run(ParentRunner.java:363)  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)  Caused by: java.net.ConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:1]:49146  at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)  at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108)  at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)  at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)  at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:590)  at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:583)  at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:559)  at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:492)  at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:636)  at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:629)  at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:118)  at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321)  at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337)  at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776)  at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)  at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)  at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)  at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)  at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)  at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) </p>		

#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: getsockopt: localhost/[0:0:0:0:0:0:1]:49146 Caused by: java.net.ConnectException: Connection refused: getsockopt at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:973) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:776) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:1583)</pre>		