

Cucumber Report

16-Feb-2025, 4:57:46 pm

Start : Feb 16, 4:57:45.171 pm

End : Feb 16, 4:57:45.403 pm

Duration : 0.232 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify an End To End scenario</u>	0.232 s	1	0	1	0	15	0	0	15

#	Feature Name	Scenario Name
1	<u>Verify an End To End scenario</u>	<u>Verify if user can book a bike</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@web	1	0	1	0	1	0	1	0
@android	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Verify an End To End scenario</u>	1	0	1	0	0.232 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify an End To End scenario</u>	<u>Verify if user can book a bike</u>	15	0	0	15	0.227 s

Verify an End To End scenario

FAILED	DURATION - 0.232 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 0 Fail - 0 Skip - 15	
/ 4:57:45.171 pm // 4:57:45.403 pm /					

Verify if user can book a bike

<div>FAILED</div>	<div>DURATION - 0.227 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 15</div>	<div></div>
<div>/ 4:57:45.176 pm // 4:57:45.403 pm /</div>				
<div>Verify an End To End scenario</div>				
<div>@web @android</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:21) at com.automation.steps.Hooks.setUp(Hooks.java:15)	FAILED	0.014 s
1	Given user opens website or application	SKIPPED	0.000 s
2	When user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.003 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	SKIPPED	0.001 s
5	And clicks the search button	SKIPPED	0.000 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.000 s
7	When user clicks the pickup location of the first available bike	SKIPPED	0.000 s
8	And selects the first available location	SKIPPED	0.000 s
9	And click book now	SKIPPED	0.000 s
10	Then verify user is on login page	SKIPPED	0.000 s
11	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then verify the otp page is displayed	SKIPPED	0.000 s
13	When user enters the otp and clicks submit	SKIPPED	0.000 s
14	Then verify the summary page is displayed	SKIPPED	0.000 s
15	And verify the details displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsBase64(DriverManager.java:47) at com.automation.steps.Hooks.cleanUp(Hooks.java:21)		