

Cucumber Report

26-Feb-2025, 2:56:44 pm

Start : Feb 26, 2:56:42.324 pm

End : Feb 26, 2:56:43.403 pm

Duration : 1.079 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 10
SKIPPED - 0

PASSED - 0
FAILED - 20
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 220




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate account creation and deletion functionality</u>	0.225 s	1	0	1	0	11	0	0	11
<u>Chat Bot</u>	0.010 s	1	0	1	0	8	0	0	8
<u>Verify filter and sort functionality</u>	0.177 s	4	0	4	0	32	0	0	32
<u>Verify Coupon Functionality</u>	0.044 s	1	0	1	0	16	0	0	16
<u>Profile and Account Management</u>	0.023 s	1	0	1	0	16	0	0	16
<u>Validating RB Store</u>	0.056 s	2	0	2	0	46	0	0	46
<u>Verify rental location selection feature</u>	0.046 s	2	0	2	0	12	0	0	12
<u>Verify tariff displayed</u>	0.016 s	1	0	1	0	11	0	0	11
<u>Verify an End To End scenario</u>	0.028 s	1	0	1	0	15	0	0	15
<u>Validate user authentication functionality</u>	0.130 s	6	0	6	0	53	0	0	53


#	Feature Name	Scenario Name
1	<u>Validate account creation and deletion functionality</u>	<u>User can create account successfully in web</u>
2	<u>Chat Bot</u>	<u>Verify if chatbot is responding to user in web</u>
3	<u>Verify filter and sort functionality</u>	<u>Filter functionality web</u>
4		<u>Filter functionality web</u>
5		<u>Sort Functionality web</u>
6		<u>Sort Functionality web</u>
7	<u>Verify Coupon Functionality</u>	<u>Verify if user can apply coupon successfully</u>
8	<u>Profile and Account Management</u>	<u>Verify user can successfully edit the email in web</u>
9	<u>Validating RB Store</u>	<u>Verify user can buy a product</u>
10		<u>Verify user can add and remove products from cart</u>
11	<u>Verify rental location selection feature</u>	<u>User can change location successfully</u>
12		<u>User can change location successfully</u>
13	<u>Verify tariff displayed</u>	<u>Verify tariff displayed is correct</u>

#	Feature Name	Scenario Name
14	<u>Verify an End To End scenario</u>	<u>Verify if user can book a bike</u>
15	<u>Validate user authentication functionality</u>	<u>Successful login with valid credentials</u>
16		<u>Unsuccessful login with invalid credentials</u>
17		<u>Unsuccessful login with invalid credentials</u>
18		<u>Unsuccessful login with invalid credentials</u>
19		<u>Unsuccessful login with invalid credentials</u>
20		<u>Successful logout after login</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@web	20	0	20	0	10	0	10	0
@android	5	0	5	0	4	0	4	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validate account creation and deletion functionality</u>	1	0	1	0	0.225 s
2	<u>Chat Bot</u>	1	0	1	0	0.010 s
3	<u>Verify filter and sort functionality</u>	4	0	4	0	0.177 s
4	<u>Verify Coupon Functionality</u>	1	0	1	0	0.044 s
5	<u>Profile and Account Management</u>	1	0	1	0	0.023 s
6	<u>Validating RB Store</u>	2	0	2	0	0.056 s
7	<u>Verify rental location selection feature</u>	2	0	2	0	0.046 s
8	<u>Verify tariff displayed</u>	1	0	1	0	0.016 s
9	<u>Verify an End To End scenario</u>	1	0	1	0	0.028 s
10	<u>Validate user authentication functionality</u>	6	0	6	0	0.130 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate account creation and deletion functionality</u>	<u>User can create account successfully in web</u>	11	0	0	11	0.225 s
2	<u>Chat Bot</u>	<u>Verify if chatbot is responding to user in web</u>	8	0	0	8	0.010 s
3	<u>Verify filter and sort functionality</u>	<u>Filter functionality web</u>	8	0	0	8	0.028 s
4		<u>Filter functionality web</u>	8	0	0	8	0.031 s
5		<u>Sort Functionality web</u>	8	0	0	8	0.014 s
6		<u>Sort Functionality web</u>	8	0	0	8	0.016 s
7	<u>Verify Coupon Functionality</u>	<u>Verify if user can apply coupon successfully</u>	16	0	0	16	0.044 s
8	<u>Profile and Account Management</u>	<u>Verify user can successfully edit the email in web</u>	16	0	0	16	0.023 s
9	<u>Validating RB Store</u>	<u>Verify user can buy a product</u>	23	0	0	23	0.024 s
10		<u>Verify user can add and remove products from cart</u>	23	0	0	23	0.013 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Verify rental location selection feature</u>	<u>User can change location successfully</u>	6	0	0	6	0.015 s
12		<u>User can change location successfully</u>	6	0	0	6	0.013 s
13	<u>Verify tariff displayed</u>	<u>Verify tariff displayed is correct</u>	11	0	0	11	0.016 s
14	<u>Verify an End To End scenario</u>	<u>Verify if user can book a bike</u>	15	0	0	15	0.026 s
15	<u>Validate user authentication functionality</u>	<u>Successful login with valid credentials</u>	11	0	0	11	0.018 s
16		<u>Unsuccessful login with invalid credentials</u>	7	0	0	7	0.009 s
17		<u>Unsuccessful login with invalid credentials</u>	7	0	0	7	0.012 s
18		<u>Unsuccessful login with invalid credentials</u>	7	0	0	7	0.007 s
19		<u>Unsuccessful login with invalid credentials</u>	7	0	0	7	0.010 s
20		<u>Successful logout after login</u>	14	0	0	14	0.009 s

Validate account creation and deletion functionality

FAILED	DURATION - 0.225 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 2:56:42.324 pm // 2:56:42.549 pm /					



User can create account successfully in web

<div>FAILED</div> <div>DURATION - 0.225 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 11</div>	<div></div>
<div>/ 2:56:42.324 pm // 2:56:42.549 pm /</div>				
<div>Validate account creation and deletion functionality</div>				
<div>@web</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.019 s
1	Given user opens website or application	SKIPPED	0.013 s
2	And user enters the location as "booking.city"	SKIPPED	0.002 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Sign up" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	When user enters details "profile.username" , "email.address" , "profile.password" and "phone.number" and clicks Sign Up	SKIPPED	0.000 s
7	Then verify the account verification page is displayed	SKIPPED	0.000 s
8	When user enters the otp and clicks submit	SKIPPED	0.000 s
9	And user enters the location as "booking.city"	SKIPPED	0.000 s
10	Then verify user is on the home page	SKIPPED	0.000 s
11	And verify username is displayed in profile section	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Chat Bot

FAILED	DURATION - 0.010 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 2:56:42.631 pm // 2:56:42.641 pm /					



Verify if chatbot is responding to user in web

FAILED		DURATION - 0.010 s			Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 2:56:42.631 pm // 2:56:42.641 pm /						
Chat Bot						
@web						



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks the chatbot option	SKIPPED	0.000 s
5	Then verify the chat window is open	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	When user sends the message	SKIPPED	0.000 s
7	Then verify if the message has been sent	SKIPPED	0.000 s
8	And verify if the chat bot responded to the message	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Verify filter and sort functionality

FAILED	DURATION - 0.177 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 32 Pass - 0 Fail - 0 Skip - 32	
/ 2:56:42.695 pm // 2:56:42.872 pm /					



Filter functionality web

FAILED	DURATION - 0.028 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 2:56:42.704 pm // 2:56:42.732 pm /				
Verify filter and sort functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	SKIPPED	0.000 s
5	And clicks the search button	SKIPPED	0.000 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.000 s
7	When user applies filter "Model" with option "Aprilia"	SKIPPED	0.006 s
8	Then verify filter "Model" is applied with "Aprilia"	SKIPPED	0.001 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		



Filter functionality web

FAILED	DURATION - 0.031 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 2:56:42.763 pm // 2:56:42.794 pm /				
Verify filter and sort functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.002 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	SKIPPED	0.000 s
5	And clicks the search button	SKIPPED	0.002 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.002 s
7	When user applies filter "Location" with option "Central Railway station"	SKIPPED	0.003 s



#	Step / Hook Details	Status	Duration
8	Then verify filter "Location" is applied with "Central Railway station"	SKIPPED	0.002 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.003 s

Sort Functionality web

FAILED	DURATION - 0.014 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 2:56:42.825 pm // 2:56:42.839 pm /				
Verify filter and sort functionality				
@web				



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time", "dropOff.date", "dropOff.time"	SKIPPED	0.000 s
5	And clicks the search button	SKIPPED	0.000 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.000 s
7	When user applies sorting with "High to Low"	SKIPPED	0.000 s
8	Then verify items are sorted according to "High to Low"	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.000 s

Sort Functionality web



<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 2:56:42.856 pm // 2:56:42.872 pm /				
Verify filter and sort functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	SKIPPED	0.000 s
5	And clicks the search button	SKIPPED	0.000 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.000 s
7	When user applies sorting with "Low to High"	SKIPPED	0.000 s
8	Then verify items are sorted according to "Low to High"	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.000 s

Verify Coupon Functionality

FAILED	DURATION - 0.044 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	
/ 2:56:42.887 pm // 2:56:42.931 pm /					



Verify if user can apply coupon successfully

FAILED	DURATION - 0.044 s		Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	
/ 2:56:42.887 pm // 2:56:42.931 pm /				
Verify Coupon Functionality				
@web @android				



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.002 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	SKIPPED	0.002 s
5	And clicks the search button	SKIPPED	0.000 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.000 s
7	When user clicks the pickup location of the first available bike	SKIPPED	0.000 s
8	And selects the first available location	SKIPPED	0.002 s
9	And user clicks book now	SKIPPED	0.001 s
10	Then verify user is on login page	SKIPPED	0.003 s
11	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.001 s
12	Then verify the otp page is displayed	SKIPPED	0.000 s
13	When user enters the otp and clicks submit	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	Then verify the summary page is displayed	SKIPPED	0.000 s
15	When user applies coupon code "booking.coupon"	SKIPPED	0.000 s
16	Then verify coupon code "booking.coupon" is applied	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Profile and Account Management

FAILED	DURATION - 0.023 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	
/ 2:56:42.960 pm // 2:56:42.983 pm /					



Verify user can successfully edit the email in web

FAILED	DURATION - 0.023 s		Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	
/ 2:56:42.960 pm // 2:56:42.983 pm /				
Profile and Account Management				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.000 s
7	Then verify the otp page is displayed	SKIPPED	0.000 s
8	When user enters the otp and clicks submit	SKIPPED	0.000 s
9	And user enters the location as "booking.city"	SKIPPED	0.000 s
10	Then verify user is on the home page	SKIPPED	0.000 s
11	When user clicks on view profile button	SKIPPED	0.000 s
12	Then verify the profile page is displayed	SKIPPED	0.000 s
13	When user clicks on the edit icon of email section	SKIPPED	0.000 s
14	And user enters the email address "email.updated.address" and saves it	SKIPPED	0.000 s
15	Then verify the success message is displayed	SKIPPED	0.000 s
16	And verify the email box contains the updated mail address "email.updated.address"	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Validating RB Store

FAILED	DURATION - 0.056 s	Scenarios		Steps	
/ 2:56:43.021 pm // 2:56:43.077 pm /		Total - 2		Total - 46	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 46	



Verify user can buy a product

FAILED	DURATION - 0.024 s		Steps Total - 23 Pass - 0 Fail - 0 Skip - 23	
/ 2:56:43.021 pm // 2:56:43.045 pm /				
Validating RB Store				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.008 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user navigates to RB products page	SKIPPED	0.000 s
5	Then verify the RB products page is displayed	SKIPPED	0.000 s
6	When user selects the product "T-Shirts"	SKIPPED	0.000 s
7	Then verify the product "T-Shirts" store page is displayed	SKIPPED	0.000 s
8	When user click the first product	SKIPPED	0.000 s
9	Then verify if the product "first.prod.name" page is displayed	SKIPPED	0.000 s
10	When user clicks add to cart	SKIPPED	0.000 s
11	Then verify if the cart drawer is displayed	SKIPPED	0.000 s
12	And verify if the added product "first.prod.name" is displayed	SKIPPED	0.000 s
13	When user closes the cart drawer	SKIPPED	0.000 s
14	And user click the second product	SKIPPED	0.000 s
15	Then verify if the product "second.prod.name" page is displayed	SKIPPED	0.000 s
16	When user clicks add to cart	SKIPPED	0.000 s
17	Then verify if the cart drawer is displayed	SKIPPED	0.000 s
18	And verify if the added product "second.prod.name" is displayed	SKIPPED	0.000 s
19	When user click checkout button	SKIPPED	0.000 s
20	Then verify the checkout page is displayed	SKIPPED	0.000 s
21	And verify the name "first.prod.name" and the price "first.prod.price" of the product	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	And verify the name "second.prod.name" and the price "second.prod.price" of the product	SKIPPED	0.000 s
23	And verify if the total price is correct	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.012 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		



Verify user can add and remove products from cart

FAILED	DURATION - 0.013 s		Steps Total - 23 Pass - 0 Fail - 0 Skip - 23	
/ 2:56:43.064 pm // 2:56:43.077 pm /				
Validating RB Store				
@web				



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.007 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user navigates to RB products page	SKIPPED	0.000 s
5	Then verify the RB products page is displayed	SKIPPED	0.000 s
6	When user selects the product "T-Shirts"	SKIPPED	0.000 s
7	Then verify the product "T-Shirts" store page is displayed	SKIPPED	0.000 s
8	When user click the first product	SKIPPED	0.006 s
9	Then verify if the product "first.prod.name" page is displayed	SKIPPED	0.000 s
10	When user clicks add to cart	SKIPPED	0.000 s
11	Then verify if the cart drawer is displayed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	And verify if the added product "first.prod.name" is displayed	SKIPPED	0.000 s
13	When user closes the cart drawer	SKIPPED	0.000 s
14	And user click the second product	SKIPPED	0.000 s
15	Then verify if the product "second.prod.name" page is displayed	SKIPPED	0.000 s
16	When user clicks add to cart	SKIPPED	0.000 s
17	Then verify if the cart drawer is displayed	SKIPPED	0.000 s
18	And verify if the added product "second.prod.name" is displayed	SKIPPED	0.000 s
19	When user removes the product "second.prod.name"	SKIPPED	0.000 s
20	Then verify if the product "second.prod.name" is removed	SKIPPED	0.000 s
21	When user click checkout button	SKIPPED	0.000 s
22	Then verify the checkout page is displayed	SKIPPED	0.000 s
23	And verify if the total price is correct	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Verify rental location selection feature



FAILED	DURATION - 0.046 s	Scenarios		Steps	
/ 2:56:43.094 pm // 2:56:43.140 pm /		Total - 2		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 12	

User can change location successfully

<div>FAILED</div> <div>DURATION - 0.015 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
/ 2:56:43.094 pm // 2:56:43.109 pm /				
Verify rental location selection feature				
@web @android				



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.015 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user selects location button	SKIPPED	0.000 s
5	And user enters the location as "Agra"	SKIPPED	0.000 s
6	Then verify location is updated correctly	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.000 s

User can change location successfully



FAILED	DURATION - 0.013 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 2:56:43.127 pm // 2:56:43.140 pm /				
Verify rental location selection feature				
@web @android				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.002 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.002 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user selects location button	SKIPPED	0.000 s
5	And user enters the location as "Bangalore"	SKIPPED	0.000 s
6	Then verify location is updated correctly	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.001 s

Verify tariff displayed



FAILED	DURATION - 0.016 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 2:56:43.166 pm // 2:56:43.182 pm /					

Verify tariff displayed is correct



FAILED	DURATION - 0.016 s		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 2:56:43.166 pm // 2:56:43.182 pm /				
Verify tariff displayed				
@web @android				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.004 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.002 s
4	When user navigates to tariffs page	SKIPPED	0.000 s
5	Then verify user is on tariffs page	SKIPPED	0.000 s
6	And store the tariff displayed	SKIPPED	0.002 s
7	When user clicks book now on tariff page	SKIPPED	0.000 s
8	And user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time", "dropOff.date", "dropOff.time"	SKIPPED	0.000 s
9	And clicks on check availability	SKIPPED	0.000 s
10	Then verify the user is on the rental bikes page	SKIPPED	0.002 s
11	And verify price is displayed according to tariff	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.000 s

Verify an End To End scenario



FAILED	DURATION - 0.028 s	Scenarios		Steps	
/ 2:56:43.220 pm // 2:56:43.248 pm /		Total - 1		Total - 15	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 15	

Verify if user can book a bike



FAILED	DURATION - 0.026 s		<div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 15</div>	
/ 2:56:43.222 pm // 2:56:43.248 pm /				
Verify an End To End scenario				
@web @android				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.002 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user enters pickUp and dropOff date and time as "pickUp.date", "pickUp.time","dropOff.date","dropOff.time"	SKIPPED	0.000 s
5	And clicks the search button	SKIPPED	0.000 s
6	Then verify the user is on the rental bikes page	SKIPPED	0.000 s
7	When user clicks the pickup location of the first available bike	SKIPPED	0.003 s
8	And selects the first available location	SKIPPED	0.000 s
9	And user clicks book now	SKIPPED	0.000 s
10	Then verify user is on login page	SKIPPED	0.000 s
11	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.000 s
12	Then verify the otp page is displayed	SKIPPED	0.002 s
13	When user enters the otp and clicks submit	SKIPPED	0.000 s
14	Then verify the summary page is displayed	SKIPPED	0.000 s
15	And verify the details displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanup(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanup(Hooks.java:31)	FAILED	0.002 s

Validate user authentication functionality

FAILED	DURATION - 0.130 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 53 Pass - 0 Fail - 0 Skip - 53	
/ 2:56:43.273 pm // 2:56:43.403 pm /					



Successful login with valid credentials

FAILED	DURATION - 0.018 s		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 2:56:43.273 pm // 2:56:43.291 pm /				
Validate user authentication functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.002 s
6	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.000 s
7	Then verify the otp page is displayed	SKIPPED	0.000 s
8	When user enters the otp and clicks submit	SKIPPED	0.000 s
9	And user enters the location as "booking.city"	SKIPPED	0.000 s
10	Then verify user is on the home page	SKIPPED	0.000 s
11	And verify username is displayed in profile section	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Unsuccessful login with invalid credentials

FAILED	DURATION - 0.009 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 2:56:43.302 pm // 2:56:43.311 pm /				
Validate user authentication functionality				
@web				



#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.001 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	And user enters the mobile number "373738383" and clicks get otp	SKIPPED	0.000 s
7	Then verify the error message is displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Unsuccessful login with invalid credentials

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
/ 2:56:43.325 pm // 2:56:43.337 pm /				
Validate user authentication functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.002 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	And user enters the mobile number "575884844" and clicks get otp	SKIPPED	0.000 s
7	Then verify the error message is displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.002 s

Unsuccessful login with invalid credentials

<div>FAILED</div>	<div>DURATION - 0.007 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 2:56:43.348 pm // 2:56:43.355 pm /</div>				
<div>Validate user authentication functionality</div>				
<div>@web</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	And user enters the mobile number "474888484" and clicks get otp	SKIPPED	0.000 s
7	Then verify the error message is displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)	FAILED	0.000 s



Unsuccessful login with invalid credentials

FAILED	DURATION - 0.010 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 2:56:43.368 pm // 2:56:43.378 pm /				
Validate user authentication functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)	FAILED	0.000 s
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	And user enters the mobile number "757488939" and clicks get otp	SKIPPED	0.000 s
7	Then verify the error message is displayed	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		

Successful logout after login

FAILED	DURATION - 0.009 s		Steps Total - 14 Pass - 0 Fail - 0 Skip - 14	
/ 2:56:43.394 pm // 2:56:43.403 pm /				
Validate user authentication functionality				
@web				

#	Step / Hook Details	Status	Duration
	BEFORE - com.automation.steps.Hooks.setUpWebOrAndroid()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.lang.System.getProperty(String)" is null at com.automation.utils.DriverManager.createDriver(DriverManager.java:22) at com.automation.steps.Hooks.setUpWebOrAndroid(Hooks.java:16)		
1	Given user opens website or application	SKIPPED	0.000 s
2	And user enters the location as "booking.city"	SKIPPED	0.002 s
3	Then verify user is on the home page	SKIPPED	0.000 s
4	When user clicks on "Login" button	SKIPPED	0.000 s
5	Then verify user is on login page	SKIPPED	0.000 s
6	When user enters the mobile number "phone.number" and clicks get otp	SKIPPED	0.000 s
7	Then verify the otp page is displayed	SKIPPED	0.000 s
8	When user enters the otp and clicks submit	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	And user enters the location as "booking.city"	SKIPPED	0.000 s
10	Then verify user is on the home page	SKIPPED	0.000 s
11	And verify username is displayed in profile section	SKIPPED	0.000 s
12	When user clicks on logout button	SKIPPED	0.000 s
13	And user enters the location as "booking.city"	SKIPPED	0.000 s
14	Then verify user is logged out	SKIPPED	0.000 s
	AFTER - com.automation.steps.Hooks.cleanUp(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at com.automation.utils.DriverManager.takeScreenshotAsStream(DriverManager.java:53) at com.automation.steps.Hooks.cleanUp(Hooks.java:31)		