

Area Percent Report

Data Path : D:\MassHunter\GCMS\1\data\CHEM105 FA25\Chem_data_set_2\
Data File : 04103027.D
Acq On : 30 Oct 2025 22:24
Operator :
Sample : 50
Misc :
ALS Vial : 41 Sample Multiplier: 1

Integration Parameters: autoint1.e
Integrator: ChemStation

Method : D:\MassHunter\GCMS\1\data\CHEM105 FA25\Chemisery\00101001.D\CAFFEINE_MRC-DMV smaller scan.M
Title :

Signal : EIC Ion 197.10 (196.80 to 197.80): 04103027.D\data.ms

peak	R.T.	first	max	last	PK	peak	corr.	corr.	% of	
#	min	scan	scan	scan	TY	height	area	% max.	total	
1	8.433	1028	1034	1046	BB	2	41426	526704	100.00%	100.000%

Sum of corrected areas: 526704

Signal : EIC Ion 194.10 (193.80 to 194.80): 04103027.D\data.ms

peak	R.T.	first	max	last	PK	peak	corr.	corr.	% of	
#	min	scan	scan	scan	TY	height	area	% max.	total	
1	8.441	1030	1036	1049	BB	2	33919	431998	100.00%	100.000%

Sum of corrected areas: 431998

Signal : EIC Ion 112.10 (111.80 to 112.80): 04103027.D\data.ms

peak	R.T.	first	max	last	PK	peak	corr.	corr.	% of	
#	min	scan	scan	scan	TY	height	area	% max.	total	
1	8.432	1028	1034	1046	BB	2	31182	401968	100.00%	100.000%

Sum of corrected areas: 401968

Signal : EIC Ion 109.10 (108.80 to 109.80): 04103027.D\data.ms

peak	R.T.	first	max	last	PK	peak	corr.	corr.	% of	
#	min	scan	scan	scan	TY	height	area	% max.	total	
1	8.440	1030	1036	1047	BB	2	25293	316851	100.00%	100.000%

Sum of corrected areas: 316851

Signal : EIC Ion 85.10 (84.80 to 85.80): 04103027.D\data.ms

peak	R.T.	first	max	last	PK	peak	corr.	corr.	% of	
#	min	scan	scan	scan	TY	height	area	% max.	total	
1	8.432	1028	1034	1042	BB	2	13936	177824	100.00%	100.000%

Sum of corrected areas: 177824

Signal : EIC Ion 82.10 (81.80 to 82.80): 04103027.D\data.ms

peak	R.T.	first	max	last	PK	peak	corr.	corr.	% of	
#	min	scan	scan	scan	TY	height	area	% max.	total	
1	8.439	1030	1036	1045	BB	2	10989	138742	100.00%	100.000%

Sum of corrected areas: 138742