

Run >

Result Size: 1250 x 1250

```
ите баланс телефона: ");
.Parse(Console.ReadLine());

ите стоимость одной минуты: ");
double.Parse(Console.ReadLine());

/ oneMinute;

"Абоненту доступно: {stoim} минут.");
```

```
Unhandled Exception:
System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <12b418a7818c4ca0893feeaaaf67f1e7f>:0
   at Program.Main () [0x0000f] in <4b1607b75f6a4ffd8a9cad03ae79dcf3>:0
[ERROR] FATAL UNHANDLED EXCEPTION: System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <12b418a7818c4ca0893feeaaaf67f1e7f>:0
   at Program.Main () [0x0000f] in <4b1607b75f6a4ffd8a9cad03ae79dcf3>:0
```

Version: mono6.12.0 Run Result Type: Raw

```
main() {  
    write("Enter name: ");  
    firstName = Console.ReadLine();  
  
    write("Enter name 2: ");  
    stName = Console.ReadLine();  
  
    write("Enter name 3: ");  
    thirdName = Console.ReadLine();  
  
    WriteLine($"Hello, {firstName} {lastName} {thirdName}!");  
}
```

Code

Enter name: Enter name 2: Enter name 3: Hello, !

Version: mono6.12.0 Run Result Type: Raw

```
main()
{
    Console.WriteLine("enter first number: ");
    num1 = double.Parse(Console.ReadLine());

    Console.WriteLine("Enter second number: ");
    num2 = double.Parse(Console.ReadLine());

    sum = num1 + num2;
    minus = num1 - num2;
    multi = num1 * num2;
    delit = num1 / num2;

    Console.WriteLine($"res1: {plus}");
    Console.WriteLine($"res2: {minus}");
    Console.WriteLine($"res3: {multi}");
    Console.WriteLine($"res4: {delit}");
}
```

Code

```
enter first number:
Unhandled Exception:
System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <8611ac11d22247aabb4fd94490032492>.0
   at Program.Main () [0x0000f] in <a27780fb74204a97b32840c529076dc9>.0
[ERROR] FATAL UNHANDLED EXCEPTION: System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <8611ac11d22247aabb4fd94490032492>.0
   at Program.Main () [0x0000f] in <a27780fb74204a97b32840c529076dc9>.0
```

```
er temperature: ");
le.Parse(Console.ReadLine());

s * 1.8 + 32;

"Температура по Фаренгейту: {faren}");
```

```
Unhandled Exception:
System.ArgumentNullException: Value cannot be null.
Parameter name: s
    at System.Double.Parse (System.String s) [0x00006] in <12b418a7818c4ca0893f67f1e7f>:0
    at Program.Main () [0x0000f] in <06ddb892fb66491099f52e5e68ac2d34>:0
[ERROR] FATAL UNHANDLED EXCEPTION: System.ArgumentNullException: Value cannot be null.
Parameter name: s
    at System.Double.Parse (System.String s) [0x00006] in <12b418a7818c4ca0893f67f1e7f>:0
    at Program.Main () [0x0000f] in <06ddb892fb66491099f52e5e68ac2d34>:0
```

```
ите любое кол-во секунд: ");  
.Parse(Console.ReadLine());
```

```
60;  
3600;
```

```
"Часы: {chas}");  
"Минуты: {min}");  
"Секунды: {sek}");
```

```
prog.cs(8,9): error CS0453: The type `string' must be a non-nullable value type in order to use it as type parameter  
prog.cs(9,45): error CS1502: The best overloaded method match for `double.Parse(string)' has some invalid arguments  
/usr/lib/mono/4.5/mscorlib.dll (Location of the symbol related to previous error)  
prog.cs(9,51): error CS1503: Argument `#1' cannot convert `string?' expression to type `string'  
Compilation failed: 3 error(s), 0 warnings
```

```
ите первое число: ");
double.Parse(Console.ReadLine());

ите второе число: ");
double.Parse(Console.ReadLine());

ите третье число: ");
double.Parse(Console.ReadLine());

tNum + secondNum + thirdNum) / 3;

"Среднее арифметическое: {sred}");|
```

```
Unhandled Exception:
System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <12b418a7818c4ca0893f67f1e7f>:0
   at Program.Main () [0x0000f] in <f4764d55d3694376b0dd00a6f59a0791>:0
[ERROR] FATAL UNHANDLED EXCEPTION: System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <12b418a7818c4ca0893f67f1e7f>:0
   at Program.Main () [0x0000f] in <f4764d55d3694376b0dd00a6f59a0791>:0
```

```
ите расстояние (в метрах): ");
ble.Parse(Console.ReadLine());

ите время (в секундах): ");
.Parse(Console.ReadLine());

/ sek;
3.6;

"Скорость движения (км/ч): {kmch}");
```

```
Unhandled Exception:
System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <12b418a7818c4ca0893f67f1e7f>:0
   at Program.Main () [0x0000f] in <f4764d55d3694376b0dd00a6f59a0791>:0
[ERROR] FATAL UNHANDLED EXCEPTION: System.ArgumentNullException: Value cannot be null.
Parameter name: s
   at System.Double.Parse(System.String s) [0x00006] in <12b418a7818c4ca0893f67f1e7f>:0
   at Program.Main () [0x0000f] in <f4764d55d3694376b0dd00a6f59a0791>:0
```

Run >

Result Size: 1250 x 1250

```
ите стоимость товара: ");
e.Parse(Console.ReadLine());

ите процент скидки (0-100): ");
uble.Parse(Console.ReadLine());

(percent / 100);
- sum;

"Итоговая цена: {itog}");|
```

Hello World!