

Submission Worksheet

IT202-450-M2026 / it202-milestone-3-2026

Submission Data

Course	IT202-450-M2026
Assignment	IT202 Milestone 3 - 2026
Student	Joseph P. (jp2397)
Status	submitted
Worksheet Progress	100%
Potential Grade	10.00/10.00 (100.00%)
Received Grade	0.00/10.00 (0.00%)
Updated	8/7/2026, 1:41:30 PM
Grading Link	https://courses.ethereallab.app/assignment/v3/IT202-450-M2026/it202-milestone-3-2026/grading/jp2397
View Link	https://courses.ethereallab.app/assignment/v3/IT202-450-M2026/it202-milestone-3-2026/jp2397

Instructions

Verify that the lesson-built relationship layer is complete and functional, then collect focused evidence for the association design, logged-in user view, cross-user and unassociated views, assignment workflow, and public profile requirements. Most coding should already be complete from the lessons; this worksheet focuses on confirming the full relationship flow, fixing remaining issues, and explaining your decisions.

Assignment Setup

Required branch: `Milestone3`

Required starting branch: `qa`

Required project folder: `public_html/project/`

Required deployed evidence target: working `qa` site before production promotion

Recommended order:

- Read the whole worksheet.

- Review the modern project proposal and Milestone 3 assignment requirements.

- Check out `qa`, pull the latest version, and create the milestone branch.

- Complete and test the relationship-table and association lessons.

- Merge the milestone branch into `qa`, test deployed behavior, then collect worksheet evidence.

Git Workflow Checklist

- Check out `qa`.

- Pull the latest `qa` branch with `git pull origin qa`.

- Create the milestone branch with `git checkout -b Milestone3`.

- Commit focused relationship and interface work in small pieces.

- Push `Milestone3`.

- Open a pull request from `Milestone3` into `qa` and keep it open while you work.

- After all Milestone 3 requirements pass locally, merge the pull request into `qa`.

Open a pull request from `Milestone3` into `qa` and keep it open while you work.
After all Milestone 3 requirements pass locally, merge the pull request into `qa`.
Gather evidence from the deployed `qa` site and fill out the worksheet.
Export the worksheet PDF from the Learn Courses Platform.
Save the PDF in the repository under `docs/milestone03/`.
Add, commit, and push the PDF to the `Milestone3` branch.

```
git add .  
git commit -m "Add milestone 3 worksheet PDF"  
git push origin Milestone3
```

Upload the same PDF to Canvas.

Create and merge a pull request from `qa` into `prod` when production evidence is required.

Switch back to `qa`.

Pull the latest `qa` branch.

Shared Requirements

Apply these requirements to every Milestone 3 feature:

Add a comment with your UCID.

Add the date to the comment.

Briefly summarize the code block or feature area in the comment.

Load shared project setup through `lib/app.php`.

Follow the database-helper patterns from the lessons.

Follow the validation patterns from the lessons.

Follow the flash-message patterns from the lessons.

Follow the session patterns from the lessons.

Follow the role-check patterns from the lessons.

Use a relationship table when many users can connect to many project records.

Include `id` in the relationship table.

Include the user foreign key in the relationship table.

Include the project-record foreign key in the relationship table.

Include `created` in the relationship table.

Include `modified` in the relationship table.

Document whether repeated user/project-record pairs are valid for the project's relationship model.

Prevent unintended repeated associations with server-side validation.

A database uniqueness constraint is recommended when repeated pairs are not valid.

When repeated pairs are valid, store values that distinguish the purpose of each relationship row.

Remove or deactivate relationships without accidentally deleting the related user or project record.

Use prepared statements or shared database helpers for every relationship query.

Enforce the project's selected role or ownership rule on the server for association creation.

Enforce the project's selected role or ownership rule on the server for remove-one actions.

Enforce the project's selected role or ownership rule on the server for remove-all actions.

Enforce role rules on the server for protected lists.

Enforce role rules on the server for assignment actions.

Document whether the all-associated view is public or role-protected.

Enforce the all-associated visibility decision on the server.

Document whether the unassociated view is public or role-protected.

Enforce the unassociated visibility decision on the server.

Validate list controls on the server.

Keep limits from 1 through 100.

Default invalid limits to 10.

Keep valid filters sticky.

Keep valid sorting choices sticky.

- Default invalid limits to 10.
- Keep valid filters sticky.
- Keep valid sorting choices sticky.
- Provide at least one entity-specific filter on each required list.
- Provide at least one selectable sort option in addition to the default sort.
- Show a clear no-results message instead of an empty or broken result layout.
- Show the total number of records matching the active filters where the project proposal requires it.
- Show the number of records displayed on the current page where the project proposal requires it.
- Summarize each entity with its title or identifier and at least one additional project-specific field used in Milestone 2.
- Summarize each relationship with its required `id`, `created`, and `modified` columns.
- A relationship summary may also include status or another project-specific column.
- Show usernames on public pages without exposing private account values:
 - Email
 - Roles
 - Session data
 - Other private account values
- Use POST for state-changing association actions.
- Use user-friendly flash messages.
- Log technical errors with `error_log()`.
- Apply project styling to every page.
- Apply consistent navigation to every page.
- Test through supported deployed `qa` URLs before collecting browser evidence.
- Use your own relationship concept.
- Use your own project data.
- Use your own database behavior.
- Use your own code.
- Use your own branch.
- Use your own pull request.
- Use your own deployed URLs.
- Use your own explanations.

Evidence Format

Most sections use the same evidence pattern:

Images:

- Show relevant code and matching browser or database output.
- Make sure UCID/date comments are visible in code evidence.
- Make sure the deployed `qa` URL is visible in browser evidence.
- One combined screenshot is acceptable when both parts remain readable.
- Reuse evidence when one image proves requirements in more than one section.
- Use GitHub URLs for complete files and screenshots for the focused logic requested by the task.
- Do not repeat shared helper code after the task that first verifies it.

Grading:

- Each Details bullet is required for full credit in that evidence field.
- Partial credit is based on the listed requirements that are clearly demonstrated.
- When the proposal permits a project decision, state the decision and show evidence that the application follows it.

URLs:

- Provide direct GitHub file links from the milestone branch.
- A GitHub file URL must end with the file's expected extension; zero credit for that URL entry if it does not.
- Provide anticipated production URLs for deployed PHP pages.
- Capture the tested `qa` URL, change `-qa` to `-prod`, and keep the same path and filename.

A GitHub file URL must end with the file's expected extension; zero credit for that URL entry if it does not.
Provide anticipated production URLs for deployed PHP pages.
Capture the tested `qa` URL, change `-qa` to `-prod`, and keep the same path and filename.
Production page URLs must include `-prod` and end in `.php`; zero credit for that URL entry if they do not.

Response:

- Explain the logic and decisions in your own words.
- Describe what the relevant PHP, SQL, validation, role check, or query does.
- Do not restate the prompt or list the requirements.

Submission Check

- Confirm the `Milestone3` branch has been pushed.
- Confirm the pull request into `qa` has been pushed.
- Confirm the deployed `qa` site was reviewed before collecting evidence.
- Test association creation.
- Test repeated-association behavior according to the documented project rule.
- Test remove-one behavior.
- Test remove-all behavior.
- Test the logged-in user view.
- Test the all-associated view.
- Test the unassociated view.
- Test the assignment view.
- Test the public-profile view.
- Test server-side ownership or role protection.
- Test one friendly failure state.
- Test relevant filters.
- Test sorting.
- Test valid limits.
- Test invalid limits.
- Test no-results states.
- Test matching counts.
- Test displayed counts.
- Confirm every submitted page URL uses the production deployment.
- Confirm every submitted page URL uses the same path as the tested `qa` URL.
- Confirm every GitHub file URL ends with its expected file extension.
- Commit the worksheet PDF under `docs/milestone03/`.
- Upload the same PDF to Canvas.

Submission Progress

100%

Section #1: (2 pts.) Association Design And Behavior

100%

Goal: show what the user-to-project relationship means and how the database protects it.

Expected behavior:

- The relationship table includes a user foreign key.
- The relationship table includes a project-record foreign key.
- Foreign-key constraints prevent orphan relationships.
- The project documents whether repeated user/project-record pairs are valid.
- Repeated pairs include distinguishing relationship values when they are valid.
- At least one workflow permitted by the project's selected role or ownership rule creates associations.
- The server handles a repeated association without an unhandled error.
- Removing an association leaves the user and project record intact.

At least one workflow permitted by the project's selected role or ownership rule creates associations.
The server handles a repeated association without an unhandled error.
Removing an association leaves the user and project record intact.
The response states what users see when an associated record is updated manually or through the API.

Section #2: (2 pts.) Logged In User Associations

100%

Goal: show that a logged-in user can browse and manage only the associations permitted by the project's selected ownership rule.

Expected behavior:

- The page loads project records associated with the current user's session ID.
- Each item shows the entity title or identifier and at least one additional project-specific entity field used in Milestone 2.
- Each item shows the relationship `id`, `created`, and `modified` values.
- Each item links to the project-record detail page.
- A user permitted by the project's selected ownership rule can remove one association.
- A user permitted by the project's selected ownership rule can remove all of their associations.
- The page includes at least one entity-specific filter.
- The page includes at least one selectable sort option in addition to the default sort.
- The page accepts limits from 1 through 100 and defaults invalid values to 10.
- The page shows an accurate matching count.
- The page shows an accurate displayed count.
- The page shows a clear no-results message when no records match.

the *Journal of the American Medical Association* (JAMA) and the *New England Journal of Medicine* (NEJM).

These journals are the most widely read and cited in the field of medicine. They are also the most expensive to publish in, with JAMA and NEJM charging authors a fee of \$1,000 per article.

These journals are also the most difficult to get into, with JAMA and NEJM accepting only a small percentage of the articles they receive for consideration.

These journals are also the most prestigious, with JAMA and NEJM being considered the gold standard of medical publishing.

These journals are also the most influential, with JAMA and NEJM being cited by other researchers and used to inform medical practice.

These journals are also the most expensive to read, with JAMA and NEJM charging a subscription fee of \$1,000 per year.

These journals are also the most difficult to access, with JAMA and NEJM being available only to libraries and individual researchers who can afford the subscription fee.

These journals are also the most prestigious, with JAMA and NEJM being considered the gold standard of medical publishing.

These journals are also the most influential, with JAMA and NEJM being cited by other researchers and used to inform medical practice.

These journals are also the most expensive to read, with JAMA and NEJM charging a subscription fee of \$1,000 per year.

These journals are also the most difficult to access, with JAMA and NEJM being available only to libraries and individual researchers who can afford the subscription fee.

These journals are also the most prestigious, with JAMA and NEJM being considered the gold standard of medical publishing.

These journals are also the most influential, with JAMA and NEJM being cited by other researchers and used to inform medical practice.

These journals are also the most expensive to read, with JAMA and NEJM charging a subscription fee of \$1,000 per year.

These journals are also the most difficult to access, with JAMA and NEJM being available only to libraries and individual researchers who can afford the subscription fee.

These journals are also the most prestigious, with JAMA and NEJM being considered the gold standard of medical publishing.

These journals are also the most influential, with JAMA and NEJM being cited by other researchers and used to inform medical practice.

These journals are also the most expensive to read, with JAMA and NEJM charging a subscription fee of \$1,000 per year.

These journals are also the most difficult to access, with JAMA and NEJM being available only to libraries and individual researchers who can afford the subscription fee.

Section #3: (1 pt.) All Associated Records

100%

Goal: show relationship rows across multiple users with the project's selected visibility rule.

Expected behavior:

- Each row shows the associated username.

- Each row shows the entity title or identifier and at least one additional project-specific entity field used in Milestone 2.

- Each row shows the relationship `id`, `created`, and `modified` values.

- Each username links by user ID to a safe public profile.

- Each project record links to its detail page.

- A role permitted by the project's selected removal rule can remove an individual relationship.

- A partial username filter is available.

- At least one entity-specific filter is available.

- At least one selectable sort option is available in addition to the default sort.

- The view accepts limits from 1 through 100 and defaults invalid values to 10.

- The view shows an accurate matching count.

- The view shows an accurate displayed count.

- The view shows a clear no-results message when no records match.

- The project documents whether this view is public or role-protected.

- The server enforces the documented visibility decision.

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

Section #4: (1 pt.) Unassociated Records

100%

Goal: show project records that currently have no user relationship.

Expected behavior:

- The view excludes every project record that has at least one user relationship.

- Each item shows the entity title or identifier and at least one additional project-specific entity field used in Milestone 2.

- Each item links to its detail page.

- At least one entity-specific filter is available.

- At least one selectable sort option is available in addition to the default sort.

- The view accepts limits from 1 through 100 and defaults invalid values to 10.

- The view shows an accurate matching count.

- The view shows an accurate displayed count.

- The view shows a clear no-results message when no records match.

- The project documents whether this view is public or role-protected.

- The server enforces the documented visibility decision.

Section #5: (2 pts.) Association Assignment

100%

Goal: show that an authorized role can search for users and project records before applying relationships.

Expected behavior:

User search uses a partial username.

Goal: show that an authorized role can search for users and project records before applying relationships.

Expected behavior:

- User search uses a partial username.

- Project-record search uses at least one user-friendly value:

 - Identifier

 - Name

 - Title

 - An equivalent project-specific value

- User search returns no more than 25 matches.

- Project-record search returns no more than 25 matches.

- The two result sets appear in clear groups or columns.

- Every user result has a checkbox.

- Every project-record result has a checkbox.

- Applying the form creates missing relationships for selected pairs.

- Applying the form removes existing relationships for selected pairs.

- A server-side role check protects the page.

- A server-side role check protects the state-changing request.

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.2 billion to 1.5 billion.

As the world's population grows, the demand for food and other resources will increase. This will put pressure on the environment and on the world's food supply.

One way to meet this demand is to increase the amount of food that is produced. This can be done by using more land for agriculture, by using more fertilizers and pesticides, and by using more water.

Another way to meet this demand is to reduce the amount of food that is wasted. This can be done by using less food, by using food more efficiently, and by reducing food losses.

There are many ways to meet the world's growing demand for food and other resources. It is important that we find ways to do this in a sustainable way, so that we can meet the needs of future generations.

One way to do this is to use more sustainable agricultural practices. This can be done by using less land, by using less fertilizers and pesticides, and by using less water.

Another way to do this is to reduce the amount of food that is wasted. This can be done by using less food, by using food more efficiently, and by reducing food losses.

There are many ways to meet the world's growing demand for food and other resources. It is important that we find ways to do this in a sustainable way, so that we can meet the needs of future generations.

One way to do this is to use more sustainable agricultural practices. This can be done by using less land, by using less fertilizers and pesticides, and by using less water.

Another way to do this is to reduce the amount of food that is wasted. This can be done by using less food, by using food more efficiently, and by reducing food losses.

There are many ways to meet the world's growing demand for food and other resources. It is important that we find ways to do this in a sustainable way, so that we can meet the needs of future generations.

One way to do this is to use more sustainable agricultural practices. This can be done by using less land, by using less fertilizers and pesticides, and by using less water.

Another way to do this is to reduce the amount of food that is wasted. This can be done by using less food, by using food more efficiently, and by reducing food losses.

There are many ways to meet the world's growing demand for food and other resources. It is important that we find ways to do this in a sustainable way, so that we can meet the needs of future generations.

One way to do this is to use more sustainable agricultural practices. This can be done by using less land, by using less fertilizers and pesticides, and by using less water.

Another way to do this is to reduce the amount of food that is wasted. This can be done by using less food, by using food more efficiently, and by reducing food losses.

There are many ways to meet the world's growing demand for food and other resources. It is important that we find ways to do this in a sustainable way, so that we can meet the needs of future generations.

Section #6: (1 pt.) Public User Profile

100%

Goal: show safe public user information without exposing private account or authorization data.

Expected behavior:

Association pages display the username.

Username links identify the profile by user ID.

Expected behavior:

Association pages display the username.

Username links identify the profile by user ID.

The profile validates the requested user ID.

The profile shows the username.

The profile may also show associated-record summaries or other intentionally public project information.

Email is not exposed.

Roles are not exposed.

Internal session details are not exposed.

Other private account values are not exposed.

Section #7: (1 pt.) Misc



End of Assignment - submission has been recorded.