



129015 mtanh NCSCAL = 1, warmup = 0





Transformations and error traces 10/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

Te pedestal 0.9 Te pedestal 1.05 ne pedestal 0.9 ne pedestal 1 ne pedestal 1.1
Te pedestal 0.95 ne pedestal 0.8 ne pedestal 0.95 ne pedestal 1.05 ne pedestal 1.2

Saved transformation profiles



Iteration errors (relative fractions)










One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 mtanh NCSCAL = 1, warmup = 0

Iteration counts and pressure response 10/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 mtanh NCSCAL = 1, warmup = 1


Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

Te pedestal 0.8 Te pedestal 0.95 Te pedestal 1.05 Te pedestal 1.2 ne pedestal 0.9 ne pedestal 1 ne pedestal 1.1
Te pedestal 0.9 Te pedestal 1 Te pedestal 1.1 ne pedestal 0.8 ne pedestal 0.95 ne pedestal 1.05 ne pedestal 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 mtanh NCSCAL = 1, warmup = 1

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 mtanh NCSCAL = 1, warmup = 2


Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

▲ Te pedestal 0.8 ▲ Te pedestal 0.95 ▲ Te pedestal 1.05 ▲ Te pedestal 1.2 ■ ne pedestal 0.9 ■ ne pedestal 1 ■ ne pedestal 1.1
▲ Te pedestal 0.9 ▲ Te pedestal 1 ▲ Te pedestal 1.1 ■ ne pedestal 0.8 ■ ne pedestal 0.95 ■ ne pedestal 1.05 ■ ne pedestal 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 mtanh NCSCAL = 1, warmup = 2

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 mtanh NCSCAL = 4, warmup = 0





Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

Te pedestal 0.8 Te pedestal 0.95 Te pedestal 1.05 Te pedestal 1.2 ne pedestal 0.9 ne pedestal 1 ne pedestal 1.1
Te pedestal 0.9 Te pedestal 1 Te pedestal 1.1 ne pedestal 0.8 ne pedestal 0.95 ne pedestal 1.05 ne pedestal 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 mtanh NCSCAL = 4, warmup = 0

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q /shear.

129015 mtanh NCSCAL = 4, warmup = 1


Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

Te pedestal 0.8 Te pedestal 0.95 Te pedestal 1.05 Te pedestal 1.2 ne pedestal 0.9 ne pedestal 1 ne pedestal 1.1
Te pedestal 0.9 Te pedestal 1 Te pedestal 1.1 ne pedestal 0.8 ne pedestal 0.95 ne pedestal 1.05 ne pedestal 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 mtanh NCSCAL = 4, warmup = 1

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q /shear.

129015 mtanh NCSCAL = 4, warmup = 2





Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

Te pedestal 0.8 Te pedestal 0.95 Te pedestal 1.05 Te pedestal 1.2 ne pedestal 0.9 ne pedestal 1 ne pedestal 1.1
Te pedestal 0.9 Te pedestal 1 Te pedestal 1.1 ne pedestal 0.8 ne pedestal 0.95 ne pedestal 1.05 ne pedestal 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 mtanh NCSCAL = 4, warmup = 2

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged




Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.

Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q /shear.

129015 mtanh pressure chains across solver variants

Marker border identifies the solver variant. Marker fill matches that scaling type/factor in every profile, trace and bar.



NCSCAL 1 / warmup 0







NCSCAL 1 / warmup 1

NCSCAL 1 / warmup 2

NCSCAL 4 / warmup 0

NCSCAL 4 / warmup 1

NCSCAL 4 / warmup 2



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear. x: solver reports nonconvergence.

Coverage: N1/W0 10/14 N1/W1 14/14 N1/W2 14/14 N4/W0 14/14 N4/W1 14/14 N4/W2 14/14 saved results. Missing outputs remain unclassified.

129015 apply_omX NCSCAL = 1, warmup = 0

Transformations and error traces

12/14 saved results



I-star mix 0.05

Ip tolerance 0.2%





BS/q tolerance 1%

omt 0.9 omt 1 omt 1.1 omne 0.8 omne 1 omne 1.1
omt 0.95 omt 1.05 omt 1.2 omne 0.9 omne 1.05 omne 1.2

Saved transformation profiles



Iteration errors (relative fractions)










One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 apply_omX NCSCAL = 1, warmup = 0

Iteration counts and pressure response 12/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 apply_omX NCSCAL = 1, warmup = 1





Transformations and error traces 4/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

omt 0.8 omt 0.9 omt 0.95 omt 1

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 apply_omX NCSCAL = 1, warmup = 1

Iteration counts and pressure response 4/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 apply_omX NCSCAL = 1, warmup = 2





Transformations and error traces 4/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

omt 0.8 omt 0.9 omt 0.95 omt 1

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 apply_omX NCSCAL = 1, warmup = 2

Iteration counts and pressure response 4/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 apply_omX NCSCAL = 4, warmup = 0





Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

omt 0.8 omt 0.95 omt 1.05 omt 1.2 omne 0.9 omne 1 omne 1.1
omt 0.9 omt 1 omne 0.8 omne 0.95 omne 1.05 omne 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 apply_omX NCSCAL = 4, warmup = 0

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 apply_omX NCSCAL = 4, warmup = 1





Transformations and error traces 14/14 saved results l-star mix 0.05 lp tolerance 0.2% BS/q tolerance 1%

omt 0.8 omt 0.95 omt 1.05 omt 1.2 omne 0.9 omne 1 omne 1.1
omt 0.9 omt 1 omne 0.8 omne 0.95 omne 1.05 omne 1.2

Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 apply_omX NCSCAL = 4, warmup = 1

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged



Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.

Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q/shear.

129015 apply_omX NCSCAL = 4, warmup = 2


Transformations and error traces

14/14 saved results



l-star mix 0.05

lp tolerance 0.2%





BS/q tolerance 1%



Saved transformation profiles



Iteration errors (relative fractions)




One color per scaling type/factor across all plots. Profiles: solid electrons, dashed ions where shown. Black curves: reference profiles.

Amplitude change may be set to zero by the stopping rule. BS/q traces measure successive change.

129015 apply_omX NCSCAL = 4, warmup = 2

Iteration counts and pressure response 14/14 saved results Bars label the number of iterations, including 00 Hatched bars / × = nonconverged




Pressure chains: q and shear versus solved pressure / source pressure at the three Chapman points. Lines join each scaling type separately.

Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q /shear.

129015 apply_omX pressure chains across solver variants

Marker border identifies the solver variant. Marker fill matches that scaling type/factor in every profile, trace and bar.



NCSCAL 1 / warmup 0







NCSCAL 1 / warmup 1

NCSCAL 1 / warmup 2

NCSCAL 4 / warmup 0

NCSCAL 4 / warmup 1

NCSCAL 4 / warmup 2



Star: source equilibrium. Hollow diamond: fitted baseline pressure at source q /shear. $\times$: solver reports nonconvergence.

Coverage: N1/W0 12/14 N1/W1 4/14 N1/W2 4/14 N4/W0 14/14 N4/W1 14/14 N4/W2 14/14 saved results. Missing outputs remain unclassified.