# How to use table elements

## A simple table, 3 columns, 4 rows

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

goodbaduglynicediceviceliteraturemusicartjavaperlpython

### A table with borders

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

good nice literature	bad	ugly	
nice nice	dice	vice	
	music	art	
<mark>java                                     </mark>	perl	python	

### A table with thick borders

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

good nice	bad	ugly	
nice	dice	vice	
literature	music	art	
java 💮 💮	perl	python	


### A table with borders around the cells

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.


good	bad	ugly
nice	dice	vice
<u>literature</u>	music	art
java	perl	python

#### 2 tables with thick borders around the cells

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.



this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.



### 5 tables with borders

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

bad		
bad		
bad		
bad		

### A Contents table

- A)What is FOP?
- B)Downloading FOP
- C)Running FOP
  D)Embedding FOP
- E)What's Implemented?
- F)Limitations G)Bugs
- H)Compiling FOP
- I)Getting involved
- J)FOP Relevant Specifications
- K)Licence